



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 21, 2016 – 02:21 PM EDT

PDB ID : 5AB6  
Title : Crystal structure of Trypanosoma brucei SCP2-thiolase like protein (TbSLP)  
in complex with acetoacetyl-CoA.  
Authors : Harijan, R.K.; Kiema, T.R.; Wierenga, R.K.  
Deposited on : 2015-08-01  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027790  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027790


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	425	<div> <div>9%</div> <div>89%</div> <div>7%</div> </div>
1	B	425	<div> <div>11%</div> <div>89%</div> <div>8%</div> </div>
1	C	425	<div> <div>8%</div> <div>89%</div> <div>7%</div> </div>
1	D	425	<div> <div>8%</div> <div>89%</div> <div>7%</div> </div>
1	E	425	<div> <div>7%</div> <div>90%</div> <div>7%</div> </div>
1	F	425	<div> <div>6%</div> <div>89%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CAA	A	1409	-	-	-	X
2	CAA	B	1409	-	-	-	X
2	CAA	C	1409	-	-	-	X
2	CAA	F	1409	-	-	-	X
3	SO4	C	1410	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 18659 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SCP2-THIOLASE LIKE PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	394	Total	C	N	O	S	0	1	0
			2930	1855	511	539	25			
1	B	393	Total	C	N	O	S	0	2	0
			2935	1858	512	540	25			
1	C	394	Total	C	N	O	S	0	0	0
			2923	1851	511	537	24			
1	D	396	Total	C	N	O	S	0	1	0
			2949	1866	515	543	25			
1	E	395	Total	C	N	O	S	0	1	0
			2937	1858	512	542	25			
1	F	396	Total	C	N	O	S	0	3	0
			2960	1872	519	544	25			

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	HIS	-	EXPRESSION TAG	UNP C9ZUV7
A	-14	HIS	-	EXPRESSION TAG	UNP C9ZUV7
A	-13	HIS	-	EXPRESSION TAG	UNP C9ZUV7
A	-12	HIS	-	EXPRESSION TAG	UNP C9ZUV7
A	-11	HIS	-	EXPRESSION TAG	UNP C9ZUV7
A	-10	HIS	-	EXPRESSION TAG	UNP C9ZUV7
A	-9	SER	-	EXPRESSION TAG	UNP C9ZUV7
A	-8	SER	-	EXPRESSION TAG	UNP C9ZUV7
A	-7	GLY	-	EXPRESSION TAG	UNP C9ZUV7
A	-6	LEU	-	EXPRESSION TAG	UNP C9ZUV7
A	-5	VAL	-	EXPRESSION TAG	UNP C9ZUV7
A	-4	PRO	-	EXPRESSION TAG	UNP C9ZUV7
A	-3	ARG	-	EXPRESSION TAG	UNP C9ZUV7
A	-2	GLY	-	EXPRESSION TAG	UNP C9ZUV7
A	-1	SER	-	EXPRESSION TAG	UNP C9ZUV7
A	0	HIS	-	EXPRESSION TAG	UNP C9ZUV7
B	-15	HIS	-	EXPRESSION TAG	UNP C9ZUV7

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	EXPRESSION TAG	UNP C9ZUV7
B	-13	HIS	-	EXPRESSION TAG	UNP C9ZUV7
B	-12	HIS	-	EXPRESSION TAG	UNP C9ZUV7
B	-11	HIS	-	EXPRESSION TAG	UNP C9ZUV7
B	-10	HIS	-	EXPRESSION TAG	UNP C9ZUV7
B	-9	SER	-	EXPRESSION TAG	UNP C9ZUV7
B	-8	SER	-	EXPRESSION TAG	UNP C9ZUV7
B	-7	GLY	-	EXPRESSION TAG	UNP C9ZUV7
B	-6	LEU	-	EXPRESSION TAG	UNP C9ZUV7
B	-5	VAL	-	EXPRESSION TAG	UNP C9ZUV7
B	-4	PRO	-	EXPRESSION TAG	UNP C9ZUV7
B	-3	ARG	-	EXPRESSION TAG	UNP C9ZUV7
B	-2	GLY	-	EXPRESSION TAG	UNP C9ZUV7
B	-1	SER	-	EXPRESSION TAG	UNP C9ZUV7
B	0	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-15	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-14	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-13	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-12	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-11	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-10	HIS	-	EXPRESSION TAG	UNP C9ZUV7
C	-9	SER	-	EXPRESSION TAG	UNP C9ZUV7
C	-8	SER	-	EXPRESSION TAG	UNP C9ZUV7
C	-7	GLY	-	EXPRESSION TAG	UNP C9ZUV7
C	-6	LEU	-	EXPRESSION TAG	UNP C9ZUV7
C	-5	VAL	-	EXPRESSION TAG	UNP C9ZUV7
C	-4	PRO	-	EXPRESSION TAG	UNP C9ZUV7
C	-3	ARG	-	EXPRESSION TAG	UNP C9ZUV7
C	-2	GLY	-	EXPRESSION TAG	UNP C9ZUV7
C	-1	SER	-	EXPRESSION TAG	UNP C9ZUV7
C	0	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-15	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-14	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-13	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-12	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-11	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-10	HIS	-	EXPRESSION TAG	UNP C9ZUV7
D	-9	SER	-	EXPRESSION TAG	UNP C9ZUV7
D	-8	SER	-	EXPRESSION TAG	UNP C9ZUV7
D	-7	GLY	-	EXPRESSION TAG	UNP C9ZUV7
D	-6	LEU	-	EXPRESSION TAG	UNP C9ZUV7
D	-5	VAL	-	EXPRESSION TAG	UNP C9ZUV7

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	PRO	-	EXPRESSION TAG	UNP C9ZUV7
D	-3	ARG	-	EXPRESSION TAG	UNP C9ZUV7
D	-2	GLY	-	EXPRESSION TAG	UNP C9ZUV7
D	-1	SER	-	EXPRESSION TAG	UNP C9ZUV7
D	0	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-15	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-14	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-13	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-12	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-11	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-10	HIS	-	EXPRESSION TAG	UNP C9ZUV7
E	-9	SER	-	EXPRESSION TAG	UNP C9ZUV7
E	-8	SER	-	EXPRESSION TAG	UNP C9ZUV7
E	-7	GLY	-	EXPRESSION TAG	UNP C9ZUV7
E	-6	LEU	-	EXPRESSION TAG	UNP C9ZUV7
E	-5	VAL	-	EXPRESSION TAG	UNP C9ZUV7
E	-4	PRO	-	EXPRESSION TAG	UNP C9ZUV7
E	-3	ARG	-	EXPRESSION TAG	UNP C9ZUV7
E	-2	GLY	-	EXPRESSION TAG	UNP C9ZUV7
E	-1	SER	-	EXPRESSION TAG	UNP C9ZUV7
E	0	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-15	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-14	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-13	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-12	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-11	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-10	HIS	-	EXPRESSION TAG	UNP C9ZUV7
F	-9	SER	-	EXPRESSION TAG	UNP C9ZUV7
F	-8	SER	-	EXPRESSION TAG	UNP C9ZUV7
F	-7	GLY	-	EXPRESSION TAG	UNP C9ZUV7
F	-6	LEU	-	EXPRESSION TAG	UNP C9ZUV7
F	-5	VAL	-	EXPRESSION TAG	UNP C9ZUV7
F	-4	PRO	-	EXPRESSION TAG	UNP C9ZUV7
F	-3	ARG	-	EXPRESSION TAG	UNP C9ZUV7
F	-2	GLY	-	EXPRESSION TAG	UNP C9ZUV7
F	-1	SER	-	EXPRESSION TAG	UNP C9ZUV7
F	0	HIS	-	EXPRESSION TAG	UNP C9ZUV7

- Molecule 2 is ACETOACETYL-COENZYME A (three-letter code: CAA) (formula: C<sub>25</sub>H<sub>40</sub>N<sub>7</sub>O<sub>18</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			54	25	7	18	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			54	25	7	18	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			54	25	7	18	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			54	25	7	18	3	1		
2	E	1	Total	C	N	O	P	S	0	0
			54	25	7	18	3	1		
2	F	1	Total	C	N	O	P	S	0	0
			54	25	7	18	3	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	111	Total	O	0	0
			111	111		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	90	Total 90	O 90	0	0
4	C	119	Total 119	O 119	0	0
4	D	103	Total 103	O 103	0	0
4	E	119	Total 119	O 119	0	0
4	F	104	Total 104	O 104	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: SCP2-THIOLASE LIKE PROTEIN




#### • Molecule 1: SCP2-THIOLASE LIKE PROTEIN




#### • Molecule 1: SCP2-THIOLASE LIKE PROTEIN





#### • Molecule 1: SCP2-THIOLASE LIKE PROTEIN







• Molecule 1: SCP2-THIOLASE LIKE PROTEIN



• Molecule 1: SCP2-THIOLASE LIKE PROTEIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	116.15Å 65.97Å 156.75Å 90.00° 90.03° 90.00°	Depositor
Resolution (Å)	29.43 – 1.90 29.41 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.9 (29.43-1.90) 97.9 (29.41-1.90)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.48 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, $R_{free}$	0.248 , 0.264 0.250 , 0.264	Depositor DCC
$R_{free}$ test set	9153 reflections (5.25%)	DCC
Wilson B-factor (Å <sup>2</sup> )	22.7	Xtriage
Anisotropy	0.241	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 44.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.028 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	18659	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 68.32 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.4545e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CAA, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/2993	0.53	0/4061
1	B	0.33	0/2998	0.55	2/4068 (0.0%)
1	C	0.33	0/2983	0.56	1/4048 (0.0%)
1	D	0.33	0/3013	0.53	0/4089
1	E	0.32	0/3000	0.54	0/4070
1	F	0.35	0/3027	0.54	0/4106
All	All	0.33	0/18014	0.54	3/24442 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	211	ARG	NE-CZ-NH1	7.29	123.94	120.30
1	B	278	ARG	NE-CZ-NH1	5.51	123.06	120.30
1	B	282	LEU	CA-CB-CG	5.04	126.90	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2930	0	2929	8	0
1	B	2935	0	2933	10	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2923	0	2920	8	0
1	D	2949	0	2939	11	0
1	E	2937	0	2937	6	0
1	F	2960	0	2958	13	0
2	A	54	0	36	0	0
2	B	54	0	36	0	0
2	C	54	0	36	0	0
2	D	54	0	36	0	0
2	E	54	0	36	0	0
2	F	54	0	36	0	0
3	A	5	0	0	0	0
3	B	10	0	0	0	0
3	C	5	0	0	0	0
3	D	10	0	0	0	0
3	E	15	0	0	0	0
3	F	10	0	0	0	0
4	A	111	0	0	0	0
4	B	90	0	0	1	0
4	C	119	0	0	0	0
4	D	103	0	0	3	0
4	E	119	0	0	0	0
4	F	104	0	0	0	0
All	All	18659	0	17832	44	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278:ARG:NH2	1:F:378:ASP:OD2	1.95	1.00
1:E:178:ARG:HB3	1:E:378:ASP:OD1	1.82	0.80
1:D:306:GLN:NE2	4:D:2075:HOH:O	2.26	0.68
1:F:81:ARG:HD2	1:F:96:MET:CE	2.23	0.68
1:C:267:VAL:HG12	1:C:268:PRO:HD2	1.76	0.66
1:C:99:ASP:OD2	1:D:99:ASP:OD2	2.16	0.64
1:C:58:GLN:HG2	1:C:64:HIS:CG	2.36	0.61
1:B:278:ARG:HD3	1:F:177:GLU:O	2.02	0.59
1:E:252:GLU:OE2	1:F:81:ARG:NH2	2.35	0.59
1:F:131:ALA:O	1:F:134[A]:ARG:HG2	2.02	0.59
1:B:306:GLN:NE2	4:B:2052:HOH:O	2.38	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:81:ARG:NH2	1:F:252:GLU:OE2	2.37	0.57
1:B:286:LEU:O	1:F:185:GLN:HG3	2.05	0.56
1:A:325:THR:HG21	1:D:33[A]:CYS:SG	2.46	0.55
1:C:252:GLU:OE2	1:D:81:ARG:NH1	2.40	0.54
1:F:191:ASP:O	1:F:195[A]:HIS:ND1	2.40	0.53
1:A:346:THR:O	1:A:379:ARG:HD2	2.09	0.53
1:F:346:THR:O	1:F:379:ARG:HD2	2.09	0.52
1:B:346:THR:O	1:B:379:ARG:HD2	2.09	0.52
1:E:346:THR:O	1:E:379:ARG:HD2	2.09	0.52
1:D:346:THR:O	1:D:379:ARG:HD2	2.09	0.52
1:C:346:THR:O	1:C:379:ARG:HD2	2.09	0.52
1:A:152:GLN:HA	1:A:155:MET:HE2	1.91	0.52
1:A:273:CYS:HB3	1:A:306:GLN:HE22	1.79	0.47
1:C:81:ARG:NH2	1:D:252:GLU:OE2	2.48	0.46
1:F:81:ARG:HD2	1:F:96:MET:HE3	1.98	0.46
1:A:81:ARG:NH2	1:B:252:GLU:OE2	2.51	0.44
1:A:252:GLU:OE2	1:B:81:ARG:NH2	2.46	0.44
1:A:321:GLU:OE2	1:D:37:ASP:OD1	2.37	0.43
1:E:125:PHE:CD2	1:E:211:ARG:HD3	2.54	0.43
1:B:179:HIS:CD2	1:B:353:PHE:HE1	2.37	0.43
1:D:125:PHE:CD2	1:D:211:ARG:HD3	2.54	0.42
1:B:125:PHE:CD2	1:B:211:ARG:HD3	2.55	0.42
1:F:125:PHE:CD2	1:F:211:ARG:HD3	2.55	0.42
1:A:125:PHE:CD2	1:A:211:ARG:HD3	2.55	0.41
1:D:4:GLN:NE2	4:D:2001:HOH:O	2.53	0.41
1:E:306:GLN:HE21	1:E:306:GLN:HB3	1.69	0.41
1:B:7:ARG:NH1	1:B:244:LYS:O	2.50	0.41
1:C:133:LEU:HD11	1:C:396:ILE:HD11	2.03	0.41
1:F:359:VAL:N	1:F:360:PRO:CD	2.84	0.41
1:C:200:ALA:HB1	1:C:201:PRO:HD2	2.03	0.40
1:D:275:HIS:HD2	4:D:2074:HOH:O	2.04	0.40
1:F:81:ARG:HD2	1:F:96:MET:HE1	1.99	0.40
1:D:359:VAL:N	1:D:360:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/425 (92%)	383 (98%)	6 (2%)	0	100	100
1	B	389/425 (92%)	383 (98%)	6 (2%)	0	100	100
1	C	388/425 (91%)	382 (98%)	6 (2%)	0	100	100
1	D	391/425 (92%)	385 (98%)	6 (2%)	0	100	100
1	E	390/425 (92%)	384 (98%)	6 (2%)	0	100	100
1	F	393/425 (92%)	387 (98%)	6 (2%)	0	100	100
All	All	2340/2550 (92%)	2304 (98%)	36 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/332 (92%)	303 (99%)	2 (1%)	88	88
1	B	306/332 (92%)	304 (99%)	2 (1%)	88	88
1	C	303/332 (91%)	300 (99%)	3 (1%)	82	81
1	D	307/332 (92%)	303 (99%)	4 (1%)	76	73
1	E	307/332 (92%)	302 (98%)	5 (2%)	70	66
1	F	309/332 (93%)	304 (98%)	5 (2%)	70	66
All	All	1837/1992 (92%)	1816 (99%)	21 (1%)	80	79

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	154	TYR
1	A	267	VAL
1	B	154	TYR
1	B	267	VAL
1	C	154	TYR
1	C	185	GLN
1	C	306	GLN
1	D	18	LYS
1	D	81	ARG
1	D	154	TYR
1	D	267	VAL
1	E	154	TYR
1	E	185	GLN
1	E	267	VAL
1	E	306	GLN
1	E	378	ASP
1	F	134[A]	ARG
1	F	134[B]	ARG
1	F	154	TYR
1	F	267	VAL
1	F	306	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4	GLN
1	A	306	GLN
1	B	306	GLN
1	C	4	GLN
1	C	185	GLN
1	D	4	GLN
1	D	275	HIS
1	E	4	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	CAA	A	1409	-	47,56,56	1.21	2 (4%)	57,83,83	1.59	4 (7%)
3	SO4	A	1410	-	4,4,4	0.31	0	6,6,6	0.07	0
2	CAA	B	1409	-	47,56,56	1.22	2 (4%)	57,83,83	1.59	5 (8%)
3	SO4	B	1410	-	4,4,4	0.33	0	6,6,6	0.07	0
3	SO4	B	1411	-	4,4,4	0.37	0	6,6,6	0.07	0
2	CAA	C	1409	-	47,56,56	1.21	2 (4%)	57,83,83	1.51	3 (5%)
3	SO4	C	1410	-	4,4,4	0.33	0	6,6,6	0.08	0
2	CAA	D	1409	-	47,56,56	1.17	2 (4%)	57,83,83	1.54	4 (7%)
3	SO4	D	1410	-	4,4,4	0.31	0	6,6,6	0.10	0
3	SO4	D	1411	-	4,4,4	0.33	0	6,6,6	0.09	0
2	CAA	E	1409	-	47,56,56	1.20	2 (4%)	57,83,83	1.51	4 (7%)
3	SO4	E	1410	-	4,4,4	0.36	0	6,6,6	0.09	0
3	SO4	E	1411	-	4,4,4	0.34	0	6,6,6	0.10	0
3	SO4	E	1412	-	4,4,4	0.36	0	6,6,6	0.10	0
2	CAA	F	1409	-	47,56,56	1.23	2 (4%)	57,83,83	1.44	3 (5%)
3	SO4	F	1410	-	4,4,4	0.33	0	6,6,6	0.08	0
3	SO4	F	1411	-	4,4,4	0.36	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CAA	A	1409	-	-	0/50/71/71	0/3/3/3
3	SO4	A	1410	-	-	0/0/0/0	0/0/0/0
2	CAA	B	1409	-	-	0/50/71/71	0/3/3/3
3	SO4	B	1410	-	-	0/0/0/0	0/0/0/0
3	SO4	B	1411	-	-	0/0/0/0	0/0/0/0
2	CAA	C	1409	-	-	2/50/71/71	0/3/3/3
3	SO4	C	1410	-	-	0/0/0/0	0/0/0/0
2	CAA	D	1409	-	-	2/50/71/71	0/3/3/3
3	SO4	D	1410	-	-	0/0/0/0	0/0/0/0
3	SO4	D	1411	-	-	0/0/0/0	0/0/0/0
2	CAA	E	1409	-	-	0/50/71/71	0/3/3/3
3	SO4	E	1410	-	-	0/0/0/0	0/0/0/0
3	SO4	E	1411	-	-	0/0/0/0	0/0/0/0
3	SO4	E	1412	-	-	0/0/0/0	0/0/0/0
2	CAA	F	1409	-	-	2/50/71/71	0/3/3/3
3	SO4	F	1410	-	-	0/0/0/0	0/0/0/0
3	SO4	F	1411	-	-	0/0/0/0	0/0/0/0

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1409	CAA	C1-S1P	-6.23	1.67	1.76
2	B	1409	CAA	C1-S1P	-6.22	1.67	1.76
2	C	1409	CAA	C1-S1P	-6.13	1.68	1.76
2	E	1409	CAA	C1-S1P	-6.13	1.68	1.76
2	A	1409	CAA	C1-S1P	-6.11	1.68	1.76
2	D	1409	CAA	C1-S1P	-5.70	1.68	1.76
2	A	1409	CAA	C5A-C4A	2.98	1.47	1.40
2	F	1409	CAA	C5A-C4A	3.05	1.47	1.40
2	E	1409	CAA	C5A-C4A	3.08	1.47	1.40
2	C	1409	CAA	C5A-C4A	3.09	1.47	1.40
2	B	1409	CAA	C5A-C4A	3.09	1.47	1.40
2	D	1409	CAA	C5A-C4A	3.11	1.47	1.40

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1409	CAA	N3A-C2A-N1A	-7.59	122.91	128.87
2	B	1409	CAA	N3A-C2A-N1A	-7.58	122.92	128.87
2	C	1409	CAA	N3A-C2A-N1A	-7.57	122.93	128.87
2	D	1409	CAA	N3A-C2A-N1A	-7.51	122.97	128.87

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1409	CAA	N3A-C2A-N1A	-7.38	123.07	128.87
2	F	1409	CAA	N3A-C2A-N1A	-7.22	123.20	128.87
2	B	1409	CAA	O1-C1-S1P	-2.47	120.87	122.83
2	A	1409	CAA	O1-C1-S1P	-2.33	120.99	122.83
2	E	1409	CAA	O1-C1-S1P	-2.03	121.22	122.83
2	B	1409	CAA	P3B-O3B-C3B	2.03	126.77	121.56
2	C	1409	CAA	C3B-C2B-C1B	2.14	104.72	100.06
2	D	1409	CAA	P3B-O3B-C3B	2.19	127.18	121.56
2	E	1409	CAA	C3B-C2B-C1B	2.20	104.85	100.06
2	F	1409	CAA	C3B-C2B-C1B	2.38	105.23	100.06
2	A	1409	CAA	C3B-C2B-C1B	2.43	105.36	100.06
2	D	1409	CAA	C3B-C2B-C1B	2.48	105.46	100.06
2	B	1409	CAA	C3B-C2B-C1B	2.63	105.78	100.06
2	F	1409	CAA	C2-C1-S1P	4.81	118.19	113.46
2	E	1409	CAA	C2-C1-S1P	4.98	118.36	113.46
2	C	1409	CAA	C2-C1-S1P	5.04	118.42	113.46
2	D	1409	CAA	C2-C1-S1P	5.43	118.80	113.46
2	B	1409	CAA	C2-C1-S1P	5.70	119.07	113.46
2	A	1409	CAA	C2-C1-S1P	6.47	119.82	113.46

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	1409	CAA	C4-C3-C2-C1
2	D	1409	CAA	O3-C3-C2-C1
2	F	1409	CAA	O3-C3-C2-C1
2	F	1409	CAA	C4-C3-C2-C1
2	C	1409	CAA	O3-C3-C2-C1
2	C	1409	CAA	C4-C3-C2-C1

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	394/425 (92%)	0.96	38 (9%) 10 11	17, 28, 46, 70	0
1	B	393/425 (92%)	1.01	47 (11%) 6 6	17, 29, 47, 65	0
1	C	394/425 (92%)	0.71	33 (8%) 14 15	16, 26, 45, 60	0
1	D	396/425 (93%)	0.73	32 (8%) 15 16	16, 27, 45, 65	0
1	E	395/425 (92%)	0.70	30 (7%) 17 18	16, 25, 46, 61	0
1	F	396/425 (93%)	0.71	27 (6%) 20 23	16, 25, 44, 67	0
All	All	2368/2550 (92%)	0.80	207 (8%) 13 14	16, 27, 46, 70	0

All (207) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	75	LYS	7.2
1	E	231	ALA	6.7
1	A	240	LEU	6.5
1	F	3	SER	6.5
1	B	75	LYS	6.0
1	E	261	GLY	5.9
1	A	75	LYS	5.8
1	F	261	GLY	5.5
1	D	265	ASP	5.4
1	C	266	ILE	5.3
1	F	262	SER	5.3
1	C	261	GLY	5.2
1	F	240	LEU	5.1
1	E	75	LYS	5.1
1	B	127	GLU	5.1
1	B	3	SER	5.0
1	A	231	ALA	5.0
1	B	228	GLU	4.9
1	A	269	ASP	4.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	262	SER	4.8
1	D	20	HIS	4.8
1	A	230	PHE	4.6
1	A	3	SER	4.5
1	A	20	HIS	4.3
1	D	75	LYS	4.3
1	B	124	ALA	4.2
1	B	224	ALA	4.1
1	A	261	GLY	3.9
1	B	267	VAL	3.9
1	B	227	ALA	3.9
1	C	75	LYS	3.9
1	B	331	LEU	3.8
1	B	382	THR	3.8
1	C	186	LYS	3.8
1	A	73	PRO	3.8
1	C	267	VAL	3.8
1	A	228	GLU	3.7
1	B	178	ARG	3.7
1	D	238	ARG	3.7
1	B	135	ARG	3.7
1	C	240	LEU	3.7
1	C	382	THR	3.6
1	D	205	LEU	3.6
1	C	73	PRO	3.6
1	F	228	GLU	3.5
1	E	382	THR	3.5
1	B	185[A]	GLN	3.5
1	B	269	ASP	3.5
1	E	267	VAL	3.5
1	D	239	HIS	3.4
1	C	127	GLU	3.4
1	A	158	TYR	3.4
1	D	3	SER	3.3
1	D	137	GLY	3.3
1	B	240	LEU	3.3
1	E	240	LEU	3.3
1	C	3	SER	3.3
1	B	74	THR	3.3
1	F	73	PRO	3.3
1	A	382	THR	3.2
1	E	269	ASP	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	185	GLN	3.2
1	A	260	PRO	3.2
1	E	195	HIS	3.2
1	A	408	ASP	3.2
1	A	229	HIS	3.1
1	D	74	THR	3.1
1	B	231	ALA	3.1
1	A	268	PRO	3.1
1	A	285	ASN	3.1
1	A	287	ASN	3.1
1	D	191	ASP	3.0
1	C	334	GLY	3.0
1	F	340	SER	3.0
1	B	266	ILE	3.0
1	D	408	ASP	3.0
1	F	408	ASP	3.0
1	D	267	VAL	3.0
1	E	178	ARG	2.9
1	E	191	ASP	2.9
1	E	198	CYS	2.9
1	E	186	LYS	2.9
1	F	186	LYS	2.9
1	E	185	GLN	2.9
1	A	186	LYS	2.9
1	A	205	LEU	2.9
1	F	269	ASP	2.9
1	D	186	LYS	2.9
1	E	224	ALA	2.9
1	B	186	LYS	2.8
1	A	43	CYS	2.8
1	A	384	VAL	2.8
1	B	274	ARG	2.8
1	E	104	ARG	2.8
1	B	361	ALA	2.8
1	D	73	PRO	2.8
1	F	296	LEU	2.8
1	F	382	THR	2.8
1	A	135	ARG	2.8
1	A	198	CYS	2.8
1	A	127	GLU	2.8
1	E	282	LEU	2.7
1	B	408	ASP	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	191	ASP	2.7
1	E	408	ASP	2.7
1	D	195	HIS	2.7
1	A	224	ALA	2.7
1	D	230	PHE	2.7
1	D	143	ILE	2.6
1	A	104	ARG	2.6
1	D	127	GLU	2.6
1	F	336	VAL	2.6
1	F	384	VAL	2.6
1	B	20	HIS	2.6
1	F	20	HIS	2.6
1	B	107	GLU	2.6
1	B	191	ASP	2.6
1	C	229	HIS	2.6
1	F	224	ALA	2.6
1	A	386	LYS	2.5
1	C	104	ARG	2.5
1	B	104	ARG	2.5
1	B	285	ASN	2.5
1	C	112	ILE	2.5
1	C	20	HIS	2.5
1	A	191	ASP	2.5
1	C	269	ASP	2.5
1	D	269	ASP	2.5
1	B	268	PRO	2.4
1	A	123	GLY	2.4
1	B	192	GLU	2.4
1	A	340	SER	2.4
1	B	90	PRO	2.4
1	D	332	ASN	2.4
1	B	359	VAL	2.4
1	C	408	ASP	2.4
1	F	104	ARG	2.4
1	B	374	GLU	2.4
1	F	263	SER	2.4
1	D	228	GLU	2.4
1	A	378	ASP	2.3
1	B	157	ARG	2.3
1	F	180	PRO	2.3
1	E	112	ILE	2.3
1	C	124	ALA	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	74	THR	2.3
1	E	90	PRO	2.3
1	B	140	GLU	2.3
1	C	191	ASP	2.3
1	E	179	HIS	2.3
1	B	123	GLY	2.3
1	B	378	ASP	2.3
1	C	99	ASP	2.3
1	E	99	ASP	2.3
1	D	72	PHE	2.2
1	A	201	PRO	2.2
1	A	361	ALA	2.2
1	E	332	ASN	2.2
1	C	296	LEU	2.2
1	E	303	CYS	2.2
1	B	163	GLU	2.2
1	A	344	ILE	2.2
1	B	270	ILE	2.2
1	C	107	GLU	2.2
1	D	190	LEU	2.2
1	E	181	GLU	2.2
1	E	228	GLU	2.2
1	B	43	CYS	2.2
1	D	303	CYS	2.2
1	D	135	ARG	2.2
1	F	274	ARG	2.2
1	D	340	SER	2.2
1	B	160	LEU	2.2
1	A	74	THR	2.2
1	F	124	ALA	2.2
1	F	182	ALA	2.1
1	B	33[A]	CYS	2.1
1	F	266	ILE	2.1
1	C	331	LEU	2.1
1	C	140	GLU	2.1
1	C	178	ARG	2.1
1	D	260	PRO	2.1
1	E	135	ARG	2.1
1	B	72	PHE	2.1
1	C	378	ASP	2.1
1	C	344	ILE	2.1
1	C	55	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	304	LEU	2.1
1	B	383	PRO	2.1
1	D	271	PHE	2.1
1	C	274	ARG	2.1
1	D	156	SER	2.1
1	E	266	ILE	2.1
1	E	205	LEU	2.1
1	F	72	PHE	2.1
1	D	296	LEU	2.1
1	B	158	TYR	2.0
1	C	192	GLU	2.0
1	B	51	VAL	2.0
1	B	41	LYS	2.0
1	C	163	GLU	2.0
1	C	228	GLU	2.0
1	A	267	VAL	2.0
1	A	266	ILE	2.0
1	B	112	ILE	2.0
1	D	91	ILE	2.0
1	F	329	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	CAA	B	1409	54/54	0.65	0.24	3.04	34,62,89,92	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CAA	A	1409	54/54	0.74	0.25	2.76	36,61,86,88	0
2	CAA	C	1409	54/54	0.68	0.23	2.62	31,56,82,85	0
3	SO4	C	1410	5/5	0.92	0.28	2.30	66,66,67,67	0
2	CAA	F	1409	54/54	0.77	0.21	2.14	26,53,76,76	0
2	CAA	E	1409	54/54	0.78	0.20	1.85	25,49,67,69	0
2	CAA	D	1409	54/54	0.75	0.23	1.75	30,55,81,85	0
3	SO4	A	1410	5/5	0.85	0.27	1.56	77,77,79,80	0
3	SO4	B	1410	5/5	0.90	0.33	1.53	76,76,77,78	0
3	SO4	E	1411	5/5	0.91	0.23	1.34	66,66,66,66	0
3	SO4	F	1410	5/5	0.96	0.18	0.71	58,58,60,61	0
3	SO4	D	1410	5/5	0.91	0.21	0.22	66,68,68,70	0
3	SO4	F	1411	5/5	0.81	0.21	-0.02	73,73,75,76	0
3	SO4	E	1412	5/5	0.79	0.37	-	77,77,79,79	0
3	SO4	B	1411	5/5	0.88	0.33	-	76,77,77,77	0
3	SO4	D	1411	5/5	0.71	0.22	-	75,76,78,79	0
3	SO4	E	1410	5/5	0.83	0.27	-	74,74,76,76	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.