



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:45 PM GMT

PDB ID : 4ADD
Title : Structural and functional study of succinyl-ornithine transaminase from E. coli
Authors : Newman, J.; Peat, T.S.
Deposited on : 2011-12-23
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4776 (2.50-2.42)
Clashscore	102246	1030 (2.48-2.44)
Ramachandran outliers	100387	1024 (2.48-2.44)
Sidechain outliers	100360	1024 (2.48-2.44)
RSRZ outliers	91569	4787 (2.50-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	406	<div> <div>2%</div> <div>72%</div> <div>23%</div> <div>..</div> </div>
1	B	406	<div> <div>73%</div> <div>21%</div> <div>..</div> </div>
1	C	406	<div> <div>75%</div> <div>20%</div> <div>..</div> </div>
1	D	406	<div> <div>2%</div> <div>72%</div> <div>22%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SUO	B	411	-	-	-	X
3	SUO	D	411	-	-	-	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 12731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SUCCINYLORNITHINE TRANSAMINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	400	Total	C	N	O	S	0	5	0
			3074	1945	547	571	11			
1	B	400	Total	C	N	O	S	0	5	0
			3076	1947	546	572	11			
1	C	400	Total	C	N	O	S	0	4	0
			3064	1940	540	573	11			
1	D	400	Total	C	N	O	S	0	6	0
			3073	1947	544	571	11			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is N 2 -(3-CARBOXYPROPANOYL)-L-ORNITHINE (three-letter code: SUO) (formula: C₉H₁₆N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			16	9	2	5		
3	B	1	Total	C	N	O	0	0
			16	9	2	5		
3	C	1	Total	C	N	O	0	0
			16	9	2	5		
3	D	1	Total	C	N	O	0	0
			16	9	2	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	118	Total	O	0	0
			118	118		
4	B	79	Total	O	0	0
			79	79		
4	C	73	Total	O	0	0
			73	73		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	50	Total	O	0	0
			50	50		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SUCCINYLORNITHINE TRANSAMINASE




• Molecule 1: SUCCINYLORNITHINE TRANSAMINASE




• Molecule 1: SUCCINYLORNITHINE TRANSAMINASE





● Molecule 1: SUCCINYLORNITHINE TRANSAMINASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	183.94Å 118.26Å 109.24Å 90.00° 96.82° 90.00°	Depositor
Resolution (Å)	108.46 – 2.45 19.76 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.8 (108.46-2.45) 100.0 (19.76-2.45)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.21 (at 2.44Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.170 , 0.225 0.172 , 0.227	Depositor DCC
R_{free} test set	4254 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.012	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 35.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	0 of 85141 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12731	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SUO, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	2/3153 (0.1%)	1.09	10/4282 (0.2%)
1	B	1.00	4/3158 (0.1%)	1.07	10/4288 (0.2%)
1	C	0.92	3/3145 (0.1%)	0.95	5/4271 (0.1%)
1	D	0.87	2/3162 (0.1%)	0.95	6/4295 (0.1%)
All	All	0.95	11/12618 (0.1%)	1.02	31/17136 (0.2%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	34	TRP	CD2-CE2	6.69	1.49	1.41
1	B	13	TRP	CD2-CE2	6.49	1.49	1.41
1	D	72	TRP	CD2-CE2	5.74	1.48	1.41
1	C	72	TRP	CD2-CE2	5.71	1.48	1.41
1	D	34	TRP	CD2-CE2	5.68	1.48	1.41
1	C	13	TRP	CD2-CE2	5.64	1.48	1.41
1	A	72	TRP	CD2-CE2	5.55	1.48	1.41
1	B	314	TRP	CD2-CE2	5.49	1.48	1.41
1	A	314	TRP	CD2-CE2	5.33	1.47	1.41
1	B	385	GLU	CG-CD	5.27	1.59	1.51
1	B	137	ALA	C-O	5.04	1.32	1.23

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	212	LEU	CA-CB-CG	9.95	138.19	115.30
1	A	32	ARG	NE-CZ-NH1	9.61	125.10	120.30
1	A	299	ILE	CG1-CB-CG2	-7.95	93.92	111.40
1	D	14	MET	CG-SD-CE	-7.79	87.74	100.20
1	A	32	ARG	NE-CZ-NH2	-7.76	116.42	120.30
1	B	381	VAL	CB-CA-C	-7.59	96.98	111.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	231	ARG	NE-CZ-NH2	-7.40	116.60	120.30
1	D	313	ASP	CB-CG-OD1	7.24	124.81	118.30
1	A	33	LEU	CA-CB-CG	6.92	131.21	115.30
1	D	381	VAL	CB-CA-C	-6.73	98.61	111.40
1	C	381	VAL	CB-CA-C	-6.61	98.84	111.40
1	C	61	ARG	NE-CZ-NH2	-6.59	117.00	120.30
1	B	231	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	C	304	MET	CG-SD-CE	-6.37	90.01	100.20
1	B	392	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	D	311	ARG	NE-CZ-NH2	-6.26	117.17	120.30
1	B	83	VAL	CB-CA-C	-6.21	99.61	111.40
1	A	98	ARG	NE-CZ-NH2	-5.99	117.31	120.30
1	A	83	VAL	CB-CA-C	-5.79	100.40	111.40
1	C	83	VAL	CB-CA-C	-5.71	100.54	111.40
1	A	227	THR	N-CA-CB	-5.64	99.58	110.30
1	C	117	ARG	NE-CZ-NH1	-5.37	117.61	120.30
1	A	206	LEU	CB-CG-CD1	-5.29	102.01	111.00
1	A	328	LEU	CB-CG-CD2	-5.12	102.30	111.00
1	A	246	ASP	CB-CG-OD2	5.12	122.90	118.30
1	D	311	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	B	102	CYS	CA-CB-SG	-5.09	104.83	114.00
1	B	304	MET	CG-SD-CE	-5.08	92.07	100.20
1	B	333	ARG	NE-CZ-NH2	5.08	122.84	120.30
1	B	19	ALA	C-N-CD	5.06	139.03	128.40
1	D	296	LEU	CB-CG-CD1	-5.02	102.46	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3074	0	3002	92	0
1	B	3076	0	3009	70	0
1	C	3064	0	2996	76	0
1	D	3073	0	3004	77	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	15	0	7	0	0
2	B	15	0	6	0	0
2	C	15	0	6	1	0
2	D	15	0	7	0	0
3	A	16	0	13	1	0
3	B	16	0	12	2	0
3	C	16	0	12	2	0
3	D	16	0	12	4	0
4	A	118	0	0	5	0
4	B	79	0	0	3	0
4	C	73	0	0	4	0
4	D	50	0	0	5	0
All	All	12731	0	12086	291	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (291) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:325:ARG:HG3	1:C:325:ARG:HH11	0.98	1.11
1:D:271[B]:ARG:CG	1:D:271[B]:ARG:HH11	1.65	1.10
1:D:271[B]:ARG:NH1	1:D:271[B]:ARG:HG2	1.65	1.05
1:D:353:GLN:H	1:D:353:GLN:HE21	1.05	1.03
1:D:271[B]:ARG:HG2	1:D:271[B]:ARG:HH11	0.82	0.98
1:C:325:ARG:HG3	1:C:325:ARG:NH1	1.62	0.95
1:C:325:ARG:HH11	1:C:325:ARG:CG	1.79	0.94
1:A:271[A]:ARG:HD2	1:C:271[A]:ARG:HD3	1.48	0.93
1:A:271[A]:ARG:HD2	1:C:271[A]:ARG:CD	2.01	0.91
1:B:182:ASP:OD1	1:B:216:HIS:HD2	1.56	0.88
1:B:323:ASN:ND2	1:B:328:LEU:H	1.72	0.88
1:D:323:ASN:HD21	1:D:329:PHE:H	1.23	0.85
1:B:378:ALA:O	1:B:381:VAL:HG22	1.77	0.84
1:A:25:PRO:HB3	1:A:33:LEU:HD11	1.61	0.82
1:D:64:LEU:HD12	1:D:287:LEU:CD2	2.11	0.81
1:D:348:ALA:HB1	1:D:371:ASN:HD21	1.45	0.81
1:A:323:ASN:HD21	1:A:329:PHE:H	1.31	0.78
1:D:353:GLN:HE21	1:D:353:GLN:N	1.82	0.78
1:A:84:LEU:HD23	1:B:14:MET:HE3	1.67	0.77
1:C:3:GLN:HA	1:C:3:GLN:NE2	1.98	0.76
3:D:411:SUA:HD1A	4:D:2036:HOH:O	1.84	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:323:ASN:HD21	1:C:329:PHE:H	1.34	0.76
1:D:252:LYS:NZ	3:D:411:SUO:HD2	2.00	0.76
1:B:80:ASN:OD1	1:B:83:VAL:HG22	1.86	0.76
1:A:84:LEU:HD23	1:B:14:MET:CE	2.19	0.73
1:D:3:GLN:N	1:D:4:PRO:HD3	2.04	0.73
1:A:25:PRO:HB3	1:A:33:LEU:CD1	2.19	0.72
1:C:139:HIS:HD2	1:C:223:ASP:OD2	1.73	0.72
1:A:343:LEU:O	4:A:2105:HOH:O	2.07	0.71
1:C:401:VAL:O	1:C:402:SER:OG	2.06	0.71
1:A:157:ASP:HB3	1:B:118:LYS:HG3	1.71	0.71
1:B:139:HIS:HD2	1:B:223:ASP:OD2	1.74	0.71
1:B:323:ASN:HD21	1:B:328:LEU:H	1.38	0.70
1:B:64:LEU:HD12	1:B:287:LEU:HD22	1.74	0.69
1:B:267:GLU:OE2	1:B:271[B]:ARG:NH1	2.24	0.69
1:A:318:ARG:O	1:A:322:ILE:HG13	1.93	0.69
1:A:6:THR:H	1:A:9:ASN:HD22	1.41	0.68
1:C:302:PRO:O	1:C:306:ASN:HB2	1.93	0.68
1:D:191:PRO:HG2	1:D:227:THR:HG21	1.76	0.68
3:A:411:SUO:HD1A	4:A:2087:HOH:O	1.94	0.67
1:C:121:HIS:HE1	1:C:129:SER:OG	1.77	0.67
1:A:139:HIS:HD2	1:A:223:ASP:OD2	1.76	0.67
1:D:271[B]:ARG:CG	1:D:271[B]:ARG:NH1	2.35	0.67
1:C:225:VAL:HB	1:C:251:ALA:HB3	1.78	0.66
1:A:271[A]:ARG:CD	1:C:271[A]:ARG:CD	2.73	0.66
1:D:64:LEU:HD12	1:D:287:LEU:HD22	1.78	0.65
1:D:252:LYS:HZ1	3:D:411:SUO:HD2	1.62	0.64
1:D:159:ALA:HB1	1:D:160:PRO:HA	1.80	0.64
1:D:18:TYR:HB2	1:D:20:PRO:HD3	1.80	0.64
1:A:322:ILE:HD13	1:A:394:ALA:HB2	1.80	0.64
1:A:388:THR:O	1:A:392:ARG:HG3	1.98	0.64
1:B:116:ALA:HA	1:B:219:LEU:HD12	1.79	0.64
1:A:32:ARG:NH2	1:A:384:GLU:OE1	2.29	0.64
1:C:121:HIS:CE1	1:C:129:SER:OG	2.51	0.64
1:A:168:ALA:HB2	1:A:179:LEU:HD12	1.80	0.64
1:B:29:GLU:HG2	4:B:2004:HOH:O	1.98	0.63
1:B:225:VAL:HG23	1:B:252:LYS:HD2	1.80	0.63
1:D:220:LEU:N	1:D:246:ASP:OD1	2.18	0.63
1:A:139:HIS:HE1	4:A:2066:HOH:O	1.82	0.61
1:B:80:ASN:CG	1:B:83:VAL:HG22	2.21	0.61
1:A:384:GLU:OE2	1:A:388:THR:HG21	2.00	0.61
1:D:224:GLU:OE1	1:D:227:THR:HG23	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3:GLN:N	1:D:4:PRO:CD	2.64	0.60
1:B:113:LEU:HD22	1:B:131:ILE:HD13	1.83	0.60
1:C:74:THR:O	1:D:47:GLY:HA2	2.02	0.60
1:B:48:ILE:O	1:B:252:LYS:HE3	2.02	0.60
1:A:85:ARG:NH2	1:B:3:GLN:O	2.32	0.59
1:C:157:ASP:HB3	1:D:118:LYS:HG2	1.84	0.59
1:D:366:LEU:HB2	1:D:374:ARG:HB3	1.83	0.59
1:A:43:ASP:CG	1:A:364:MET:HE3	2.23	0.59
1:A:271[A]:ARG:HD2	1:C:271[A]:ARG:HD2	1.83	0.59
1:C:177:SER:HA	1:C:212:LEU:HD21	1.83	0.59
1:A:47:GLY:HA2	1:B:74:THR:O	2.03	0.59
1:B:223:ASP:OD1	1:B:225:VAL:HG13	2.04	0.58
1:C:378:ALA:O	1:C:381:VAL:HG22	2.03	0.58
1:A:6:THR:H	1:A:9:ASN:ND2	2.00	0.58
1:D:224:GLU:OE1	1:D:227:THR:CG2	2.52	0.58
1:D:323:ASN:HD21	1:D:329:PHE:N	2.00	0.57
1:C:133:ALA:O	1:C:167:HIS:HA	2.04	0.57
1:B:323:ASN:HD21	1:B:328:LEU:N	2.02	0.57
1:C:279:GLY:H	1:D:141:ARG:HG3	1.68	0.57
1:C:115:LEU:C	1:C:115:LEU:HD23	2.25	0.57
1:B:280:THR:HG21	1:B:283:GLY:HA3	1.86	0.57
1:C:6:THR:H	1:C:9:ASN:ND2	2.03	0.57
1:A:84:LEU:CD2	1:B:14:MET:HE3	2.36	0.56
1:C:90:LEU:HG	1:C:264:LEU:HD11	1.87	0.56
1:D:248:LEU:HD22	1:D:264:LEU:HD22	1.88	0.56
1:A:99:VAL:HG21	1:A:101:PHE:CZ	2.41	0.56
1:D:64:LEU:CD1	1:D:287:LEU:HD22	2.35	0.56
1:D:252:LYS:HZ3	3:D:411:SUA:HD2	1.71	0.56
1:A:65[A]:ASN:OD1	1:B:65:ASN:HB2	2.06	0.56
1:D:182:ASP:OD1	1:D:216:HIS:HD2	1.89	0.55
1:B:252:LYS:NZ	3:B:411:SUA:HD2	2.21	0.55
1:C:80:ASN:OD1	1:C:83:VAL:HG22	2.06	0.55
1:C:331:GLU:HG3	4:C:2068:HOH:O	2.06	0.55
1:C:177:SER:HA	1:C:212:LEU:CD2	2.37	0.54
1:D:247:LEU:HD22	1:D:263:LEU:HD11	1.89	0.54
1:D:6:THR:H	1:D:9:ASN:ND2	2.05	0.54
1:C:83:VAL:CG1	1:C:284:GLY:HA2	2.37	0.54
1:C:180:ILE:HD13	1:C:187:VAL:HG21	1.90	0.54
1:A:118:LYS:HE3	1:A:277:THR:HG21	1.90	0.54
1:B:280:THR:CG2	1:B:283:GLY:HA3	2.38	0.54
1:A:271[A]:ARG:CD	1:C:271[A]:ARG:HD2	2.37	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:18:TYR:C	1:C:20:PRO:HD3	2.28	0.54
1:D:155:SER:HB2	1:D:161:LEU:HD11	1.90	0.54
1:A:224:GLU:OE1	1:A:227:THR:CG2	2.57	0.53
1:A:313:ASP:O	1:A:317:GLU:HB2	2.09	0.53
1:D:48:ILE:O	1:D:252:LYS:HD3	2.08	0.53
1:A:74:THR:O	1:B:47:GLY:HA2	2.08	0.53
1:D:307:GLY:O	1:D:311:ARG:HD2	2.08	0.53
1:A:353:GLN:H	1:A:353:GLN:HE21	1.57	0.53
1:D:91:ILE:O	4:D:2020:HOH:O	2.18	0.53
1:C:350:GLN:HE21	1:C:353:GLN:NE2	2.07	0.53
1:A:97:ASP:C	1:A:98:ARG:HG2	2.29	0.53
1:D:18:TYR:CB	1:D:20:PRO:HD3	2.38	0.53
1:C:352:LYS:O	1:C:356:GLN:HG2	2.08	0.53
1:C:115:LEU:O	1:C:115:LEU:HD23	2.10	0.52
1:D:18:TYR:C	1:D:20:PRO:HD3	2.30	0.52
1:A:248:LEU:HD23	1:A:248:LEU:C	2.30	0.52
1:B:323:ASN:HD21	1:B:329:PHE:H	1.57	0.52
1:B:252:LYS:HZ1	3:B:411:SUA:HD2	1.72	0.52
1:C:323:ASN:ND2	1:C:329:PHE:H	2.03	0.52
1:A:401:VAL:CG1	1:A:401:VAL:O	2.58	0.52
1:D:86:LEU:CD2	1:D:292:ALA:HB3	2.40	0.52
1:A:135:LYS:O	1:A:136:ASN:HB2	2.10	0.52
1:D:89:LYS:HE2	1:D:293:GLY:O	2.08	0.52
1:B:97:ASP:C	1:B:98:ARG:HG2	2.30	0.52
1:A:307:GLY:O	1:A:311:ARG:HD2	2.10	0.52
1:A:126:SER:HB3	4:A:2064:HOH:O	2.10	0.52
1:C:225:VAL:HG23	1:C:252:LYS:HD2	1.92	0.51
1:C:41:TYR:CD1	1:C:41:TYR:N	2.78	0.51
1:D:64:LEU:CD1	1:D:287:LEU:CD2	2.83	0.51
1:B:226:GLN:OE1	1:B:374:ARG:NH1	2.43	0.51
1:A:353:GLN:N	1:A:353:GLN:HE21	2.08	0.51
1:C:170:TYR:OH	1:C:201:ALA:HB2	2.10	0.51
1:A:16:PRO:HG2	1:B:273:MET:O	2.11	0.51
1:A:384:GLU:O	1:A:388:THR:HG23	2.11	0.51
1:A:224:GLU:OE1	1:A:227:THR:HG22	2.11	0.51
1:A:97:ASP:O	1:A:98:ARG:HG2	2.11	0.50
4:B:2071:HOH:O	1:C:183:SER:HB3	2.11	0.50
1:B:57:HIS:O	1:B:61:ARG:HG3	2.11	0.50
1:D:64:LEU:HD12	1:D:287:LEU:HD21	1.93	0.50
1:D:90:LEU:HD13	1:D:296:LEU:HD11	1.93	0.50
1:D:173:ILE:HD13	1:D:208:GLY:HA3	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:ALA:HB2	1:B:179:LEU:HD12	1.92	0.50
1:A:46:GLY:HA2	4:A:2018:HOH:O	2.10	0.50
1:B:115:LEU:O	1:B:115:LEU:HD23	2.12	0.50
1:B:182:ASP:OD1	1:B:216:HIS:CD2	2.49	0.49
1:C:208:GLY:O	1:C:212:LEU:HD12	2.11	0.49
1:C:180:ILE:HD12	1:C:212:LEU:HD22	1.93	0.49
1:B:6:THR:H	1:B:9:ASN:ND2	2.09	0.49
1:A:247:LEU:HD22	1:A:263:LEU:HD11	1.93	0.49
1:B:346:ASP:OD1	1:B:346:ASP:N	2.42	0.49
1:A:223:ASP:OD1	1:A:225:VAL:HG13	2.12	0.49
1:A:225:VAL:HB	1:A:251:ALA:HB3	1.93	0.49
1:C:248:LEU:HD22	1:C:264:LEU:HD22	1.94	0.49
1:C:112:ALA:HB2	1:C:263:LEU:HD13	1.94	0.49
1:B:169:ALA:H	1:B:175:SER:HB3	1.76	0.49
1:A:384:GLU:OE2	1:A:388:THR:CG2	2.60	0.49
1:B:99:VAL:HG21	1:B:101:PHE:CZ	2.48	0.49
1:C:295:VAL:HG13	1:C:299:ILE:HD12	1.93	0.49
1:C:18:TYR:O	1:C:20:PRO:HD3	2.12	0.49
1:B:6:THR:O	1:B:9:ASN:HB2	2.13	0.49
1:B:358:ALA:HB1	1:B:363:VAL:HG13	1.94	0.49
1:A:77:GLY:O	1:B:20:PRO:HB3	2.13	0.49
1:D:137:ALA:HB1	1:D:139:HIS:CE1	2.48	0.49
1:A:13:TRP:CE2	1:B:88:LYS:HD3	2.48	0.49
1:C:352:LYS:O	1:C:355:SER:HB3	2.14	0.48
1:A:268:GLU:CD	1:A:268:GLU:H	2.16	0.48
1:A:80:ASN:CG	1:A:83:VAL:HG22	2.33	0.48
1:B:170:TYR:OH	1:B:201:ALA:HB2	2.13	0.48
1:C:27:ARG:O	1:C:33:LEU:HD12	2.13	0.48
1:D:169:ALA:HB3	1:D:172:ASP:HB3	1.94	0.48
1:C:68:ALA:O	1:D:61:ARG:HD2	2.14	0.48
1:D:225:VAL:O	1:D:252:LYS:HB2	2.13	0.48
1:B:161:LEU:O	1:B:162:PRO:C	2.49	0.48
1:A:80:ASN:OD1	1:A:83:VAL:HG22	2.14	0.47
1:A:43:ASP:HA	1:A:364:MET:HE3	1.96	0.47
1:D:170:TYR:OH	1:D:201:ALA:HB2	2.14	0.47
1:A:43:ASP:HA	1:A:364:MET:CE	2.45	0.47
1:D:32:ARG:HD3	4:D:2007:HOH:O	2.14	0.47
1:A:240:HIS:CD2	1:A:335:LEU:HD21	2.51	0.47
1:D:139:HIS:HD2	1:D:223:ASP:OD2	1.97	0.46
1:C:117:ARG:NH1	4:C:2044:HOH:O	2.34	0.46
1:A:343:LEU:HA	1:A:343:LEU:HD23	1.77	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:GLY:C	1:B:20:PRO:HB3	2.36	0.46
1:B:63:ALA:HB2	1:B:294:LYS:HG3	1.98	0.46
1:C:384:GLU:OE2	1:C:388:THR:OG1	2.29	0.46
1:C:83:VAL:HG11	1:C:284:GLY:HA2	1.98	0.46
1:A:401:VAL:HG13	1:A:401:VAL:O	2.15	0.46
1:B:102:CYS:HB2	1:B:107:GLU:OE1	2.16	0.46
1:C:195:GLU:OE2	3:C:411:SUO:HD1A	2.16	0.46
1:D:352:LYS:O	1:D:356:GLN:HG3	2.16	0.46
1:A:119:PHE:HD2	1:A:272:VAL:HG21	1.80	0.46
1:D:378:ALA:O	1:D:381:VAL:HG22	2.14	0.46
1:B:139:HIS:HE1	4:B:2045:HOH:O	1.98	0.46
1:A:99:VAL:CG2	1:A:101:PHE:CZ	2.98	0.46
1:B:296:LEU:HD23	1:B:296:LEU:HA	1.74	0.46
1:D:318:ARG:HH11	1:D:318:ARG:HG2	1.80	0.46
1:A:323:ASN:ND2	1:A:329:PHE:H	2.08	0.46
1:C:181:ASP:HB2	4:C:2052:HOH:O	2.15	0.46
1:A:117:ARG:HG2	1:A:185:CYS:SG	2.55	0.46
1:D:89:LYS:HD3	1:D:296:LEU:HD12	1.98	0.45
1:C:76:ASN:O	1:D:20:PRO:HG3	2.17	0.45
1:D:326:TYR:OH	1:D:398:GLU:OE1	2.32	0.45
1:C:223:ASP:OD1	1:C:225:VAL:HG13	2.16	0.45
1:D:86:LEU:HD22	1:D:292:ALA:HB3	1.98	0.45
1:C:139:HIS:CD2	1:C:223:ASP:OD2	2.62	0.45
1:A:199:VAL:HA	1:A:200:PRO:HD3	1.58	0.45
1:D:104:SER:OG	1:D:107:GLU:HG3	2.17	0.45
1:D:128:LYS:HG3	1:D:183:SER:HA	1.98	0.45
1:C:83:VAL:HG13	1:C:289:SER:OG	2.16	0.45
1:C:116:ALA:HA	1:C:219:LEU:HD12	1.98	0.45
1:C:323:ASN:ND2	1:C:328:LEU:H	2.13	0.45
1:A:188:ILE:HG23	1:A:188:ILE:O	2.17	0.45
1:B:304:MET:O	1:B:308:VAL:HG23	2.17	0.44
1:C:80:ASN:CG	1:C:83:VAL:HG22	2.36	0.44
1:C:325:ARG:CG	1:C:325:ARG:NH1	2.45	0.44
1:A:80:ASN:ND2	1:A:83:VAL:HG22	2.32	0.44
1:A:331:GLU:HB3	1:A:342:VAL:HG13	1.99	0.44
1:A:294:LYS:HE2	1:A:294:LYS:HB2	1.84	0.44
1:B:135:LYS:O	1:B:136:ASN:HB2	2.16	0.44
1:A:81:GLU:HB3	1:A:85:ARG:NH1	2.32	0.44
1:B:208:GLY:O	1:B:212:LEU:HB2	2.18	0.44
1:C:83:VAL:HG11	1:C:284:GLY:CA	2.48	0.44
1:C:21:ALA:HB1	1:C:23:PHE:CE1	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:ASP:CB	1:A:364:MET:HE3	2.46	0.44
1:C:198:VAL:O	1:C:198:VAL:HG12	2.17	0.43
1:C:329:PHE:CD1	1:C:343:LEU:HD23	2.53	0.43
1:D:6:THR:H	1:D:9:ASN:HD22	1.66	0.43
1:B:6:THR:H	1:B:9:ASN:HD22	1.64	0.43
1:A:216:HIS:O	1:A:217:ASN:HB2	2.17	0.43
1:B:323:ASN:HD22	1:B:328:LEU:H	1.60	0.43
1:A:43:ASP:CB	1:A:364:MET:CE	2.97	0.43
1:D:230:GLY:HA2	1:D:234:GLU:O	2.19	0.43
1:D:98:ARG:HG3	1:D:270:ALA:CB	2.48	0.43
1:C:234:GLU:HG3	1:C:240:HIS:HB2	2.00	0.43
1:D:390:LEU:HD23	1:D:390:LEU:HA	1.73	0.43
1:C:225:VAL:HG22	2:C:410:PLP:C2	2.49	0.43
1:B:169:ALA:HB3	1:B:172:ASP:HB3	2.00	0.43
1:B:268[B]:GLU:H	1:B:268[B]:GLU:CD	2.22	0.43
1:A:308:VAL:HG21	1:A:379:LEU:HD13	2.01	0.43
1:D:192:ILE:HG12	1:D:200:PRO:HA	2.00	0.43
1:B:329:PHE:HA	1:B:342:VAL:O	2.19	0.42
1:C:3:GLN:HA	1:C:3:GLN:HE21	1.79	0.42
1:A:328:LEU:HD12	1:A:397:CYS:SG	2.60	0.42
1:A:25:PRO:CB	1:A:33:LEU:HD11	2.42	0.42
1:A:248:LEU:HD23	1:A:249:THR:N	2.34	0.42
1:C:252:LYS:HZ1	3:C:411:SUA:CD	2.33	0.42
1:D:171:ASN:OD1	1:D:201:ALA:HA	2.19	0.42
1:B:31:SER:HB2	1:B:385:GLU:CD	2.39	0.42
1:A:32:ARG:HD3	1:A:40:GLU:OE2	2.19	0.42
1:B:80:ASN:ND2	1:B:83:VAL:HG22	2.34	0.42
1:C:128:LYS:HG3	1:C:183:SER:HA	2.02	0.42
1:B:81:GLU:N	1:B:82:PRO:CD	2.82	0.42
1:C:177:SER:CA	1:C:212:LEU:HD21	2.49	0.42
1:A:308:VAL:HG13	1:A:337:LEU:HG	2.01	0.42
1:C:119:PHE:HB2	1:C:272:VAL:HG21	2.01	0.42
1:A:171:ASN:HA	1:A:205:PHE:CG	2.54	0.42
1:A:347:TYR:OH	1:A:401:VAL:HG22	2.19	0.42
1:D:199:VAL:HA	1:D:200:PRO:HD3	1.76	0.42
1:B:177:SER:HA	1:B:212:LEU:HD11	2.01	0.42
1:A:141:ARG:HG3	1:B:279:GLY:O	2.19	0.42
1:C:36:GLN:NE2	1:D:81:GLU:OE2	2.51	0.42
1:A:151:GLN:NE2	1:A:154:TYR:CE2	2.88	0.42
1:D:118:LYS:HD2	1:D:272:VAL:HG13	2.01	0.41
1:D:41:TYR:N	1:D:41:TYR:CD1	2.87	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:53:LEU:HA	1:D:53:LEU:HD23	1.83	0.41
1:D:195:GLU:HG2	4:D:2036:HOH:O	2.19	0.41
1:B:223:ASP:OD1	1:B:223:ASP:C	2.59	0.41
1:A:112:ALA:HB2	1:A:263:LEU:HD13	2.01	0.41
1:A:99:VAL:CG2	1:A:101:PHE:CE2	3.04	0.41
1:A:353:GLN:H	1:A:353:GLN:NE2	2.17	0.41
1:A:378:ALA:O	1:A:381:VAL:HG22	2.21	0.41
1:A:337:LEU:HD23	1:A:337:LEU:HA	1.91	0.41
1:A:98:ARG:HD3	1:B:12:GLU:O	2.19	0.41
1:C:54:GLY:HA2	4:C:2007:HOH:O	2.19	0.41
1:D:224:GLU:HA	1:D:227:THR:HG22	2.03	0.41
1:B:378:ALA:O	1:B:381:VAL:CG2	2.58	0.41
1:D:227:THR:HB	4:D:2037:HOH:O	2.20	0.41
1:B:181:ASP:O	1:B:216:HIS:HB3	2.20	0.40
1:B:342:VAL:HB	1:B:372:VAL:HG22	2.03	0.40
1:D:323:ASN:ND2	1:D:328:LEU:H	2.20	0.40
1:A:322:ILE:CD1	1:A:394:ALA:HB2	2.51	0.40
1:A:361:ALA:O	1:A:392:ARG:HB3	2.22	0.40
1:A:287:LEU:HA	1:A:287:LEU:HD23	1.91	0.40
1:C:225:VAL:O	1:C:252:LYS:HB2	2.22	0.40
1:C:3:GLN:O	1:D:85:ARG:NH2	2.55	0.40
1:D:9:ASN:HB3	1:D:13:TRP:CZ3	2.56	0.40
1:B:307:GLY:O	1:B:311:ARG:HD2	2.21	0.40
1:D:97:ASP:HB2	1:D:267:GLU:H	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	403/406 (99%)	369 (92%)	32 (8%)	2 (0%)	34 41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	403/406 (99%)	380 (94%)	21 (5%)	2 (0%)	34	41
1	C	402/406 (99%)	368 (92%)	30 (8%)	4 (1%)	19	21
1	D	404/406 (100%)	369 (91%)	32 (8%)	3 (1%)	26	32
All	All	1612/1624 (99%)	1486 (92%)	115 (7%)	11 (1%)	26	32

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	251	ALA
1	D	164	ASP
1	D	251	ALA
1	C	251	ALA
1	C	252	LYS
1	A	182	ASP
1	A	256	GLY
1	B	252	LYS
1	C	4	PRO
1	D	401	VAL
1	C	197	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	311/312 (100%)	285 (92%)	26 (8%)	14	17
1	B	312/312 (100%)	283 (91%)	29 (9%)	11	13
1	C	311/312 (100%)	287 (92%)	24 (8%)	16	21
1	D	312/312 (100%)	282 (90%)	30 (10%)	10	12
All	All	1246/1248 (100%)	1137 (91%)	109 (9%)	13	15

All (109) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	VAL
1	A	27	ARG
1	A	29	GLU
1	A	32	ARG
1	A	33	LEU
1	A	37	GLN
1	A	83	VAL
1	A	85	ARG
1	A	88	LYS
1	A	99	VAL
1	A	164	ASP
1	A	173	ILE
1	A	183	SER
1	A	199	VAL
1	A	203	ASN
1	A	212	LEU
1	A	225	VAL
1	A	227	THR
1	A	299	ILE
1	A	330	SER
1	A	342	VAL
1	A	353	GLN
1	A	371	ASN
1	A	381	VAL
1	A	388	THR
1	A	401	VAL
1	B	12	GLU
1	B	17	VAL
1	B	27[A]	ARG
1	B	27[B]	ARG
1	B	37	GLN
1	B	62	GLU
1	B	83	VAL
1	B	88	LYS
1	B	90	LEU
1	B	99	VAL
1	B	121	HIS
1	B	146	VAL
1	B	173	ILE
1	B	175	SER
1	B	199	VAL
1	B	207	GLN
1	B	212	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	268[A]	GLU
1	B	268[B]	GLU
1	B	272	VAL
1	B	280	THR
1	B	304	MET
1	B	311	ARG
1	B	325	ARG
1	B	328	LEU
1	B	342	VAL
1	B	346	ASP
1	B	381	VAL
1	B	401	VAL
1	C	14	MET
1	C	17	VAL
1	C	27	ARG
1	C	65	ASN
1	C	83	VAL
1	C	90	LEU
1	C	99	VAL
1	C	121	HIS
1	C	175	SER
1	C	203	ASN
1	C	207	GLN
1	C	225	VAL
1	C	238	TYR
1	C	280	THR
1	C	287	LEU
1	C	304	MET
1	C	325	ARG
1	C	331	GLU
1	C	335	LEU
1	C	342	VAL
1	C	346	ASP
1	C	352	LYS
1	C	356	GLN
1	C	381	VAL
1	D	14	MET
1	D	17	VAL
1	D	20	PRO
1	D	27	ARG
1	D	32	ARG
1	D	33	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	61	ARG
1	D	65	ASN
1	D	83	VAL
1	D	85	ARG
1	D	90	LEU
1	D	99	VAL
1	D	164	ASP
1	D	182	ASP
1	D	199	VAL
1	D	212	LEU
1	D	225	VAL
1	D	227	THR
1	D	246	ASP
1	D	250	THR
1	D	280	THR
1	D	287	LEU
1	D	299	ILE
1	D	331	GLU
1	D	335	LEU
1	D	352	LYS
1	D	353	GLN
1	D	371	ASN
1	D	373	VAL
1	D	381	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	121	HIS
1	A	139	HIS
1	A	216	HIS
1	A	240	HIS
1	A	323	ASN
1	A	353	GLN
1	A	371	ASN
1	B	9	ASN
1	B	139	HIS
1	B	151	GLN
1	B	216	HIS
1	B	323	ASN
1	B	399	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	3	GLN
1	C	9	ASN
1	C	103	ASN
1	C	121	HIS
1	C	139	HIS
1	C	151	GLN
1	C	323	ASN
1	C	353	GLN
1	C	371	ASN
1	D	9	ASN
1	D	37	GLN
1	D	65	ASN
1	D	76	ASN
1	D	139	HIS
1	D	216	HIS
1	D	323	ASN
1	D	353	GLN
1	D	371	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PLP	A	410	3	15,15,16	3.15	5 (33%)	21,22,23	1.45	4 (19%)
3	SUO	A	411	2	9,15,15	0.70	0	8,18,18	1.71	2 (25%)
2	PLP	B	410	3	15,15,16	3.25	3 (20%)	21,22,23	1.61	5 (23%)
3	SUO	B	411	2	9,15,15	1.19	2 (22%)	8,18,18	1.59	2 (25%)
2	PLP	C	410	3	15,15,16	3.87	4 (26%)	21,22,23	1.68	5 (23%)
3	SUO	C	411	2	9,15,15	0.40	0	8,18,18	0.96	0
2	PLP	D	410	3	15,15,16	3.21	4 (26%)	21,22,23	1.44	4 (19%)
3	SUO	D	411	2	9,15,15	1.22	1 (11%)	8,18,18	1.15	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	410	3	-	0/6/6/8	0/1/1/1
3	SUO	A	411	2	-	0/11/17/17	0/0/0/0
2	PLP	B	410	3	-	0/6/6/8	0/1/1/1
3	SUO	B	411	2	-	0/11/17/17	0/0/0/0
2	PLP	C	410	3	-	0/6/6/8	0/1/1/1
3	SUO	C	411	2	-	0/11/17/17	0/0/0/0
2	PLP	D	410	3	-	0/6/6/8	0/1/1/1
3	SUO	D	411	2	-	0/11/17/17	0/0/0/0

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	410	PLP	C4A-C4	-3.37	1.44	1.51
2	A	410	PLP	C4A-C4	-2.49	1.46	1.51
2	A	410	PLP	P-O3P	-2.34	1.46	1.54
2	C	410	PLP	C4A-C4	-2.20	1.47	1.51
3	B	411	SUO	OXT-CV	2.03	1.27	1.23
3	B	411	SUO	CW-CV	2.27	1.55	1.51
3	D	411	SUO	CB-CA	2.38	1.56	1.53
2	D	410	PLP	C3-C4	2.53	1.46	1.40
2	C	410	PLP	C3-C4	3.17	1.48	1.40
2	A	410	PLP	C3-C4	3.35	1.48	1.40
2	B	410	PLP	C3-C4	3.54	1.48	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	410	PLP	C5-C4	4.26	1.45	1.40
2	A	410	PLP	C5-C4	4.51	1.45	1.40
2	C	410	PLP	C5-C4	6.75	1.48	1.40
2	B	410	PLP	C5-C4	7.09	1.48	1.40
2	B	410	PLP	C3-C2	9.41	1.47	1.40
2	A	410	PLP	C3-C2	10.11	1.47	1.40
2	D	410	PLP	C3-C2	10.54	1.48	1.40
2	C	410	PLP	C3-C2	12.56	1.49	1.40

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	410	PLP	O2P-P-O4P	-4.08	94.82	106.56
2	C	410	PLP	O2P-P-O4P	-4.01	95.02	106.56
2	D	410	PLP	C4A-C4-C5	-2.76	118.00	120.88
3	A	411	SUO	CB-CG-CD	-2.65	102.57	112.51
2	C	410	PLP	C3-C4-C5	-2.44	116.12	118.78
3	A	411	SUO	CX-CW-CV	-2.43	107.06	113.01
3	B	411	SUO	CG-CD-NE	-2.28	96.08	112.74
2	A	410	PLP	C3-C2-N1	-2.24	117.52	120.61
2	D	410	PLP	C5A-C5-C4	-2.05	118.94	121.65
2	D	410	PLP	O3-C3-C2	2.13	121.36	117.66
2	B	410	PLP	C2A-C2-C3	2.16	123.64	121.04
2	B	410	PLP	O3P-P-O2P	2.18	115.67	107.38
2	C	410	PLP	O3-C3-C2	2.29	121.63	117.66
2	D	410	PLP	C6-N1-C2	2.34	124.05	119.28
2	A	410	PLP	O3P-P-O1P	2.40	118.31	110.58
3	D	411	SUO	CX-CW-CV	2.47	119.07	113.01
2	B	410	PLP	C6-N1-C2	2.55	124.47	119.28
2	C	410	PLP	O3P-P-O2P	2.61	117.32	107.38
2	A	410	PLP	O3-C3-C2	2.78	122.50	117.66
2	B	410	PLP	O2P-P-O1P	2.84	119.73	110.58
2	A	410	PLP	C6-N1-C2	3.06	125.53	119.28
3	B	411	SUO	CW-CX-CY	3.55	119.26	112.75
2	C	410	PLP	O2P-P-O1P	3.61	122.22	110.58

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	411	SUO	1	0
3	B	411	SUO	2	0
2	C	410	PLP	1	0
3	C	411	SUO	2	0
3	D	411	SUO	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	400/406 (98%)	-0.53	5 (1%) 79 81	9, 22, 37, 77	15 (3%)
1	B	400/406 (98%)	-0.56	2 (0%) 91 92	12, 22, 37, 55	17 (4%)
1	C	400/406 (98%)	-0.40	6 (1%) 76 78	16, 27, 46, 76	19 (4%)
1	D	400/406 (98%)	-0.26	9 (2%) 64 66	16, 33, 55, 76	19 (4%)
All	All	1600/1624 (98%)	-0.44	22 (1%) 78 80	9, 26, 47, 77	70 (4%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	402	SER	4.5
1	A	402	SER	3.8
1	D	4	PRO	3.7
1	D	324[A]	HIS	3.6
1	A	324[A]	HIS	3.0
1	D	399[A]	HIS	2.9
1	A	3	GLN	2.9
1	D	3	GLN	2.9
1	B	399	HIS	2.8
1	C	346	ASP	2.6
1	C	402	SER	2.6
1	B	345	ALA	2.5
1	D	271[A]	ARG	2.5
1	D	306	ASN	2.2
1	A	189	VAL	2.1
1	C	345	ALA	2.1
1	C	174	ASN	2.1
1	D	124	TYR	2.1
1	C	4	PRO	2.1
1	C	399	HIS	2.0
1	D	383	GLU	2.0
1	A	399	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SUO	B	411	16/16	0.92	0.13	3.67	22,33,39,41	0
3	SUO	D	411	16/16	0.92	0.14	3.50	26,46,53,56	0
3	SUO	A	411	16/16	0.95	0.11	0.77	25,32,41,45	0
3	SUO	C	411	16/16	0.93	0.13	0.66	33,50,54,60	0
2	PLP	D	410	15/16	0.98	0.10	-0.32	15,17,21,23	0
2	PLP	A	410	15/16	0.99	0.08	-0.45	15,17,18,21	0
2	PLP	B	410	15/16	0.99	0.09	-0.48	11,12,13,13	0
2	PLP	C	410	15/16	0.99	0.07	-1.11	20,25,27,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.