



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:21 AM GMT

PDB ID : 3AHC
Title : Resting form of Phosphoketolase from Bifidobacterium Breve
Authors : Suzuki, R.; Katayama, T.; Kim, B.-J.; Wakagi, T.; Shoun, H.; Ashida, H.; Yamamoto, K.; Fushinobu, S.
Deposited on : 2010-04-22
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	845	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	831	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	A	835	-	-	-	X
5	EDO	A	837	-	-	-	X
6	2PE	A	840	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7365 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Xylulose 5-phosphate/fructose 6-phosphate phosphoketolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	802	Total	C	N	O	S	0	0	0
			6379	4053	1085	1217	24			


There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP D6PAH1
A	-18	GLY	-	EXPRESSION TAG	UNP D6PAH1
A	-17	SER	-	EXPRESSION TAG	UNP D6PAH1
A	-16	SER	-	EXPRESSION TAG	UNP D6PAH1
A	-15	HIS	-	EXPRESSION TAG	UNP D6PAH1
A	-14	HIS	-	EXPRESSION TAG	UNP D6PAH1
A	-13	HIS	-	EXPRESSION TAG	UNP D6PAH1
A	-12	HIS	-	EXPRESSION TAG	UNP D6PAH1
A	-11	HIS	-	EXPRESSION TAG	UNP D6PAH1
A	-10	HIS	-	EXPRESSION TAG	UNP D6PAH1
A	-9	SER	-	EXPRESSION TAG	UNP D6PAH1
A	-8	SER	-	EXPRESSION TAG	UNP D6PAH1
A	-7	GLY	-	EXPRESSION TAG	UNP D6PAH1
A	-6	LEU	-	EXPRESSION TAG	UNP D6PAH1
A	-5	VAL	-	EXPRESSION TAG	UNP D6PAH1
A	-4	PRO	-	EXPRESSION TAG	UNP D6PAH1
A	-3	ARG	-	EXPRESSION TAG	UNP D6PAH1
A	-2	GLY	-	EXPRESSION TAG	UNP D6PAH1
A	-1	SER	-	EXPRESSION TAG	UNP D6PAH1
A	0	HIS	-	EXPRESSION TAG	UNP D6PAH1

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is THIAMINE DIPHOSPHATE (three-letter code: TPP) (formula: $C_{12}H_{19}N_4O_7P_2S$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			26	12	4	7	2	1		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Na 1 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0

- Molecule 6 is NONAETHYLENE GLYCOL (three-letter code: 2PE) (formula: C₁₈H₃₈O₁₀).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 28 18 10	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	886	Total 886	O 886	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Xylulose 5-phosphate/fructose 6-phosphate phosphoketolase



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	174.77Å 174.77Å 163.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.18 – 1.70 34.18 – 1.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (34.18-1.70) 100.0 (34.18-1.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.37 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.150 , 0.181 0.154 , 0.184	Depositor DCC
R_{free} test set	6904 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	15.5	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 46.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 137531 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7365	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, 2PE, EDO, TPP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.73	77/6553 (1.2%)	1.56	67/8909 (0.8%)

All (77) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	739	SER	CB-OG	10.78	1.56	1.42
1	A	754	ARG	CD-NE	-9.29	1.30	1.46
1	A	622	GLU	CG-CD	9.08	1.65	1.51
1	A	134	SER	CB-OG	-8.32	1.31	1.42
1	A	779	ALA	CA-CB	7.97	1.69	1.52
1	A	135	TYR	CD1-CE1	7.80	1.51	1.39
1	A	5	VAL	N-CA	7.57	1.61	1.46
1	A	20	GLU	CG-CD	7.21	1.62	1.51
1	A	631	ALA	CA-CB	7.11	1.67	1.52
1	A	701	ALA	CA-CB	7.00	1.67	1.52
1	A	597	LYS	CB-CG	6.97	1.71	1.52
1	A	525	GLU	CD-OE1	6.96	1.33	1.25
1	A	622	GLU	CB-CG	6.67	1.64	1.52
1	A	265	GLU	CG-CD	6.62	1.61	1.51
1	A	672	VAL	CB-CG2	6.51	1.66	1.52
1	A	755	TYR	CE1-CZ	6.43	1.47	1.38
1	A	693	GLU	CG-CD	6.42	1.61	1.51
1	A	34	TYR	CG-CD2	6.34	1.47	1.39
1	A	654	GLU	CD-OE1	6.25	1.32	1.25
1	A	410	GLU	CG-CD	6.20	1.61	1.51
1	A	5	VAL	CB-CG1	6.14	1.65	1.52
1	A	695	PHE	CE2-CZ	6.14	1.49	1.37
1	A	135	TYR	CE1-CZ	6.00	1.46	1.38
1	A	20	GLU	CD-OE1	6.00	1.32	1.25
1	A	554	GLN	N-CA	5.96	1.58	1.46
1	A	488	ALA	CA-CB	5.96	1.65	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	699	PHE	CG-CD1	5.94	1.47	1.38
1	A	258	SER	CB-OG	5.93	1.50	1.42
1	A	781	ARG	CZ-NH2	5.91	1.40	1.33
1	A	645	ALA	CA-CB	-5.83	1.40	1.52
1	A	230	ASP	CG-OD1	5.81	1.38	1.25
1	A	577	PHE	CE2-CZ	5.79	1.48	1.37
1	A	165	TYR	CD1-CE1	5.78	1.48	1.39
1	A	577	PHE	CB-CG	-5.75	1.41	1.51
1	A	780	PHE	CE1-CZ	5.72	1.48	1.37
1	A	395	GLU	CD-OE2	5.71	1.31	1.25
1	A	620	GLU	CB-CG	5.70	1.62	1.52
1	A	153	GLU	CD-OE1	-5.69	1.19	1.25
1	A	401	GLU	CD-OE1	5.66	1.31	1.25
1	A	107	TYR	CD2-CE2	5.65	1.47	1.39
1	A	162	SER	CA-CB	5.65	1.61	1.52
1	A	734	TYR	CD1-CE1	5.65	1.47	1.39
1	A	654	GLU	CB-CG	5.64	1.62	1.52
1	A	612	VAL	CB-CG2	5.62	1.64	1.52
1	A	271	PHE	CD1-CE1	5.61	1.50	1.39
1	A	217	TYR	CD1-CE1	5.59	1.47	1.39
1	A	642	VAL	CB-CG2	5.57	1.64	1.52
1	A	669	PHE	CG-CD2	5.46	1.47	1.38
1	A	153	GLU	CG-CD	5.46	1.60	1.51
1	A	36	SER	CA-CB	5.43	1.61	1.52
1	A	231	GLU	CG-CD	5.36	1.59	1.51
1	A	679	LYS	N-CA	5.36	1.57	1.46
1	A	756	ALA	CA-CB	5.34	1.63	1.52
1	A	744	PHE	CG-CD2	5.34	1.46	1.38
1	A	39	GLN	CD-OE1	5.33	1.35	1.24
1	A	373	ALA	CA-CB	5.33	1.63	1.52
1	A	129	PHE	CD1-CE1	5.31	1.49	1.39
1	A	14	ASP	CB-CG	5.30	1.62	1.51
1	A	735	LYS	CD-CE	5.28	1.64	1.51
1	A	669	PHE	CE1-CZ	5.26	1.47	1.37
1	A	485	PHE	CD2-CE2	5.22	1.49	1.39
1	A	785	PHE	CD1-CE1	5.21	1.49	1.39
1	A	431	ARG	CG-CD	5.20	1.65	1.51
1	A	754	ARG	N-CA	5.20	1.56	1.46
1	A	23	GLU	CB-CG	5.17	1.61	1.52
1	A	594	SER	CB-OG	5.15	1.49	1.42
1	A	720	ILE	N-CA	5.13	1.56	1.46
1	A	220	ALA	CA-CB	5.12	1.63	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	592	PHE	CE2-CZ	5.12	1.47	1.37
1	A	14	ASP	N-CA	5.10	1.56	1.46
1	A	65	TRP	CB-CG	5.10	1.59	1.50
1	A	437	GLU	CD-OE2	5.07	1.31	1.25
1	A	475	GLU	CD-OE1	5.06	1.31	1.25
1	A	709	TYR	CD2-CE2	5.04	1.47	1.39
1	A	347	GLU	CB-CG	5.02	1.61	1.52
1	A	31	VAL	CB-CG2	5.01	1.63	1.52
1	A	332	GLU	CG-CD	5.00	1.59	1.51

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43	ARG	NE-CZ-NH2	-25.12	107.74	120.30
1	A	754	ARG	NE-CZ-NH2	-24.84	107.88	120.30
1	A	43	ARG	NE-CZ-NH1	24.41	132.50	120.30
1	A	618	ARG	NE-CZ-NH1	20.05	130.32	120.30
1	A	618	ARG	NE-CZ-NH2	-17.02	111.79	120.30
1	A	754	ARG	NE-CZ-NH1	15.08	127.84	120.30
1	A	60	ARG	NE-CZ-NH2	12.20	126.40	120.30
1	A	227	ARG	NE-CZ-NH2	-11.54	114.53	120.30
1	A	227	ARG	NE-CZ-NH1	11.20	125.90	120.30
1	A	781	ARG	NE-CZ-NH1	10.76	125.68	120.30
1	A	60	ARG	NE-CZ-NH1	-10.31	115.14	120.30
1	A	43	ARG	CD-NE-CZ	10.11	137.76	123.60
1	A	529	ARG	NE-CZ-NH2	-10.07	115.26	120.30
1	A	746	MET	CG-SD-CE	8.97	114.55	100.20
1	A	135	TYR	CD1-CE1-CZ	-8.26	112.36	119.80
1	A	436	ASP	CB-CG-OD2	-8.19	110.93	118.30
1	A	766	ASP	CB-CG-OD2	-8.16	110.95	118.30
1	A	754	ARG	CB-CG-CD	-8.14	90.45	111.60
1	A	763	LYS	CD-CE-NZ	7.56	129.08	111.70
1	A	754	ARG	CG-CD-NE	-7.42	96.21	111.80
1	A	790	ASP	CB-CG-OD1	7.40	124.96	118.30
1	A	494	ARG	NE-CZ-NH1	-7.19	116.71	120.30
1	A	745	ASP	CB-CG-OD1	7.01	124.61	118.30
1	A	385	ASP	CB-CG-OD1	6.95	124.56	118.30
1	A	370	ARG	NE-CZ-NH2	-6.90	116.85	120.30
1	A	618	ARG	CD-NE-CZ	6.86	133.21	123.60
1	A	775	ASP	CB-CG-OD1	6.79	124.41	118.30
1	A	286	MET	CG-SD-CE	-6.78	89.36	100.20
1	A	230	ASP	CB-CG-OD2	-6.53	112.43	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	727	ASP	CB-CG-OD1	6.15	123.83	118.30
1	A	318	ARG	NE-CZ-NH2	-6.12	117.24	120.30
1	A	391	LEU	CB-CG-CD1	6.12	121.40	111.00
1	A	238	ARG	NE-CZ-NH1	6.12	123.36	120.30
1	A	492	THR	CA-CB-CG2	-5.99	104.02	112.40
1	A	665	MET	CG-SD-CE	5.85	109.56	100.20
1	A	54	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	A	26	ASP	CB-CG-OD1	5.84	123.56	118.30
1	A	230	ASP	CB-CG-OD1	5.80	123.52	118.30
1	A	753	ASP	CB-CG-OD2	5.76	123.49	118.30
1	A	15	ARG	NE-CZ-NH2	-5.75	117.42	120.30
1	A	489	TYR	CB-CG-CD2	-5.75	117.55	121.00
1	A	800	ASP	CB-CG-OD2	-5.75	113.12	118.30
1	A	638	ASP	CB-CG-OD1	5.73	123.46	118.30
1	A	20	GLU	CG-CD-OE1	5.70	129.70	118.30
1	A	465	GLU	OE1-CD-OE2	5.66	130.09	123.30
1	A	753	ASP	CB-CG-OD1	-5.63	113.23	118.30
1	A	238	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	A	347	GLU	OE1-CD-OE2	-5.58	116.60	123.30
1	A	431	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	421	ASP	CB-CG-OD1	5.54	123.28	118.30
1	A	712	TYR	CD1-CE1-CZ	-5.49	114.86	119.80
1	A	748	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	A	217	TYR	CG-CD1-CE1	-5.47	116.92	121.30
1	A	34	TYR	CB-CG-CD2	-5.40	117.76	121.00
1	A	261	ARG	NE-CZ-NH1	-5.39	117.61	120.30
1	A	570	ASP	CB-CG-OD1	5.35	123.12	118.30
1	A	203	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	A	757	LEU	CB-CG-CD1	-5.30	101.99	111.00
1	A	245	TYR	CG-CD1-CE1	-5.24	117.11	121.30
1	A	707	PHE	O-C-N	5.20	131.02	122.70
1	A	255	ASP	CB-CG-OD1	5.16	122.95	118.30
1	A	769	LYS	CD-CE-NZ	-5.12	99.92	111.70
1	A	754	ARG	CD-NE-CZ	5.09	130.73	123.60
1	A	276	ASP	CB-CG-OD2	-5.09	113.72	118.30
1	A	159	TYR	CD1-CE1-CZ	-5.07	115.24	119.80
1	A	242	TYR	CB-CG-CD2	-5.06	117.97	121.00
1	A	381	VAL	CG1-CB-CG2	5.01	118.91	110.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6379	0	6085	27	0
2	A	1	0	0	0	0
3	A	26	0	16	3	0
4	A	1	0	0	0	0
5	A	44	0	66	4	0
6	A	28	0	38	1	0
7	A	886	0	0	6	0
All	All	7365	0	6205	31	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:654:GLU:OE1	1:A:754:ARG:HD3	1.66	0.94
1:A:60:ARG:NH1	7:A:1398:HOH:O	2.08	0.85
1:A:654:GLU:OE1	1:A:754:ARG:CD	2.28	0.81
1:A:273:GLU:OE1	7:A:1347:HOH:O	2.02	0.77
3:A:827:TPP:HN42	3:A:827:TPP:C2	2.00	0.75
1:A:635:GLU:OE1	1:A:635:GLU:HA	1.98	0.64
1:A:231:GLU:HA	5:A:832:EDO:H12	1.81	0.62
1:A:435:PRO:HA	1:A:476:GLN:O	2.05	0.56
6:A:840:2PE:H241	7:A:1531:HOH:O	2.07	0.55
1:A:170:ASN:HD21	1:A:431:ARG:HH11	1.55	0.54
1:A:432:ILE:CD1	1:A:446:THR:HG21	2.38	0.53
3:A:827:TPP:H2	3:A:827:TPP:HN42	1.71	0.53
1:A:43:ARG:HD3	7:A:1573:HOH:O	2.09	0.52
1:A:96:GLY:HA3	1:A:153:GLU:O	2.12	0.50
1:A:645:ALA:HA	1:A:672:VAL:O	2.13	0.49
1:A:134:SER:OG	1:A:141:SER:HB3	2.15	0.46
1:A:652:THR:O	1:A:656:MET:HG2	2.16	0.45
1:A:780:PHE:CD1	5:A:837:EDO:H11	2.52	0.45
1:A:321:GLN:HB3	7:A:1306:HOH:O	2.16	0.45
1:A:702:ASP:OD1	5:A:829:EDO:O1	2.29	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:LYS:NZ	7:A:1697:HOH:O	2.49	0.45
1:A:654:GLU:OE1	1:A:754:ARG:HD2	2.11	0.44
1:A:636:ASN:HA	5:A:830:EDO:H22	2.00	0.43
1:A:763:LYS:HB2	1:A:763:LYS:HE2	1.50	0.43
1:A:498:TRP:CE2	1:A:537:LEU:HD13	2.54	0.43
1:A:748:ARG:HA	1:A:753:ASP:OD2	2.19	0.42
1:A:288:ARG:HD3	1:A:455:ASP:O	2.20	0.42
1:A:135:TYR:CG	1:A:136:PRO:HD2	2.54	0.42
3:A:827:TPP:N4'	3:A:827:TPP:C2	2.77	0.41
1:A:13:LEU:HD23	1:A:13:LEU:HA	1.84	0.40
1:A:434:GLY:O	1:A:475:GLU:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	800/845 (95%)	774 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	677/712 (95%)	667 (98%)	10 (2%)	72	56

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	ARG
1	A	105	GLN
1	A	189	PRO
1	A	213	HIS
1	A	391	LEU
1	A	561	LEU
1	A	605	LYS
1	A	635	GLU
1	A	747	VAL
1	A	754	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	170	ASN
1	A	408	GLN
1	A	441	ASN
1	A	472	GLN
1	A	554	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 15 ligands modelled in this entry, 2 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TPP	A	827	2	20,27,27	1.37	3 (15%)	31,40,40	1.62	7 (22%)
5	EDO	A	829	-	3,3,3	0.97	0	2,2,2	0.28	0
5	EDO	A	830	-	3,3,3	0.71	0	2,2,2	0.30	0
5	EDO	A	831	-	3,3,3	0.76	0	2,2,2	0.93	0
5	EDO	A	832	-	3,3,3	0.58	0	2,2,2	0.90	0
5	EDO	A	833	-	3,3,3	0.90	0	2,2,2	1.18	0
5	EDO	A	834	-	3,3,3	0.25	0	2,2,2	1.34	0
5	EDO	A	835	-	3,3,3	0.52	0	2,2,2	1.57	0
5	EDO	A	836	-	3,3,3	0.40	0	2,2,2	0.94	0
5	EDO	A	837	-	3,3,3	0.23	0	2,2,2	0.90	0
5	EDO	A	838	-	3,3,3	0.94	0	2,2,2	0.71	0
5	EDO	A	839	-	3,3,3	0.51	0	2,2,2	0.58	0
6	2PE	A	840	-	27,27,27	2.26	13 (48%)	26,26,26	1.52	4 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TPP	A	827	2	-	0/16/17/17	0/2/2/2
5	EDO	A	829	-	-	0/1/1/1	0/0/0/0
5	EDO	A	830	-	-	0/1/1/1	0/0/0/0
5	EDO	A	831	-	-	0/1/1/1	0/0/0/0
5	EDO	A	832	-	-	0/1/1/1	0/0/0/0
5	EDO	A	833	-	-	0/1/1/1	0/0/0/0
5	EDO	A	834	-	-	0/1/1/1	0/0/0/0
5	EDO	A	835	-	-	0/1/1/1	0/0/0/0
5	EDO	A	836	-	-	0/1/1/1	0/0/0/0
5	EDO	A	837	-	-	0/1/1/1	0/0/0/0
5	EDO	A	838	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	839	-	-	0/1/1/1	0/0/0/0
6	2PE	A	840	-	-	0/25/25/25	0/0/0/0

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	827	TPP	C4'-N3'	2.04	1.38	1.35
6	A	840	2PE	O4-C5	2.07	1.50	1.42
6	A	840	2PE	C9-C8	2.21	1.60	1.48
6	A	840	2PE	O13-C12	2.21	1.51	1.42
6	A	840	2PE	O4-C3	2.35	1.52	1.42
3	A	827	TPP	C5'-C4'	2.43	1.48	1.42
3	A	827	TPP	C2'-N1'	2.44	1.38	1.34
6	A	840	2PE	C18-C17	2.71	1.62	1.48
6	A	840	2PE	C12-C11	2.85	1.63	1.48
6	A	840	2PE	O19-C18	2.93	1.54	1.42
6	A	840	2PE	O7-C8	2.96	1.54	1.42
6	A	840	2PE	O10-C9	2.96	1.54	1.42
6	A	840	2PE	C15-C14	3.09	1.64	1.48
6	A	840	2PE	O13-C14	3.18	1.55	1.42
6	A	840	2PE	O10-C11	3.27	1.56	1.42
6	A	840	2PE	O7-C6	4.24	1.60	1.42

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	840	2PE	O4-C3-C2	-3.08	96.24	110.43
6	A	840	2PE	O10-C11-C12	-2.79	97.96	110.36
3	A	827	TPP	C5'-C4'-N4'	-2.47	118.63	122.25
3	A	827	TPP	C6-C5-C4	-2.37	125.44	127.56
3	A	827	TPP	C6-C5-S1	-2.25	117.09	120.24
3	A	827	TPP	CM4-C4-C5	-2.17	124.01	128.90
3	A	827	TPP	O7-C7-C6	-2.15	100.30	109.30
3	A	827	TPP	C5'-C4'-N3'	-2.00	117.89	121.23
6	A	840	2PE	C17-O16-C15	2.86	125.59	113.31
6	A	840	2PE	O4-C5-C6	3.78	127.18	110.36
3	A	827	TPP	N4'-C4'-N3'	4.33	123.22	116.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	827	TPP	3	0
5	A	829	EDO	1	0
5	A	830	EDO	1	0
5	A	832	EDO	1	0
5	A	837	EDO	1	0
6	A	840	2PE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	802/845 (94%)	-0.41	4 (0%) 91 93	11, 17, 28, 46	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	14	ASP	2.8
1	A	402	TYR	2.8
1	A	635	GLU	2.7
1	A	401	GLU	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	2PE	A	840	28/28	0.56	0.21	11.21	23,39,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	EDO	A	835	4/4	0.92	0.09	2.87	27,28,33,38	0
5	EDO	A	837	4/4	0.92	0.12	2.19	30,33,37,37	0
5	EDO	A	831	4/4	0.85	0.20	2.12	36,43,50,53	0
5	EDO	A	834	4/4	0.96	0.11	1.15	25,30,32,32	0
2	MG	A	826	1/1	0.99	0.07	1.09	13,13,13,13	0
5	EDO	A	829	4/4	0.93	0.13	0.08	26,28,30,33	0
5	EDO	A	838	4/4	0.98	0.06	-0.10	14,15,17,19	0
5	EDO	A	830	4/4	0.91	0.10	-0.35	41,42,45,46	0
3	TPP	A	827	26/26	0.99	0.05	-0.84	11,15,20,34	0
5	EDO	A	839	4/4	0.97	0.06	-1.28	23,23,25,26	0
5	EDO	A	836	4/4	0.91	0.12	-	32,38,39,41	0
5	EDO	A	832	4/4	0.88	0.19	-	37,42,42,43	0
4	NA	A	828	1/1	0.95	0.16	-	32,32,32,32	1
5	EDO	A	833	4/4	0.96	0.08	-	25,27,28,33	0

6.5 Other polymers [i](#)

There are no such residues in this entry.