



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:22 PM GMT

PDB ID : 1AI5
Title : PENICILLIN ACYLASE COMPLEXED WITH M-NITROPHENYLACETIC ACID
Authors : Done, S.H.
Deposited on : 1997-05-01
Resolution : 2.36 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.36 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1352 (2.38-2.34)
Clashscore	102246	1456 (2.38-2.34)
Ramachandran outliers	100387	1435 (2.38-2.34)
Sidechain outliers	100360	1436 (2.38-2.34)
RSRZ outliers	91569	1358 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	209	 75% 20% . .
2	B	557	 74% 19% 6% .

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6748 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PENICILLIN AMIDOHYDROLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	206	Total	C	N	O	S	0	0	0
			1656	1058	278	312	8			

- Molecule 2 is a protein called PENICILLIN AMIDOHYDROLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	557	Total	C	N	O	S	0	0	0
			4415	2805	767	833	10			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	165	GLN	GLU	CONFLICT	UNP P06875

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Ca	0	0
			1	1		

- Molecule 4 is 2-(3-NITROPHENYL)ACETIC ACID (three-letter code: MNP) (formula: C₈H₇NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	N	O	0	0
			13	8	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	173	Total	O	0	0
			173	173		
5	B	490	Total	O	0	0
			490	490		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PENICILLIN AMIDOHYDROLASE



• Molecule 2: PENICILLIN AMIDOHYDROLASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	52.12Å 65.08Å 76.30Å 100.20° 111.44° 105.81°	Depositor
Resolution (Å)	26.12 – 2.36 26.12 – 2.36	Depositor EDS
% Data completeness (in resolution range)	97.4 (26.12-2.36) 87.5 (26.12-2.36)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.40 (at 2.36Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.149 , 0.222 0.137 , 0.202	Depositor DCC
R_{free} test set	2450 reflections (7.71%)	DCC
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 76.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 34218 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6748	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MNP, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.65	0/1698	1.62	27/2305 (1.2%)
2	B	0.65	0/4541	1.57	63/6192 (1.0%)
All	All	0.65	0/6239	1.58	90/8497 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	4

There are no bond length outliers.

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	263	ARG	NE-CZ-NH2	-14.58	113.01	120.30
2	B	73	ASP	CB-CG-OD2	14.17	131.05	118.30
2	B	269	ARG	NE-CZ-NH1	13.87	127.23	120.30
1	A	70	ARG	NE-CZ-NH2	-13.65	113.47	120.30
2	B	357	ARG	NE-CZ-NH1	12.36	126.48	120.30
2	B	455	ARG	NE-CZ-NH2	-12.03	114.29	120.30
2	B	518	ASP	CB-CG-OD2	11.52	128.67	118.30
2	B	269	ARG	CD-NE-CZ	11.46	139.65	123.60
2	B	316	ARG	NE-CZ-NH2	11.08	125.84	120.30
2	B	475	GLU	OE1-CD-OE2	-10.59	110.59	123.30
2	B	479	ARG	NE-CZ-NH2	-10.46	115.07	120.30
2	B	287	ARG	CD-NE-CZ	9.40	136.76	123.60
2	B	455	ARG	CD-NE-CZ	9.32	136.64	123.60
1	A	12	ASP	CB-CG-OD1	9.29	126.67	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	269	ARG	CA-CB-CG	9.12	133.47	113.40
1	A	38	ASP	CB-CG-OD2	9.08	126.47	118.30
2	B	287	ARG	NE-CZ-NH1	8.82	124.71	120.30
2	B	199	ARG	NE-CZ-NH2	-8.77	115.91	120.30
1	A	12	ASP	CB-CG-OD2	-8.65	110.51	118.30
2	B	297	ARG	NE-CZ-NH2	8.60	124.60	120.30
1	A	133	ASP	CB-CG-OD1	8.51	125.96	118.30
2	B	557	ARG	NE-CZ-NH2	-8.13	116.24	120.30
2	B	263	ARG	NE-CZ-NH1	8.02	124.31	120.30
1	A	48	ARG	NE-CZ-NH1	7.97	124.28	120.30
1	A	79	ARG	CD-NE-CZ	7.79	134.51	123.60
2	B	325	ARG	NE-CZ-NH2	-7.71	116.44	120.30
2	B	495	ARG	NE-CZ-NH1	7.71	124.16	120.30
2	B	317	ARG	CD-NE-CZ	7.44	134.02	123.60
1	A	39	ARG	NE-CZ-NH2	-7.43	116.58	120.30
1	A	48	ARG	NE-CZ-NH2	-7.36	116.62	120.30
2	B	391	VAL	CB-CA-C	-7.07	97.96	111.40
1	A	142	MET	CG-SD-CE	7.02	111.43	100.20
2	B	268	ASP	CB-CG-OD1	7.00	124.60	118.30
2	B	266	GLU	OE1-CD-OE2	-6.89	115.03	123.30
2	B	89	TYR	CB-CG-CD1	-6.85	116.89	121.00
1	A	145	ARG	CB-CG-CD	-6.79	93.94	111.60
2	B	357	ARG	NE-CZ-NH2	-6.77	116.92	120.30
1	A	148	ASP	CB-CG-OD1	6.69	124.32	118.30
2	B	216	ASP	CB-CG-OD1	6.59	124.23	118.30
2	B	269	ARG	N-CA-CB	6.59	122.47	110.60
2	B	523	ASP	CB-CG-OD2	6.58	124.22	118.30
2	B	299	PHE	CB-CG-CD1	-6.53	116.23	120.80
1	A	133	ASP	CB-CG-OD2	-6.48	112.47	118.30
1	A	47	ARG	NE-CZ-NH1	6.47	123.54	120.30
1	A	79	ARG	NE-CZ-NH1	6.43	123.52	120.30
2	B	89	TYR	CB-CG-CD2	6.40	124.84	121.00
1	A	139	VAL	CA-CB-CG1	6.37	120.45	110.90
1	A	76	ASP	CB-CG-OD2	6.32	123.98	118.30
2	B	455	ARG	NH1-CZ-NH2	6.31	126.34	119.40
2	B	86	LYS	CA-CB-CG	6.26	127.18	113.40
2	B	73	ASP	OD1-CG-OD2	-6.24	111.44	123.30
2	B	24	PHE	CB-CG-CD1	-6.20	116.46	120.80
2	B	233	GLN	CA-CB-CG	5.99	126.57	113.40
2	B	290	SER	CB-CA-C	-5.98	98.73	110.10
2	B	269	ARG	NH1-CZ-NH2	-5.88	112.93	119.40
2	B	397	TYR	CB-CG-CD2	5.88	124.53	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	495	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	A	11	ARG	CD-NE-CZ	5.85	131.79	123.60
2	B	325	ARG	CD-NE-CZ	-5.84	115.42	123.60
2	B	184	VAL	CB-CA-C	-5.84	100.31	111.40
1	A	98	ASP	CB-CG-OD2	5.83	123.55	118.30
1	A	142	MET	CA-CB-CG	5.69	122.97	113.30
2	B	514	ASP	CB-CG-OD2	5.68	123.41	118.30
1	A	154	ASP	CB-CG-OD1	5.66	123.40	118.30
2	B	475	GLU	CG-CD-OE1	5.61	129.51	118.30
2	B	199	ARG	CD-NE-CZ	-5.60	115.76	123.60
2	B	533	ARG	NE-CZ-NH2	-5.59	117.51	120.30
1	A	111	PRO	N-CA-CB	5.56	109.97	103.30
2	B	397	TYR	CB-CG-CD1	-5.55	117.67	121.00
2	B	335	ASP	CB-CG-OD1	5.53	123.27	118.30
2	B	74	ASP	CB-CG-OD1	5.51	123.26	118.30
2	B	497	VAL	CB-CA-C	-5.47	101.00	111.40
1	A	70	ARG	NE-CZ-NH1	5.47	123.03	120.30
2	B	268	ASP	CB-CG-OD2	-5.44	113.41	118.30
2	B	144	ASP	CB-CG-OD1	5.41	123.17	118.30
1	A	73	TYR	CB-CG-CD1	5.41	124.24	121.00
2	B	284	ASP	CB-CG-OD1	-5.40	113.44	118.30
2	B	199	ARG	NE-CZ-NH1	5.37	122.99	120.30
2	B	130	ASP	CB-CG-OD1	5.31	123.08	118.30
2	B	276	ARG	NE-CZ-NH1	-5.30	117.65	120.30
2	B	389	ILE	CA-C-O	-5.27	109.03	120.10
1	A	145	ARG	CB-CA-C	-5.26	99.88	110.40
2	B	327	ASP	CB-CG-OD2	-5.23	113.60	118.30
2	B	495	ARG	CD-NE-CZ	5.20	130.88	123.60
1	A	130	GLU	OE1-CD-OE2	-5.15	117.12	123.30
2	B	245	GLN	N-CA-CB	-5.15	101.33	110.60
2	B	27	TYR	CB-CG-CD2	-5.10	117.94	121.00
2	B	471	ARG	NE-CZ-NH1	5.09	122.84	120.30
1	A	56	GLU	N-CA-CB	5.07	119.72	110.60
2	B	27	TYR	CB-CG-CD1	5.04	124.03	121.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	110	ASN	Mainchain
2	B	26	TRP	Mainchain
2	B	290	SER	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	B	325	ARG	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1656	0	1604	24	0
2	B	4415	0	4244	94	0
3	B	1	0	0	0	0
4	B	13	0	6	1	0
5	A	173	0	0	0	0
5	B	490	0	0	0	0
All	All	6748	0	5854	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:269:ARG:HH21	2:B:297:ARG:HD3	1.35	0.92
1:A:207:GLN:HE22	2:B:204:ASP:H	1.20	0.87
2:B:86:LYS:N	2:B:87:PRO:HD3	1.93	0.82
2:B:162:ASN:ND2	2:B:165:GLN:H	1.77	0.81
2:B:388:ASN:HD22	2:B:389:ILE:H	1.31	0.79
2:B:86:LYS:H	2:B:87:PRO:HD3	1.50	0.76
2:B:80:GLU:OE2	2:B:123:HIS:HD2	1.71	0.73
2:B:15:LYS:HG3	2:B:489:SER:HB2	1.71	0.71
1:A:118:GLN:H	1:A:118:GLN:NE2	1.87	0.70
2:B:162:ASN:HD22	2:B:165:GLN:H	1.37	0.70
2:B:384:THR:HG22	2:B:455:ARG:NH1	2.07	0.70
2:B:173:GLN:HE22	2:B:175:LEU:H	1.40	0.68
2:B:60:ASN:HD21	2:B:63:ILE:H	1.40	0.68
2:B:384:THR:HG22	2:B:455:ARG:HH12	1.59	0.68
1:A:207:GLN:NE2	2:B:204:ASP:H	1.93	0.67
1:A:199:LEU:HD21	2:B:225:MET:HE1	1.78	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:60:ASN:ND2	2:B:62:VAL:H	1.95	0.65
2:B:80:GLU:OE2	2:B:123:HIS:CD2	2.50	0.65
2:B:512:ALA:HB1	2:B:513:PRO:HD2	1.79	0.65
2:B:26:TRP:CD2	2:B:452:LEU:HD11	2.31	0.65
2:B:22:PRO:HB2	2:B:24:PHE:CE2	2.32	0.64
2:B:214:LYS:H	2:B:214:LYS:HD2	1.62	0.64
2:B:11:ALA:O	2:B:276:ARG:NH1	2.31	0.63
2:B:150:SER:HB3	2:B:173:GLN:HE21	1.64	0.63
2:B:388:ASN:ND2	2:B:389:ILE:H	1.96	0.62
1:A:118:GLN:H	1:A:118:GLN:HE21	1.46	0.62
1:A:26:HIS:HE1	2:B:555:VAL:O	1.83	0.61
2:B:269:ARG:HH21	2:B:297:ARG:CD	2.08	0.61
2:B:123:HIS:O	2:B:140:SER:HB2	2.00	0.61
2:B:173:GLN:NE2	2:B:175:LEU:H	1.99	0.60
2:B:89:TYR:CZ	2:B:98:LYS:HG3	2.38	0.59
2:B:129:THR:HG22	2:B:136:ALA:CB	2.32	0.59
2:B:384:THR:HG22	2:B:455:ARG:CZ	2.33	0.58
2:B:539:THR:O	2:B:543:VAL:HG23	2.04	0.58
2:B:60:ASN:HD22	2:B:62:VAL:H	1.51	0.58
2:B:269:ARG:NH2	2:B:297:ARG:HD3	2.11	0.58
2:B:82:LEU:HD11	2:B:136:ALA:HB2	1.83	0.58
2:B:60:ASN:ND2	2:B:63:ILE:H	2.02	0.58
2:B:444:ASN:C	2:B:444:ASN:HD22	2.08	0.57
1:A:23:ASP:OD1	1:A:26:HIS:HD2	1.88	0.57
1:A:166:TYR:O	1:A:170:GLN:HB3	2.06	0.55
1:A:207:GLN:HE21	1:A:207:GLN:H	1.54	0.55
2:B:123:HIS:HE1	2:B:216:ASP:OD1	1.90	0.55
2:B:44:VAL:HG11	2:B:158:MET:HB3	1.89	0.55
2:B:106:ILE:HD11	2:B:116:PHE:HE1	1.73	0.54
2:B:86:LYS:N	2:B:87:PRO:CD	2.67	0.54
2:B:384:THR:CG2	2:B:455:ARG:HH12	2.20	0.54
2:B:60:ASN:C	2:B:60:ASN:HD22	2.12	0.53
2:B:458:ASN:C	2:B:458:ASN:HD22	2.11	0.53
2:B:387:LEU:HD22	2:B:476:TYR:CE2	2.43	0.53
1:A:110:ASN:ND2	1:A:112:GLU:OE1	2.42	0.53
1:A:163:LYS:HG2	1:A:168:VAL:HA	1.91	0.52
2:B:89:TYR:CE1	2:B:98:LYS:HG3	2.45	0.52
2:B:388:ASN:HD22	2:B:389:ILE:N	2.03	0.51
2:B:397:TYR:O	2:B:401:GLN:HG2	2.09	0.51
1:A:206:SER:HB2	2:B:202:GLY:O	2.10	0.51
2:B:512:ALA:HB1	2:B:513:PRO:CD	2.38	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:121:THR:HG23	2:B:126:ILE:HD11	1.91	0.50
2:B:556:GLN:OE1	2:B:557:ARG:N	2.45	0.50
2:B:129:THR:HG22	2:B:136:ALA:HB2	1.93	0.50
2:B:83:SER:HB2	2:B:96:TRP:CH2	2.47	0.50
1:A:130:GLU:HB2	1:A:131:PRO:HD2	1.94	0.49
2:B:61:GLY:HA2	2:B:497:VAL:HG21	1.95	0.49
2:B:250:ALA:HB2	2:B:258:TRP:CE3	2.47	0.49
1:A:155:ASN:ND2	2:B:254:PHE:HB3	2.29	0.48
2:B:384:THR:HG22	2:B:455:ARG:NH2	2.28	0.48
2:B:262:ASP:OD1	2:B:264:VAL:HG12	2.14	0.48
2:B:317:ARG:O	2:B:321:GLU:HG3	2.14	0.47
2:B:20:ASN:ND2	2:B:57:PHE:HD1	2.12	0.47
2:B:495:ARG:HH11	2:B:495:ARG:HG3	1.78	0.47
2:B:317:ARG:HH11	2:B:317:ARG:HG3	1.80	0.47
2:B:129:THR:HA	2:B:136:ALA:HA	1.96	0.47
2:B:303:LEU:HD21	2:B:350:TRP:CE2	2.50	0.46
2:B:450:MET:HB2	2:B:450:MET:HE2	1.76	0.46
2:B:360:VAL:HG13	2:B:368:ASP:HB2	1.98	0.46
2:B:214:LYS:H	2:B:214:LYS:CD	2.26	0.45
2:B:387:LEU:HD22	2:B:476:TYR:HE2	1.80	0.45
2:B:173:GLN:HE22	2:B:175:LEU:HG	1.82	0.44
2:B:20:ASN:ND2	2:B:57:PHE:CD1	2.85	0.44
2:B:92:HIS:HE1	2:B:216:ASP:OD2	1.99	0.44
2:B:151:LEU:HD23	2:B:151:LEU:C	2.38	0.43
2:B:495:ARG:HA	2:B:496:PRO:HD3	1.92	0.43
1:A:202:ASN:ND2	1:A:206:SER:OG	2.52	0.43
1:A:152:GLU:OE2	2:B:76:ASP:HA	2.19	0.43
1:A:23:ASP:OD1	1:A:26:HIS:CD2	2.69	0.43
2:B:530:ASN:O	2:B:531:PHE:HB2	2.18	0.43
2:B:104:GLU:O	2:B:115:THR:HA	2.19	0.42
2:B:383:PRO:HG2	2:B:476:TYR:CE1	2.54	0.42
1:A:174:VAL:HG22	2:B:411:VAL:HG22	2.00	0.42
1:A:199:LEU:CD2	2:B:225:MET:HE1	2.46	0.42
2:B:22:PRO:HB3	4:B:559:MNP:O4'	2.20	0.42
2:B:85:GLU:O	2:B:86:LYS:HG2	2.19	0.42
1:A:186:ALA:HA	1:A:187:PRO:HD3	1.87	0.42
2:B:86:LYS:HE2	2:B:96:TRP:CB	2.50	0.42
2:B:86:LYS:HE2	2:B:96:TRP:CG	2.55	0.42
1:A:130:GLU:HB2	1:A:131:PRO:CD	2.50	0.41
1:A:56:GLU:O	2:B:109:LYS:HB2	2.21	0.41
2:B:378:THR:HG21	2:B:383:PRO:HD3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:209:VAL:HB	2:B:210:PRO:HD2	2.02	0.41
2:B:284:ASP:OD1	2:B:287:ARG:NH2	2.53	0.41
2:B:163:TRP:CZ3	2:B:189:GLY:HA3	2.55	0.41
1:A:10:VAL:HG13	2:B:547:LYS:HD3	2.02	0.41
2:B:414:PHE:CZ	2:B:419:GLN:HG2	2.56	0.41
1:A:125:THR:HB	1:A:126:PRO:HD2	2.02	0.40
2:B:85:GLU:HG3	2:B:85:GLU:H	1.67	0.40
2:B:127:LEU:CD1	2:B:139:LYS:HB2	2.51	0.40
2:B:60:ASN:C	2:B:60:ASN:ND2	2.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	204/209 (98%)	199 (98%)	4 (2%)	1 (0%)	34	39
2	B	555/557 (100%)	540 (97%)	15 (3%)	0	100	100
All	All	759/766 (99%)	739 (97%)	19 (2%)	1 (0%)	56	69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	142	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/180 (99%)	164 (92%)	14 (8%)	15	17
2	B	460/460 (100%)	421 (92%)	39 (8%)	13	14
All	All	638/640 (100%)	585 (92%)	53 (8%)	14	15

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	SER
1	A	6	GLU
1	A	13	GLU
1	A	31	TYR
1	A	109	THR
1	A	110	ASN
1	A	112	GLU
1	A	113	THR
1	A	118	GLN
1	A	142	MET
1	A	145	ARG
1	A	169	SER
1	A	200	LYS
1	A	207	GLN
2	B	2	ASN
2	B	8	LYS
2	B	60	ASN
2	B	67	SER
2	B	81	ARG
2	B	85	GLU
2	B	86	LYS
2	B	95	LYS
2	B	109	LYS
2	B	115	THR
2	B	127	LEU
2	B	154	TRP
2	B	162	ASN
2	B	173	GLN
2	B	184	VAL
2	B	201	SER
2	B	214	LYS
2	B	269	ARG
2	B	273	GLN
2	B	317	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	369	LYS
2	B	380	GLN
2	B	387	LEU
2	B	388	ASN
2	B	391	VAL
2	B	403	ASP
2	B	411	VAL
2	B	420	GLN
2	B	432	GLU
2	B	444	ASN
2	B	458	ASN
2	B	468	GLU
2	B	493	SER
2	B	495	ARG
2	B	497	VAL
2	B	517	VAL
2	B	530	ASN
2	B	534	LYS
2	B	556	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	26	HIS
1	A	118	GLN
1	A	155	ASN
1	A	193	GLN
1	A	205	ASN
1	A	207	GLN
2	B	2	ASN
2	B	20	ASN
2	B	60	ASN
2	B	92	HIS
2	B	93	ASN
2	B	123	HIS
2	B	162	ASN
2	B	173	GLN
2	B	304	GLN
2	B	348	ASN
2	B	388	ASN
2	B	444	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	458	ASN
2	B	473	GLN
2	B	546	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	MNP	B	559	-	8,13,13	3.02	1 (12%)	12,17,17	3.66	6 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MNP	B	559	-	-	0/6/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	559	MNP	O4'-N3'	8.30	1.39	1.22

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	559	MNP	C4'-C3'-N3'	-8.21	112.87	119.48
4	B	559	MNP	C3'-C2'-C1'	-3.08	115.33	119.02
4	B	559	MNP	C2-C1'-C2'	-2.65	115.20	120.69
4	B	559	MNP	C5'-C4'-C3'	-2.36	115.96	119.41
4	B	559	MNP	C4'-C3'-C2'	5.41	127.57	120.07
4	B	559	MNP	O4'-N3'-C3'	5.91	129.51	118.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	559	MNP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	206/209 (98%)	-0.72	0 100 100	15, 27, 55, 70	0
2	B	557/557 (100%)	-0.75	2 (0%) 93 97	10, 24, 55, 101	0
All	All	763/766 (99%)	-0.74	2 (0%) 94 97	10, 25, 55, 101	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	131	GLN	2.3
2	B	556	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	MNP	B	559	13/13	0.98	0.08	-0.02	11,23,37,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	CA	B	558	1/1	0.99	0.07	-2.09	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.