



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:08 PM GMT

PDB ID : 5AK6
Title : ligand complex structure of soluble epoxide hydrolase
Authors : Oster, L.; Tapani, S.; Xue, Y.; Kack, H.
Deposited on : 2015-03-02
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1045 (2.16-2.16)
Clashscore	102246	1152 (2.16-2.16)
Ramachandran outliers	100387	1131 (2.16-2.16)
Sidechain outliers	100360	1131 (2.16-2.16)
RSRZ outliers	91569	1050 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	549	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	1548	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	1549	-	-	-	X
3	PEG	A	1550	-	-	-	X
3	PEG	A	1551	-	-	-	X
4	GOL	A	1552	-	-	-	X
5	YPN	A	1555	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BIFUNCTIONAL EPOXIDE HYDROLASE 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	541	4286	2748	722	780	36	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	EXPRESSION TAG	UNP P34913

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0

- Molecule 3 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	4	3		
3	A	1	Total	C	O	0	0
			7	4	3		


- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 2-[(5-CHLORO-2-PYRIDYL)SULFANYL]ETHANOL (three-letter code:

YPN) (formula: C₇H₈ClNOS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Cl	N	O	S	
			11	7	1	1	1	1	0
5	A	1	Total	C	Cl	N	O	S	
			11	7	1	1	1	1	0
5	A	1	Total	C	Cl	N	O	S	
			11	7	1	1	1	1	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	334	Total	O		
			334	334	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BIFUNCTIONAL EPOXIDE HYDROLASE 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, α , β , γ	91.74Å 91.74Å 245.27Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	80.48 – 2.15 79.45 – 2.12	Depositor EDS
% Data completeness (in resolution range)	100.0 (80.48-2.15) 98.4 (79.45-2.12)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.64 (at 2.12Å)	Xtriage
Refinement program	BUSTER 2.11.1	Depositor
R, R_{free}	0.204 , 0.248 0.356 , 0.374	Depositor DCC
R_{free} test set	1735 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	25.7	Xtriage
Anisotropy	0.235	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 44.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 34914 reflections	Xtriage
F_o, F_c correlation	0.82	EDS
Total number of atoms	4683	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PEG, YPN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/4390	0.73	1/5947 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292	ASP	N-CA-C	-5.79	95.36	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4286	0	4288	30	12
2	A	10	0	0	0	0
3	A	14	0	20	3	0
4	A	6	0	8	0	0
5	A	33	0	24	2	0
6	A	334	0	0	4	8
All	All	4683	0	4340	32	15

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (32) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:PHE:HB3	1:A:341:VAL:HG22	1.52	0.91
1:A:41:PHE:HA	1:A:67:MET:HE1	1.57	0.86
1:A:384:GLN:HE22	5:A:1553:YPN:H5	1.54	0.72
1:A:422:VAL:HG11	1:A:428:LEU:HD22	1.78	0.65
1:A:309:CYS:SG	1:A:312:VAL:HG13	2.41	0.60
1:A:350:GLU:HG3	6:A:2204:HOH:O	2.03	0.57
1:A:266:GLY:HA3	1:A:335:ASP:HB3	1.84	0.57
1:A:41:PHE:HA	1:A:67:MET:CE	2.34	0.56
1:A:22:VAL:HG11	1:A:95:ALA:HB2	1.88	0.55
1:A:233:ASN:ND2	6:A:2133:HOH:O	2.40	0.55
3:A:1550:PEG:H31	6:A:2333:HOH:O	2.07	0.54
3:A:1551:PEG:H21	5:A:1555:YPN:N4	2.23	0.53
1:A:341:VAL:HG13	1:A:355:VAL:HG23	1.90	0.51
1:A:27:GLU:HA	1:A:32:LEU:HD12	1.94	0.50
1:A:341:VAL:HG13	1:A:355:VAL:CG2	2.42	0.49
1:A:69:GLU:HG3	1:A:73:LYS:HZ2	1.76	0.49
1:A:3:LEU:HD13	1:A:181:VAL:HG22	1.95	0.48
1:A:83:PRO:HG2	1:A:86:PHE:HB2	1.95	0.48
1:A:495:LYS:HD2	1:A:521:ASP:HA	1.96	0.48
1:A:484:ILE:HB	1:A:511:ILE:HG12	1.97	0.46
1:A:410:ARG:HD2	1:A:416:VAL:HG22	1.98	0.46
1:A:69:GLU:HG3	1:A:73:LYS:NZ	2.31	0.46
1:A:355:VAL:O	1:A:488:ALA:HA	2.16	0.46
1:A:168:PHE:O	1:A:172:THR:HG23	2.17	0.44
1:A:170:LEU:HD13	1:A:177:PRO:HD3	2.00	0.43
1:A:107:GLN:HG2	6:A:2053:HOH:O	2.17	0.43
1:A:122:LEU:HD22	1:A:169:LEU:HD22	2.00	0.42
1:A:15:ALA:HB1	1:A:99:ARG:HG2	2.02	0.42
1:A:370:SER:HB2	1:A:373:GLU:HG3	2.02	0.41
1:A:70:ASN:HA	1:A:73:LYS:HZ3	1.85	0.41
1:A:536:GLN:HB2	3:A:1550:PEG:H41	2.03	0.40
1:A:87:SER:HB3	1:A:90:GLU:HB2	2.03	0.40

All (15) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:GLU:OE1	1:A:72:ARG:NH2[8_435]	1.28	0.92
6:A:2093:HOH:O	6:A:2312:HOH:O[8_545]	1.64	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:SER:OG	6:A:2071:HOH:O[12_544]	1.65	0.55
1:A:239:HIS:O	1:A:241:TYR:N[12_544]	1.69	0.51
1:A:239:HIS:N	1:A:241:TYR:O[12_544]	1.84	0.36
1:A:155:GLN:NE2	6:A:2290:HOH:O[12_544]	1.92	0.28
1:A:327:SER:N	6:A:2151:HOH:O[12_544]	1.94	0.26
1:A:237:MET:O	6:A:2140:HOH:O[12_544]	1.96	0.24
1:A:236:ASP:OD1	1:A:323:LYS:NZ[12_544]	2.04	0.16
1:A:256:GLY:N	1:A:324:LEU:O[12_544]	2.06	0.14
1:A:65:PRO:O	1:A:69:GLU:OE2[8_435]	2.08	0.12
1:A:236:ASP:O	1:A:323:LYS:CD[12_544]	2.10	0.10
6:A:2077:HOH:O	6:A:2205:HOH:O[12_544]	2.12	0.08
6:A:2134:HOH:O	6:A:2196:HOH:O[12_544]	2.15	0.05
1:A:324:LEU:O	6:A:2147:HOH:O[12_544]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	537/549 (98%)	523 (97%)	13 (2%)	1 (0%)	52 51

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	268	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	468/474 (99%)	444 (95%)	24 (5%)	29	24

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ARG
1	A	68	GLU
1	A	71	CYS
1	A	72	ARG
1	A	75	SER
1	A	81	CYS
1	A	110	LEU
1	A	159	VAL
1	A	181	VAL
1	A	216	VAL
1	A	224	THR
1	A	233	ASN
1	A	249	ARG
1	A	253	VAL
1	A	306	GLU
1	A	341	VAL
1	A	353	ARG
1	A	410	ARG
1	A	419	MET
1	A	428	LEU
1	A	448	GLN
1	A	460	ARG
1	A	508	GLU
1	A	547	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	GLN
1	A	233	ASN
1	A	384	GLN
1	A	452	GLN
1	A	513	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1548	-	4,4,4	0.72	0	6,6,6	0.15	0
2	SO4	A	1549	-	4,4,4	0.81	0	6,6,6	0.29	0
3	PEG	A	1550	-	6,6,6	0.71	0	5,5,5	0.99	0
3	PEG	A	1551	-	6,6,6	0.51	0	5,5,5	0.98	0
4	GOL	A	1552	-	5,5,5	0.67	0	5,5,5	0.61	0
5	YPN	A	1553	-	11,11,11	0.48	0	13,13,13	0.87	0
5	YPN	A	1554	-	11,11,11	0.33	0	13,13,13	0.75	0
5	YPN	A	1555	-	11,11,11	0.72	0	13,13,13	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1548	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1549	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PEG	A	1550	-	-	0/4/4/4	0/0/0/0
3	PEG	A	1551	-	-	0/4/4/4	0/0/0/0
4	GOL	A	1552	-	-	0/4/4/4	0/0/0/0
5	YPN	A	1553	-	-	0/4/4/4	0/1/1/1
5	YPN	A	1554	-	-	0/4/4/4	0/1/1/1
5	YPN	A	1555	-	-	1/4/4/4	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1555	YPN	N4-C3-S8-C9

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1550	PEG	2	0
3	A	1551	PEG	1	0
5	A	1553	YPN	1	0
5	A	1555	YPN	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	541/549 (98%)	2.44	272 (50%) 0 0	12, 30, 67, 98	0

All (272) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	20	PHE	11.8
1	A	75	SER	11.0
1	A	47	GLU	10.2
1	A	84	LYS	9.4
1	A	71	CYS	8.9
1	A	44	GLY	8.9
1	A	66	LEU	8.6
1	A	36	LEU	8.4
1	A	74	CYS	7.5
1	A	72	ARG	7.4
1	A	92	PHE	7.4
1	A	40	ALA	7.4
1	A	86	PHE	7.3
1	A	73	LYS	7.1
1	A	37	LEU	7.0
1	A	81	CYS	6.9
1	A	39	ASP	6.7
1	A	82	LEU	6.7
1	A	154	CYS	6.7
1	A	3	LEU	6.1
1	A	136	LEU	6.0
1	A	202	LEU	5.9
1	A	139	LEU	5.9
1	A	43	LYS	5.9
1	A	30	LEU	5.8
1	A	159	VAL	5.8
1	A	63	TRP	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	49	ALA	5.7
1	A	85	ASN	5.7
1	A	59	THR	5.7
1	A	168	PHE	5.7
1	A	19	VAL	5.6
1	A	91	ILE	5.5
1	A	203	VAL	5.5
1	A	26	THR	5.5
1	A	151	ILE	5.4
1	A	188	ALA	5.4
1	A	131	ALA	5.2
1	A	241	TYR	5.2
1	A	51	THR	5.2
1	A	180	VAL	5.1
1	A	70	ASN	5.1
1	A	201	ILE	5.1
1	A	167	LYS	5.1
1	A	11	ASP	5.0
1	A	127	LEU	5.0
1	A	137	ALA	4.9
1	A	58	ILE	4.9
1	A	15	ALA	4.9
1	A	182	PHE	4.8
1	A	126	TRP	4.8
1	A	69	GLU	4.8
1	A	7	VAL	4.7
1	A	14	LEU	4.7
1	A	88	ILE	4.6
1	A	62	GLN	4.6
1	A	149	PHE	4.6
1	A	213	LEU	4.6
1	A	246	PRO	4.5
1	A	21	GLY	4.5
1	A	23	LEU	4.4
1	A	165	ILE	4.4
1	A	261	VAL	4.4
1	A	416	VAL	4.4
1	A	48	GLY	4.4
1	A	65	PRO	4.4
1	A	209	ALA	4.4
1	A	116	GLY	4.4
1	A	189	ASN	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	34	ARG	4.4
1	A	53	LEU	4.3
1	A	256	GLY	4.3
1	A	54	MET	4.3
1	A	105	MET	4.3
1	A	101	ILE	4.3
1	A	124	ASN	4.2
1	A	161	PRO	4.2
1	A	192	PRO	4.2
1	A	150	LEU	4.1
1	A	83	PRO	4.0
1	A	67	MET	3.9
1	A	419	MET	3.8
1	A	46	PRO	3.8
1	A	236	ASP	3.8
1	A	255	LEU	3.8
1	A	172	THR	3.7
1	A	125	THR	3.7
1	A	109	ALA	3.7
1	A	156	VAL	3.7
1	A	186	ILE	3.7
1	A	143	LEU	3.7
1	A	199	VAL	3.7
1	A	45	GLY	3.6
1	A	163	PRO	3.6
1	A	216	VAL	3.6
1	A	108	ALA	3.6
1	A	510	TRP	3.6
1	A	112	LEU	3.6
1	A	198	MET	3.6
1	A	10	LEU	3.6
1	A	60	LEU	3.6
1	A	219	ILE	3.6
1	A	196	LEU	3.5
1	A	118	THR	3.5
1	A	18	ALA	3.5
1	A	13	VAL	3.5
1	A	5	ALA	3.5
1	A	6	ALA	3.5
1	A	90	GLU	3.5
1	A	145	MET	3.5
1	A	200	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	117	PHE	3.4
1	A	195	ASP	3.4
1	A	418	SER	3.4
1	A	417	LEU	3.4
1	A	175	ALA	3.4
1	A	547	ARG	3.4
1	A	525	TRP	3.4
1	A	177	PRO	3.3
1	A	421	LYS	3.3
1	A	22	VAL	3.3
1	A	120	ALA	3.3
1	A	56	GLY	3.3
1	A	228	LEU	3.3
1	A	61	SER	3.3
1	A	64	ILE	3.3
1	A	170	LEU	3.3
1	A	194	ARG	3.3
1	A	31	ALA	3.2
1	A	166	TYR	3.2
1	A	123	THR	3.2
1	A	162	GLU	3.2
1	A	2	THR	3.2
1	A	16	LEU	3.2
1	A	157	GLY	3.2
1	A	181	VAL	3.2
1	A	187	GLY	3.2
1	A	55	LYS	3.1
1	A	27	GLU	3.1
1	A	282	ALA	3.1
1	A	155	GLN	3.1
1	A	129	ASP	3.1
1	A	153	SER	3.0
1	A	35	GLY	3.0
1	A	289	LEU	3.0
1	A	95	ALA	3.0
1	A	329	ALA	3.0
1	A	434	GLU	3.0
1	A	33	PRO	2.9
1	A	288	VAL	2.9
1	A	324	LEU	2.9
1	A	50	THR	2.9
1	A	190	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	191	LYS	2.9
1	A	413	ASP	2.9
1	A	330	VAL	2.9
1	A	130	ARG	2.9
1	A	332	ILE	2.8
1	A	193	ALA	2.8
1	A	423	CYS	2.8
1	A	206	THR	2.8
1	A	399	GLN	2.8
1	A	122	LEU	2.8
1	A	380	VAL	2.8
1	A	221	LEU	2.7
1	A	87	SER	2.7
1	A	42	GLN	2.7
1	A	331	PHE	2.7
1	A	99	ARG	2.7
1	A	238	SER	2.7
1	A	341	VAL	2.7
1	A	171	ASP	2.7
1	A	158	MET	2.7
1	A	133	ARG	2.7
1	A	345	ALA	2.7
1	A	258	GLY	2.7
1	A	436	PRO	2.6
1	A	93	ASP	2.6
1	A	260	ALA	2.6
1	A	57	GLU	2.6
1	A	141	CYS	2.6
1	A	121	ILE	2.6
1	A	104	PRO	2.6
1	A	8	PHE	2.6
1	A	204	GLN	2.6
1	A	428	LEU	2.6
1	A	208	THR	2.6
1	A	466	TYR	2.6
1	A	52	ARG	2.6
1	A	286	TYR	2.5
1	A	252	PHE	2.5
1	A	452	GLN	2.5
1	A	178	SER	2.5
1	A	301	ALA	2.5
1	A	94	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	140	MET	2.5
1	A	106	LEU	2.5
1	A	197	GLY	2.5
1	A	302	PRO	2.5
1	A	215	LYS	2.5
1	A	291	MET	2.5
1	A	176	SER	2.5
1	A	420	HIS	2.5
1	A	328	GLN	2.5
1	A	41	PHE	2.4
1	A	405	PHE	2.4
1	A	110	LEU	2.4
1	A	224	THR	2.4
1	A	242	VAL	2.4
1	A	285	GLY	2.4
1	A	272	TYR	2.4
1	A	38	ASN	2.4
1	A	534	VAL	2.4
1	A	212	GLU	2.4
1	A	164	GLN	2.4
1	A	313	LEU	2.4
1	A	438	LEU	2.4
1	A	97	SER	2.3
1	A	239	HIS	2.3
1	A	250	LEU	2.3
1	A	184	ASP	2.3
1	A	4	ARG	2.3
1	A	267	PHE	2.3
1	A	422	VAL	2.3
1	A	205	ASP	2.3
1	A	287	ARG	2.3
1	A	336	TRP	2.3
1	A	68	GLU	2.3
1	A	244	VAL	2.3
1	A	312	VAL	2.3
1	A	326	LEU	2.3
1	A	427	GLY	2.2
1	A	343	TYR	2.2
1	A	293	MET	2.2
1	A	89	LYS	2.2
1	A	274	TRP	2.2
1	A	543	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	248	VAL	2.2
1	A	451	VAL	2.2
1	A	128	ASP	2.2
1	A	431	ASN	2.2
1	A	450	TYR	2.2
1	A	523	GLY	2.2
1	A	309	CYS	2.2
1	A	487	PRO	2.2
1	A	173	LEU	2.2
1	A	475	TRP	2.2
1	A	375	ILE	2.2
1	A	230	THR	2.1
1	A	355	VAL	2.1
1	A	491	VAL	2.1
1	A	415	SER	2.1
1	A	295	GLY	2.1
1	A	292	ASP	2.1
1	A	342	TRP	2.1
1	A	430	VAL	2.1
1	A	257	SER	2.1
1	A	113	ARG	2.1
1	A	371	PRO	2.1
1	A	449	PHE	2.1
1	A	541	TRP	2.1
1	A	210	LEU	2.1
1	A	408	LEU	2.1
1	A	144	LYS	2.1
1	A	226	ALA	2.1
1	A	320	PHE	2.1
1	A	314	CYS	2.1
1	A	217	THR	2.0
1	A	251	HIS	2.0
1	A	147	PHE	2.0
1	A	152	GLU	2.0
1	A	402	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	PEG	A	1551	7/7	0.19	0.44	8.97	65,65,66,66	0
3	PEG	A	1550	7/7	0.56	0.41	7.41	46,47,48,49	0
5	YPN	A	1555	11/11	0.58	0.35	5.92	50,60,69,69	0
2	SO4	A	1548	5/5	0.89	0.33	3.47	77,81,82,83	0
4	GOL	A	1552	6/6	0.28	0.40	3.47	60,62,62,63	0
2	SO4	A	1549	5/5	0.52	0.43	2.94	74,78,79,79	0
5	YPN	A	1553	11/11	0.87	0.18	-0.34	23,27,29,33	0
5	YPN	A	1554	11/11	0.84	0.20	-0.34	34,39,51,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.