



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:24 AM GMT

PDB ID : 3APD
Title : Crystal structure of human PI3K-gamma in complex with CH5108134
Authors : Nakamura, M.; Fukami, T.A.; Miyazaki, T.; Yoshida, M.
Deposited on : 2010-10-14
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4549 (2.58-2.50)
Clashscore	102246	5292 (2.58-2.50)
Ramachandran outliers	100387	5194 (2.58-2.50)
Sidechain outliers	100360	5196 (2.58-2.50)
RSRZ outliers	91569	4561 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	966	<div> <div>5%</div> <div>66%</div> <div>19%</div> <div>•</div> <div>13%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6615 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit gamma isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	839	Total	C	N	O	S	0	0	0
			6562	4214	1109	1205	34			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	137	GLY	-	EXPRESSION TAG	UNP P48736
A	138	PRO	-	EXPRESSION TAG	UNP P48736
A	139	LEU	-	EXPRESSION TAG	UNP P48736
A	140	HIS	-	EXPRESSION TAG	UNP P48736
A	141	MET	-	EXPRESSION TAG	UNP P48736
A	142	GLY	-	EXPRESSION TAG	UNP P48736
A	143	SER	-	EXPRESSION TAG	UNP P48736

- Molecule 2 is 5-(2-MORPHOLIN-4-YL-7-PYRIDIN-3-YL-6,7-DIHYDRO-5H-PYRROLO[2,3-D]PYRIMIDIN-4-YL)-PYRIMIDIN-2-YLAMINE (three-letter code: MMY) (formula: C₁₉H₂₀N₈O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			28	19	8	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	15	Total	O	0	0
			15	15		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit gamma isoform



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.95Å 67.46Å 106.28Å 90.00° 95.68° 90.00°	Depositor
Resolution (Å)	60.95 – 2.55 56.49 – 2.55	Depositor EDS
% Data completeness (in resolution range)	100.0 (60.95-2.55) 99.7 (56.49-2.55)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.26 (at 2.55Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.250 , 0.316 0.239 , 0.294	Depositor DCC
R_{free} test set	1673 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	63.7	Xtriage
Anisotropy	0.296	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 33082 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6615	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MMY, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/6703	0.56	0/9106

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	521	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6562	0	6360	133	0
2	A	28	0	20	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	10	0	0	0	0
4	A	15	0	0	0	0
All	All	6615	0	6380	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:165:VAL:HG12	1:A:165:VAL:O	1.73	0.88
1:A:559:ILE:HG23	1:A:588:ALA:HB2	1.55	0.86
1:A:564:LEU:HD11	1:A:1048:ILE:HG22	1.64	0.80
1:A:363:VAL:HG23	1:A:520:LEU:CD2	2.19	0.72
1:A:953:MET:HE2	1:A:963:ILE:HG21	1.71	0.71
1:A:227:SER:O	1:A:228:THR:HG22	1.91	0.70
1:A:275:CYS:SG	1:A:306:VAL:HG23	2.34	0.68
2:A:1:MMY:C9	2:A:1:MMY:H30	2.24	0.67
1:A:240:THR:HG22	1:A:243:ALA:H	1.60	0.67
1:A:583:LEU:HD22	1:A:610:LEU:HD12	1.77	0.66
1:A:363:VAL:HG23	1:A:520:LEU:HD23	1.78	0.65
1:A:559:ILE:CG2	1:A:588:ALA:HB2	2.26	0.65
2:A:1:MMY:H9A	2:A:1:MMY:H30	1.78	0.65
1:A:165:VAL:O	1:A:165:VAL:CG1	2.45	0.64
1:A:272:LEU:HD22	1:A:305:VAL:HG21	1.81	0.63
1:A:163:THR:O	1:A:165:VAL:HG23	1.99	0.62
1:A:862:LEU:HD11	1:A:1016:ALA:HB2	1.81	0.61
1:A:430:ASN:ND2	1:A:465:ASN:OD1	2.19	0.61
1:A:953:MET:CE	1:A:963:ILE:HD13	2.31	0.60
1:A:899:THR:HG23	1:A:1087:PHE:CZ	2.37	0.60
1:A:433:ILE:HD13	1:A:484:MET:CE	2.32	0.59
1:A:368:ILE:HG22	1:A:516:ILE:HD12	1.84	0.58
1:A:231:GLN:O	1:A:233:ILE:HD12	2.03	0.58
1:A:953:MET:HE2	1:A:963:ILE:HD13	1.85	0.58
1:A:466:LEU:HD11	1:A:476:ARG:HD3	1.85	0.58
1:A:370:ILE:O	1:A:370:ILE:HG23	2.04	0.57
1:A:899:THR:HG23	1:A:1087:PHE:CE1	2.39	0.57
1:A:433:ILE:HD13	1:A:484:MET:HE1	1.86	0.57
1:A:732:PHE:O	1:A:736:VAL:HG23	2.05	0.57
1:A:386:ASN:ND2	1:A:432:GLN:HE21	2.02	0.56
1:A:583:LEU:HD22	1:A:610:LEU:CD1	2.36	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:ARG:HB3	1:A:414:LEU:HD22	1.87	0.55
1:A:363:VAL:HG23	1:A:520:LEU:HD21	1.88	0.55
1:A:386:ASN:HD21	1:A:432:GLN:HE21	1.54	0.55
1:A:953:MET:HE1	2:A:1:MMY:N12	2.22	0.55
1:A:1070:ASP:O	1:A:1074:VAL:HG23	2.06	0.54
1:A:240:THR:HG23	1:A:241:PRO:HD2	1.90	0.54
1:A:318:VAL:HG22	1:A:725:GLY:HA2	1.88	0.54
1:A:463:TYR:CD1	1:A:487:ILE:HD11	2.42	0.54
1:A:997:THR:HG22	1:A:998:SER:N	2.22	0.53
1:A:908:ASN:HD22	1:A:908:ASN:C	2.12	0.53
1:A:162:VAL:HG12	1:A:714:ALA:HB1	1.91	0.53
1:A:796:LEU:O	1:A:798:ILE:HD12	2.09	0.52
1:A:172:GLU:HG3	1:A:471:HIS:CD2	2.45	0.52
1:A:1062:GLU:O	1:A:1065:LYS:HB3	2.09	0.52
1:A:598:TRP:CE3	1:A:604:VAL:HG22	2.45	0.52
1:A:953:MET:HE3	2:A:1:MMY:C13	2.40	0.51
1:A:855:TRP:CH2	1:A:862:LEU:HD12	2.46	0.51
1:A:867:TYR:CE2	1:A:963:ILE:HG22	2.45	0.51
1:A:519:LEU:HD12	1:A:520:LEU:H	1.76	0.51
1:A:405:THR:OG1	1:A:407:GLU:O	2.28	0.51
1:A:410:TRP:HB3	1:A:412:VAL:HG22	1.92	0.51
1:A:547:MET:CE	1:A:581:GLU:HG3	2.41	0.51
1:A:562:ASP:OD1	1:A:1052:ARG:NH1	2.44	0.51
1:A:224:ILE:HD12	1:A:248:PHE:CD2	2.46	0.51
1:A:461:LEU:HB3	1:A:462:TYR:CD1	2.46	0.51
1:A:223:VAL:HG11	1:A:304:HIS:CE1	2.46	0.51
1:A:547:MET:HE3	1:A:581:GLU:HG3	1.94	0.50
1:A:167:ASN:HD22	1:A:508:PRO:HB3	1.76	0.50
1:A:738:VAL:HG12	1:A:742:LEU:HD12	1.92	0.50
1:A:1040:PRO:O	1:A:1041:GLN:CB	2.59	0.50
1:A:829:GLY:CA	1:A:881:ILE:HD12	2.42	0.50
1:A:1048:ILE:O	1:A:1051:ILE:HG22	2.11	0.49
1:A:240:THR:HG23	1:A:241:PRO:CD	2.42	0.49
1:A:372:VAL:HG12	1:A:374:PRO:HD3	1.93	0.49
2:A:1:MMY:C9	2:A:1:MMY:C30	2.90	0.49
1:A:586:PRO:O	1:A:588:ALA:N	2.45	0.49
1:A:432:GLN:HB3	1:A:460:LEU:CD1	2.44	0.48
1:A:872:THR:OG1	1:A:877:GLY:HA2	2.14	0.48
1:A:518:ILE:HD12	1:A:518:ILE:C	2.34	0.48
1:A:860:LEU:HD21	1:A:1015:LYS:HB3	1.96	0.48
1:A:641:ARG:NH1	1:A:670:GLU:OE2	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1014:VAL:HG11	1:A:1065:LYS:HG3	1.96	0.47
1:A:889:ALA:HB2	1:A:949:ASN:OD1	2.15	0.47
1:A:1002:THR:HG22	1:A:1003:SER:N	2.29	0.47
1:A:953:MET:CE	2:A:1:MMY:C13	2.92	0.47
1:A:579:ARG:CD	1:A:610:LEU:HD22	2.44	0.47
1:A:653:ASP:OD2	1:A:688:ASN:ND2	2.48	0.47
1:A:793:ALA:HA	1:A:828:ILE:HD12	1.96	0.46
1:A:760:SER:HB2	1:A:763:VAL:HG23	1.98	0.46
1:A:1013:CYS:O	1:A:1016:ALA:HB3	2.16	0.46
1:A:854:ILE:HG23	1:A:1023:HIS:CD2	2.51	0.46
1:A:162:VAL:CG1	1:A:714:ALA:HB1	2.47	0.45
1:A:575:LEU:HD12	1:A:595:SER:OG	2.17	0.45
1:A:657:LEU:HD11	1:A:690:ARG:HG2	1.98	0.45
1:A:861:ASP:OD1	1:A:861:ASP:C	2.55	0.45
1:A:227:SER:O	1:A:228:THR:CG2	2.64	0.45
1:A:168:VAL:HG11	1:A:173:LEU:HD12	1.98	0.44
1:A:953:MET:HE1	1:A:963:ILE:HD13	1.99	0.44
1:A:463:TYR:CE2	1:A:501:LYS:HA	2.52	0.44
1:A:480:TYR:HB2	1:A:518:ILE:HD11	1.97	0.44
1:A:282:VAL:HG12	1:A:283:GLY:H	1.82	0.44
1:A:165:VAL:HG13	1:A:168:VAL:HG22	1.99	0.44
1:A:583:LEU:HD13	1:A:610:LEU:HD11	2.00	0.44
1:A:199:HIS:O	1:A:199:HIS:ND1	2.50	0.44
1:A:739:ILE:C	1:A:739:ILE:HD12	2.38	0.44
1:A:519:LEU:HD12	1:A:520:LEU:N	2.32	0.44
1:A:395:CYS:HG	1:A:417:SER:HG	1.59	0.43
1:A:706:SER:O	1:A:710:GLN:HB3	2.18	0.43
1:A:167:ASN:OD1	1:A:167:ASN:O	2.35	0.43
1:A:823:LEU:O	1:A:823:LEU:HD12	2.18	0.43
1:A:876:ILE:HD13	1:A:877:GLY:N	2.33	0.43
1:A:838:LEU:HD12	1:A:877:GLY:HA3	1.99	0.43
1:A:984:PRO:HG3	1:A:1071:GLN:HE21	1.84	0.43
1:A:464:VAL:HG22	1:A:465:ASN:N	2.33	0.43
1:A:843:LEU:HD13	1:A:1034:MET:HG3	2.00	0.43
1:A:363:VAL:CG2	1:A:520:LEU:HD21	2.49	0.43
1:A:462:TYR:CE2	1:A:486:GLN:HG3	2.54	0.43
1:A:429:LEU:HB2	1:A:468:LEU:HD21	2.00	0.43
1:A:586:PRO:C	1:A:588:ALA:H	2.23	0.42
1:A:463:TYR:HD1	1:A:487:ILE:HD11	1.80	0.42
1:A:368:ILE:CG2	1:A:516:ILE:HD12	2.49	0.42
1:A:177:ARG:HG2	1:A:715:VAL:HG13	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:933:ALA:O	1:A:937:VAL:HG23	2.19	0.42
1:A:500:ASP:HB3	1:A:708:HIS:CD2	2.55	0.42
1:A:858:GLU:OE2	1:A:1022:HIS:ND1	2.53	0.42
1:A:461:LEU:HB3	1:A:462:TYR:CE1	2.54	0.42
1:A:1088:LEU:O	1:A:1092:LEU:N	2.43	0.42
1:A:1092:LEU:HD23	1:A:1092:LEU:O	2.19	0.42
1:A:853:SER:O	1:A:857:THR:HG23	2.20	0.41
1:A:660:LEU:HD23	1:A:698:PHE:CE2	2.55	0.41
1:A:921:PHE:O	1:A:925:VAL:HG23	2.19	0.41
1:A:399:THR:HG22	1:A:412:VAL:HG21	2.02	0.41
1:A:742:LEU:HD22	1:A:813:LEU:CD1	2.51	0.41
1:A:606:LYS:HA	1:A:609:GLN:HG2	2.02	0.41
1:A:622:LEU:HG	1:A:647:LYS:HB3	2.03	0.40
1:A:245:LEU:HD21	1:A:272:LEU:HG	2.03	0.40
1:A:662:GLN:NE2	1:A:1030:LEU:HD22	2.36	0.40
1:A:953:MET:CE	2:A:1:MMY:N12	2.84	0.40
1:A:635:PHE:O	1:A:641:ARG:HD2	2.22	0.40
1:A:184:ARG:HD3	1:A:719:ALA:O	2.21	0.40
1:A:738:VAL:HG22	1:A:780:PRO:HD2	2.02	0.40
1:A:1029:ILE:HG22	1:A:1030:LEU:N	2.36	0.40
1:A:1060:ASN:HD21	1:A:1063:ASP:HB2	1.85	0.40
1:A:521:ASP:O	1:A:522:ASN:HB2	2.22	0.40
1:A:855:TRP:CZ3	1:A:862:LEU:HD12	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	821/966 (85%)	750 (91%)	63 (8%)	8 (1%)	19	33

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1041	GLN
1	A	229	THR
1	A	498	ASN
1	A	587	LYS
1	A	164	ASP
1	A	228	THR
1	A	226	ARG
1	A	287	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	693/862 (80%)	665 (96%)	28 (4%)	38 62

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	178	ARG
1	A	203	THR
1	A	226	ARG
1	A	240	THR
1	A	246	GLN
1	A	316	ASP
1	A	380	THR
1	A	410	TRP
1	A	435	CYS
1	A	458	VAL
1	A	501	LYS
1	A	522	ASN
1	A	622	LEU
1	A	636	SER
1	A	707	ARG
1	A	743	GLN
1	A	779	LEU
1	A	799	GLU
1	A	876	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	893	GLN
1	A	908	ASN
1	A	909	HIS
1	A	922	GLN
1	A	1003	SER
1	A	1007	GLN
1	A	1061	GLU
1	A	1072	ILE
1	A	1092	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	396	GLN
1	A	432	GLN
1	A	471	HIS
1	A	522	ASN
1	A	577	HIS
1	A	662	GLN
1	A	734	GLN
1	A	769	GLN
1	A	893	GLN
1	A	908	ASN
1	A	922	GLN
1	A	967	HIS
1	A	971	ASN
1	A	1023	HIS
1	A	1071	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MMY	A	1	-	31,32,32	1.79	5 (16%)	35,45,45	2.35	17 (48%)
3	SO4	A	1103	-	4,4,4	0.18	0	6,6,6	0.19	0
3	SO4	A	2	-	4,4,4	0.21	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MMY	A	1	-	-	0/12/29/29	0/5/5/5
3	SO4	A	1103	-	-	0/0/0/0	0/0/0/0
3	SO4	A	2	-	-	0/0/0/0	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	MMY	C22-C21	-7.49	1.40	1.49
2	A	1	MMY	C6-N7	-3.21	1.34	1.42
2	A	1	MMY	C10-C11	-3.15	1.40	1.46
2	A	1	MMY	C11-N7	-2.78	1.34	1.38
2	A	1	MMY	C13-N14	2.49	1.40	1.35

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	MMY	N29-C25-N24	-4.14	120.41	124.58
2	A	1	MMY	C10-C21-N20	-3.66	117.78	122.73
2	A	1	MMY	N20-C13-N12	-3.42	120.59	126.35
2	A	1	MMY	C22-C30-N29	-3.07	119.37	124.34
2	A	1	MMY	C22-C23-N24	-2.49	120.31	124.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	MMY	C8-N7-C11	2.14	112.17	109.34
2	A	1	MMY	N26-C25-N24	2.62	119.76	117.39
2	A	1	MMY	C3-N4-C5	2.64	121.70	116.84
2	A	1	MMY	N26-C25-N29	2.70	119.83	117.39
2	A	1	MMY	C30-C22-C23	2.76	118.04	114.25
2	A	1	MMY	C22-C21-N20	3.10	119.43	115.17
2	A	1	MMY	N12-C13-N14	3.25	120.71	117.08
2	A	1	MMY	C23-N24-C25	3.33	120.65	116.05
2	A	1	MMY	C19-N14-C15	3.47	118.88	111.59
2	A	1	MMY	C13-N12-C11	3.57	120.76	115.37
2	A	1	MMY	C30-N29-C25	3.74	121.21	116.05
2	A	1	MMY	N12-C11-N7	4.12	131.66	126.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	MMY	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	839/966 (86%)	0.45	49 (5%) 26 31	23, 57, 90, 101	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	220	ILE	5.3
1	A	221	PHE	5.0
1	A	211	LEU	4.3
1	A	374	PRO	4.2
1	A	1043	THR	4.2
1	A	287	ILE	4.1
1	A	234	LYS	4.0
1	A	823	LEU	3.7
1	A	266	SER	3.6
1	A	248	PHE	3.6
1	A	895	THR	3.5
1	A	901	ALA	3.5
1	A	215	ILE	3.5
1	A	233	ILE	3.4
1	A	212	TRP	3.2
1	A	216	ALA	3.2
1	A	207	LEU	3.1
1	A	902	PHE	3.1
1	A	383	VAL	3.0
1	A	270	PHE	2.9
1	A	217	ASN	2.9
1	A	779	LEU	2.8
1	A	825	ASN	2.7
1	A	303	ILE	2.6
1	A	267	GLU	2.6
1	A	226	ARG	2.5
1	A	253	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	473	PHE	2.4
1	A	916	PRO	2.4
1	A	275	CYS	2.3
1	A	377	THR	2.3
1	A	971	ASN	2.2
1	A	370	ILE	2.2
1	A	245	LEU	2.2
1	A	898	ASN	2.2
1	A	894	SER	2.2
1	A	778	GLN	2.2
1	A	229	THR	2.1
1	A	301	GLU	2.1
1	A	1068	PHE	2.1
1	A	250	THR	2.1
1	A	271	VAL	2.0
1	A	222	ILE	2.0
1	A	318	VAL	2.0
1	A	393	VAL	2.0
1	A	617	TRP	2.0
1	A	1080	TRP	2.0
1	A	1002	THR	2.0
1	A	235	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	A	1103	5/5	0.93	0.11	-1.04	80,80,82,85	0
2	MMY	A	1	28/28	0.94	0.15	-1.05	36,48,56,60	0
3	SO4	A	2	5/5	0.95	0.12	-1.28	97,99,101,103	0

6.5 Other polymers [i](#)

There are no such residues in this entry.