



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 02:54 PM GMT

PDB ID : 4AV1
Title : Crystal structure of the human PARP-1 DNA binding domain in complex with DNA
Authors : Ali, A.A.E.; Timinszky, G.; Arribas-Bosacoma, R.; Kozłowski, M.; Hassa, P.O.; Hassler, M.; Ladurner, A.G.; Pearl, L.H.; Oliver, A.W.
Deposited on : 2012-05-23
Resolution : 3.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1114 (3.14-3.06)
Clashscore	102246	1222 (3.14-3.06)
Ramachandran outliers	100387	1174 (3.14-3.06)
Sidechain outliers	100360	1174 (3.14-3.06)
RSRZ outliers	91569	1119 (3.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	223	
1	B	223	
1	C	223	
1	D	223	
2	X	12	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Y	12	 A horizontal bar chart showing the quality of chain Y. The bar is divided into two segments: a green segment on the left representing 42% and a yellow segment on the right representing 58%. The percentages are labeled below the bar.

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called POLY [ADP-RIBOSE] POLYMERASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	86	Total	C	N	O	S	0	0	0
			656	417	111	122	6			
1	B	96	Total	C	N	O	S	0	1	0
			766	484	136	140	6			
1	C	85	Total	C	N	O	S	0	0	0
			642	407	111	118	6			
1	D	95	Total	C	N	O	S	0	0	0
			746	472	131	137	6			

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	EXPRESSION TAG	UNP P09874
A	-19	ALA	-	EXPRESSION TAG	UNP P09874
A	-18	SER	-	EXPRESSION TAG	UNP P09874
A	-17	TRP	-	EXPRESSION TAG	UNP P09874
A	-16	SER	-	EXPRESSION TAG	UNP P09874
A	-15	HIS	-	EXPRESSION TAG	UNP P09874
A	-14	PRO	-	EXPRESSION TAG	UNP P09874
A	-13	GLN	-	EXPRESSION TAG	UNP P09874
A	-12	PHE	-	EXPRESSION TAG	UNP P09874
A	-11	GLU	-	EXPRESSION TAG	UNP P09874
A	-10	LYS	-	EXPRESSION TAG	UNP P09874
A	-9	GLY	-	EXPRESSION TAG	UNP P09874
A	-8	ALA	-	EXPRESSION TAG	UNP P09874
A	-7	LEU	-	EXPRESSION TAG	UNP P09874
A	-6	GLU	-	EXPRESSION TAG	UNP P09874
A	-5	VAL	-	EXPRESSION TAG	UNP P09874
A	-4	LEU	-	EXPRESSION TAG	UNP P09874
A	-3	PHE	-	EXPRESSION TAG	UNP P09874
A	-2	GLN	-	EXPRESSION TAG	UNP P09874
A	-1	GLY	-	EXPRESSION TAG	UNP P09874
A	0	PRO	-	EXPRESSION TAG	UNP P09874

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	LEU	-	EXPRESSION TAG	UNP P09874
A	2	GLY	-	EXPRESSION TAG	UNP P09874
A	3	SER	-	EXPRESSION TAG	UNP P09874
A	4	HIS	-	EXPRESSION TAG	UNP P09874
B	-20	MET	-	EXPRESSION TAG	UNP P09874
B	-19	ALA	-	EXPRESSION TAG	UNP P09874
B	-18	SER	-	EXPRESSION TAG	UNP P09874
B	-17	TRP	-	EXPRESSION TAG	UNP P09874
B	-16	SER	-	EXPRESSION TAG	UNP P09874
B	-15	HIS	-	EXPRESSION TAG	UNP P09874
B	-14	PRO	-	EXPRESSION TAG	UNP P09874
B	-13	GLN	-	EXPRESSION TAG	UNP P09874
B	-12	PHE	-	EXPRESSION TAG	UNP P09874
B	-11	GLU	-	EXPRESSION TAG	UNP P09874
B	-10	LYS	-	EXPRESSION TAG	UNP P09874
B	-9	GLY	-	EXPRESSION TAG	UNP P09874
B	-8	ALA	-	EXPRESSION TAG	UNP P09874
B	-7	LEU	-	EXPRESSION TAG	UNP P09874
B	-6	GLU	-	EXPRESSION TAG	UNP P09874
B	-5	VAL	-	EXPRESSION TAG	UNP P09874
B	-4	LEU	-	EXPRESSION TAG	UNP P09874
B	-3	PHE	-	EXPRESSION TAG	UNP P09874
B	-2	GLN	-	EXPRESSION TAG	UNP P09874
B	-1	GLY	-	EXPRESSION TAG	UNP P09874
B	0	PRO	-	EXPRESSION TAG	UNP P09874
B	1	LEU	-	EXPRESSION TAG	UNP P09874
B	2	GLY	-	EXPRESSION TAG	UNP P09874
B	3	SER	-	EXPRESSION TAG	UNP P09874
B	4	HIS	-	EXPRESSION TAG	UNP P09874
C	-20	MET	-	EXPRESSION TAG	UNP P09874
C	-19	ALA	-	EXPRESSION TAG	UNP P09874
C	-18	SER	-	EXPRESSION TAG	UNP P09874
C	-17	TRP	-	EXPRESSION TAG	UNP P09874
C	-16	SER	-	EXPRESSION TAG	UNP P09874
C	-15	HIS	-	EXPRESSION TAG	UNP P09874
C	-14	PRO	-	EXPRESSION TAG	UNP P09874
C	-13	GLN	-	EXPRESSION TAG	UNP P09874
C	-12	PHE	-	EXPRESSION TAG	UNP P09874
C	-11	GLU	-	EXPRESSION TAG	UNP P09874
C	-10	LYS	-	EXPRESSION TAG	UNP P09874
C	-9	GLY	-	EXPRESSION TAG	UNP P09874
C	-8	ALA	-	EXPRESSION TAG	UNP P09874

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	LEU	-	EXPRESSION TAG	UNP P09874
C	-6	GLU	-	EXPRESSION TAG	UNP P09874
C	-5	VAL	-	EXPRESSION TAG	UNP P09874
C	-4	LEU	-	EXPRESSION TAG	UNP P09874
C	-3	PHE	-	EXPRESSION TAG	UNP P09874
C	-2	GLN	-	EXPRESSION TAG	UNP P09874
C	-1	GLY	-	EXPRESSION TAG	UNP P09874
C	0	PRO	-	EXPRESSION TAG	UNP P09874
C	1	LEU	-	EXPRESSION TAG	UNP P09874
C	2	GLY	-	EXPRESSION TAG	UNP P09874
C	3	SER	-	EXPRESSION TAG	UNP P09874
C	4	HIS	-	EXPRESSION TAG	UNP P09874
D	-20	MET	-	EXPRESSION TAG	UNP P09874
D	-19	ALA	-	EXPRESSION TAG	UNP P09874
D	-18	SER	-	EXPRESSION TAG	UNP P09874
D	-17	TRP	-	EXPRESSION TAG	UNP P09874
D	-16	SER	-	EXPRESSION TAG	UNP P09874
D	-15	HIS	-	EXPRESSION TAG	UNP P09874
D	-14	PRO	-	EXPRESSION TAG	UNP P09874
D	-13	GLN	-	EXPRESSION TAG	UNP P09874
D	-12	PHE	-	EXPRESSION TAG	UNP P09874
D	-11	GLU	-	EXPRESSION TAG	UNP P09874
D	-10	LYS	-	EXPRESSION TAG	UNP P09874
D	-9	GLY	-	EXPRESSION TAG	UNP P09874
D	-8	ALA	-	EXPRESSION TAG	UNP P09874
D	-7	LEU	-	EXPRESSION TAG	UNP P09874
D	-6	GLU	-	EXPRESSION TAG	UNP P09874
D	-5	VAL	-	EXPRESSION TAG	UNP P09874
D	-4	LEU	-	EXPRESSION TAG	UNP P09874
D	-3	PHE	-	EXPRESSION TAG	UNP P09874
D	-2	GLN	-	EXPRESSION TAG	UNP P09874
D	-1	GLY	-	EXPRESSION TAG	UNP P09874
D	0	PRO	-	EXPRESSION TAG	UNP P09874
D	1	LEU	-	EXPRESSION TAG	UNP P09874
D	2	GLY	-	EXPRESSION TAG	UNP P09874
D	3	SER	-	EXPRESSION TAG	UNP P09874
D	4	HIS	-	EXPRESSION TAG	UNP P09874

- Molecule 2 is a DNA chain called 5'-D(*AP*AP*GP*TP*GP*TP*TP*GP*CP*AP*TP*T P)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	X	12	Total	C	N	O	P	0	0	0
			245	119	43	72	11			

- Molecule 3 is a DNA chain called 5'-D(*TP*AP*AP*TP*GP*CP*AP*AP*CP*AP*CP*TP)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	Y	12	Total	C	N	O	P	0	0	0
			241	117	45	68	11			

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	A	1	Total	Zn	0	0
			1	1		
4	D	1	Total	Zn	0	0
			1	1		
4	C	1	Total	Zn	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total	O	0	0
			5	5		
5	B	17	Total	O	0	0
			17	17		
5	C	4	Total	O	0	0
			4	4		
5	D	5	Total	O	0	0
			5	5		
5	X	8	Total	O	0	0
			8	8		
5	Y	5	Total	O	0	0
			5	5		

VAL

• Molecule 1: POLY [ADP-RIBOSE] POLYMERASE 1



MET	ALA	SER	TRP	SER	HIS	PRO	GLN	PHE	GLU	LYS	GLY	ALA	LEU	GLU	VAL	LEU	PHE	GLN	GLY	PRO	LEU	GLY	SER	HIS	SER	ASP	LYS	LEU	TYR	ARG	VAL	GLU	TYR	ALA	LYS	SER	GLY	ARG	ALA	SER	CYS	LYS	LYS	CYS	GLU	SER	ILE	PRO	LYS	ASP	SER	LEU	ARG	MET	ALA	ILE	GLY	MET	VAL
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

GLN	SER	PRO	MET	PHE	ASP	LYS	GLY	VAL	GLN	VAL	PRO	HIS	TRP	TYR	HIS	PHE	SER	CYS	PHE	TRP	LYS	VAL	GLY	HIS	SER	ILE	ARG	HIS	PRO	ASP	VAL	GLU	VAL	ASP	GLY	PHE	SER	GLU	LEU	ARG	TRP	ASP	GLN	LYS	GLN	VAL	LYS	LYS	THR	ALA	GLU	ALA	GLY	GLY	VAL	THR	GLY	LYS	GLY	GLN
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ASP	GLY	ILE	GLY	SER	LYS	ALA	GLU	K108	K126	G127	C128	H129	E130	S140	K148	P149	Q150	L151	G152	H157	Y158	R167	R173	P174	E175	Y176	S177	A178	L187	A188	K192	K196	L199	V202
-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

• Molecule 2: 5'-D(*AP*AP*GP*TP*GP*TP*TP*GP*CP*AP*TP*TP)-3'



A1	A2	G3	T12
----	----	----	-----

• Molecule 3: 5'-D(*TP*AP*AP*TP*GP*CP*AP*AP*CP*AP*CP*TP)-3'



T1	A2	A3	T4	G5	A7	T12
----	----	----	----	----	----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	163.98Å 59.50Å 61.58Å 90.00° 101.18° 90.00°	Depositor
Resolution (Å)	44.35 – 3.10 44.35 – 3.10	Depositor EDS
% Data completeness (in resolution range)	91.7 (44.35-3.10) 92.0 (44.35-3.10)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 3.12Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.230 , 0.249 0.229 , 0.240	Depositor DCC
R_{free} test set	461 reflections (4.89%)	DCC
Wilson B-factor (Å ²)	52.0	Xtriage
Anisotropy	0.766	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 64.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	1 of 9897 reflections (0.010%)	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3344	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.22	0/676	0.66	3/918 (0.3%)
1	B	0.22	0/783	0.67	3/1044 (0.3%)
1	C	0.21	0/659	0.66	3/891 (0.3%)
1	D	0.22	0/760	0.66	3/1015 (0.3%)
2	X	0.44	0/274	1.07	1/422 (0.2%)
3	Y	0.43	0/270	0.92	0/414
All	All	0.27	0/3422	0.73	13/4704 (0.3%)

There are no bond length outliers.

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	167	ARG	NE-CZ-NH2	-11.95	114.33	120.30
1	B	167	ARG	NE-CZ-NH1	11.95	126.27	120.30
1	D	167	ARG	NE-CZ-NH2	-11.85	114.38	120.30
1	A	18	ARG	NE-CZ-NH2	-11.37	114.61	120.30
1	D	167	ARG	NE-CZ-NH1	11.26	125.93	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	656	0	579	12	0
1	B	766	0	778	17	0
1	C	642	0	576	14	0
1	D	746	0	750	15	0
2	X	245	0	139	4	0
3	Y	241	0	137	9	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	5	0	0	0	0
5	B	17	0	0	2	0
5	C	4	0	0	0	0
5	D	5	0	0	0	0
5	X	8	0	0	0	0
5	Y	5	0	0	0	0
All	All	3344	0	2959	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 63 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:151:LEU:HB2	1:D:152:GLY:HA2	1.65	0.78
1:C:18:ARG:HH11	3:Y:3:DA:H62	1.34	0.75
3:Y:5:DG:H2"	3:Y:6:DC:H5"	1.70	0.73
1:B:140:SER:HB3	1:B:157:TRP:CE3	2.32	0.65
1:D:148:LYS:HD2	2:X:12:DT:H2"	1.77	0.64

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	84/223 (38%)	73 (87%)	11 (13%)	0	100	100
1	B	95/223 (43%)	88 (93%)	7 (7%)	0	100	100
1	C	83/223 (37%)	72 (87%)	10 (12%)	1 (1%)	16	52
1	D	93/223 (42%)	86 (92%)	7 (8%)	0	100	100
All	All	355/892 (40%)	319 (90%)	35 (10%)	1 (0%)	46	80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	61	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	66/188 (35%)	64 (97%)	2 (3%)	48	81
1	B	82/188 (44%)	77 (94%)	5 (6%)	23	59
1	C	64/188 (34%)	63 (98%)	1 (2%)	70	89
1	D	79/188 (42%)	78 (99%)	1 (1%)	76	91
All	All	291/752 (39%)	282 (97%)	9 (3%)	47	80

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	150	GLN
1	D	176	TYR
1	B	176	TYR
1	B	108	LYS
1	B	167	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	150	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	86/223 (38%)	0.13	1 (1%) 81 64	48, 78, 105, 118	0
1	B	96/223 (43%)	-0.25	0 100 100	36, 57, 82, 99	0
1	C	85/223 (38%)	0.21	1 (1%) 81 64	48, 79, 112, 130	0
1	D	95/223 (42%)	-0.24	0 100 100	36, 59, 85, 93	0
2	X	12/12 (100%)	-0.27	0 100 100	36, 42, 47, 85	0
3	Y	12/12 (100%)	-0.10	0 100 100	32, 38, 55, 89	0
All	All	386/916 (42%)	-0.06	2 (0%) 91 83	32, 66, 105, 130	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	79	TRP	2.6
1	A	60	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	ZN	D	1600	1/1	0.99	0.16	-0.97	68,68,68,68	0
4	ZN	B	1600	1/1	0.98	0.15	-1.03	63,63,63,63	0
4	ZN	C	1600	1/1	0.89	0.11	-1.57	110,110,110,110	0
4	ZN	A	1600	1/1	0.98	0.12	-2.26	84,84,84,84	0

6.5 Other polymers [i](#)

There are no such residues in this entry.