



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:56 PM GMT

PDB ID : 4AZV
Title : Co-crystal structure of WbdD and kinase inhibitor GW435821x.
Authors : Hagelueken, G.; Huang, H.; Naismith, J.H.
Deposited on : 2012-06-26
Resolution : 3.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	569	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SAM	A	1474	-	-	-	X
3	SO4	A	1475	-	-	X	-
3	SO4	A	1477	-	-	X	-
3	SO4	A	1478	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CL	A	1479	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7251 atoms, of which 3563 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called WBDD.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	442	Total	C	H	N	O	S	0	7	0
			7185	2346	3545	619	665	10			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	EXPRESSION TAG	UNP Q47592
A	-11	HIS	-	EXPRESSION TAG	UNP Q47592
A	-10	HIS	-	EXPRESSION TAG	UNP Q47592
A	-9	HIS	-	EXPRESSION TAG	UNP Q47592
A	-8	HIS	-	EXPRESSION TAG	UNP Q47592
A	-7	HIS	-	EXPRESSION TAG	UNP Q47592
A	-6	HIS	-	EXPRESSION TAG	UNP Q47592
A	-5	GLU	-	EXPRESSION TAG	UNP Q47592
A	-4	ASN	-	EXPRESSION TAG	UNP Q47592
A	-3	LEU	-	EXPRESSION TAG	UNP Q47592
A	-2	TYR	-	EXPRESSION TAG	UNP Q47592
A	-1	PHE	-	EXPRESSION TAG	UNP Q47592
A	0	GLN	-	EXPRESSION TAG	UNP Q47592
A	1	GLY	-	EXPRESSION TAG	UNP Q47592
A	168	PHE	LEU	CONFLICT	UNP Q47592
A	273	TYR	HIS	CONFLICT	UNP Q47592
A	440	VAL	ALA	CONFLICT	UNP Q47592
A	480	VAL	GLY	CONFLICT	UNP Q47592

- Molecule 2 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: C₁₅H₂₂N₆O₅S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	S	0	0
			45	15	18	6	5	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, α , β , γ	159.32Å 159.32Å 159.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	112.66 – 3.29 112.66 – 3.29	Depositor EDS
% Data completeness (in resolution range)	99.8 (112.66-3.29) 99.9 (112.66-3.29)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.29 (at 3.26Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.223 , 0.265 (Not available) , (Not available)	Depositor DCC
R_{free} test set	NotAvailable	DCC
Wilson B-factor (Å ²)	80.8	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 56.4	EDS
Estimated twinning fraction	0.219 for -l,-k,-h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.28$, $\langle L^2 \rangle = 0.12$	Xtriage
Outliers	0 of 20754 reflections	Xtriage
F_o, F_c correlation	0.30	EDS
Total number of atoms	7251	wwPDB-VP
Average B, all atoms (Å ²)	107.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, SAM, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.40	0/3759	0.63	0/5108

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	261	GLY	Peptide
1	A	460	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3640	3545	3530	47	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	27	18	22	5	0
3	A	20	0	0	20	4
4	A	1	0	0	0	0
All	All	3688	3563	3552	47	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:PHE:HB3	3:A:1477:SO4:O3	1.60	1.00
1:A:169:TYR:O	1:A:172:VAL:HG22	1.67	0.92
1:A:168:PHE:HA	3:A:1477:SO4:O1	1.72	0.89
1:A:168:PHE:CB	3:A:1477:SO4:O3	2.22	0.82
1:A:169:TYR:HD1	3:A:1477:SO4:S	2.06	0.79
1:A:168:PHE:HB3	3:A:1477:SO4:S	2.24	0.78
1:A:169:TYR:HD1	3:A:1477:SO4:O2	1.69	0.75
1:A:168:PHE:CA	3:A:1477:SO4:S	2.77	0.73
1:A:168:PHE:HA	3:A:1477:SO4:S	2.29	0.71
1:A:328:ARG:HB2	3:A:1478:SO4:O1	1.90	0.71
1:A:33:CYS:HA	3:A:1475:SO4:O2	1.91	0.70
1:A:169:TYR:CD1	3:A:1477:SO4:O2	2.52	0.61
1:A:168:PHE:CB	3:A:1477:SO4:S	2.87	0.61
1:A:33:CYS:N	3:A:1475:SO4:O2	2.35	0.59
1:A:169:TYR:CD1	3:A:1477:SO4:S	2.94	0.58
1:A:169:TYR:HB3	3:A:1477:SO4:O4	2.04	0.57
1:A:78:ILE:HD12	1:A:78:ILE:C	2.25	0.57
1:A:252:LYS:HE3	1:A:308:MET:CE	2.35	0.56
1:A:328:ARG:NH2	3:A:1478:SO4:O4	2.38	0.56
1:A:37:LEU:O	1:A:41:THR:HG23	2.06	0.55
1:A:33:CYS:CA	3:A:1475:SO4:O2	2.56	0.54
1:A:109[A]:ARG:HA	2:A:1474:SAM:N1	2.24	0.53
1:A:252:LYS:HE3	1:A:308:MET:HE2	1.91	0.52
1:A:169:TYR:CD1	3:A:1477:SO4:O3	2.65	0.48
1:A:168:PHE:CA	3:A:1477:SO4:O1	2.55	0.47
1:A:109[B]:ARG:HA	2:A:1474:SAM:N1	2.28	0.47
1:A:416:PHE:N	1:A:464:GLN:OE1	2.47	0.47
1:A:246:GLY:HA3	1:A:249:TYR:CE2	2.50	0.47
1:A:348:TRP:CE3	1:A:382:TRP:CZ3	3.04	0.45
1:A:48:SER:HA	1:A:55:LEU:HD21	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:LEU:O	1:A:205:MET:HA	2.17	0.44
1:A:110:ILE:HG13	2:A:1474:SAM:C2	2.48	0.44
1:A:155:GLN:OE1	1:A:212:ARG:HD2	2.17	0.43
1:A:169:TYR:CB	3:A:1477:SO4:O4	2.66	0.43
1:A:467:ILE:HA	1:A:470:GLU:HB2	2.01	0.43
1:A:467:ILE:O	1:A:471:THR:N	2.46	0.42
1:A:391:PHE:HZ	1:A:429:VAL:HG11	1.84	0.42
1:A:426:LEU:HD12	1:A:430:TRP:CD1	2.54	0.42
1:A:32:ASP:O	1:A:33:CYS:HB2	2.20	0.42
1:A:348:TRP:CE3	1:A:382:TRP:CH2	3.08	0.42
1:A:348:TRP:CZ3	1:A:382:TRP:HZ3	2.38	0.41
1:A:433:PRO:HG2	1:A:436:ARG:HD3	2.02	0.41
1:A:460:GLY:HA3	1:A:461:ALA:HA	1.87	0.41
1:A:108:GLY:O	2:A:1474:SAM:H2	2.21	0.41
1:A:462:THR:O	1:A:463:GLU:C	2.59	0.41
1:A:426:LEU:HD12	1:A:430:TRP:HD1	1.85	0.40
1:A:82:ASP:OD1	2:A:1474:SAM:O2'	2.38	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1477:SO4:O1	3:A:1477:SO4:O2[10_555]	2.02	0.18
3:A:1477:SO4:O4	3:A:1477:SO4:O4[7_555]	2.07	0.13
3:A:1477:SO4:O2	3:A:1477:SO4:O4[7_555]	2.13	0.07
3:A:1477:SO4:O1	3:A:1477:SO4:O1[7_555]	2.14	0.06

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	441/569 (78%)	427 (97%)	13 (3%)	1 (0%)	52 85

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	323	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	390/486 (80%)	380 (97%)	10 (3%)	54 81

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	PHE
1	A	193	GLU
1	A	381	SER
1	A	395	ASN
1	A	416	PHE
1	A	426	LEU
1	A	441	LEU
1	A	459	ARG
1	A	462	THR
1	A	463	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	133	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SAM	A	1474	-	21,29,29	1.03	1 (4%)	17,42,42	3.49	4 (23%)
3	SO4	A	1475	-	4,4,4	0.27	0	6,6,6	0.25	0
3	SO4	A	1476	-	4,4,4	0.49	0	6,6,6	0.20	0
3	SO4	A	1477	1	4,4,4	1.39	1 (25%)	6,6,6	1.14	0
3	SO4	A	1478	-	4,4,4	0.33	0	6,6,6	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAM	A	1474	-	-	0/8/33/33	0/3/3/3
3	SO4	A	1475	-	-	0/0/0/0	0/0/0/0
3	SO4	A	1476	-	-	0/0/0/0	0/0/0/0
3	SO4	A	1477	1	-	0/0/0/0	0/0/0/0
3	SO4	A	1478	-	-	0/0/0/0	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1477	SO4	O2-S	2.19	1.54	1.47
2	A	1474	SAM	C2-N3	2.77	1.37	1.32

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1474	SAM	N3-C2-N1	-13.44	118.60	128.89
2	A	1474	SAM	C1'-N9-C4	-2.13	123.73	126.94
2	A	1474	SAM	C4'-O4'-C1'	2.17	112.10	109.72
2	A	1474	SAM	C2-N1-C6	2.64	123.48	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1474	SAM	5	0
3	A	1475	SO4	3	0
3	A	1477	SO4	15	4
3	A	1478	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	442/569 (77%)	4.58	357 (80%) 0 0	46, 84, 139, 246	0

All (357) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	173	SER	16.4
1	A	375	THR	15.0
1	A	22	HIS	14.8
1	A	372	SER	14.4
1	A	33	CYS	14.2
1	A	200	PRO	14.1
1	A	316	LEU	13.9
1	A	456	GLU	13.6
1	A	376	THR	12.9
1	A	204	PRO	12.9
1	A	156	ALA	12.9
1	A	25	TRP	12.3
1	A	28	ASP	11.7
1	A	420	GLN	11.6
1	A	4	ASP	11.5
1	A	421	PRO	11.5
1	A	300	ASN	11.5
1	A	228	GLN	11.4
1	A	264	THR	11.3
1	A	29	ALA	11.3
1	A	346	GLY	10.8
1	A	331	ILE	10.8
1	A	201	VAL	10.4
1	A	148	SER	10.3
1	A	7	THR	10.1
1	A	230	TYR	9.8
1	A	197	HIS	9.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	369	ASP	9.4
1	A	23	PRO	9.3
1	A	390	PHE	9.3
1	A	134	ILE	9.2
1	A	257	ASP	9.1
1	A	125	ALA	9.0
1	A	116	ALA	9.0
1	A	129	SER	8.9
1	A	377	PRO	8.8
1	A	186	ALA	8.8
1	A	170	TRP	8.8
1	A	295	LEU	8.8
1	A	171	GLY	8.8
1	A	288	GLY	8.7
1	A	260	HIS	8.6
1	A	39	LEU	8.5
1	A	178	PRO	8.5
1	A	422	TRP	8.4
1	A	305	TRP	8.3
1	A	466	ILE	8.3
1	A	472	VAL	8.1
1	A	175	PRO	8.1
1	A	44	TYR	8.1
1	A	311	LEU	8.0
1	A	464	GLN	8.0
1	A	141	ASP	8.0
1	A	315	LEU	8.0
1	A	450	ALA	7.9
1	A	34	ASN	7.9
1	A	304	GLY	7.8
1	A	124	LEU	7.8
1	A	259	PRO	7.8
1	A	165	GLU	7.8
1	A	133	HIS	7.7
1	A	309	GLU	7.7
1	A	296	ALA	7.7
1	A	24	GLU	7.6
1	A	281	PHE	7.6
1	A	360	ASP	7.5
1	A	416	PHE	7.5
1	A	184	GLN	7.5
1	A	258	MET	7.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	16	TYR	7.4
1	A	32	ASP	7.2
1	A	137	LEU	7.2
1	A	347	PHE	7.2
1	A	266	GLU	7.1
1	A	282	LEU	7.1
1	A	243	TYR	7.0
1	A	332	LEU	7.0
1	A	71	LEU	7.0
1	A	351	ASP	7.0
1	A	145	ARG	7.0
1	A	239	ARG	7.0
1	A	15	ILE	6.9
1	A	362	ARG	6.9
1	A	54	PRO	6.8
1	A	115	ALA	6.8
1	A	244	PHE	6.8
1	A	261	GLY	6.7
1	A	89	ASN	6.6
1	A	100	ASP	6.6
1	A	205	MET	6.6
1	A	463	GLU	6.5
1	A	273	TYR	6.5
1	A	320	LEU	6.5
1	A	107	VAL	6.5
1	A	454	SER	6.5
1	A	91	CYS	6.4
1	A	428	ALA	6.4
1	A	453	PRO	6.4
1	A	70	SER	6.4
1	A	172	VAL	6.4
1	A	94	LEU	6.3
1	A	429	VAL	6.3
1	A	298	GLY	6.3
1	A	9	VAL	6.3
1	A	198	LEU	6.1
1	A	202	PRO	6.1
1	A	255	TYR	6.1
1	A	220	GLN	6.1
1	A	317	SER	6.1
1	A	391	PHE	6.1
1	A	13	PRO	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	207	LEU	6.0
1	A	169	TYR	6.0
1	A	251	CYS	5.9
1	A	38	ASP	5.9
1	A	462	THR	5.9
1	A	6	ASN	5.9
1	A	142	GLU	5.9
1	A	37	LEU	5.8
1	A	36	ARG	5.8
1	A	286	PRO	5.8
1	A	84	GLN	5.8
1	A	443	LEU	5.8
1	A	276	HIS	5.8
1	A	247	GLU	5.8
1	A	199	SER	5.7
1	A	284	GLN	5.7
1	A	10	SER	5.7
1	A	80	GLY	5.7
1	A	297	HIS	5.7
1	A	468	ALA	5.7
1	A	147	LEU	5.7
1	A	21	GLY	5.6
1	A	127	GLY	5.6
1	A	211	HIS	5.6
1	A	26	ASP	5.6
1	A	59	ASP	5.6
1	A	465	TRP	5.6
1	A	85	GLN	5.6
1	A	469	GLN	5.6
1	A	371	GLY	5.6
1	A	102	ALA	5.5
1	A	344	LYS	5.5
1	A	136	HIS	5.5
1	A	254	PHE	5.4
1	A	467	ILE	5.4
1	A	330	LYS	5.4
1	A	398	PHE	5.4
1	A	225	TRP	5.3
1	A	121	GLU	5.3
1	A	292	PRO	5.3
1	A	14	GLU	5.3
1	A	419	PRO	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	81	ILE	5.3
1	A	374	VAL	5.3
1	A	187	PHE	5.2
1	A	185	CYS	5.2
1	A	328	ARG	5.2
1	A	366	ARG	5.1
1	A	395	ASN	5.1
1	A	120	GLY	5.1
1	A	117	LEU	5.1
1	A	223[A]	GLN	5.1
1	A	310	LYS	5.1
1	A	97	GLU	5.1
1	A	357	VAL	5.1
1	A	312	PRO	5.0
1	A	417	ASN	5.0
1	A	213	VAL	5.0
1	A	196	THR	5.0
1	A	337	ARG	4.9
1	A	5	LEU	4.9
1	A	352	VAL	4.9
1	A	30	ALA	4.9
1	A	308	MET	4.9
1	A	11	GLU	4.8
1	A	329	GLU	4.8
1	A	473	LEU	4.8
1	A	40	ILE	4.8
1	A	370	PHE	4.8
1	A	268	SER	4.8
1	A	109[A]	ARG	4.8
1	A	123	ASP	4.8
1	A	181	LEU	4.8
1	A	180	GLU	4.7
1	A	79	VAL	4.7
1	A	423	SER	4.7
1	A	146	LEU	4.7
1	A	174	GLN	4.7
1	A	167	PRO	4.7
1	A	214	LEU	4.6
1	A	131	PHE	4.6
1	A	471	THR	4.6
1	A	241	ARG	4.6
1	A	437	TRP	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	348	TRP	4.5
1	A	293	ALA	4.5
1	A	325	GLU	4.5
1	A	457	GLN	4.5
1	A	433	PRO	4.5
1	A	224	HIS	4.4
1	A	327	ASP	4.4
1	A	451	LYS	4.3
1	A	438	ASN	4.3
1	A	203	ARG	4.3
1	A	208	VAL	4.3
1	A	387	VAL	4.3
1	A	294	VAL	4.3
1	A	267	GLU	4.3
1	A	135	VAL	4.3
1	A	265	ALA	4.3
1	A	240	SER	4.2
1	A	345	GLN	4.2
1	A	444	ALA	4.1
1	A	168	PHE	4.1
1	A	349	HIS	4.1
1	A	285	PRO	4.1
1	A	427	TYR	4.1
1	A	263	LEU	4.0
1	A	430	TRP	4.0
1	A	250	VAL	4.0
1	A	447	GLU	4.0
1	A	206	TYR	4.0
1	A	192	GLY	4.0
1	A	83	PHE	4.0
1	A	283	THR	4.0
1	A	323	GLY	4.0
1	A	106	ARG	4.0
1	A	256	TYR	4.0
1	A	43	GLN	3.9
1	A	67	PHE	3.9
1	A	114	ILE	3.9
1	A	262	ILE	3.8
1	A	303	SER	3.8
1	A	278[A]	GLU	3.8
1	A	301	ALA	3.8
1	A	299	GLU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	364[A]	HIS	3.8
1	A	215	ILE	3.8
1	A	397	LEU	3.7
1	A	461	ALA	3.7
1	A	176	ASP	3.7
1	A	150	LEU	3.7
1	A	385	ASN	3.7
1	A	20	PHE	3.6
1	A	333	GLY	3.6
1	A	177	ASP	3.6
1	A	302	GLN	3.6
1	A	222	PHE	3.6
1	A	435	GLU	3.6
1	A	69	LEU	3.6
1	A	382	TRP	3.6
1	A	122	PHE	3.6
1	A	188	TYR	3.5
1	A	335	LEU	3.5
1	A	219	ASN	3.5
1	A	448	LYS	3.5
1	A	442	LEU	3.5
1	A	68	SER	3.5
1	A	350	ASP	3.4
1	A	78	ILE	3.4
1	A	157	VAL	3.4
1	A	108	GLY	3.3
1	A	242	ARG	3.3
1	A	446	PHE	3.3
1	A	459	ARG	3.3
1	A	144	LYS	3.2
1	A	227	ASN	3.2
1	A	280	LYS	3.2
1	A	113	VAL	3.2
1	A	319	MET	3.2
1	A	155	GLN	3.2
1	A	326	ILE	3.1
1	A	209	SER	3.1
1	A	140	ILE	3.1
1	A	394	VAL	3.1
1	A	166	GLU	3.0
1	A	455	ALA	3.0
1	A	182	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	248	ASP	3.0
1	A	8	LEU	3.0
1	A	313	GLY	3.0
1	A	322	ALA	2.9
1	A	270	ARG	2.9
1	A	424	ASN	2.9
1	A	470	GLU	2.9
1	A	306	LEU	2.9
1	A	98	ASN	2.8
1	A	384	THR	2.8
1	A	118	GLU	2.8
1	A	99	PRO	2.8
1	A	93	ALA	2.8
1	A	72	ALA	2.8
1	A	226	GLN	2.8
1	A	363	GLN	2.8
1	A	154	THR	2.8
1	A	160	GLU	2.7
1	A	56	ASN	2.7
1	A	161	LEU	2.7
1	A	314	ARG	2.7
1	A	119	GLU	2.7
1	A	365	ALA	2.7
1	A	361	ALA	2.7
1	A	212	ARG	2.7
1	A	458	GLN	2.7
1	A	189	ARG	2.6
1	A	253	PHE	2.6
1	A	41	THR	2.6
1	A	90	VAL	2.6
1	A	441	LEU	2.6
1	A	149	ARG	2.5
1	A	373	ILE	2.5
1	A	249	TYR	2.5
1	A	426	LEU	2.5
1	A	35	GLN	2.5
1	A	381	SER	2.5
1	A	66	PHE	2.5
1	A	216	ASN	2.5
1	A	74	LYS	2.5
1	A	194	PHE	2.5
1	A	193	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	291	ALA	2.5
1	A	339	LEU	2.5
1	A	62	CYS	2.5
1	A	393	PHE	2.5
1	A	195	ASP	2.5
1	A	252	LYS	2.5
1	A	307	VAL	2.4
1	A	111	GLU	2.4
1	A	179	ARG	2.4
1	A	191	ILE	2.4
1	A	245	PHE	2.4
1	A	439	PHE	2.4
1	A	183	GLU	2.4
1	A	218	PHE	2.4
1	A	289	PHE	2.3
1	A	143	VAL	2.3
1	A	75	GLY	2.3
1	A	64	GLN	2.3
1	A	92	ARG	2.3
1	A	274	GLU	2.3
1	A	190	LEU	2.3
1	A	431	GLN	2.3
1	A	159	LEU	2.3
1	A	229	PRO	2.3
1	A	128	LEU	2.2
1	A	132	HIS	2.2
1	A	88	ILE	2.1
1	A	110	ILE	2.1
1	A	52	GLY	2.1
1	A	101	PHE	2.1
1	A	95	ALA	2.1
1	A	12	LEU	2.0
1	A	17	GLN	2.0
1	A	48	SER	2.0
1	A	153	VAL	2.0
1	A	139	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	CL	A	1479	1/1	0.52	0.56	-0.27	85,85,85,85	0
2	SAM	A	1474	27/27	0.43	0.55	-0.53	73,78,85,97	0
3	SO4	A	1475	5/5	0.49	0.39	-1.47	85,85,85,85	0
3	SO4	A	1478	5/5	0.81	0.24	-3.59	85,85,85,85	0
3	SO4	A	1476	5/5	0.33	0.92	-	85,85,85,85	0
3	SO4	A	1477	5/5	0.34	0.74	-	85,85,85,85	0

6.5 Other polymers [i](#)

There are no such residues in this entry.