



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 12, 2016 – 10:28 AM EDT

PDB ID : 5B0J  
Title : Structure of MoeN5-Sso7d fusion protein in complex with beta-undecyl maltoside  
Authors : Ko, T.-P.; Zhang, L.; Chen, C.-C.; Guo, R.-T.; Oldfield, E.O.  
Deposited on : 2015-10-30  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027107  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027107


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	<div> <div>2%</div> <div> <div></div> <div>57%</div> <div>18%</div> <div>•</div> <div>23%</div> </div> </div>
1	B	343	<div> <div>5%</div> <div> <div></div> <div>68%</div> <div>25%</div> <div>• •</div> </div> </div>
1	C	343	<div> <div>2%</div> <div> <div></div> <div>59%</div> <div>17%</div> <div>•</div> <div>22%</div> </div> </div>
1	D	343	<div> <div>6%</div> <div> <div></div> <div>68%</div> <div>27%</div> <div>• •</div> </div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9914 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MoeN5,DNA-binding protein 7d.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2013	1243	374	385	11			
1	B	332	Total	C	N	O	S	0	0	0
			2533	1571	463	485	14			
1	C	269	Total	C	N	O	S	0	0	0
			2056	1268	385	392	11			
1	D	333	Total	C	N	O	S	0	0	0
			2544	1579	466	485	14			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP A0A010
A	-12	ALA	-	expression tag	UNP A0A010
A	-11	HIS	-	expression tag	UNP A0A010
A	-10	HIS	-	expression tag	UNP A0A010
A	-9	HIS	-	expression tag	UNP A0A010
A	-8	HIS	-	expression tag	UNP A0A010
A	-7	HIS	-	expression tag	UNP A0A010
A	-6	HIS	-	expression tag	UNP A0A010
A	-5	VAL	-	expression tag	UNP A0A010
A	-4	ASP	-	expression tag	UNP A0A010
A	-3	ASP	-	expression tag	UNP A0A010
A	-2	ASP	-	expression tag	UNP A0A010
A	-1	ASP	-	expression tag	UNP A0A010
A	0	LYS	-	expression tag	UNP A0A010
A	261	ALA	-	linker	UNP A0A010
A	262	GLY	-	linker	UNP A0A010
A	263	ALA	-	linker	UNP A0A010
A	264	GLY	-	linker	UNP A0A010
A	265	ALA	-	linker	UNP A0A010
B	-13	MET	-	expression tag	UNP A0A010
B	-12	ALA	-	expression tag	UNP A0A010

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-11	HIS	-	expression tag	UNP A0A010
B	-10	HIS	-	expression tag	UNP A0A010
B	-9	HIS	-	expression tag	UNP A0A010
B	-8	HIS	-	expression tag	UNP A0A010
B	-7	HIS	-	expression tag	UNP A0A010
B	-6	HIS	-	expression tag	UNP A0A010
B	-5	VAL	-	expression tag	UNP A0A010
B	-4	ASP	-	expression tag	UNP A0A010
B	-3	ASP	-	expression tag	UNP A0A010
B	-2	ASP	-	expression tag	UNP A0A010
B	-1	ASP	-	expression tag	UNP A0A010
B	0	LYS	-	expression tag	UNP A0A010
B	261	ALA	-	linker	UNP A0A010
B	262	GLY	-	linker	UNP A0A010
B	263	ALA	-	linker	UNP A0A010
B	264	GLY	-	linker	UNP A0A010
B	265	ALA	-	linker	UNP A0A010
C	-13	MET	-	expression tag	UNP A0A010
C	-12	ALA	-	expression tag	UNP A0A010
C	-11	HIS	-	expression tag	UNP A0A010
C	-10	HIS	-	expression tag	UNP A0A010
C	-9	HIS	-	expression tag	UNP A0A010
C	-8	HIS	-	expression tag	UNP A0A010
C	-7	HIS	-	expression tag	UNP A0A010
C	-6	HIS	-	expression tag	UNP A0A010
C	-5	VAL	-	expression tag	UNP A0A010
C	-4	ASP	-	expression tag	UNP A0A010
C	-3	ASP	-	expression tag	UNP A0A010
C	-2	ASP	-	expression tag	UNP A0A010
C	-1	ASP	-	expression tag	UNP A0A010
C	0	LYS	-	expression tag	UNP A0A010
C	261	ALA	-	linker	UNP A0A010
C	262	GLY	-	linker	UNP A0A010
C	263	ALA	-	linker	UNP A0A010
C	264	GLY	-	linker	UNP A0A010
C	265	ALA	-	linker	UNP A0A010
D	-13	MET	-	expression tag	UNP A0A010
D	-12	ALA	-	expression tag	UNP A0A010
D	-11	HIS	-	expression tag	UNP A0A010
D	-10	HIS	-	expression tag	UNP A0A010
D	-9	HIS	-	expression tag	UNP A0A010
D	-8	HIS	-	expression tag	UNP A0A010

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-7	HIS	-	expression tag	UNP A0A010
D	-6	HIS	-	expression tag	UNP A0A010
D	-5	VAL	-	expression tag	UNP A0A010
D	-4	ASP	-	expression tag	UNP A0A010
D	-3	ASP	-	expression tag	UNP A0A010
D	-2	ASP	-	expression tag	UNP A0A010
D	-1	ASP	-	expression tag	UNP A0A010
D	0	LYS	-	expression tag	UNP A0A010
D	261	ALA	-	linker	UNP A0A010
D	262	GLY	-	linker	UNP A0A010
D	263	ALA	-	linker	UNP A0A010
D	264	GLY	-	linker	UNP A0A010
D	265	ALA	-	linker	UNP A0A010

- Molecule 2 is UNDECYL-MALTOSIDE (three-letter code: UMQ) (formula:  $C_{23}H_{44}O_{11}$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			34	23	11		
2	D	1	Total	C	O	0	0
			34	23	11		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	172	Total	O	0	0
			172	172		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	191	Total 191	O 191	0	0
3	C	146	Total 146	O 146	0	0
3	D	191	Total 191	O 191	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: MoeN5,DNA-binding protein 7d




#### • Molecule 1: MoeN5,DNA-binding protein 7d




#### • Molecule 1: MoeN5,DNA-binding protein 7d





• Molecule 1: MoeN5,DNA-binding protein 7d





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	137.78 Å   217.79 Å   104.41 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	25.00 – 2.50 24.61 – 2.49	Depositor EDS
% Data completeness (in resolution range)	96.1 (25.00-2.50) 95.9 (24.61-2.49)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.44 (at 2.50 Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.174   ,   0.238 0.174   ,   0.238	Depositor DCC
$R_{free}$ test set	2644 reflections (5.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	37.3	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 46.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 52679 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	9914	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: UMQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.86	0/2045	0.92	3/2780 (0.1%)
1	B	0.83	2/2572 (0.1%)	0.93	2/3478 (0.1%)
1	C	0.85	0/2091	0.98	5/2842 (0.2%)
1	D	0.80	2/2583 (0.1%)	0.93	6/3489 (0.2%)
All	All	0.84	4/9291 (0.0%)	0.94	16/12589 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	172	GLU	CG-CD	6.89	1.62	1.51
1	D	15	CYS	CB-SG	-6.79	1.70	1.82
1	B	15	CYS	CB-SG	-5.68	1.72	1.81
1	D	83	GLU	CG-CD	5.55	1.60	1.51

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	52	ARG	NE-CZ-NH1	-9.00	115.80	120.30
1	C	171	ARG	NE-CZ-NH2	-7.85	116.38	120.30
1	D	90	ARG	NE-CZ-NH1	-7.58	116.51	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	129	ARG	NE-CZ-NH1	-6.71	116.94	120.30
1	C	94	ARG	NE-CZ-NH1	6.15	123.38	120.30
1	C	83	GLU	CB-CA-C	-6.13	98.13	110.40
1	C	222	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	A	171	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	C	72	LEU	CB-CG-CD2	-5.89	100.99	111.00
1	D	72	LEU	CB-CG-CD2	-5.85	101.06	111.00
1	B	24	ASP	CB-CA-C	-5.76	98.88	110.40
1	A	70	ASP	CB-CG-OD2	5.60	123.34	118.30
1	D	81	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	D	-2	ASP	N-CA-C	-5.40	96.42	111.00
1	D	150	LEU	CA-CB-CG	-5.28	103.15	115.30
1	A	163	GLU	N-CA-C	5.12	124.82	111.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	153	TYR	Sidechain
1	C	153	TYR	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2013	0	1996	56	0
1	B	2533	0	2532	75	0
1	C	2056	0	2026	57	0
1	D	2544	0	2554	82	0
2	C	34	0	44	3	0
2	D	34	0	44	5	0
3	A	172	0	0	5	0
3	B	191	0	0	3	0
3	C	146	0	0	4	0
3	D	191	0	0	2	0
All	All	9914	0	9196	262	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (262) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1:MET:CE	1:B:1:MET:SD	2.02	1.47
1:D:325:GLU:HA	1:D:329:LYS:HB3	1.48	0.96
1:B:10:ASP:HB3	3:B:471:HOH:O	1.68	0.93
1:B:131:ARG:HG2	1:B:131:ARG:HH11	1.33	0.91
1:C:69:LEU:HD23	2:C:401:UMQ:HL2	1.53	0.89
1:B:179:MET:HG2	1:B:221:LEU:HD11	1.55	0.87
1:D:268:THR:HG22	1:D:281:ASP:HA	1.58	0.86
1:C:187:LEU:HD21	1:C:204:MET:HE1	1.59	0.85
1:B:131:ARG:HG3	1:B:197:ASP:HB3	1.60	0.83
1:D:168:ASP:O	1:D:172:GLU:HG3	1.78	0.83
1:D:75:ASP:HB2	1:D:81:ARG:NH1	1.95	0.82
1:D:222:ARG:HH11	1:D:243:HIS:HD2	1.26	0.81
1:D:281:ASP:HB3	1:D:284:LYS:HZ3	1.46	0.80
1:A:11:HIS:CE1	1:A:57:ARG:HH11	2.00	0.80
1:C:81:ARG:HD3	1:D:81:ARG:NH2	1.96	0.80
1:D:325:GLU:CB	1:D:329:LYS:HD3	2.16	0.76
1:C:69:LEU:CD2	2:C:401:UMQ:HL2	2.16	0.76
1:C:203:LEU:HB3	1:C:209:VAL:HG23	1.68	0.76
1:D:281:ASP:HB3	1:D:284:LYS:NZ	2.01	0.76
1:B:1:MET:HG2	1:B:37:ARG:NH2	2.03	0.73
1:C:259:GLY:O	1:C:260:GLU:HB2	1.89	0.73
1:D:48:ASP:OD1	1:D:49:PRO:HD2	1.89	0.72
1:A:11:HIS:CE1	1:A:57:ARG:NH1	2.57	0.71
1:A:77:THR:OG1	1:A:79:LEU:HD12	1.90	0.70
1:A:129:ARG:HG3	1:A:129:ARG:HH11	1.58	0.69
1:B:179:MET:HG2	1:B:221:LEU:CD1	2.22	0.69
1:B:1:MET:HG2	1:B:37:ARG:HH21	1.56	0.69
1:D:38:VAL:HG12	1:D:39:PRO:HD3	1.75	0.68
1:B:267:ALA:HB3	1:B:282:ILE:HG13	1.75	0.68
1:D:269:VAL:HG22	1:D:317:PRO:HG3	1.74	0.68
1:C:46:THR:HG21	1:C:51:ARG:HG2	1.77	0.67
1:B:22:SER:O	1:B:26:VAL:HG23	1.95	0.66
1:D:272:LYS:HG2	1:D:276:GLU:O	1.95	0.66
1:D:325:GLU:HB3	1:D:329:LYS:HD3	1.78	0.66
1:B:131:ARG:HG2	1:B:131:ARG:NH1	2.11	0.65
1:D:254:LEU:HG	1:D:258:LEU:HD13	1.78	0.64
1:A:232:PRO:HA	1:A:233:PRO:C	2.18	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:270:LYS:HG3	1:D:279:GLU:HG3	1.80	0.64
1:B:273:TYR:CE2	1:B:274:LYS:HD2	2.33	0.63
1:D:269:VAL:HG22	1:D:317:PRO:CG	2.28	0.63
1:B:284:LYS:HE3	1:B:284:LYS:HA	1.81	0.62
1:A:197:ASP:HB2	3:A:441:HOH:O	1.97	0.62
1:B:203:LEU:HB3	1:B:209:VAL:HG23	1.79	0.62
1:D:61:LEU:HD13	1:D:94:ARG:HG3	1.82	0.61
1:D:325:GLU:HB2	1:D:329:LYS:HD3	1.82	0.61
1:B:186:ASP:OD1	1:B:200:LEU:N	2.32	0.61
1:B:267:ALA:HB3	1:B:282:ILE:CG1	2.30	0.61
1:A:94:ARG:HD2	1:A:98:GLU:OE2	2.01	0.60
1:A:164:GLY:N	3:A:403:HOH:O	2.35	0.60
1:D:238:LEU:O	1:D:242:VAL:HG23	2.01	0.60
1:C:127:THR:HG22	3:C:581:HOH:O	2.01	0.60
1:D:295:ILE:HD12	1:D:324:LEU:HD22	1.83	0.60
1:D:90:ARG:NH1	1:D:94:ARG:HB2	2.17	0.60
1:C:124:GLN:HE21	2:C:401:UMQ:HG2	1.66	0.59
1:B:19:THR:HG22	1:B:19:THR:O	2.02	0.59
1:B:139:ARG:HG3	1:B:179:MET:HE3	1.84	0.59
1:D:329:LYS:OXT	1:D:329:LYS:HG2	2.02	0.59
1:C:1:MET:C	1:C:1:MET:SD	2.81	0.59
1:A:107:LYS:HD3	1:A:107:LYS:O	2.03	0.59
1:A:61:LEU:HD13	1:A:94:ARG:HG3	1.83	0.59
1:D:252:ARG:O	1:D:255:PRO:HD2	2.02	0.59
1:B:12:VAL:O	1:B:16:VAL:HG23	2.02	0.58
1:D:269:VAL:HG21	1:D:320:LEU:HD22	1.85	0.58
1:D:149:PHE:CE1	2:D:401:UMQ:HD1	2.38	0.58
1:A:168:ASP:O	1:A:172:GLU:HG3	2.03	0.58
1:B:319:GLU:HA	1:B:322:GLN:NE2	2.19	0.58
1:B:139:ARG:HG3	1:B:179:MET:CE	2.34	0.58
1:B:266:MET:HE3	1:B:266:MET:HA	1.85	0.57
1:D:211:GLY:O	1:D:215:VAL:HG23	2.05	0.57
1:A:11:HIS:CD2	1:A:57:ARG:HD2	2.40	0.57
1:C:187:LEU:HD21	1:C:204:MET:CE	2.33	0.57
1:D:48:ASP:OD1	1:D:49:PRO:CD	2.53	0.56
1:B:2:LEU:HD23	1:B:37:ARG:HH12	1.69	0.56
1:C:38:VAL:HG12	1:C:39:PRO:HD3	1.87	0.56
1:C:81:ARG:HD3	1:D:81:ARG:CZ	2.35	0.56
1:C:123:GLY:O	1:C:127:THR:HG23	2.06	0.56
1:C:254:LEU:HD22	1:C:258:LEU:HG	1.88	0.56
1:B:258:LEU:HD13	1:B:262:GLY:HA2	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:ARG:HD2	1:C:80:ASP:HB2	1.88	0.55
1:C:94:ARG:HD2	1:C:98:GLU:OE2	2.07	0.55
1:D:288:VAL:HG22	1:D:297:PHE:HB3	1.88	0.55
1:D:252:ARG:NH1	1:D:253:LEU:HD21	2.21	0.55
1:D:34:LEU:HD21	1:D:181:ILE:HG21	1.87	0.55
1:A:33:ARG:HG2	3:A:404:HOH:O	2.06	0.55
1:B:45:TRP:CE3	1:B:170:VAL:HG22	2.41	0.55
1:C:14:ARG:HH21	1:C:14:ARG:HG3	1.72	0.54
1:A:65:SER:HB2	1:A:91:LEU:HB2	1.89	0.54
1:D:123:GLY:O	1:D:127:THR:HG23	2.08	0.54
1:C:11:HIS:CD2	1:C:57:ARG:HD2	2.42	0.54
1:C:259:GLY:O	1:C:260:GLU:CB	2.54	0.54
1:A:192:ARG:HA	3:A:434:HOH:O	2.07	0.54
1:A:163:GLU:HA	1:A:163:GLU:OE1	2.08	0.54
1:A:33:ARG:HG2	1:A:33:ARG:HH11	1.72	0.54
1:A:77:THR:CB	1:A:79:LEU:HD12	2.38	0.53
1:B:203:LEU:HB3	1:B:209:VAL:CG2	2.38	0.53
1:B:319:GLU:HA	1:B:322:GLN:HE21	1.73	0.53
1:C:12:VAL:CG1	1:C:29:THR:HG21	2.37	0.53
1:A:33:ARG:NH1	1:A:33:ARG:HG2	2.24	0.53
1:B:32:LEU:HB3	1:B:35:TYR:HD2	1.74	0.52
1:A:111:ASP:O	1:A:115:GLN:HB2	2.10	0.52
1:B:323:MET:O	1:B:327:GLN:HB2	2.10	0.52
1:D:105:ASP:OD2	1:D:106:PRO:HD2	2.10	0.52
1:D:94:ARG:HD2	1:D:98:GLU:OE2	2.09	0.52
1:A:203:LEU:HD22	1:A:208:ALA:HB3	1.91	0.52
1:C:-3:ASP:O	1:C:-2:ASP:C	2.49	0.52
1:B:131:ARG:NH1	1:B:131:ARG:CG	2.73	0.52
1:A:129:ARG:NH1	1:A:129:ARG:HG3	2.23	0.51
1:A:131:ARG:HG3	1:A:197:ASP:HB3	1.92	0.51
1:A:232:PRO:HA	1:A:233:PRO:O	2.10	0.51
1:B:318:LYS:HB2	1:B:319:GLU:OE2	2.10	0.51
1:D:251:VAL:O	1:D:251:VAL:HG23	2.09	0.51
1:A:147:SER:O	1:A:175:GLU:HG2	2.10	0.51
1:C:90:ARG:C	1:C:90:ARG:HD3	2.31	0.51
1:C:33:ARG:HG2	1:C:33:ARG:HH11	1.74	0.51
1:D:290:ARG:HE	1:D:324:LEU:HD21	1.76	0.51
1:D:222:ARG:NH1	1:D:243:HIS:HD2	2.02	0.51
1:A:192:ARG:HG3	3:A:405:HOH:O	2.12	0.50
1:B:269:VAL:O	1:B:279:GLU:HA	2.11	0.50
1:B:272:LYS:HG2	1:B:276:GLU:O	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:ARG:N	1:A:196:ARG:HD2	2.26	0.50
1:D:323:MET:O	1:D:327:GLN:HB2	2.12	0.50
1:A:138:TRP:CH2	1:A:183:MET:HG2	2.47	0.50
1:D:87:VAL:O	1:D:91:LEU:HG	2.11	0.50
1:D:61:LEU:CD1	1:D:94:ARG:HG3	2.41	0.50
1:B:131:ARG:CG	1:B:131:ARG:HH11	2.10	0.49
1:B:35:TYR:CE2	1:B:67:LYS:HG3	2.47	0.49
1:A:205:ARG:HD3	1:D:131:ARG:HD3	1.94	0.49
1:B:22:SER:HB3	1:B:83:GLU:OE2	2.12	0.49
1:D:201:ALA:HA	1:D:204:MET:HE2	1.94	0.49
1:B:295:ILE:CD1	1:B:324:LEU:HD11	2.43	0.49
1:C:12:VAL:HG12	1:C:29:THR:HG21	1.93	0.49
1:D:269:VAL:HG23	1:D:282:ILE:CD1	2.43	0.49
1:A:67:LYS:O	1:A:67:LYS:HD2	2.13	0.49
1:B:267:ALA:HB2	1:B:319:GLU:OE1	2.13	0.49
1:C:179:MET:HE2	1:C:217:LEU:HD11	1.95	0.49
1:D:281:ASP:CB	1:D:284:LYS:NZ	2.74	0.49
1:B:138:TRP:CH2	1:B:183:MET:HG2	2.48	0.49
1:B:229:VAL:HG13	1:B:235:ALA:O	2.13	0.49
1:D:128:LYS:HE2	2:D:401:UMQ:O6'	2.13	0.48
1:D:202:HIS:O	1:D:206:THR:HG22	2.13	0.48
1:D:301:GLU:O	1:D:301:GLU:HG3	2.12	0.48
1:C:139:ARG:HG2	1:C:179:MET:HE1	1.95	0.48
1:A:183:MET:O	1:A:187:LEU:HG	2.13	0.48
1:A:1:MET:SD	1:A:37:ARG:HD3	2.54	0.48
1:B:147:SER:HB3	1:B:175:GLU:HB3	1.95	0.48
1:D:295:ILE:CD1	1:D:324:LEU:HD22	2.43	0.48
1:A:104:ARG:NH1	1:A:158:ALA:O	2.46	0.48
1:D:149:PHE:CZ	2:D:401:UMQ:HD1	2.48	0.48
1:D:259:GLY:C	1:D:260:GLU:HG2	2.34	0.48
1:A:196:ARG:O	1:A:199:ASN:HB3	2.13	0.47
1:B:272:LYS:HA	1:B:276:GLU:O	2.13	0.47
1:C:203:LEU:HB3	1:C:209:VAL:CG2	2.41	0.47
1:C:38:VAL:N	1:C:39:PRO:CD	2.77	0.47
1:A:81:ARG:HH11	1:A:81:ARG:HG2	1.79	0.47
1:D:269:VAL:HG23	1:D:282:ILE:HD11	1.96	0.47
1:B:187:LEU:HD21	1:B:204:MET:CE	2.44	0.47
1:A:81:ARG:NH2	1:B:72:LEU:O	2.47	0.47
1:C:165:GLN:HE21	1:C:165:GLN:HB3	1.48	0.47
1:A:81:ARG:NH2	1:B:72:LEU:HD12	2.30	0.47
1:B:187:LEU:CD2	1:B:204:MET:HE1	2.46	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:327:GLN:O	1:D:329:LYS:N	2.49	0.46
1:A:104:ARG:HE	1:A:162:GLY:HA2	1.80	0.46
1:B:80:ASP:OD1	1:B:82:VAL:HB	2.16	0.46
1:D:115:GLN:NE2	3:D:502:HOH:O	2.37	0.46
1:D:75:ASP:CB	1:D:81:ARG:NH1	2.75	0.46
1:A:15:CYS:O	1:A:19:THR:HG22	2.15	0.46
1:A:12:VAL:O	1:A:16:VAL:HG23	2.14	0.46
1:B:266:MET:HE2	1:B:267:ALA:N	2.31	0.46
1:D:301:GLU:O	1:D:305:LYS:HB2	2.15	0.46
1:C:55:VAL:HG22	1:C:102:LEU:HD13	1.98	0.46
1:A:195:GLU:N	1:A:196:ARG:NH1	2.64	0.46
1:B:131:ARG:HG3	1:B:197:ASP:CB	2.40	0.46
1:B:37:ARG:NE	3:B:402:HOH:O	2.34	0.46
1:B:239:VAL:HB	1:B:240:PRO:HD3	1.98	0.46
1:B:226:LEU:HD11	1:B:243:HIS:CE1	2.51	0.46
1:D:75:ASP:OD2	1:D:81:ARG:HD2	2.16	0.46
1:C:33:ARG:NH1	1:C:33:ARG:HG2	2.32	0.45
1:C:100:GLU:OE1	1:D:100:GLU:OE1	2.34	0.45
1:A:61:LEU:CD1	1:A:94:ARG:HG3	2.47	0.45
1:B:43:THR:HA	3:B:432:HOH:O	2.17	0.45
1:D:183:MET:HE3	1:D:200:LEU:HD21	1.98	0.45
1:B:124:GLN:NE2	1:B:145:TYR:HB3	2.32	0.45
1:B:90:ARG:C	1:B:90:ARG:HD3	2.36	0.45
1:D:254:LEU:N	1:D:255:PRO:CD	2.80	0.45
1:C:166:PRO:HD3	1:C:233:PRO:HD2	1.99	0.45
1:D:327:GLN:HB3	1:D:328:LYS:H	1.45	0.45
1:B:273:TYR:O	1:B:276:GLU:HB2	2.17	0.44
1:D:281:ASP:OD2	1:D:283:SER:HB3	2.18	0.44
1:C:254:LEU:N	1:C:255:PRO:CD	2.81	0.44
1:D:205:ARG:NH2	1:D:256:ARG:HH21	2.14	0.44
1:D:267:ALA:O	1:D:282:ILE:HG12	2.17	0.44
2:D:401:UMQ:HB2	2:D:401:UMQ:HF2	1.79	0.44
1:C:136:ARG:NH1	3:C:507:HOH:O	2.50	0.44
1:D:9:ARG:HD2	3:D:553:HOH:O	2.17	0.44
1:C:139:ARG:HE	1:C:179:MET:HE1	1.82	0.44
1:A:179:MET:HG2	1:A:221:LEU:HD11	2.00	0.43
1:B:171:ARG:O	1:B:175:GLU:HG3	2.18	0.43
1:C:14:ARG:HH21	1:C:14:ARG:CG	2.31	0.43
1:C:172:GLU:HA	1:C:172:GLU:OE1	2.18	0.43
1:D:248:ASP:O	1:D:252:ARG:HB3	2.17	0.43
1:D:177:PHE:CE1	1:D:181:ILE:HD11	2.54	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:152:ARG:HB2	3:C:501:HOH:O	2.19	0.43
1:A:90:ARG:NH1	1:A:94:ARG:HB2	2.33	0.43
1:B:68:LEU:HD23	1:B:68:LEU:HA	1.69	0.43
1:C:51:ARG:HB2	1:C:51:ARG:HE	1.52	0.43
1:C:46:THR:CG2	1:C:51:ARG:HG2	2.45	0.43
1:A:72:LEU:HD21	1:A:85:ALA:HB2	2.00	0.43
1:C:182:THR:O	1:C:185:ASP:HB2	2.19	0.43
1:C:222:ARG:HD2	3:C:537:HOH:O	2.19	0.43
1:C:231:ALA:HA	1:C:232:PRO:HD3	1.70	0.43
1:C:81:ARG:HB2	1:C:81:ARG:HH21	1.83	0.43
1:D:131:ARG:HG2	1:D:131:ARG:HH11	1.84	0.43
1:D:67:LYS:HE3	1:D:71:ASP:OD1	2.19	0.43
1:A:195:GLU:C	1:A:196:ARG:HD2	2.38	0.42
1:B:187:LEU:HD21	1:B:204:MET:HE1	2.01	0.42
1:B:268:THR:HA	1:B:280:VAL:O	2.19	0.42
1:A:195:GLU:N	1:A:196:ARG:HH11	2.18	0.42
1:A:188:THR:HG21	1:A:192:ARG:NH1	2.35	0.42
1:A:188:THR:CG2	1:A:192:ARG:NH1	2.82	0.42
1:B:-3:ASP:O	1:B:1:MET:HB2	2.19	0.42
1:B:24:ASP:O	1:B:27:ALA:N	2.51	0.42
1:B:277:GLU:HA	1:B:277:GLU:OE2	2.20	0.42
1:C:65:SER:OG	1:C:92:HIS:HB2	2.19	0.42
1:D:75:ASP:HB2	1:D:81:ARG:HH12	1.77	0.42
1:B:221:LEU:HD23	1:B:221:LEU:HA	1.87	0.42
1:C:81:ARG:CD	1:D:81:ARG:NH2	2.76	0.42
1:B:40:HIS:CE1	1:B:52:ARG:NH2	2.88	0.42
1:B:72:LEU:HD21	1:B:85:ALA:HB2	2.01	0.42
1:D:149:PHE:CD1	2:D:401:UMQ:HD1	2.55	0.42
1:B:119:HIS:CE1	1:B:144:THR:HG22	2.55	0.42
1:B:183:MET:CE	1:B:218:LEU:HG	2.50	0.42
1:D:196:ARG:O	1:D:197:ASP:C	2.57	0.42
1:D:226:LEU:HD23	1:D:226:LEU:HA	1.89	0.42
1:D:64:VAL:O	1:D:68:LEU:HG	2.19	0.42
1:B:212:GLN:HB2	1:B:263:ALA:O	2.20	0.42
1:C:179:MET:HG2	1:C:221:LEU:HD11	2.01	0.41
1:C:258:LEU:HA	1:C:258:LEU:HD23	1.70	0.41
1:D:142:ALA:HB1	1:D:182:THR:HG21	2.01	0.41
1:D:252:ARG:HH12	1:D:253:LEU:HD21	1.85	0.41
1:D:2:LEU:HA	1:D:2:LEU:HD23	1.84	0.41
1:C:259:GLY:O	1:C:260:GLU:CD	2.59	0.41
1:D:134:ASN:C	1:D:134:ASN:OD1	2.59	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:203:LEU:HA	1:D:206:THR:HG22	2.01	0.41
1:A:-5:VAL:HG13	1:A:-1:ASP:HB2	2.01	0.41
1:A:8:ASN:O	1:A:12:VAL:HG23	2.20	0.41
1:B:16:VAL:HG13	1:B:87:VAL:HG11	2.02	0.41
1:C:-4:ASP:HB3	1:C:1:MET:CE	2.51	0.41
1:C:12:VAL:HG11	1:C:29:THR:CG2	2.51	0.41
1:C:113:LEU:HB3	1:D:93:LEU:HD22	2.02	0.41
1:B:299:TYR:O	1:B:307:GLY:N	2.51	0.41
1:B:39:PRO:O	1:B:43:THR:HG23	2.20	0.41
1:C:230:ALA:O	1:C:231:ALA:C	2.60	0.41
1:A:107:LYS:HD3	1:A:107:LYS:C	2.42	0.40
1:A:226:LEU:HD11	1:A:243:HIS:CE1	2.56	0.40
1:A:211:GLY:HA3	1:A:258:LEU:HD13	2.03	0.40
1:C:189:ASP:O	1:C:190:TYR:C	2.57	0.40
1:B:24:ASP:HB2	1:B:25:LEU:H	1.71	0.40
1:C:252:ARG:NH1	1:C:253:LEU:HD21	2.35	0.40
1:A:134:ASN:OD1	1:A:136:ARG:HB3	2.22	0.40
1:B:195:GLU:C	1:B:196:ARG:HH11	2.24	0.40
1:D:255:PRO:O	1:D:258:LEU:HB2	2.21	0.40
1:B:322:GLN:HB2	1:B:322:GLN:HE21	1.58	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	262/343 (76%)	252 (96%)	8 (3%)	2 (1%)	24	41
1	B	330/343 (96%)	307 (93%)	20 (6%)	3 (1%)	21	37
1	C	267/343 (78%)	259 (97%)	7 (3%)	1 (0%)	39	61
1	D	331/343 (96%)	303 (92%)	24 (7%)	4 (1%)	16	29
All	All	1190/1372 (87%)	1121 (94%)	59 (5%)	10 (1%)	24	41

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	261	ALA
1	B	263	ALA
1	D	303	GLY
1	D	328	LYS
1	B	305	LYS
1	A	233	PRO
1	D	315	ASP
1	A	164	GLY
1	C	234	GLY
1	B	167	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/270 (77%)	197 (95%)	11 (5%)	28	50
1	B	260/270 (96%)	244 (94%)	16 (6%)	23	41
1	C	212/270 (78%)	199 (94%)	13 (6%)	23	42
1	D	261/270 (97%)	253 (97%)	8 (3%)	47	75
All	All	941/1080 (87%)	893 (95%)	48 (5%)	29	52

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	29	THR
1	A	38	VAL
1	A	90	ARG
1	A	107	LYS
1	A	130	SER
1	A	139	ARG
1	A	189	ASP
1	A	191	ASP
1	A	196	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	197	ASP
1	B	65	SER
1	B	90	ARG
1	B	104	ARG
1	B	115	GLN
1	B	131	ARG
1	B	172	GLU
1	B	179	MET
1	B	186	ASP
1	B	191	ASP
1	B	197	ASP
1	B	199	ASN
1	B	266	MET
1	B	284	LYS
1	B	288	VAL
1	B	322	GLN
1	B	325	GLU
1	C	19	THR
1	C	34	LEU
1	C	88	CYS
1	C	90	ARG
1	C	94	ARG
1	C	107	LYS
1	C	127	THR
1	C	139	ARG
1	C	165	GLN
1	C	179	MET
1	C	254	LEU
1	C	256	ARG
1	C	260	GLU
1	D	15	CYS
1	D	38	VAL
1	D	73	MET
1	D	90	ARG
1	D	139	ARG
1	D	205	ARG
1	D	251	VAL
1	D	314	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	HIS
1	A	18	GLN
1	A	115	GLN
1	B	18	GLN
1	B	124	GLN
1	B	322	GLN
1	C	165	GLN
1	D	165	GLN
1	D	243	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	UMQ	C	401	-	35,35,35	0.80	2 (5%)	46,46,46	0.90	2 (4%)
2	UMQ	D	401	-	35,35,35	0.96	1 (2%)	46,46,46	0.83	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UMQ	C	401	-	-	0/20/60/60	0/2/2/2
2	UMQ	D	401	-	-	0/20/60/60	0/2/2/2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	UMQ	O5-C1	2.03	1.47	1.41
2	C	401	UMQ	O1'-CA	3.12	1.51	1.42
2	D	401	UMQ	O1'-CA	4.28	1.54	1.42

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	UMQ	CA-O1'-C1'	-2.92	108.89	114.00
2	C	401	UMQ	C3-C4-C5	-2.65	105.51	110.23
2	C	401	UMQ	CA-O1'-C1'	-2.32	109.94	114.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	UMQ	3	0
2	D	401	UMQ	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	264/343 (76%)	-0.46	8 (3%) 54 59	22, 38, 69, 105	0
1	B	332/343 (96%)	-0.26	18 (5%) 29 33	25, 43, 86, 100	0
1	C	269/343 (78%)	-0.45	7 (2%) 59 63	21, 38, 63, 101	0
1	D	333/343 (97%)	-0.14	22 (6%) 22 24	22, 41, 110, 133	0
All	All	1198/1372 (87%)	-0.31	55 (4%) 36 41	21, 40, 93, 133	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	266	MET	8.6
1	D	265	ALA	6.6
1	D	328	LYS	5.3
1	D	325	GLU	4.8
1	D	264	GLY	4.5
1	D	276	GLU	4.2
1	A	195	GLU	4.1
1	B	193	ASN	3.9
1	B	325	GLU	3.8
1	D	329	LYS	3.7
1	D	305	LYS	3.6
1	B	265	ALA	3.4
1	B	326	LYS	3.4
1	C	-4	ASP	3.4
1	B	197	ASP	3.4
1	D	326	LYS	3.4
1	B	194	GLY	3.3
1	D	275	GLY	3.3
1	C	259	GLY	3.3
1	A	197	ASP	3.1
1	D	303	GLY	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	163	GLU	3.1
1	B	263	ALA	3.1
1	D	272	LYS	3.0
1	D	300	ASP	2.9
1	B	195	GLU	2.8
1	B	305	LYS	2.8
1	B	264	GLY	2.8
1	C	-8	HIS	2.8
1	B	304	GLY	2.8
1	D	263	ALA	2.7
1	B	-4	ASP	2.7
1	B	190	TYR	2.7
1	D	277	GLU	2.6
1	A	191	ASP	2.6
1	B	191	ASP	2.6
1	D	268	THR	2.5
1	D	304	GLY	2.5
1	D	327	GLN	2.4
1	B	327	GLN	2.4
1	B	303	GLY	2.3
1	C	-7	HIS	2.3
1	D	301	GLU	2.3
1	A	193	ASN	2.3
1	A	194	GLY	2.3
1	D	269	VAL	2.3
1	C	-3	ASP	2.2
1	D	281	ASP	2.2
1	A	192	ARG	2.2
1	B	262	GLY	2.2
1	B	322	GLN	2.2
1	A	189	ASP	2.1
1	C	260	GLU	2.1
1	C	-5	VAL	2.1
1	D	302	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	UMQ	D	401	34/34	0.89	0.17	1.60	56,75,78,81	0
2	UMQ	C	401	34/34	0.91	0.16	1.05	56,64,73,75	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.