



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 22, 2016 – 08:45 PM EDT

PDB ID : 5B2Q  
Title : Crystal structure of Francisella novicida Cas9 RHA in complex with sgRNA and target DNA (TGG PAM)  
Authors : Hirano, H.; Nishimasu, H.; Nakane, T.; Ishitani, R.; Nureki, O.  
Deposited on : 2016-02-01  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027107  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0122  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027107


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3190 (1.70-1.70)
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)
RNA backbone	2183	1045 (2.70-0.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1632	<div> <div>14%</div> <div> <div></div> <div>78%</div> <div>10%</div> <div>•</div> <div>11%</div> </div> </div>
2	B	94	<div> <div>71%</div> <div>26%</div> <div>••</div> </div>
3	C	30	<div> <div>63%</div> <div>30%</div> <div>7%</div> </div>
4	D	9	<div> <div>22%</div> <div>67%</div> <div>33%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	ACT	A	1728	-	-	-	X
9	EDO	A	1722	-	-	-	X
9	EDO	A	1725	-	-	-	X
9	EDO	A	1727	-	-	-	X
9	EDO	B	111	-	-	-	X
9	EDO	B	116	-	-	-	X
9	EDO	B	121	-	-	-	X

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 15694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR-associated endonuclease Cas9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1455	Total	C	N	O	S	0	16	0
			11802	7550	2027	2194	31			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP A0Q5Y3
A	-1	SER	-	expression tag	UNP A0Q5Y3
A	0	HIS	-	expression tag	UNP A0Q5Y3
A	995	ALA	ASN	engineered mutation	UNP A0Q5Y3
A	1369	ARG	GLU	conflict	UNP A0Q5Y3
A	1449	HIS	GLU	conflict	UNP A0Q5Y3
A	1556	ALA	ARG	conflict	UNP A0Q5Y3

- Molecule 2 is a RNA chain called Guide RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	94	Total	C	N	O	P	0	0	0
			1991	886	350	661	94			

- Molecule 3 is a DNA chain called Target DNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	30	Total	C	N	O	P	0	0	0
			595	285	105	176	29			

- Molecule 4 is a DNA chain called DNA (5'-D(\*TP\*GP\*GP\*TP\*AP\*TP\*CP\*GP\*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	9	Total	C	N	O	P	0	0	0
			185	89	34	54	8			

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Zn	0	0
			1	1		

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	Na	0	0
			2	2		
6	A	2	Total	Na	0	0
			2	2		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Cl	0	0
			2	2		

- Molecule 8 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	7	Total	Ca	0	0
			7	7		
8	A	10	Total	Ca	0	0
			10	10		

- Molecule 9 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		
9	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 10 is ACETATE ION (three-letter code: ACT) (formula:  $\text{C}_2\text{H}_3\text{O}_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 11 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	588	Total	O	0	0
			588	588		
11	B	334	Total	O	0	0
			334	334		
11	C	64	Total	O	0	0
			64	64		
11	D	7	Total	O	0	0
			7	7		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CRISPR-associated endonuclease Cas9







● Molecule 2: Guide RNA



● Molecule 3: Target DNA



● Molecule 4: DNA (5'-D(\*TP\*GP\*GP\*TP\*AP\*TP\*CP\*GP\*G)-3')



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.56Å 158.98Å 96.74Å 90.00° 106.88° 90.00°	Depositor
Resolution (Å)	46.29 – 1.70 46.29 – 1.70	Depositor EDS
% Data completeness (in resolution range)	98.9 (46.29-1.70) 98.9 (46.29-1.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.28 (at 1.70Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.183 , 0.206 0.189 , 0.211	Depositor DCC
$R_{free}$ test set	12762 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	26.6	Xtriage
Anisotropy	0.084	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 49.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	1 of 254951 reflections (0.000%)	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	15694	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CL, NA, CA, EDO, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.41	0/12077	0.55	2/16290 (0.0%)
2	B	0.88	0/2224	1.31	13/3465 (0.4%)
3	C	1.02	0/664	1.23	6/1018 (0.6%)
4	D	0.82	0/207	1.05	1/319 (0.3%)
All	All	0.55	0/15172	0.78	22/21092 (0.1%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	27	A	O5'-P-OP2	-13.64	93.43	105.70
3	C	11	DC	O5'-P-OP2	-11.75	95.13	105.70
3	C	12	DC	O5'-P-OP2	-9.99	96.71	105.70
2	B	66	U	O5'-P-OP1	-7.66	98.81	105.70
2	B	47	U	C2-N3-C4	-6.86	122.88	127.00
3	C	11	DC	O4'-C4'-C3'	-6.66	101.84	104.50
3	C	14	DA	O5'-P-OP2	-6.56	99.79	105.70
3	C	11	DC	OP1-P-OP2	6.28	129.02	119.60
3	C	18	DC	O4'-C4'-C3'	-6.28	101.99	104.50
2	B	20	G	C5-C6-N1	6.26	114.63	111.50
1	A	724	LEU	CA-CB-CG	6.26	129.70	115.30
1	A	310	ARG	CG-CD-NE	-6.19	98.80	111.80
2	B	86	A	O4'-C1'-N9	6.11	113.08	108.20
2	B	22	G	C5-C6-O6	-5.98	125.01	128.60
4	D	2	DG	O4'-C1'-N9	-5.93	103.85	108.00
2	B	66	U	P-O3'-C3'	5.76	126.61	119.70
2	B	68	U	C5-C6-N1	-5.61	119.89	122.70
2	B	66	U	O5'-P-OP2	5.33	117.09	110.70
2	B	26	C	N3-C2-O2	5.31	125.62	121.90
2	B	20	G	N1-C6-O6	-5.26	116.74	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	67	U	N3-C2-O2	-5.18	118.57	122.20
2	B	36	G	N9-C1'-C2'	-5.12	106.37	112.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11802	0	11583	98	1
2	B	1991	0	997	13	0
3	C	595	0	337	11	0
4	D	185	0	104	1	0
5	A	1	0	0	0	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
7	A	2	0	0	0	0
8	A	10	0	0	0	0
8	B	7	0	0	0	0
9	A	48	0	72	4	0
9	B	48	0	72	3	0
10	A	8	0	6	0	0
11	A	588	0	0	9	0
11	B	334	0	0	2	0
11	C	64	0	0	1	0
11	D	7	0	0	0	0
All	All	15694	0	13171	116	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ASN:O	1:A:291:LEU:N	2.06	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:906:PRO:HA	1:A:916:LEU:HD21	1.59	0.83
1:A:648[A]:ASP:OD2	1:A:1104:TYR:OH	2.03	0.76
1:A:578:LYS:NZ	1:A:582:GLU:OE2	2.20	0.75
1:A:169:LYS:HB3	1:A:187:LEU:HD11	1.68	0.74
3:C:22:DT:H5''	3:C:22:DT:H6	1.52	0.72
1:A:1486:ASP:OD1	1:A:1521:ASN:ND2	2.22	0.71
3:C:2:DC:H2'	3:C:3:DG:C8	2.25	0.70
1:A:984:GLU:O	1:A:1061:ARG:NH2	2.26	0.68
1:A:207:GLU:O	1:A:211:THR:OG1	2.13	0.66
1:A:930:GLU:O	1:A:934:LYS:NZ	2.27	0.64
1:A:645:GLY:HA2	9:A:1721:EDO:H11	1.78	0.64
1:A:23:PHE:HB2	9:A:1725:EDO:H22	1.81	0.63
1:A:1326:GLU:HG3	1:A:1327:TYR:CD2	2.34	0.62
3:C:11:DC:OP1	11:C:101:HOH:O	2.16	0.61
1:A:1532:GLU:O	1:A:1618:LYS:NZ	2.31	0.60
1:A:1292[B]:CYS:HB2	1:A:1332:LEU:HD21	1.83	0.60
1:A:1302:ILE:HG22	1:A:1304:ILE:HG12	1.84	0.59
1:A:1068:ASP:N	1:A:1068:ASP:OD1	2.35	0.59
1:A:622:ARG:NH2	1:A:848:GLN:OE1	2.36	0.59
1:A:84:ASN:ND2	11:A:1803:HOH:O	2.21	0.59
1:A:1236:HIS:HE1	11:A:1976:HOH:O	1.85	0.58
1:A:782:GLU:OE1	1:A:785:ARG:NH2	2.25	0.58
3:C:1:DC:H6	3:C:1:DC:H5'	1.69	0.58
3:C:24:DA:H8	3:C:24:DA:H5''	1.69	0.58
1:A:1359:GLU:OE2	11:A:1801:HOH:O	2.17	0.57
1:A:174:CYS:HA	1:A:247:ASN:HD21	1.67	0.57
1:A:640:LYS:HE2	1:A:642:ASN:HD21	1.70	0.57
2:B:94:G:C2	9:B:120:EDO:H11	2.40	0.57
4:D:7:DC:H2''	4:D:8:DG:C8	2.40	0.56
3:C:22:DT:H5''	3:C:22:DT:C6	2.38	0.55
1:A:1159:SER:OG	1:A:1221:ASP:OD1	2.17	0.55
1:A:725:ASN:HD22	1:A:794:TYR:HE2	1.54	0.55
1:A:1592:GLU:OE2	1:A:1595:LYS:NZ	2.37	0.55
1:A:169:LYS:HB3	1:A:187:LEU:CD1	2.38	0.54
1:A:159:ASN:ND2	1:A:193:TYR:OH	2.40	0.54
1:A:1049:PHE:HA	1:A:1052:LEU:HD12	1.90	0.53
1:A:544[B]:ARG:NH1	1:A:549:ASP:OD1	2.41	0.53
1:A:1539:LEU:HB3	1:A:1544:ILE:HD12	1.90	0.53
1:A:168:PHE:HA	1:A:259:LEU:HD13	1.89	0.53
1:A:648[B]:ASP:OD2	1:A:1104:TYR:OH	2.19	0.53
1:A:1070:ASN:ND2	1:A:1072:ILE:HG12	2.24	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:ILE:HG23	1:A:234:TYR:HB2	1.92	0.51
1:A:58[A]:ARG:NH2	11:A:1828:HOH:O	2.44	0.51
1:A:710:CYS:HB3	1:A:800:GLN:HB2	1.93	0.51
1:A:935:ASP:OD2	1:A:939:ARG:NH2	2.44	0.50
1:A:173:LEU:O	1:A:177:ILE:HG22	2.11	0.50
1:A:30:LEU:HD11	1:A:1212:ILE:HD11	1.93	0.50
1:A:463:LEU:HD11	1:A:853:ILE:HG12	1.93	0.50
1:A:1339:GLU:OE1	11:A:1802:HOH:O	2.20	0.50
1:A:622:ARG:HH22	3:C:30:DC:H4'	1.77	0.49
1:A:899:SER:OG	9:A:1727:EDO:H11	2.12	0.49
1:A:902:PHE:HB2	1:A:927:ILE:HG13	1.93	0.49
2:B:34:C:H6	2:B:34:C:H5''	1.77	0.49
3:C:11:DC:H2'	3:C:12:DC:C6	2.47	0.49
1:A:12:LEU:HD11	1:A:1095[B]:PHE:CE1	2.48	0.49
1:A:659:HIS:HD2	11:B:246:HOH:O	1.95	0.48
1:A:356:LEU:HB2	1:A:438:LEU:HD23	1.94	0.48
2:B:66:U:H1'	2:B:67:U:OP2	2.14	0.48
1:A:47:SER:HB3	1:A:1225:VAL:HA	1.96	0.48
2:B:45:U:H2'	2:B:46:C:C6	2.49	0.47
1:A:1240:THR:HG22	1:A:1452:PHE:HZ	1.80	0.47
1:A:37:ASN:OD1	9:A:1725:EDO:O1	2.29	0.47
1:A:549:ASP:OD1	1:A:551:LEU:HB2	2.15	0.46
1:A:169:LYS:HD3	1:A:187:LEU:HD11	1.97	0.46
1:A:622:ARG:NH2	3:C:30:DC:H4'	2.31	0.46
1:A:1070:ASN:HD22	1:A:1071:PRO:N	2.14	0.46
1:A:663[A]:GLN:HG3	2:B:81:G:H5''	1.96	0.46
1:A:869:LEU:HD23	1:A:1095[A]:PHE:CE1	2.51	0.46
1:A:426:GLN:HB3	1:A:426:GLN:HE21	1.64	0.46
1:A:640:LYS:HE3	2:B:68:U:C6	2.51	0.46
1:A:1138:GLN:O	1:A:1142:LYS:HG2	2.16	0.45
1:A:150:GLN:OE1	1:A:152:SER:N	2.49	0.45
1:A:514:VAL:O	1:A:529:ASP:HA	2.17	0.45
9:B:119:EDO:H12	11:B:310:HOH:O	2.17	0.45
1:A:714:LEU:HG	1:A:718:LYS:HD2	1.98	0.45
3:C:21:DC:H2'	3:C:22:DT:C6	2.52	0.44
1:A:665:ARG:NH1	2:B:82:U:OP1	2.50	0.44
1:A:720:ASN:HD22	1:A:720:ASN:N	2.16	0.44
1:A:1047:ARG:HD2	2:B:1:G:C6	2.52	0.44
1:A:1326:GLU:HG2	11:A:1893:HOH:O	2.18	0.44
1:A:663[B]:GLN:HA	1:A:810:ASN:HA	2.00	0.44
1:A:1608:ASN:HB2	3:C:3:DG:OP2	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1489:LYS:HG3	1:A:1491:GLU:HG2	2.00	0.44
1:A:985:ALA:HA	1:A:1061:ARG:HG2	2.00	0.44
1:A:452:ASN:HA	2:B:89:C:N3	2.33	0.43
1:A:856:ARG:HH21	1:A:856:ARG:HB3	1.84	0.43
1:A:1486:ASP:OD2	1:A:1489:LYS:HG2	2.17	0.43
1:A:1060:PHE:CE1	1:A:1076:VAL:HG22	2.54	0.43
2:B:2:G:H2'	2:B:3:G:C8	2.54	0.43
1:A:1592:GLU:HA	1:A:1595:LYS:HD3	2.00	0.43
1:A:890:GLN:HA	1:A:1116:LYS:HB3	1.99	0.43
1:A:727:LYS:HA	1:A:730:ILE:HG23	2.01	0.43
1:A:294:PHE:O	1:A:298:VAL:HG23	2.18	0.42
2:B:39:A:H2'	2:B:40:G:O4'	2.18	0.42
1:A:851:PRO:HB3	11:A:2130:HOH:O	2.19	0.42
1:A:173:LEU:HD11	1:A:237:GLN:HG3	2.01	0.42
1:A:51:LEU:HD11	1:A:912:LYS:HA	2.02	0.42
1:A:1046:TYR:CB	1:A:1079:ALA:HB1	2.50	0.42
1:A:1538:ASP:N	1:A:1538:ASP:OD1	2.53	0.42
1:A:1274:LYS:O	1:A:1285:GLN:HG2	2.19	0.41
1:A:1004:CYS:HA	1:A:1065:PHE:O	2.20	0.41
1:A:1374:LYS:HE2	11:A:2002:HOH:O	2.20	0.41
2:B:38:A:H2'	2:B:39:A:C8	2.55	0.41
1:A:111:TYR:O	1:A:293:HIS:HE1	2.03	0.41
1:A:780:LYS:HE3	1:A:784:ASP:OD2	2.21	0.41
1:A:724:LEU:HD22	1:A:728:ILE:HG13	2.03	0.41
1:A:1178:ARG:NH1	1:A:1188:ASP:O	2.54	0.41
1:A:731:ALA:HB2	1:A:739:GLU:HB3	2.02	0.41
1:A:1426:ASN:O	1:A:1428:LYS:HE2	2.21	0.40
1:A:451:ASP:OD2	11:A:1804:HOH:O	2.22	0.40
1:A:982:ASN:HD21	1:A:1085:ARG:NH2	2.18	0.40
1:A:1046:TYR:HB2	1:A:1079:ALA:HB1	2.02	0.40
1:A:130:ILE:HG23	1:A:134:TYR:CE2	2.57	0.40
1:A:1563:LEU:HD11	1:A:1600:ILE:HD11	2.03	0.40
2:B:89:C:H4'	9:B:121:EDO:H11	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:ARG:NH2	1:A:1260:GLU:OE2[2_445]	2.11	0.09



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1444/1632 (88%)	1412 (98%)	30 (2%)	2 (0%)	56 35

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	264	PHE
1	A	1128	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1260/1483 (85%)	1218 (97%)	42 (3%)	45 22

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	LEU
1	A	133	ASP
1	A	137	GLU
1	A	160	LYS
1	A	165	ILE
1	A	176	ASP
1	A	177	ILE
1	A	208	SER
1	A	211	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	214	PHE
1	A	249	ARG
1	A	257	ASP
1	A	310	ARG
1	A	426	GLN
1	A	435	ASP
1	A	551	LEU
1	A	626	LEU
1	A	686	LYS
1	A	723	LEU
1	A	724	LEU
1	A	730	ILE
1	A	791	ASN
1	A	853	ILE
1	A	856	ARG
1	A	939	ARG
1	A	982	ASN
1	A	1005	LEU
1	A	1006	ARG
1	A	1068	ASP
1	A	1070	ASN
1	A	1083	ARG
1	A	1145	SER
1	A	1176	GLU
1	A	1234	ASN
1	A	1398	PHE
1	A	1428	LYS
1	A	1511	ASN
1	A	1558	LYS
1	A	1570	ASP
1	A	1592	GLU
1	A	1594	LEU
1	A	1618	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	ASN
1	A	247	ASN
1	A	293	HIS
1	A	342	ASN
1	A	426	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	488	GLN
1	A	492	ASN
1	A	604	GLN
1	A	642	ASN
1	A	659	HIS
1	A	677	GLN
1	A	720	ASN
1	A	725	ASN
1	A	938	ASN
1	A	982	ASN
1	A	1070	ASN
1	A	1148	GLN
1	A	1234	ASN
1	A	1236	HIS
1	A	1490	ASN
1	A	1578	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	92/94 (97%)	5 (5%)	2 (2%)

All (5) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	29	U
2	B	53	C
2	B	67	U
2	B	83	U
2	B	84	U

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	66	U
2	B	67	U

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 50 ligands modelled in this entry, 24 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
9	EDO	A	1716	-	3,3,3	0.39	0	2,2,2	0.47	0
9	EDO	A	1717	-	3,3,3	0.43	0	2,2,2	0.51	0
9	EDO	A	1718	-	3,3,3	0.48	0	2,2,2	0.07	0
9	EDO	A	1719	-	3,3,3	0.61	0	2,2,2	0.34	0
9	EDO	A	1720	-	3,3,3	0.55	0	2,2,2	0.25	0
9	EDO	A	1721	-	3,3,3	0.37	0	2,2,2	0.60	0
9	EDO	A	1722	-	3,3,3	0.50	0	2,2,2	0.28	0
9	EDO	A	1723	-	3,3,3	0.49	0	2,2,2	0.12	0
9	EDO	A	1724	-	3,3,3	0.52	0	2,2,2	0.14	0
9	EDO	A	1725	-	3,3,3	0.47	0	2,2,2	0.43	0
9	EDO	A	1726	-	3,3,3	0.48	0	2,2,2	0.21	0
9	EDO	A	1727	-	3,3,3	0.35	0	2,2,2	0.66	0
10	ACT	A	1728	-	0,3,3	0.00	-	0,3,3	0.00	-
10	ACT	A	1729	-	0,3,3	0.00	-	0,3,3	0.00	-
9	EDO	B	110	-	3,3,3	0.43	0	2,2,2	0.44	0
9	EDO	B	111	-	3,3,3	0.52	0	2,2,2	0.46	0
9	EDO	B	112	-	3,3,3	0.62	0	2,2,2	0.04	0
9	EDO	B	113	-	3,3,3	0.64	0	2,2,2	0.11	0
9	EDO	B	114	-	3,3,3	0.48	0	2,2,2	0.39	0
9	EDO	B	115	-	3,3,3	0.51	0	2,2,2	0.16	0
9	EDO	B	116	-	3,3,3	0.51	0	2,2,2	0.15	0
9	EDO	B	117	-	3,3,3	0.43	0	2,2,2	0.60	0
9	EDO	B	118	-	3,3,3	0.43	0	2,2,2	0.62	0
9	EDO	B	119	-	3,3,3	0.48	0	2,2,2	0.04	0
9	EDO	B	120	-	3,3,3	0.37	0	2,2,2	0.37	0
9	EDO	B	121	-	3,3,3	0.48	0	2,2,2	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	EDO	A	1716	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1717	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1718	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1719	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1720	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1721	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1722	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1723	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1724	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1725	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1726	-	-	0/1/1/1	0/0/0/0
9	EDO	A	1727	-	-	0/1/1/1	0/0/0/0
10	ACT	A	1728	-	-	0/0/0/0	0/0/0/0
10	ACT	A	1729	-	-	0/0/0/0	0/0/0/0
9	EDO	B	110	-	-	0/1/1/1	0/0/0/0
9	EDO	B	111	-	-	0/1/1/1	0/0/0/0
9	EDO	B	112	-	-	0/1/1/1	0/0/0/0
9	EDO	B	113	-	-	0/1/1/1	0/0/0/0
9	EDO	B	114	-	-	0/1/1/1	0/0/0/0
9	EDO	B	115	-	-	0/1/1/1	0/0/0/0
9	EDO	B	116	-	-	0/1/1/1	0/0/0/0
9	EDO	B	117	-	-	0/1/1/1	0/0/0/0
9	EDO	B	118	-	-	0/1/1/1	0/0/0/0
9	EDO	B	119	-	-	0/1/1/1	0/0/0/0
9	EDO	B	120	-	-	0/1/1/1	0/0/0/0
9	EDO	B	121	-	-	0/1/1/1	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	1721	EDO	1	0
9	A	1725	EDO	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	1727	EDO	1	0
9	B	119	EDO	1	0
9	B	120	EDO	1	0
9	B	121	EDO	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1455/1632 (89%)	0.66	232 (15%) 3 3	18, 45, 101, 143	0
2	B	93/94 (98%)	-0.26	0 100 100	19, 29, 58, 79	0
3	C	30/30 (100%)	-0.11	0 100 100	24, 51, 79, 115	0
4	D	9/9 (100%)	0.51	2 (22%) 1 1	36, 52, 110, 111	0
All	All	1587/1765 (89%)	0.59	234 (14%) 3 4	18, 44, 101, 143	0

All (234) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1066	LEU	12.9
1	A	1059	ALA	10.1
1	A	738	CYS	9.5
1	A	1053	THR	9.2
1	A	723	LEU	8.8
1	A	728	ILE	8.8
1	A	1060	PHE	8.5
1	A	131	PHE	8.1
1	A	1050	ILE	8.1
1	A	981	LEU	8.1
1	A	1071	PRO	7.9
1	A	980	THR	7.9
1	A	1072	ILE	7.7
1	A	261	ILE	7.4
1	A	1052	LEU	7.3
1	A	1077	ILE	7.3
1	A	264	PHE	7.1
1	A	943	PHE	7.1
1	A	1063	ALA	6.9
1	A	1065	PHE	6.8
1	A	1005	LEU	6.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	236	ILE	6.4
1	A	940	ILE	6.3
1	A	972	PRO	6.2
1	A	1057	GLN	6.2
1	A	127	LEU	6.1
1	A	743	PHE	6.1
1	A	1573	ILE	6.1
1	A	429	THR	6.0
1	A	1069	GLU	6.0
1	A	295	VAL	5.9
1	A	1002	ILE	5.9
1	A	742	ILE	5.8
1	A	259	LEU	5.8
1	A	1074	GLN	5.8
1	A	1064	LEU	5.8
1	A	175	THR	5.7
1	A	1542	ILE	5.7
1	A	1619	LEU	5.7
1	A	730	ILE	5.7
1	A	1004	CYS	5.7
1	A	187	LEU	5.6
1	A	1068	ASP	5.6
1	A	967	LEU	5.6
1	A	168	PHE	5.5
1	A	130	ILE	5.5
1	A	256	THR	5.5
1	A	123	VAL	5.5
1	A	177	ILE	5.3
1	A	1049	PHE	5.3
1	A	985	ALA	5.3
1	A	1622	ILE	5.2
1	A	1046	TYR	5.2
1	A	724	LEU	5.2
1	A	988	ILE	5.2
1	A	1054	PRO	5.1
1	A	111	TYR	5.0
1	A	855	THR	5.0
1	A	973	ARG	4.9
1	A	266	PHE	4.9
1	A	128	MET	4.8
1	A	843	LEU	4.8
1	A	1073	LYS	4.7

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	134	TYR	4.7
1	A	747	CYS	4.7
1	A	1537	SER	4.7
1	A	720	ASN	4.6
1	A	136	GLY	4.6
1	A	1006	ARG	4.5
1	A	1055	GLN	4.5
1	A	293	HIS	4.4
1	A	186	THR	4.4
1	A	746	ILE	4.4
1	A	258	ASP	4.4
1	A	1539	LEU	4.4
1	A	989	CYS	4.4
1	A	1621	GLY	4.4
1	A	1067	ALA	4.3
1	A	1061	ARG	4.3
1	A	1488	SER	4.3
1	A	133	ASP	4.3
1	A	135	ASN	4.2
1	A	1076	VAL	4.2
1	A	982	ASN	4.2
1	A	125	ALA	4.1
1	A	126	ILE	4.1
1	A	165	ILE	4.1
1	A	1003	PHE	4.1
1	A	1541	ASP	4.0
1	A	146	LEU	4.0
1	A	1156	PRO	4.0
1	A	1155	LYS	3.9
1	A	987	LEU	3.9
1	A	188	LYS	3.8
1	A	933	PHE	3.8
1	A	778	ALA	3.8
1	A	1544	ILE	3.8
1	A	729	ASN	3.8
1	A	257	ASP	3.8
1	A	1543	GLY	3.7
1	A	1095[A]	PHE	3.7
1	A	1082	ASN	3.7
1	A	294	PHE	3.7
1	A	929	PRO	3.7
1	A	721	ARG	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	731	ALA	3.6
1	A	291	LEU	3.6
1	A	733	ASN	3.6
1	A	745	LEU	3.6
1	A	1567	ILE	3.6
1	A	1153	GLY	3.5
1	A	759	TYR	3.5
1	A	1575	TYR	3.5
1	A	1062	HIS	3.5
1	A	932	ILE	3.5
1	A	1154	ASP	3.5
1	A	739	GLU	3.5
1	A	1565	TYR	3.4
1	A	716	ILE	3.4
1	A	986	ASN	3.4
1	A	143	TYR	3.3
1	A	990	VAL	3.3
1	A	969	HIS	3.3
1	A	112	SER	3.3
1	A	1056	GLU	3.3
4	D	9	DG	3.3
1	A	939	ARG	3.2
1	A	211	THR	3.2
1	A	829	LYS	3.2
1	A	1078	ARG	3.2
1	A	1070	ASN	3.2
1	A	1571	SER	3.2
1	A	1191	TYR	3.2
1	A	734	THR	3.2
1	A	1194	TYR	3.2
1	A	999	GLY	3.1
1	A	902	PHE	3.1
1	A	260	ASP	3.1
1	A	1001	ARG	3.1
1	A	722	GLY	3.1
1	A	298	VAL	3.1
1	A	1000	ASN	3.1
1	A	174	CYS	3.0
1	A	1142	LYS	3.0
1	A	1083	ARG	3.0
1	A	296	PHE	3.0
1	A	1075	ALA	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	732	ARG	3.0
1	A	203	ALA	2.9
1	A	1487	ILE	2.9
1	A	254	LEU	2.9
1	A	151	GLU	2.9
1	A	1536	PRO	2.9
1	A	200	ASP	2.9
1	A	785	ARG	2.9
1	A	30	LEU	2.8
1	A	1570	ASP	2.8
1	A	928	SER	2.8
1	A	842	ILE	2.8
1	A	1576	PHE	2.8
1	A	781	PRO	2.8
1	A	1594	LEU	2.8
1	A	971	ILE	2.8
1	A	171	MET	2.8
1	A	173	LEU	2.8
1	A	262	TRP	2.8
1	A	783	PHE	2.7
1	A	235	ASN	2.7
1	A	33	LEU	2.7
1	A	214	PHE	2.7
1	A	1080	ILE	2.7
1	A	124	LYS	2.6
1	A	178	LYS	2.6
1	A	241	LYS	2.6
1	A	853	ILE	2.6
1	A	935	ASP	2.6
1	A	1563	LEU	2.6
1	A	740	LYS	2.6
1	A	830	ILE	2.6
1	A	735	LYS	2.6
1	A	138	ASP	2.6
1	A	176	ASP	2.6
1	A	1007	ASP	2.6
1	A	741	GLU	2.6
1	A	516	TYR	2.6
1	A	156	GLU	2.5
1	A	428	VAL	2.5
1	A	1566	VAL	2.5
1	A	930	GLU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	1187	ILE	2.5
1	A	253	THR	2.5
1	A	152	SER	2.5
1	A	736	GLY	2.5
1	A	237	GLN	2.5
1	A	639	HIS	2.5
1	A	166	LEU	2.5
1	A	726	HIS	2.4
1	A	265	ASN	2.4
1	A	1523	PHE	2.4
1	A	1209	PHE	2.3
1	A	147	ALA	2.3
1	A	1540	ARG	2.3
1	A	1574	ASN	2.3
1	A	292	HIS	2.3
1	A	252	ASP	2.3
1	A	966	GLU	2.3
1	A	141	ASP	2.3
1	A	65	ILE	2.3
1	A	782	GLU	2.2
1	A	255	LEU	2.2
1	A	109	ASP	2.2
1	A	1599	ILE	2.2
1	A	637	LYS	2.2
1	A	1143	VAL	2.2
1	A	263	ASN	2.2
1	A	1192	SER	2.2
1	A	234	TYR	2.2
1	A	1	MET	2.2
1	A	142	SER	2.2
1	A	1618	LYS	2.2
1	A	793	ILE	2.2
1	A	179	ASP	2.2
4	D	8	DG	2.1
1	A	1620	ALA	2.1
1	A	1595	LYS	2.1
1	A	297	ALA	2.1
1	A	160	LYS	2.1
1	A	1534	GLU	2.1
1	A	201	TYR	2.0
1	A	919	ARG	2.0
1	A	430	LYS	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	828	ILE	2.0
1	A	854	PRO	2.0
1	A	1569	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
9	EDO	A	1727	4/4	0.77	0.36	7.20	81,81,82,83	0
9	EDO	B	116	4/4	0.92	0.11	5.53	39,43,48,50	0
10	ACT	A	1728	4/4	0.95	0.15	4.86	82,84,84,85	0
9	EDO	A	1722	4/4	0.97	0.11	4.77	28,34,39,43	0
9	EDO	B	121	4/4	0.85	0.22	4.53	56,59,61,62	0
9	EDO	B	111	4/4	0.96	0.10	2.46	30,32,32,36	0
9	EDO	A	1725	4/4	0.92	0.12	2.20	42,45,51,57	0
9	EDO	A	1724	4/4	0.87	0.12	1.94	45,47,48,50	0
9	EDO	B	117	4/4	0.95	0.15	1.72	34,46,52,55	0
9	EDO	B	115	4/4	0.89	0.15	1.63	47,51,52,56	0
9	EDO	A	1717	4/4	0.97	0.12	1.10	37,42,46,48	0
9	EDO	B	110	4/4	0.98	0.07	0.90	31,32,35,37	0
9	EDO	A	1720	4/4	0.90	0.13	0.80	33,34,36,38	0
9	EDO	B	113	4/4	0.98	0.11	0.57	29,29,31,33	0
9	EDO	B	112	4/4	0.98	0.14	0.46	23,24,24,26	0
9	EDO	A	1718	4/4	0.98	0.07	0.41	32,37,38,38	0
9	EDO	B	114	4/4	0.94	0.09	0.02	34,40,42,44	0
9	EDO	A	1716	4/4	0.96	0.12	-0.17	39,45,45,47	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
9	EDO	A	1721	4/4	0.92	0.12	-0.25	45,46,47,49	0
5	ZN	A	1701	1/1	1.00	0.11	-0.56	25,25,25,25	0
9	EDO	A	1723	4/4	0.95	0.12	-0.60	45,45,49,52	0
7	CL	A	1705	1/1	0.99	0.07	-0.70	28,28,28,28	0
8	CA	A	1715	1/1	0.97	0.07	-0.75	54,54,54,54	0
7	CL	A	1704	1/1	0.98	0.05	-1.40	43,43,43,43	0
10	ACT	A	1729	4/4	0.95	0.07	-1.54	35,35,36,37	0
9	EDO	A	1719	4/4	0.89	0.12	-1.54	30,36,37,38	0
8	CA	B	109	1/1	0.98	0.07	-1.60	70,70,70,70	0
8	CA	A	1706	1/1	0.98	0.05	-1.61	67,67,67,67	0
6	NA	B	101	1/1	1.00	0.07	-1.90	28,28,28,28	0
8	CA	B	103	1/1	0.99	0.04	-2.22	33,33,33,33	0
6	NA	A	1702	1/1	0.96	0.04	-2.94	47,47,47,47	0
8	CA	A	1709	1/1	0.99	0.05	-3.94	49,49,49,49	0
8	CA	B	106	1/1	0.98	0.06	-5.59	44,44,44,44	0
8	CA	A	1712	1/1	0.94	0.11	-	72,72,72,72	0
8	CA	B	105	1/1	0.99	0.06	-	35,35,35,35	0
9	EDO	B	118	4/4	0.95	0.10	-	45,54,58,58	0
8	CA	A	1711	1/1	0.96	0.04	-	75,75,75,75	0
8	CA	A	1708	1/1	0.99	0.04	-	47,47,47,47	0
8	CA	A	1714	1/1	0.98	0.14	-	69,69,69,69	0
9	EDO	B	119	4/4	0.49	0.28	-	63,65,69,70	0
8	CA	A	1710	1/1	0.97	0.07	-	47,47,47,47	0
6	NA	B	102	1/1	0.98	0.15	-	59,59,59,59	0
8	CA	A	1707	1/1	0.99	0.03	-	36,36,36,36	0
9	EDO	B	120	4/4	0.90	0.11	-	50,51,55,57	0
8	CA	A	1713	1/1	0.96	0.11	-	82,82,82,82	0
8	CA	B	104	1/1	0.95	0.04	-	67,67,67,67	0
8	CA	B	107	1/1	0.98	0.08	-	64,64,64,64	0
6	NA	A	1703	1/1	0.78	0.10	-	63,63,63,63	0
8	CA	B	108	1/1	0.95	0.06	-	69,69,69,69	0
9	EDO	A	1726	4/4	0.78	0.17	-	83,85,85,85	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.