



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 06:32 PM GMT

PDB ID : 3B9O  
Title : long-chain alkane monooxygenase (LadA) in complex with coenzyme FMN  
Authors : Li, L.; Yang, W.; Xu, F.; Bartlam, M.; Rao, Z.  
Deposited on : 2007-11-06  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026982  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20026982


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	<div> <div>2%</div> <div>77%</div> <div>18%</div> <div>• •</div> </div>
1	B	440	<div> <div>2%</div> <div>75%</div> <div>20%</div> <div>• • •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FMN	A	441	-	-	-	X

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alkane monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	433	Total	C	N	O	S	0	0	0
			3508	2241	607	646	14			
1	B	433	Total	C	N	O	S	0	0	0
			3508	2241	607	646	14			

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	160	Total 160	O 160	0	0
3	B	169	Total 169	O 169	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Alkane monooxygenase



#### • Molecule 1: Alkane monooxygenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.95Å 76.95Å 323.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.90 49.52 – 1.60	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-1.90) 61.9 (49.52-1.60)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.06 (at 1.60Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.187 , 0.206 0.185 , 0.203	Depositor DCC
$R_{free}$ test set	7110 reflections (10.10%)	DCC
Wilson B-factor (Å <sup>2</sup> )	15.2	Xtriage
Anisotropy	0.621	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 44.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 86516 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7407	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.74 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.4602e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.83	1/3601 (0.0%)	0.94	15/4871 (0.3%)
1	B	0.83	0/3601	0.91	13/4871 (0.3%)
All	All	0.83	1/7202 (0.0%)	0.93	28/9742 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	166	GLU	CG-CD	5.51	1.60	1.51

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	413	ARG	NE-CZ-NH1	19.12	129.86	120.30
1	A	413	ARG	NE-CZ-NH2	-18.45	111.08	120.30
1	B	413	ARG	NE-CZ-NH2	-16.85	111.88	120.30
1	B	413	ARG	NE-CZ-NH1	14.37	127.49	120.30
1	A	270	ARG	NE-CZ-NH2	-9.50	115.55	120.30
1	B	270	ARG	NE-CZ-NH2	-8.42	116.09	120.30
1	A	270	ARG	NE-CZ-NH1	8.20	124.40	120.30
1	A	82	VAL	CB-CA-C	-8.16	95.89	111.40
1	A	234	ARG	NE-CZ-NH2	-8.08	116.26	120.30
1	A	22	LEU	CA-CB-CG	-8.02	96.86	115.30
1	B	270	ARG	NE-CZ-NH1	7.14	123.87	120.30
1	B	99	LEU	CB-CG-CD2	7.00	122.90	111.00
1	B	26	PRO	C-N-CA	-6.97	104.27	121.70
1	A	400	ARG	NE-CZ-NH2	-6.87	116.87	120.30
1	A	82	VAL	CG1-CB-CG2	6.81	121.79	110.90
1	B	95	VAL	CG1-CB-CG2	6.74	121.69	110.90
1	A	413	ARG	CD-NE-CZ	6.66	132.92	123.60
1	B	135	VAL	CG1-CB-CG2	6.16	120.75	110.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	234	ARG	NE-CZ-NH2	-6.13	117.24	120.30
1	A	35	ASP	CB-CG-OD1	5.77	123.49	118.30
1	A	234	ARG	NE-CZ-NH1	5.63	123.11	120.30
1	A	246	LEU	CA-CB-CG	5.49	127.93	115.30
1	B	413	ARG	CD-NE-CZ	5.45	131.23	123.60
1	B	424	LEU	CA-CB-CG	5.44	127.81	115.30
1	B	397	LEU	CB-CG-CD1	5.35	120.09	111.00
1	A	54	LEU	CB-CG-CD2	5.21	119.86	111.00
1	A	366	LEU	CA-CB-CG	5.21	127.28	115.30
1	B	35	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3508	0	3399	70	0
1	B	3508	0	3399	76	0
2	A	31	0	19	5	0
2	B	31	0	19	4	0
3	A	160	0	0	7	0
3	B	169	0	0	8	0
All	All	7407	0	6836	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:CYS:HB3	3:A:466:HOH:O	1.46	1.12
1:B:380:TYR:H	1:B:385:THR:HG21	1.33	0.93
1:A:380:TYR:H	1:A:385:THR:HG21	1.41	0.85
1:A:111:HIS:HD2	1:A:113:TYR:H	1.26	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:149:LYS:HD3	1:B:149:LYS:H	1.43	0.83
1:B:406:ASP:HB2	3:B:592:HOH:O	1.77	0.82
1:B:135:VAL:HG22	2:B:441:FMN:O2'	1.80	0.80
1:B:20:HIS:HE1	1:B:311:HIS:ND1	1.80	0.80
1:A:86:LEU:HD21	1:A:119:MET:CE	2.13	0.77
1:B:111:HIS:HD2	1:B:113:TYR:H	1.32	0.77
1:A:229:MET:HE3	1:A:229:MET:HA	1.67	0.77
1:A:20:HIS:HE1	1:A:311:HIS:ND1	1.85	0.73
1:B:309:LEU:HD13	1:B:341:MET:SD	2.30	0.72
1:A:111:HIS:CD2	1:A:113:TYR:H	2.08	0.72
1:A:154:HIS:HE1	2:A:441:FMN:O1P	1.74	0.71
1:A:305:LEU:HD13	1:A:309:LEU:HD22	1.73	0.70
1:B:359:VAL:HG12	1:B:363:MET:CE	2.21	0.70
1:B:154:HIS:HD2	1:B:155:ASP:OD1	1.74	0.70
1:B:149:LYS:HD3	1:B:149:LYS:N	2.08	0.69
1:B:149:LYS:CD	1:B:149:LYS:H	2.05	0.69
1:A:229:MET:CE	1:A:229:MET:HA	2.23	0.69
1:B:308:HIS:ND1	1:B:347:LYS:HE3	2.07	0.69
1:A:86:LEU:HD21	1:A:119:MET:HE1	1.76	0.66
1:A:156:GLU:OE2	3:A:599:HOH:O	2.14	0.66
1:A:28:ASN:HD22	1:A:29:GLN:H	1.44	0.66
1:B:111:HIS:CD2	1:B:113:TYR:H	2.14	0.65
1:A:242:GLU:OE1	1:A:413:ARG:HD3	1.97	0.65
1:B:380:TYR:H	1:B:385:THR:CG2	2.10	0.64
1:B:359:VAL:CG1	1:B:363:MET:CE	2.75	0.64
1:A:136:THR:O	1:A:137:SER:HB2	1.98	0.63
1:B:359:VAL:CG1	1:B:363:MET:HE2	2.29	0.62
1:B:28:ASN:ND2	1:B:382:SER:H	1.98	0.62
1:A:28:ASN:ND2	1:A:382:SER:H	1.97	0.62
1:A:400:ARG:HD3	3:A:593:HOH:O	2.00	0.62
1:B:296:LEU:C	1:B:296:LEU:HD23	2.21	0.61
1:A:86:LEU:HD21	1:A:119:MET:HE3	1.82	0.60
1:A:274:HIS:HD2	1:A:427:ASP:OD2	1.84	0.60
1:A:280:GLY:HA3	1:A:349:PHE:CD1	2.37	0.60
1:B:242:GLU:OE1	1:B:413:ARG:HD3	2.02	0.59
2:A:441:FMN:H3'	3:A:575:HOH:O	2.01	0.59
1:B:359:VAL:HG12	1:B:363:MET:HE3	1.85	0.59
1:B:393:VAL:HG12	1:B:397:LEU:HD22	1.85	0.59
1:A:332:ILE:HG22	1:A:336:GLU:HB3	1.85	0.59
1:B:28:ASN:HD22	1:B:29:GLN:H	1.51	0.58
1:A:413:ARG:HG2	1:A:421:ASN:O	2.04	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:HIS:HD2	3:B:563:HOH:O	1.86	0.58
1:A:303:TRP:CE3	1:A:344:LEU:HD22	2.39	0.57
1:B:366:LEU:CD2	3:B:504:HOH:O	2.52	0.57
1:B:274:HIS:HD2	1:B:427:ASP:OD2	1.88	0.57
1:A:356:PRO:HG3	1:A:392:LEU:HB3	1.86	0.57
1:B:154:HIS:HE1	2:B:441:FMN:O1P	1.87	0.57
1:A:231:GLU:HG3	1:A:264:ARG:HH22	1.71	0.56
1:B:198:GLU:HG3	3:B:540:HOH:O	2.03	0.56
1:B:86:LEU:HD21	1:B:119:MET:HE1	1.86	0.56
1:B:44:GLN:HG3	1:B:95:VAL:HG13	1.87	0.56
1:A:305:LEU:HD13	1:A:309:LEU:CD2	2.35	0.56
1:A:393:VAL:HG12	1:A:397:LEU:HD22	1.87	0.55
1:B:359:VAL:CG1	1:B:363:MET:HE3	2.36	0.55
1:A:166:GLU:HG2	1:A:170:LYS:HE3	1.89	0.55
1:A:25:HIS:HD2	1:A:27:GLU:H	1.54	0.55
1:A:231:GLU:HG3	1:A:264:ARG:NH2	2.22	0.55
1:B:86:LEU:HD21	1:B:119:MET:CE	2.38	0.54
1:B:25:HIS:HD2	1:B:27:GLU:H	1.56	0.54
1:B:111:HIS:HE1	3:B:522:HOH:O	1.89	0.54
1:A:309:LEU:HD13	1:A:341:MET:SD	2.47	0.54
1:B:242:GLU:OE1	1:B:413:ARG:CD	2.57	0.53
1:A:111:HIS:HE1	3:A:522:HOH:O	1.90	0.53
1:A:86:LEU:CD2	1:A:119:MET:HE1	2.38	0.53
1:A:154:HIS:HD2	1:A:155:ASP:OD1	1.91	0.53
1:A:263:LYS:O	1:A:266:LYS:HE2	2.09	0.53
1:A:258:VAL:O	1:A:262:ARG:HG3	2.09	0.53
1:A:262:ARG:NH2	1:A:273:ASP:OD1	2.39	0.53
1:A:429:ILE:O	1:A:432:ARG:HD2	2.10	0.52
1:B:385:THR:HB	3:B:562:HOH:O	2.09	0.52
1:A:7:ILE:HD12	1:A:403:TYR:CE1	2.44	0.52
1:A:86:LEU:CD2	1:A:119:MET:CE	2.87	0.51
1:A:385:THR:HB	3:A:459:HOH:O	2.10	0.51
1:B:366:LEU:HD23	3:B:504:HOH:O	2.10	0.50
1:B:303:TRP:CE3	1:B:344:LEU:HD23	2.46	0.50
1:B:229:MET:N	2:B:441:FMN:O3P	2.43	0.50
1:A:115:HIS:HD2	3:A:471:HOH:O	1.95	0.50
1:B:53:ALA:HA	1:B:99:LEU:HD22	1.94	0.50
1:B:283:VAL:HG21	1:B:363:MET:HE1	1.94	0.49
1:B:29:GLN:NE2	1:B:32:ARG:HH11	2.11	0.49
1:A:400:ARG:HD2	1:A:402:LEU:HD12	1.93	0.49
1:B:397:LEU:HB3	1:B:403:TYR:HB2	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:345:ASP:HB3	1:A:351:LEU:HD23	1.95	0.48
1:A:168:CYS:HB3	1:A:172:TRP:CZ3	2.48	0.48
1:A:29:GLN:NE2	1:A:32:ARG:HH11	2.11	0.48
1:B:296:LEU:HD12	1:B:353:VAL:HG21	1.96	0.48
1:B:9:ALA:HB1	1:B:386:PHE:CZ	2.49	0.48
1:B:359:VAL:HG12	1:B:363:MET:HE2	1.92	0.48
1:B:280:GLY:HA3	1:B:349:PHE:CD1	2.49	0.47
1:A:380:TYR:H	1:A:385:THR:CG2	2.20	0.47
1:A:303:TRP:CZ2	1:A:308:HIS:CE1	3.03	0.47
1:B:366:LEU:HD21	3:B:554:HOH:O	2.15	0.47
1:A:79:GLN:O	1:A:82:VAL:HG22	2.15	0.47
1:B:244:VAL:HG12	1:B:246:LEU:HD13	1.96	0.47
1:A:219:GLN:NE2	1:A:413:ARG:H	2.14	0.46
1:B:240:HIS:CE1	1:B:429:ILE:HD11	2.51	0.46
1:B:356:PRO:HG3	1:B:392:LEU:HB3	1.98	0.46
1:B:168:CYS:HB3	1:B:172:TRP:CZ3	2.51	0.45
1:A:372:ILE:HD11	1:A:375:PHE:CZ	2.51	0.45
1:B:400:ARG:HD2	1:B:402:LEU:HD12	1.99	0.45
1:A:73:ALA:HA	1:A:78:VAL:HB	1.99	0.45
1:A:25:HIS:CD2	1:A:27:GLU:H	2.34	0.45
1:A:234:ARG:HD2	1:A:260:ASP:OD1	2.17	0.45
1:B:219:GLN:HE21	1:B:413:ARG:H	1.64	0.44
1:A:240:HIS:CE1	1:A:429:ILE:HD11	2.53	0.44
1:A:31:HIS:H	1:A:31:HIS:CD2	2.34	0.44
1:A:117:ARG:HG3	1:A:214:CYS:SG	2.57	0.44
1:A:135:VAL:HG22	2:A:441:FMN:O2'	2.18	0.44
1:B:123:ASP:OD1	1:B:128:GLY:HA2	2.18	0.44
1:B:86:LEU:CD2	1:B:119:MET:HE1	2.48	0.43
1:A:229:MET:N	2:A:441:FMN:O3P	2.51	0.43
1:A:219:GLN:HE21	1:A:413:ARG:H	1.66	0.43
1:A:144:LYS:HB3	1:B:209:PRO:HG2	2.00	0.43
1:B:198:GLU:HB3	1:B:209:PRO:O	2.18	0.43
1:A:9:ALA:HB1	1:A:386:PHE:CZ	2.54	0.43
1:A:136:THR:O	1:A:137:SER:CB	2.60	0.43
1:A:28:ASN:HD21	1:A:382:SER:H	1.62	0.43
2:A:441:FMN:H5'2	2:A:441:FMN:C1'	2.48	0.43
1:A:28:ASN:ND2	1:A:29:GLN:H	2.14	0.43
1:A:226:GLN:NE2	1:A:237:ALA:HB2	2.34	0.43
1:B:117:ARG:HG3	1:B:214:CYS:SG	2.59	0.43
1:B:50:LYS:HB3	1:B:404:ARG:HG3	2.01	0.43
1:B:299:PHE:HB2	1:B:344:LEU:HD11	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:413:ARG:HG2	1:B:421:ASN:O	2.20	0.42
1:B:166:GLU:HG2	1:B:170:LYS:HE3	2.02	0.42
1:B:111:HIS:CG	1:B:112:PRO:HD2	2.55	0.42
1:B:25:HIS:HE1	1:B:298:SER:OG	2.01	0.42
1:B:258:VAL:HG13	1:B:277:MET:HG3	2.02	0.42
1:B:372:ILE:HD11	1:B:375:PHE:CZ	2.55	0.42
1:B:63:TYR:CD1	1:B:314:GLY:HA3	2.55	0.42
1:B:296:LEU:O	1:B:296:LEU:HD23	2.19	0.41
1:B:244:VAL:CG1	1:B:246:LEU:HD13	2.51	0.41
1:A:381:VAL:H	1:A:385:THR:CG2	2.34	0.41
1:B:283:VAL:HG21	1:B:363:MET:CE	2.51	0.41
1:B:178:ASP:HA	1:B:220:ARG:HH21	1.86	0.41
1:A:20:HIS:CE1	1:A:311:HIS:ND1	2.76	0.40
1:A:28:ASN:HD22	1:A:29:GLN:N	2.14	0.40
1:A:6:HIS:ND1	1:A:52:ASP:OD2	2.50	0.40
1:B:348:TRP:CZ3	2:B:441:FMN:HM82	2.56	0.40
1:B:136:THR:O	1:B:137:SER:HB2	2.21	0.40
1:B:165:LEU:HD12	1:B:236:PHE:CZ	2.56	0.40
1:B:154:HIS:CD2	1:B:155:ASP:OD1	2.63	0.40
1:B:20:HIS:CE1	1:B:311:HIS:ND1	2.72	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/440 (98%)	420 (97%)	10 (2%)	1 (0%)	52	42
1	B	431/440 (98%)	425 (99%)	5 (1%)	1 (0%)	52	42
All	All	862/880 (98%)	845 (98%)	15 (2%)	2 (0%)	52	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	220	ARG
1	B	220	ARG

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/379 (98%)	349 (94%)	21 (6%)	25	13
1	B	370/379 (98%)	346 (94%)	24 (6%)	21	10
All	All	740/758 (98%)	695 (94%)	45 (6%)	23	11

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	28	ASN
1	A	54	LEU
1	A	135	VAL
1	A	149	LYS
1	A	226	GLN
1	A	229	MET
1	A	246	LEU
1	A	296	LEU
1	A	305	LEU
1	A	309	LEU
1	A	325	SER
1	A	332	ILE
1	A	344	LEU
1	A	366	LEU
1	A	372	ILE
1	A	385	THR
1	A	397	LEU
1	A	399	LYS
1	A	405	VAL
1	A	424	LEU
1	B	11	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	13	ASN
1	B	28	ASN
1	B	54	LEU
1	B	95	VAL
1	B	99	LEU
1	B	135	VAL
1	B	144	LYS
1	B	149	LYS
1	B	150	LYS
1	B	226	GLN
1	B	246	LEU
1	B	249	LYS
1	B	305	LEU
1	B	309	LEU
1	B	326	ASN
1	B	348	TRP
1	B	372	ILE
1	B	385	THR
1	B	397	LEU
1	B	405	VAL
1	B	406	ASP
1	B	409	GLU
1	B	424	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	ASN
1	A	20	HIS
1	A	25	HIS
1	A	28	ASN
1	A	29	GLN
1	A	31	HIS
1	A	83	ASN
1	A	111	HIS
1	A	115	HIS
1	A	154	HIS
1	A	219	GLN
1	A	226	GLN
1	A	274	HIS
1	A	379	GLN
1	A	398	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	435	ASN
1	B	13	ASN
1	B	20	HIS
1	B	25	HIS
1	B	28	ASN
1	B	29	GLN
1	B	31	HIS
1	B	68	GLN
1	B	83	ASN
1	B	111	HIS
1	B	115	HIS
1	B	154	HIS
1	B	219	GLN
1	B	226	GLN
1	B	274	HIS
1	B	379	GLN
1	B	398	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FMN	A	441	-	32,33,33	1.13	3 (9%)	34,50,50	2.32	12 (35%)
2	FMN	B	441	-	32,33,33	1.06	3 (9%)	34,50,50	2.32	7 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	A	441	-	-	0/18/18/18	0/3/3/3
2	FMN	B	441	-	-	0/18/18/18	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	441	FMN	C10-N10	-3.29	1.35	1.39
2	B	441	FMN	C10-N10	-2.21	1.36	1.39
2	B	441	FMN	C4-N3	2.48	1.37	1.33
2	A	441	FMN	C4A-N5	2.50	1.37	1.33
2	A	441	FMN	C4-N3	2.52	1.37	1.33
2	B	441	FMN	C4A-N5	2.55	1.37	1.33

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	441	FMN	N3-C2-N1	-5.44	118.53	127.69
2	B	441	FMN	N3-C2-N1	-5.24	118.87	127.69
2	A	441	FMN	C4-C4A-C10	-4.11	117.31	119.94
2	B	441	FMN	C4-C4A-C10	-3.75	117.54	119.94
2	B	441	FMN	C4A-C4-N3	-3.28	119.24	123.52
2	A	441	FMN	C4A-C4-N3	-2.70	119.99	123.52
2	A	441	FMN	O3'-C3'-C4'	2.01	113.93	108.73
2	A	441	FMN	C1'-C2'-C3'	2.02	115.60	109.82
2	A	441	FMN	C6-C5A-N5	2.27	121.74	118.92
2	A	441	FMN	O3P-P-O2P	2.32	115.94	107.44
2	B	441	FMN	C4A-N5-C5A	2.36	119.50	116.72
2	A	441	FMN	C1'-N10-C9A	2.40	121.61	118.83
2	B	441	FMN	C5A-C9A-N10	2.73	119.62	117.58
2	A	441	FMN	C4A-N5-C5A	2.88	120.12	116.72
2	A	441	FMN	C5A-C9A-N10	2.93	119.77	117.58
2	B	441	FMN	C4-C4A-N5	3.10	122.46	118.70
2	A	441	FMN	C4-C4A-N5	3.60	123.07	118.70

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	441	FMN	C4-N3-C2	7.75	121.63	115.16
2	B	441	FMN	C4-N3-C2	8.95	122.63	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	441	FMN	5	0
2	B	441	FMN	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	433/440 (98%)	-0.43	10 (2%) 64 67	11, 21, 53, 71	0
1	B	433/440 (98%)	-0.37	10 (2%) 64 67	11, 21, 50, 72	0
All	All	866/880 (98%)	-0.40	20 (2%) 64 67	11, 21, 51, 72	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	331	SER	6.3
1	B	329	ILE	4.5
1	A	331	SER	4.2
1	A	328	TYR	4.0
1	A	435	ASN	3.9
1	B	330	GLY	3.9
1	A	329	ILE	3.2
1	B	149	LYS	3.1
1	B	328	TYR	3.1
1	A	149	LYS	2.9
1	B	346	GLY	2.9
1	A	348	TRP	2.8
1	B	332	ILE	2.8
1	B	435	ASN	2.8
1	A	334	VAL	2.7
1	A	151	ILE	2.3
1	A	332	ILE	2.3
1	B	348	TRP	2.3
1	A	326	ASN	2.1
1	B	342	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FMN	A	441	31/31	0.84	0.20	4.00	30,56,83,87	0
2	FMN	B	441	31/31	0.91	0.12	0.77	18,31,46,55	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.