



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:35 AM GMT

PDB ID : 3BEP  
Title : Structure of a sliding clamp on DNA  
Authors : Georgescu, R.E.; Kim, S.S.; Yurieva, O.; Kuriyan, J.; Kong, X.-P.; O'Donnell, M.  
Deposited on : 2007-11-19  
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	6540 (1.94-1.90)
Ramachandran outliers	100387	6464 (1.94-1.90)
Sidechain outliers	100360	6465 (1.94-1.90)
RSRZ outliers	91569	5846 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	10	<div> <div>50%</div> <div>30% 70%</div> </div>
2	D	14	<div> <div>36%</div> <div>43% 57%</div> </div>
3	A	366	<div> <div>2%</div> <div>67% 31%</div> <div>.</div> </div>
3	B	366	<div> <div>2%</div> <div>73% 26%</div> <div>.</div> </div>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6797 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(P\*DCP\*DCP\*DCP\*DAP\*DTP\*DCP\*DGP\*DTP\*DAP\*DT)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	10	Total	C	N	O	P	0	0	0
			200	96	33	61	10			


- Molecule 2 is a DNA chain called DNA (5'-D(\*DTP\*DTP\*DTP\*DTP\*DAP\*DTP\*DAP\*DCP\*DGP\*DAP\*DTP\*DGP\*DGP\*DG)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	14	Total	C	N	O	P	0	0	0
			287	139	50	85	13			

- Molecule 3 is a protein called DNA polymerase III subunit beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	366	Total	C	N	O	S	0	0	0
			2844	1786	498	541	19			
3	B	366	Total	C	N	O	S	0	0	0
			2844	1786	498	541	19			

- Molecule 4 is N,N'-(DIPROPYL)-TETRAMETHYLINDODICARBOCYANINE (three-letter code: 5CY) (formula: C<sub>31</sub>H<sub>39</sub>N<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	N	O	0	0
			18	15	1	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	256	Total	O	0	0
			256	256		
5	B	325	Total	O	0	0
			325	325		
5	C	10	Total	O	0	0
			10	10		
5	D	13	Total	O	0	0
			13	13		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA (5'-D(P\*DCP\*DCP\*DCP\*DAP\*DTP\*DCP\*DGP\*DTP\*DAP\*DT)-3')




- Molecule 2: DNA (5'-D(\*DTP\*DTP\*DTP\*DTP\*DAP\*DTP\*DAP\*DCP\*DGP\*DAP\*DTP\*DG\*GP\*DGP\*DG)-3')




- Molecule 3: DNA polymerase III subunit beta



- Molecule 3: DNA polymerase III subunit beta





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	40.20 Å   70.08 Å   73.87 Å 113.28°   92.07°   99.36°	Depositor
Resolution (Å)	36.56 – 1.92 36.56 – 1.91	Depositor EDS
% Data completeness (in resolution range)	91.0 (36.56-1.92) 80.0 (36.56-1.91)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.93 (at 1.91 Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.210   ,   0.268 0.222   ,   (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	21.8	Xtriage
Anisotropy	0.495	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 48.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 53902 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6797	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5CY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	C	0.20	0/222	0.64	0/339
2	D	0.21	0/321	0.60	0/495
3	A	0.32	0/2893	0.59	0/3915
3	B	0.33	0/2893	0.61	0/3915
All	All	0.32	0/6329	0.60	0/8664

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	200	0	114	5	0
2	D	287	0	162	10	0
3	A	2844	0	2861	116	0
3	B	2844	0	2861	88	0
4	C	18	0	18	0	0
5	A	256	0	0	5	0
5	B	325	0	0	10	0
5	C	10	0	0	1	0
5	D	13	0	0	0	0
All	All	6797	0	6016	214	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:184:ILE:HD11	3:A:188:LEU:HD11	1.51	0.93
3:A:35:LEU:HD22	3:A:44:LEU:HD12	1.58	0.85
3:A:150:ASP:H	3:A:156:ASN:HD21	1.27	0.82
3:B:137:ARG:HH11	3:B:137:ARG:HG2	1.43	0.82
3:B:264:LYS:NZ	3:B:329:ASN:HD21	1.80	0.79
3:B:27:LEU:HD22	3:B:29:ILE:HG22	1.67	0.77
3:A:12:LYS:HB3	3:A:13:PRO:HD3	1.68	0.76
3:A:290:LEU:HB3	3:A:306:LEU:CD1	2.15	0.76
3:B:12:LYS:HB3	3:B:13:PRO:HD3	1.68	0.75
3:A:334:GLU:HG3	3:A:335:ASN:H	1.52	0.75
3:A:290:LEU:HB3	3:A:306:LEU:HD11	1.69	0.74
3:A:288:ASN:HD22	3:A:310:TYR:H	1.35	0.74
3:B:165:GLU:O	3:B:184:ILE:HD13	1.90	0.72
3:B:150:ASP:H	3:B:156:ASN:HD21	1.38	0.72
3:A:275:ASN:HD22	3:A:277:LYS:H	1.36	0.72
3:A:214:LEU:HD11	3:A:225:ALA:HB1	1.73	0.71
3:A:275:ASN:ND2	3:A:277:LYS:H	1.88	0.70
3:A:250:LYS:H	3:A:250:LYS:CD	2.05	0.69
3:A:288:ASN:ND2	3:A:310:TYR:H	1.90	0.68
3:B:51:MET:HE1	3:B:202:GLU:HB2	1.74	0.68
3:A:250:LYS:H	3:A:250:LYS:HD3	1.60	0.66
3:A:168:ARG:HD3	3:A:181:SER:OG	1.94	0.66
3:A:96:ARG:NH1	3:A:98:LEU:HB2	2.11	0.66
3:A:291:LYS:HG2	3:A:305:ILE:CD1	2.26	0.66
3:B:137:ARG:HH11	3:B:137:ARG:CG	2.10	0.65
3:A:263:LEU:HD21	3:A:338:MET:HE1	1.77	0.65
2:D:14:DT:H2"	2:D:15:DA:H5"	1.78	0.65
3:A:96:ARG:HH12	3:A:98:LEU:HD13	1.62	0.65
3:A:263:LEU:HD21	3:A:338:MET:CE	2.27	0.64
3:B:254:LYS:HD2	3:B:315:MET:HE1	1.78	0.64
3:B:278:PHE:HB2	5:B:612:HOH:O	1.97	0.64
1:C:2:DC:OP1	3:B:197:ARG:HD3	1.98	0.64
3:B:288:ASN:HD22	3:B:310:TYR:H	1.46	0.64
3:A:250:LYS:N	3:A:250:LYS:HD3	2.12	0.63
3:B:20:PRO:HG2	3:B:21:LEU:HD12	1.80	0.63
3:B:39:ASP:CG	3:B:40:GLY:H	2.02	0.63
3:B:136:LYS:HG3	3:B:204:MET:HE1	1.81	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:254:LYS:HD2	3:B:315:MET:CE	2.28	0.62
3:B:33:LEU:HG	3:B:72:ALA:HB2	1.80	0.62
3:A:146:MET:CE	3:A:197:ARG:HB3	2.29	0.61
3:B:264:LYS:HZ2	3:B:329:ASN:HD21	1.46	0.60
3:A:255:HIS:ND1	3:A:339:MET:HG2	2.17	0.60
3:A:12:LYS:HE3	3:A:230:PHE:CE2	2.36	0.60
3:A:203:LEU:O	3:A:207:LEU:HD13	2.02	0.60
3:B:284:TYR:HB2	3:B:291:LYS:HB3	1.84	0.59
3:A:215:ARG:HH11	3:A:215:ARG:HG2	1.67	0.59
3:A:334:GLU:HG3	3:A:335:ASN:N	2.17	0.59
3:A:12:LYS:HE3	3:A:230:PHE:HE2	1.67	0.59
3:A:275:ASN:HD22	3:A:277:LYS:N	1.99	0.59
3:A:226:HIS:HB3	5:A:455:HOH:O	2.03	0.58
3:A:150:ASP:H	3:A:156:ASN:ND2	2.01	0.58
3:B:27:LEU:HD23	3:B:28:PRO:HD2	1.86	0.57
2:D:14:DT:H2''	2:D:15:DA:C5'	2.33	0.57
3:A:250:LYS:H	3:A:250:LYS:CE	2.17	0.57
3:B:148:HIS:CE1	3:B:197:ARG:NH2	2.72	0.57
3:A:33:LEU:HG	3:A:72:ALA:HB2	1.87	0.57
3:A:295:ASN:HD21	3:A:301:GLU:CD	2.08	0.56
3:B:12:LYS:CB	3:B:13:PRO:HD3	2.33	0.56
3:B:33:LEU:HG	3:B:72:ALA:CB	2.35	0.56
3:A:48:ASP:O	3:A:49:LEU:HB2	2.05	0.56
3:B:154:TYR:HB2	3:B:194:ILE:HD13	1.87	0.56
3:B:48:ASP:O	3:B:49:LEU:HB2	2.06	0.56
3:A:137:ARG:NH1	3:A:180:CYS:SG	2.79	0.56
3:B:315:MET:HE3	3:B:340:LEU:HD13	1.88	0.56
3:A:168:ARG:HG3	3:A:180:CYS:O	2.06	0.55
3:A:146:MET:HE2	3:A:197:ARG:HB3	1.89	0.55
3:A:340:LEU:N	3:A:340:LEU:HD12	2.20	0.55
3:A:137:ARG:NH1	3:A:141:ALA:HB2	2.20	0.55
3:B:118:ASN:HD22	3:B:118:ASN:C	2.09	0.55
3:A:291:LYS:HG2	3:A:305:ILE:HD13	1.88	0.54
3:A:217:GLN:OE1	3:A:226:HIS:HE1	1.90	0.54
3:A:250:LYS:N	3:A:250:LYS:CD	2.68	0.54
3:A:40:GLY:HA2	3:A:63:HIS:NE2	2.23	0.54
3:B:224:ARG:HG2	3:B:226:HIS:CE1	2.43	0.53
3:A:176:ARG:HH11	3:A:176:ARG:HG3	1.73	0.53
3:B:296:ASN:HB2	3:B:297:PRO:CD	2.38	0.53
3:A:103:ARG:HH12	3:B:307:ASP:CG	2.12	0.53
3:B:250:LYS:HE2	5:B:674:HOH:O	2.08	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:21:LEU:HD12	3:B:21:LEU:N	2.24	0.53
3:B:144:PHE:CD2	3:B:326:ASP:HB3	2.44	0.53
2:D:15:DA:OP1	3:A:12:LYS:HD3	2.09	0.53
3:B:204:MET:HG2	5:B:587:HOH:O	2.09	0.52
3:A:346:SER:HA	3:A:363:PRO:HD3	1.90	0.52
3:B:27:LEU:HD23	3:B:28:PRO:N	2.25	0.52
3:A:231:ILE:HD12	3:A:231:ILE:N	2.25	0.51
3:A:91:GLN:NE2	3:A:93:GLU:OE2	2.42	0.51
3:A:256:LEU:HD23	3:A:256:LEU:C	2.31	0.51
3:B:137:ARG:CG	3:B:137:ARG:NH1	2.72	0.51
3:B:282:ARG:HD2	3:B:284:TYR:OH	2.10	0.51
3:B:96:ARG:HD3	3:B:109:SER:HA	1.92	0.51
3:B:27:LEU:HD23	3:B:28:PRO:CD	2.39	0.51
3:A:233:THR:HG21	5:A:442:HOH:O	2.10	0.51
3:A:130:LEU:HD21	3:A:214:LEU:HD23	1.92	0.51
3:B:143:GLN:OE1	3:B:201:ILE:HD13	2.10	0.51
2:D:17:DA:H2''	2:D:18:DC:C5	2.46	0.51
3:B:246:ARG:HG3	3:B:246:ARG:HH11	1.76	0.50
3:A:35:LEU:CD2	3:A:44:LEU:HD12	2.35	0.50
3:A:33:LEU:HG	3:A:72:ALA:CB	2.42	0.50
3:B:96:ARG:HB2	5:B:650:HOH:O	2.10	0.50
3:B:38:ALA:O	3:B:39:ASP:HB3	2.12	0.50
3:A:252:PRO:HB2	3:A:339:MET:HB3	1.94	0.50
3:B:168:ARG:HD2	3:B:179:VAL:CG2	2.42	0.50
3:A:193:VAL:HB	3:A:236:LEU:HD13	1.93	0.50
3:B:288:ASN:ND2	3:B:310:TYR:H	2.09	0.49
3:B:19:GLY:HA2	3:B:205:ARG:NH1	2.27	0.49
3:A:215:ARG:HG2	3:A:215:ARG:NH1	2.26	0.49
3:A:282:ARG:HE	3:A:316:GLU:HG2	1.77	0.49
3:A:240:ARG:HG3	3:A:240:ARG:HH11	1.77	0.49
3:B:95:GLU:O	3:B:96:ARG:HD3	2.12	0.49
3:A:230:PHE:C	3:A:231:ILE:HD12	2.33	0.49
2:D:21:DT:H2''	2:D:22:DG:C8	2.46	0.49
3:A:159:LEU:O	3:A:169:THR:HA	2.13	0.49
1:C:8:DG:H1'	1:C:9:DT:H5'	1.94	0.49
3:A:264:LYS:HE2	3:A:329:ASN:HD22	1.78	0.48
3:A:282:ARG:HE	3:A:316:GLU:CD	2.16	0.48
3:B:264:LYS:HZ3	3:B:329:ASN:HD21	1.59	0.48
3:A:12:LYS:CB	3:A:13:PRO:HD3	2.41	0.48
3:A:150:ASP:OD2	3:A:151:VAL:N	2.46	0.48
3:A:147:ALA:HB2	3:A:173:ASP:HA	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:186:GLN:O	3:A:188:LEU:HG	2.14	0.47
3:B:159:LEU:HD11	3:B:192:SER:HB3	1.94	0.47
2:D:17:DA:H2"	2:D:18:DC:C6	2.49	0.47
3:B:168:ARG:HD2	3:B:179:VAL:HG23	1.96	0.47
3:B:273:LEU:HD12	3:B:302:ALA:HB2	1.95	0.47
3:B:350:GLU:OE2	3:B:355:GLN:HG2	2.14	0.47
3:B:118:ASN:C	3:B:118:ASN:ND2	2.68	0.47
3:B:7:ARG:O	3:B:11:LEU:HD13	2.15	0.47
1:C:9:DT:H2"	1:C:10:DA:N7	2.30	0.47
3:A:136:LYS:HG3	3:A:204:MET:HE1	1.96	0.47
3:A:255:HIS:CE1	3:A:339:MET:HG2	2.50	0.47
3:A:194:ILE:HB	3:A:237:VAL:HB	1.97	0.46
3:A:17:VAL:O	3:A:46:GLY:HA3	2.15	0.46
3:A:214:LEU:HD13	3:A:227:VAL:CG2	2.45	0.46
3:B:136:LYS:HG3	3:B:204:MET:CE	2.45	0.46
3:B:177:LEU:C	3:B:177:LEU:HD23	2.34	0.46
3:A:282:ARG:NE	3:A:316:GLU:HG2	2.31	0.46
3:B:91:GLN:NE2	3:B:93:GLU:OE2	2.47	0.46
3:B:12:LYS:HB3	3:B:13:PRO:CD	2.42	0.46
3:B:118:ASN:ND2	5:B:626:HOH:O	2.49	0.45
3:B:217:GLN:OE1	3:B:226:HIS:CE1	2.69	0.45
3:B:147:ALA:HB3	3:B:156:ASN:ND2	2.31	0.45
3:B:19:GLY:N	3:B:20:PRO:HD2	2.31	0.45
3:B:320:ASN:OD1	3:B:322:SER:HB2	2.16	0.45
3:A:305:ILE:HG21	5:B:643:HOH:O	2.16	0.45
3:A:282:ARG:HE	3:A:316:GLU:CG	2.29	0.45
3:B:39:ASP:CG	3:B:40:GLY:N	2.69	0.45
3:A:136:LYS:HG3	3:A:204:MET:CE	2.47	0.45
3:A:347:VAL:CG1	3:A:361:VAL:HG22	2.47	0.45
3:A:44:LEU:HD22	3:A:44:LEU:N	2.32	0.45
3:B:217:GLN:OE1	3:B:226:HIS:HE1	2.01	0.44
3:A:331:LEU:HD13	3:A:336:VAL:HG12	1.98	0.44
3:A:204:MET:HE3	3:A:204:MET:O	2.18	0.44
3:A:320:ASN:HB3	3:A:323:TYR:CD2	2.53	0.44
3:B:53:MET:HE3	3:B:54:VAL:H	1.81	0.44
3:B:285:VAL:HG22	3:B:310:TYR:CD2	2.53	0.44
3:A:136:LYS:NZ	3:A:136:LYS:HB2	2.32	0.44
3:B:27:LEU:CD2	3:B:29:ILE:HG22	2.44	0.44
3:B:256:LEU:C	3:B:256:LEU:HD23	2.38	0.44
3:A:261:ASP:O	3:A:265:GLN:HG2	2.18	0.44
3:A:138:LEU:HD21	3:A:182:MET:HG2	2.00	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:146:MET:HE1	3:A:197:ARG:HA	1.99	0.43
3:A:290:LEU:HD23	3:A:306:LEU:HD11	2.01	0.43
3:A:296:ASN:HB2	3:A:297:PRO:CD	2.48	0.43
3:B:118:ASN:HD22	3:B:119:LEU:N	2.16	0.43
3:A:21:LEU:HD12	3:A:21:LEU:N	2.33	0.43
3:A:245:ARG:NH2	5:A:394:HOH:O	2.51	0.43
3:B:214:LEU:HD13	3:B:227:VAL:CG2	2.48	0.43
3:A:295:ASN:ND2	3:A:301:GLU:HG3	2.33	0.43
1:C:5:DA:H61	2:D:21:DT:H3	1.65	0.43
3:B:136:LYS:HD3	5:B:583:HOH:O	2.19	0.43
3:A:197:ARG:HB2	3:A:197:ARG:NH1	2.33	0.43
3:B:334:GLU:HG3	3:B:335:ASN:OD1	2.19	0.43
3:B:60:VAL:HG22	5:B:505:HOH:O	2.18	0.43
3:A:279:ARG:HD3	3:A:322:SER:OG	2.18	0.43
3:A:146:MET:HE1	3:A:157:GLY:HA2	2.01	0.42
3:A:285:VAL:HG22	3:A:310:TYR:CD2	2.54	0.42
3:B:147:ALA:HB3	3:B:156:ASN:HD22	1.84	0.42
3:A:197:ARG:HD3	5:A:550:HOH:O	2.18	0.42
5:C:121:HOH:O	2:D:18:DC:N4	2.53	0.42
3:A:177:LEU:C	3:A:177:LEU:HD23	2.39	0.42
3:A:119:LEU:HD22	3:A:235:LYS:NZ	2.34	0.42
3:A:119:LEU:HD22	3:A:235:LYS:HZ3	1.84	0.42
3:A:27:LEU:HB2	3:A:30:LEU:HG	2.02	0.42
2:D:22:DG:H2"	2:D:23:DG:OP2	2.18	0.42
3:A:10:LEU:O	3:A:13:PRO:HD2	2.19	0.42
3:A:146:MET:HE2	3:A:197:ARG:CB	2.50	0.42
3:B:96:ARG:CD	3:B:109:SER:HA	2.49	0.41
3:B:184:ILE:H	3:B:184:ILE:HD13	1.84	0.41
3:A:306:LEU:HD13	3:A:308:VAL:CG1	2.51	0.41
3:A:253:ASP:HB3	5:A:549:HOH:O	2.20	0.41
3:A:298:GLU:O	3:A:299:GLN:HB2	2.20	0.41
3:B:27:LEU:HB3	3:B:30:LEU:HG	2.03	0.41
3:A:203:LEU:O	3:A:206:MET:HG2	2.21	0.41
3:A:168:ARG:HD2	3:A:179:VAL:CG2	2.50	0.41
3:A:93:GLU:HB2	3:A:96:ARG:HD2	2.02	0.41
3:B:19:GLY:HA2	3:B:205:ARG:HH12	1.86	0.41
3:B:53:MET:HE3	3:B:231:ILE:O	2.20	0.41
3:A:144:PHE:CD2	3:A:326:ASP:HB3	2.55	0.41
3:B:111:LEU:HD23	3:B:111:LEU:HA	1.93	0.41
3:A:291:LYS:HG2	3:A:305:ILE:HD12	2.01	0.41
3:B:296:ASN:HB2	3:B:297:PRO:HD2	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:20:DA:H1'	2:D:21:DT:H5'	2.02	0.41
3:B:336:VAL:HG12	3:B:337:ARG:N	2.35	0.41
1:C:6:DT:H2"	1:C:7:DC:O5'	2.20	0.41
3:B:136:LYS:O	3:B:140:GLU:HG3	2.20	0.41
3:B:6:GLU:HG3	5:B:554:HOH:O	2.21	0.41
3:A:240:ARG:HG3	3:A:240:ARG:NH1	2.36	0.40
3:A:365:ARG:HB2	3:A:365:ARG:HH11	1.87	0.40
3:B:100:ARG:NH1	5:B:485:HOH:O	2.52	0.40
3:A:348:GLN:HA	3:A:359:TYR:O	2.21	0.40
3:A:74:LYS:NZ	3:B:300:GLU:OE1	2.41	0.40
3:B:35:LEU:O	3:B:67:ALA:HA	2.20	0.40
3:A:217:GLN:OE1	3:A:226:HIS:CE1	2.72	0.40
3:A:347:VAL:HG12	3:A:361:VAL:CG2	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	364/366 (100%)	354 (97%)	10 (3%)	0	100	100
3	B	364/366 (100%)	350 (96%)	13 (4%)	1 (0%)	46	34
All	All	728/732 (100%)	704 (97%)	23 (3%)	1 (0%)	56	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	B	312	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	313/313 (100%)	303 (97%)	10 (3%)	46	35
3	B	313/313 (100%)	307 (98%)	6 (2%)	65	58
All	All	626/626 (100%)	610 (97%)	16 (3%)	54	44

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	44	LEU
3	A	73	ARG
3	A	87	GLU
3	A	118	ASN
3	A	176	ARG
3	A	215	ARG
3	A	250	LYS
3	A	275	ASN
3	A	291	LYS
3	A	306	LEU
3	B	56	ARG
3	B	118	ASN
3	B	137	ARG
3	B	176	ARG
3	B	184	ILE
3	B	298	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	16	GLN
3	A	36	GLN
3	A	118	ASN
3	A	143	GLN
3	A	156	ASN
3	A	186	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	A	191	HIS
3	A	221	ASN
3	A	226	HIS
3	A	275	ASN
3	A	288	ASN
3	A	295	ASN
3	A	329	ASN
3	B	118	ASN
3	B	156	ASN
3	B	288	ASN
3	B	329	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	5CY	C	111	1	18,18,38	4.67	8 (44%)	24,26,55	6.96	9 (37%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	5CY	C	111	1	-	1/5/26/56	0/2/2/4

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	111	5CY	C8-C9	-3.53	1.35	1.49
4	C	111	5CY	C17-C16	2.01	1.43	1.38
4	C	111	5CY	C16-C15	2.04	1.43	1.38
4	C	111	5CY	C22-C20	2.14	1.57	1.54
4	C	111	5CY	C15-C14	2.18	1.43	1.39
4	C	111	5CY	C18-C19	2.98	1.43	1.39
4	C	111	5CY	C14-N1	5.36	1.50	1.39
4	C	111	5CY	C9-C10	17.59	1.53	1.33

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	111	5CY	C22-C20-C21	-23.35	81.78	111.13
4	C	111	5CY	C22-C20-C19	-13.41	89.66	110.58
4	C	111	5CY	C22-C20-C10	-12.39	92.00	111.25
4	C	111	5CY	C20-C19-C14	-3.01	106.50	109.57
4	C	111	5CY	C11-N1-C14	-2.22	120.42	124.51
4	C	111	5CY	C11-N1-C10	2.63	129.29	126.08
4	C	111	5CY	C19-C20-C10	7.71	106.69	101.44
4	C	111	5CY	C21-C20-C19	9.51	125.41	110.58
4	C	111	5CY	C21-C20-C10	10.33	127.30	111.25

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	111	5CY	C8-C9-C10-C20

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	C	10/10 (100%)	2.24	5 (50%) 0 0	59, 85, 108, 111	0
2	D	14/14 (100%)	1.67	5 (35%) 0 0	51, 87, 95, 96	0
3	A	366/366 (100%)	0.04	6 (1%) 74 78	16, 28, 44, 67	0
3	B	366/366 (100%)	-0.04	6 (1%) 74 78	12, 25, 41, 62	0
All	All	756/756 (100%)	0.06	22 (2%) 55 59	12, 27, 48, 111	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	B	366	LEU	7.3
1	C	9	DT	4.8
3	B	22	GLY	4.1
1	C	11	DT	3.9
3	A	22	GLY	3.8
1	C	8	DG	3.5
1	C	7	DC	3.5
3	B	20	PRO	3.3
3	A	24	ARG	3.3
3	A	23	GLY	3.0
3	A	366	LEU	2.9
3	A	365	ARG	2.8
3	B	365	ARG	2.7
2	D	19	DG	2.6
1	C	10	DA	2.6
3	B	153	TYR	2.4
2	D	14	DT	2.4
3	B	23	GLY	2.4
2	D	18	DC	2.3
2	D	21	DT	2.2
3	A	27	LEU	2.2
2	D	22	DG	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	5CY	C	111	18/35	0.86	0.15	0.44	36,38,45,75	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.