



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:38 AM GMT

PDB ID : 3BLI  
Title : Crystal structure of the catalytic domain of LiCMS in complexed with pyruvate and acetyl-CoA  
Authors : Zhang, P.; Ma, J.  
Deposited on : 2007-12-11  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACO	A	1004	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 2587 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Citramalate synthase from *Leptospira interrogans*.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2447	1551	424	471	1			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	GLY	-	EXPRESSION TAG	UNP Q8F3Q1
A	-10	SER	-	EXPRESSION TAG	UNP Q8F3Q1
A	-9	HIS	-	EXPRESSION TAG	UNP Q8F3Q1
A	-8	MET	-	EXPRESSION TAG	UNP Q8F3Q1
A	-7	GLY	-	EXPRESSION TAG	UNP Q8F3Q1
A	-6	ARG	-	EXPRESSION TAG	UNP Q8F3Q1
A	-5	SER	-	EXPRESSION TAG	UNP Q8F3Q1
A	-4	GLN	-	EXPRESSION TAG	UNP Q8F3Q1
A	-3	LYS	-	EXPRESSION TAG	UNP Q8F3Q1
A	-2	VAL	-	EXPRESSION TAG	UNP Q8F3Q1
A	-1	SER	-	EXPRESSION TAG	UNP Q8F3Q1
A	0	GLN	-	EXPRESSION TAG	UNP Q8F3Q1

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is ACETYL COENZYME \*A (three-letter code: ACO) (formula: C<sub>23</sub>H<sub>38</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	51	23	7	17	3	0	0

- Molecule 4 is PYRUVIC ACID (three-letter code: PYR) (formula: C<sub>3</sub>H<sub>4</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	6	3	3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	82	Total	O	0	0
			82	82		



- Molecule 1: Citramalate synthase from *Leptospira interrogans*



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.99Å 84.99Å 115.73Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.29 – 2.50 19.29 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.4 (19.29-2.50) 96.5 (19.29-2.50)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.24 (at 2.49Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.229 , 0.281 0.231 , 0.229	Depositor DCC
$R_{free}$ test set	835 reflections (5.04%)	DCC
Wilson B-factor (Å <sup>2</sup> )	41.0	Xtriage
Anisotropy	0.324	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 54.2	EDS
Estimated twinning fraction	0.023 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 16561 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	2587	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.66% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ACO, PYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	1/2489 (0.0%)	0.62	0/3362

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	291	GLY	C-N	-5.15	1.22	1.34

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2447	0	2457	111	1
2	A	1	0	0	0	0
3	A	51	0	34	16	0
4	A	6	0	3	1	0
5	A	82	0	0	5	0
All	All	2587	0	2494	126	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.



All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1004:ACO:H51A	3:A:1004:ACO:HN4	1.35	0.91
1:A:54:VAL:HG21	1:A:58:GLU:HG2	1.54	0.90
3:A:1004:ACO:P2A	3:A:1004:ACO:H132	2.19	0.82
1:A:28:THR:HG21	1:A:64:LYS:HD2	1.64	0.80
1:A:53:ARG:NH2	1:A:88:LYS:HZ2	1.81	0.77
1:A:287:ARG:O	1:A:294:VAL:HG21	1.85	0.76
1:A:53:ARG:NH2	1:A:88:LYS:NZ	2.34	0.76
1:A:119:THR:HB	1:A:122:GLU:HG3	1.69	0.75
1:A:261:THR:CG2	1:A:263:ILE:H	2.00	0.74
1:A:54:VAL:CG2	1:A:58:GLU:HG2	2.18	0.73
1:A:261:THR:HG22	1:A:263:ILE:H	1.54	0.73
3:A:1004:ACO:O3A	3:A:1004:ACO:H132	1.89	0.73
1:A:110:HIS:O	1:A:114:LYS:HG2	1.89	0.72
3:A:1004:ACO:HH33	5:A:1086:HOH:O	1.88	0.72
1:A:27:SER:OG	1:A:30:GLU:HG3	1.90	0.71
3:A:1004:ACO:O4A	3:A:1004:ACO:H132	1.92	0.69
1:A:32:LEU:HD22	1:A:36:LYS:HE3	1.76	0.67
1:A:53:ARG:NH1	1:A:88:LYS:HZ1	1.93	0.67
1:A:20:GLN:HB3	1:A:239:GLU:HG3	1.77	0.66
1:A:16:ARG:HD3	1:A:48:GLU:OE1	1.99	0.63
1:A:128:SER:O	1:A:132:GLU:HB2	1.99	0.63
1:A:238:GLY:HA3	1:A:242:GLY:HA2	1.81	0.62
1:A:223:ILE:HD11	1:A:230:LEU:HD11	1.81	0.62
3:A:1004:ACO:O3A	3:A:1004:ACO:H10	2.00	0.62
1:A:205:GLU:OE1	1:A:231:HIS:HE1	1.83	0.61
1:A:106:LYS:HD2	1:A:111:HIS:HB3	1.82	0.61
1:A:112:LEU:HD12	1:A:116:LEU:HD12	1.83	0.61
1:A:131:ILE:CD1	1:A:169:GLU:HG2	2.32	0.60
3:A:1004:ACO:O2B	3:A:1004:ACO:P3B	2.60	0.60
1:A:53:ARG:CZ	1:A:88:LYS:HZ1	2.15	0.59
1:A:53:ARG:CZ	1:A:88:LYS:NZ	2.67	0.58
1:A:192:VAL:O	1:A:196:ILE:HD13	2.03	0.57
1:A:32:LEU:CD2	1:A:36:LYS:HE3	2.34	0.56
1:A:210:ASN:ND2	1:A:215:SER:H	2.03	0.56
1:A:150:ASN:ND2	1:A:180:LEU:HD12	2.20	0.56
1:A:36:LYS:HE2	1:A:68:TRP:CD1	2.41	0.56
1:A:59:LEU:O	1:A:63:GLN:HG3	2.06	0.55
1:A:53:ARG:HH22	1:A:88:LYS:HZ2	1.52	0.55
1:A:272:SER:CB	1:A:290:VAL:HG21	2.37	0.54
1:A:210:ASN:OD1	5:A:1012:HOH:O	2.18	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:131:ILE:HD12	1:A:169:GLU:HG2	1.90	0.54
1:A:51:SER:O	1:A:54:VAL:HG22	2.07	0.54
3:A:1004:ACO:P2A	3:A:1004:ACO:CDP	2.94	0.54
3:A:1004:ACO:C2P	3:A:1004:ACO:O5P	2.56	0.54
3:A:1004:ACO:H21	3:A:1004:ACO:O5P	2.07	0.53
1:A:150:ASN:HD21	1:A:180:LEU:HD12	1.72	0.53
1:A:15:LEU:HD12	1:A:49:ILE:HG22	1.90	0.53
1:A:28:THR:CG2	1:A:64:LYS:HD2	2.36	0.52
1:A:68:TRP:O	1:A:71:THR:HB	2.09	0.52
3:A:1004:ACO:O4A	3:A:1004:ACO:CDP	2.57	0.52
1:A:299:ALA:O	1:A:301:VAL:HG23	2.09	0.52
1:A:205:GLU:HA	1:A:227:VAL:HG22	1.93	0.51
1:A:131:ILE:HG21	1:A:169:GLU:HG3	1.92	0.51
1:A:144:TYR:CD2	4:A:1005:PYR:H33	2.46	0.51
1:A:58:GLU:O	1:A:62:VAL:HG23	2.11	0.51
1:A:94:LYS:HE2	1:A:137:SER:HB3	1.92	0.50
1:A:261:THR:HG23	1:A:263:ILE:HG12	1.94	0.50
1:A:323:ARG:HG2	1:A:324:LYS:H	1.76	0.50
1:A:210:ASN:ND2	1:A:215:SER:OG	2.45	0.50
1:A:236:GLY:O	1:A:242:GLY:HA3	2.12	0.49
1:A:28:THR:HG23	1:A:61:THR:HG23	1.94	0.49
1:A:44:VAL:HG12	1:A:263:ILE:CD1	2.43	0.49
1:A:53:ARG:HH22	1:A:88:LYS:NZ	2.07	0.48
1:A:254:HIS:NE2	1:A:261:THR:HB	2.28	0.48
1:A:90:VAL:O	1:A:94:LYS:HB2	2.13	0.48
1:A:62:VAL:O	1:A:66:MET:HG2	2.14	0.48
1:A:15:LEU:HB2	1:A:49:ILE:HA	1.96	0.48
1:A:109:LEU:HD22	1:A:113:GLU:OE2	2.14	0.48
1:A:323:ARG:HA	5:A:1076:HOH:O	2.13	0.48
1:A:54:VAL:O	1:A:55:SER:HB3	2.14	0.48
1:A:42:LEU:HD22	1:A:263:ILE:HG23	1.96	0.47
1:A:272:SER:HB2	1:A:290:VAL:HG21	1.95	0.47
1:A:261:THR:HG23	1:A:263:ILE:H	1.79	0.47
1:A:174:ILE:HD12	1:A:202:ILE:HG21	1.95	0.47
1:A:210:ASN:HD22	1:A:215:SER:H	1.62	0.47
1:A:287:ARG:NH1	5:A:1014:HOH:O	2.48	0.46
1:A:85:ASP:HB2	1:A:88:LYS:HE2	1.98	0.46
1:A:88:LYS:HE3	1:A:88:LYS:HB2	1.69	0.46
3:A:1004:ACO:HO2A	3:A:1004:ACO:P3B	2.38	0.45
1:A:124:PHE:HB3	1:A:165:HIS:CD2	2.50	0.45
3:A:1004:ACO:O9P	3:A:1004:ACO:H141	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:THR:CG2	1:A:263:ILE:HG12	2.46	0.45
1:A:210:ASN:HB3	5:A:1012:HOH:O	2.17	0.45
1:A:36:LYS:HG2	1:A:68:TRP:CZ2	2.52	0.45
1:A:131:ILE:HD13	1:A:169:GLU:HG2	1.98	0.45
1:A:149:SER:HB3	1:A:178:ASP:HA	1.99	0.44
1:A:94:LYS:HE2	1:A:137:SER:CB	2.47	0.44
1:A:238:GLY:CA	1:A:242:GLY:HA2	2.47	0.44
1:A:201:ASP:N	1:A:201:ASP:OD2	2.45	0.44
1:A:207:HIS:ND1	1:A:231:HIS:HD2	2.15	0.44
1:A:47:VAL:HG23	1:A:49:ILE:HG23	2.00	0.44
1:A:237:LEU:HD23	1:A:237:LEU:HA	1.88	0.44
1:A:85:ASP:HB2	1:A:88:LYS:CE	2.48	0.44
1:A:220:LEU:HD11	1:A:252:THR:CG2	2.48	0.43
1:A:74:LEU:HG	1:A:77:ARG:HD2	2.01	0.43
1:A:207:HIS:ND1	1:A:231:HIS:CD2	2.86	0.43
1:A:314:ASN:C	1:A:316:ILE:H	2.22	0.43
1:A:53:ARG:HH12	1:A:88:LYS:HZ1	1.66	0.43
1:A:145:LEU:HD22	1:A:162:LEU:HD13	2.00	0.43
1:A:223:ILE:HA	1:A:227:VAL:HG12	2.01	0.43
1:A:44:VAL:HG12	1:A:263:ILE:HD11	2.01	0.43
1:A:317:LEU:HB3	1:A:319:GLU:OE2	2.19	0.43
1:A:16:ARG:HD2	1:A:81:LEU:HB2	1.99	0.42
1:A:11:LEU:HD12	1:A:231:HIS:NE2	2.34	0.42
1:A:93:ILE:HD12	1:A:101:LEU:HG	2.01	0.42
1:A:119:THR:HG22	1:A:121:LYS:H	1.84	0.42
1:A:106:LYS:NZ	1:A:115:GLN:NE2	2.67	0.42
1:A:166:LEU:HB3	1:A:171:ILE:HD11	2.01	0.42
1:A:287:ARG:O	1:A:291:GLY:N	2.50	0.42
1:A:319:GLU:CD	1:A:319:GLU:H	2.23	0.42
1:A:70:ALA:HA	1:A:75:THR:HG23	2.00	0.42
3:A:1004:ACO:C5B	3:A:1004:ACO:H62	2.50	0.42
1:A:294:VAL:HG12	1:A:294:VAL:O	2.20	0.42
1:A:120:PRO:O	1:A:124:PHE:CG	2.73	0.42
1:A:8:LEU:HB2	1:A:260:LYS:O	2.19	0.42
1:A:251:THR:HG21	1:A:289:ILE:CD1	2.50	0.42
1:A:121:LYS:HB3	1:A:121:LYS:HE2	1.90	0.41
1:A:31:LYS:NZ	1:A:49:ILE:O	2.48	0.41
1:A:159:VAL:O	1:A:163:VAL:HG23	2.19	0.41
1:A:36:LYS:HE2	1:A:68:TRP:NE1	2.34	0.41
1:A:53:ARG:HH12	3:A:1004:ACO:H2A	1.86	0.41
1:A:144:TYR:HA	1:A:175:PHE:HB2	2.02	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1004:ACO:H62	3:A:1004:ACO:O5B	2.20	0.40
1:A:232:ALA:HB3	1:A:246:LEU:HD22	2.01	0.40
1:A:106:LYS:HA	1:A:106:LYS:HD3	1.89	0.40
1:A:131:ILE:HG21	1:A:169:GLU:CG	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:ARG:NH1	1:A:282:ARG:NH1[6_555]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	307/337 (91%)	288 (94%)	17 (6%)	2 (1%)	26 46

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	289	ILE
1	A	300	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/292 (92%)	249 (93%)	20 (7%)	17	31

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	16	ARG
1	A	32	LEU
1	A	42	LEU
1	A	59	LEU
1	A	101	LEU
1	A	103	LEU
1	A	104	LEU
1	A	109	LEU
1	A	111	HIS
1	A	132	GLU
1	A	162	LEU
1	A	210	ASN
1	A	216	VAL
1	A	227	VAL
1	A	231	HIS
1	A	246	LEU
1	A	249	LEU
1	A	261	THR
1	A	286	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	33	ASN
1	A	40	GLN
1	A	115	GLN
1	A	203	HIS
1	A	209	HIS
1	A	210	ASN
1	A	231	HIS
1	A	235	ASN
1	A	243	ASN
1	A	286	ASN
1	A	314	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	ACO	A	1004	-	43,53,53	0.95	3 (6%)	55,79,79	1.84	4 (7%)
4	PYR	A	1005	2	2,5,5	2.35	1 (50%)	2,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACO	A	1004	-	-	1/47/67/67	0/3/3/3
4	PYR	A	1005	2	-	0/0/4/4	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1005	PYR	C3-C2	-3.31	1.39	1.49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1004	ACO	P3B-O8A	2.01	1.61	1.54
3	A	1004	ACO	O4B-C1B	2.22	1.44	1.41
3	A	1004	ACO	P3B-O7A	3.25	1.61	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1004	ACO	N3A-C2A-N1A	-8.96	122.03	128.89
3	A	1004	ACO	P2A-O3A-P1A	-5.97	115.96	132.73
3	A	1004	ACO	C4B-O4B-C1B	-5.33	103.86	109.72
3	A	1004	ACO	C4A-C5A-N7A	-2.49	107.19	109.48

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1004	ACO	C2P-C3P-N4P-C5P

There are no ring outliers.

2 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1004	ACO	16	0
4	A	1005	PYR	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	311/337 (92%)	0.25	21 (6%) 20 23	22, 39, 66, 111	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	301	VAL	9.8
1	A	298	THR	5.2
1	A	117	GLY	3.9
1	A	311	LEU	3.8
1	A	324	LYS	3.6
1	A	299	ALA	3.4
1	A	310	ASN	3.4
1	A	325	ARG	3.1
1	A	56	LYS	3.0
1	A	116	LEU	2.7
1	A	71	THR	2.7
1	A	73	GLN	2.6
1	A	197	GLN	2.5
1	A	201	ASP	2.5
1	A	121	LYS	2.5
1	A	258	ASN	2.4
1	A	170	HIS	2.3
1	A	114	LYS	2.3
1	A	313	ALA	2.2
1	A	260	LYS	2.2
1	A	154	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ACO	A	1004	51/51	0.64	0.53	2.09	96,102,107,108	0
4	PYR	A	1005	6/6	0.95	0.14	0.02	45,45,45,48	0
2	ZN	A	1003	1/1	0.91	0.07	-	34,34,34,34	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.