



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 03:09 PM GMT

PDB ID : 4BMA
Title : structural of Aspergillus fumigatus UDP-N-acetylglucosamine pyrophosphorylase
Authors : Fang, W.; Raimi, O.G.; HurtadoGuerrero, R.; vanAalten, D.M.F.
Deposited on : 2013-05-07
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4546 (2.10-2.06)
Clashscore	102246	5101 (2.10-2.06)
Ramachandran outliers	100387	5048 (2.10-2.06)
Sidechain outliers	100360	5049 (2.10-2.06)
RSRZ outliers	91569	4556 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	509	<div> <div>11%</div> <div> <div></div> <div>76%</div> <div>13%</div> <div>•</div> <div>9%</div> </div> </div>
1	B	509	<div> <div>7%</div> <div> <div></div> <div>71%</div> <div>15%</div> <div>•</div> <div>12%</div> </div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7503 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-N-ACETYLGLUCOSAMINE PYROPHOSPHORYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	465	Total	C	N	O	S	0	1	0
			3651	2331	624	683	13			
1	B	447	Total	C	N	O	S	0	1	0
			3522	2251	603	653	15			

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	155	Total	O	0	0
			155	155		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	169	Total 169	O 169	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UDP-N-ACETYLGLUCOSAMINE PYROPHOSPHORYLASE



• Molecule 1: UDP-N-ACETYLGLUCOSAMINE PYROPHOSPHORYLASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.65Å 139.74Å 144.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.08 19.94 – 2.08	Depositor EDS
% Data completeness (in resolution range)	98.6 (40.00-2.08) 98.8 (19.94-2.08)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.07Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.212 , 0.265 0.236 , 0.275	Depositor DCC
R_{free} test set	3435 reflections (5.06%)	DCC
Wilson B-factor (Å ²)	26.1	Xtriage
Anisotropy	0.560	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 49.8	EDS
Estimated twinning fraction	0.007 for -h,l,k	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 68240 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7503	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	1/3729 (0.0%)	0.93	9/5030 (0.2%)
1	B	0.96	2/3600 (0.1%)	0.99	4/4855 (0.1%)
All	All	0.92	3/7329 (0.0%)	0.96	13/9885 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	461	TRP	CD2-CE2	5.38	1.47	1.41
1	B	160	SER	CB-OG	5.32	1.49	1.42
1	B	372	TRP	CD2-CE2	5.01	1.47	1.41

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	460	ARG	NE-CZ-NH1	-11.94	114.33	120.30
1	B	128	LYS	CD-CE-NZ	-9.71	89.38	111.70
1	B	460	ARG	NE-CZ-NH2	8.19	124.39	120.30
1	A	349	LEU	CB-CG-CD1	6.80	122.57	111.00
1	A	264	ASP	CB-CG-OD2	6.09	123.78	118.30
1	A	326	ASP	CB-CG-OD1	6.08	123.77	118.30
1	B	197	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	168	ARG	NE-CZ-NH2	-5.76	117.42	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	284	LYS	CD-CE-NZ	5.66	124.73	111.70
1	A	172	LEU	CB-CG-CD2	5.40	120.18	111.00
1	A	309	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	A	326	ASP	CB-CG-OD2	-5.24	113.58	118.30
1	A	70	ASP	CB-CG-OD1	5.18	122.96	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	99	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3651	0	3666	49	0
1	B	3522	0	3533	74	0
2	A	6	0	8	2	0
3	A	155	0	0	8	0
3	B	169	0	0	2	0
All	All	7503	0	7207	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:308:LYS:HA	1:B:309:ARG:CB	1.73	1.17
1:B:108:SER:HB2	3:B:2029:HOH:O	0.99	1.16
1:B:313:GLU:HG2	1:B:330:TYR:HB2	1.27	1.14
1:B:313:GLU:HB3	1:B:314:SER:HA	1.33	1.07
1:A:222:GLN:OE1	2:A:1508:GOL:H32	1.53	1.06
1:B:308:LYS:CA	1:B:309:ARG:HB3	1.85	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:274:HIS:HD2	1:A:286:ALA:H	1.06	1.02
1:B:310:ASN:HB2	1:B:311:ALA:HB3	1.41	0.99
1:B:308:LYS:HA	1:B:309:ARG:HB3	1.00	0.97
1:B:274:HIS:HD2	1:B:286:ALA:H	1.15	0.93
1:A:274:HIS:CD2	1:A:286:ALA:H	1.88	0.91
1:A:173:GLN:HE21	1:A:186:ILE:H	1.20	0.90
1:B:274:HIS:CD2	1:B:286:ALA:H	1.91	0.88
1:B:313:GLU:CB	1:B:314:SER:HA	2.07	0.85
1:A:378:HIS:HD2	3:A:2123:HOH:O	1.58	0.85
1:B:313:GLU:HG2	1:B:330:TYR:CB	2.06	0.85
1:A:140:THR:HA	1:A:144:SER:O	1.77	0.85
1:B:177:GLN:HE21	1:B:184:ALA:H	1.24	0.83
1:B:313:GLU:HB3	1:B:314:SER:CA	2.08	0.83
1:A:197:ARG:HH11	1:A:221:GLU:HG3	1.43	0.82
1:B:310:ASN:H	1:B:311:ALA:C	1.82	0.82
1:A:484:ILE:HD11	1:A:507:LYS:HA	1.64	0.79
1:A:310:ASN:HD22	1:A:312:THR:H	1.31	0.76
1:B:173:GLN:HE21	1:B:186:ILE:H	1.36	0.72
1:B:272:HIS:HD2	1:B:360:TYR:OH	1.72	0.71
1:A:173:GLN:NE2	1:A:186:ILE:H	1.90	0.70
1:B:98:PRO:HB2	1:B:100:ILE:HB	1.75	0.68
1:B:456:SER:OG	1:B:460:ARG:NH1	2.27	0.67
1:A:27:PRO:HA	1:A:31:GLU:OE2	1.94	0.67
1:A:136:GLY:N	2:A:1508:GOL:O1	2.26	0.67
1:B:309:ARG:HA	1:B:310:ASN:ND2	2.11	0.66
1:B:310:ASN:N	1:B:311:ALA:C	2.51	0.65
1:A:274:HIS:HE1	1:A:358:ASN:HD21	1.43	0.64
1:B:274:HIS:HE1	1:B:358:ASN:ND2	1.96	0.64
1:B:98:PRO:C	1:B:100:ILE:HB	2.19	0.64
1:A:100:ILE:O	1:A:297:LYS:HE2	1.97	0.63
1:A:148:LYS:HD3	1:A:279:ASP:HB3	1.80	0.63
1:B:98:PRO:O	1:B:101:ALA:N	2.28	0.62
1:A:284:LYS:HG2	3:A:2150:HOH:O	1.99	0.62
1:B:308:LYS:HG2	1:B:309:ARG:O	1.99	0.62
1:B:310:ASN:CB	1:B:311:ALA:HB3	2.24	0.61
1:B:308:LYS:CA	1:B:309:ARG:CB	2.56	0.60
1:A:459:GLN:HE21	1:A:477:GLY:HA2	1.67	0.60
1:A:310:ASN:ND2	1:A:312:THR:H	1.99	0.60
1:B:98:PRO:HB2	1:B:100:ILE:CB	2.32	0.60
1:B:303:THR:OG1	1:B:359:HIS:HD2	1.84	0.60
1:B:320:GLN:HE21	1:B:419:LEU:HD21	1.68	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:MET:HB2	1:B:220:PHE:CZ	2.39	0.58
1:A:171:LYS:NZ	3:A:2061:HOH:O	2.37	0.57
1:A:272:HIS:HD2	1:A:360:TYR:OH	1.88	0.57
1:A:274:HIS:HD2	1:A:286:ALA:N	1.89	0.56
1:A:274:HIS:HE1	1:A:358:ASN:ND2	2.04	0.56
1:A:364:LYS:HG3	3:A:2121:HOH:O	2.05	0.56
1:B:113:LEU:HD21	3:B:2029:HOH:O	2.04	0.56
1:B:309:ARG:HG2	1:B:315:VAL:HG21	1.87	0.56
1:A:77:LEU:HD22	1:A:378:HIS:CD2	2.41	0.55
1:B:313:GLU:CG	1:B:330:TYR:CB	2.82	0.55
1:B:309:ARG:HB2	1:B:429:ARG:NH2	2.23	0.54
1:B:99:ASP:N	1:B:100:ILE:HB	2.22	0.54
1:A:99:ASP:O	3:A:2023:HOH:O	2.18	0.54
1:B:470:ILE:HD11	1:B:498:GLU:HG2	1.89	0.54
1:B:313:GLU:CG	1:B:330:TYR:HB2	2.19	0.54
1:B:274:HIS:HE1	1:B:358:ASN:HD21	1.52	0.54
1:A:274:HIS:CD2	1:A:286:ALA:N	2.68	0.54
1:A:378:HIS:CD2	3:A:2123:HOH:O	2.43	0.54
1:B:173:GLN:NE2	1:B:186:ILE:H	2.05	0.54
1:B:310:ASN:H	1:B:311:ALA:CA	2.21	0.53
1:B:48:PHE:HD1	1:B:51:VAL:HG21	1.74	0.53
1:A:446:ASP:HB2	1:A:447:PRO:CD	2.39	0.53
1:B:177:GLN:HG2	1:B:182:LYS:O	2.10	0.52
1:A:438:ASN:O	1:A:447:PRO:HD3	2.10	0.51
1:B:328:VAL:O	1:B:328:VAL:HG23	2.11	0.51
1:B:313:GLU:CB	1:B:314:SER:CA	2.80	0.51
1:A:148:LYS:CD	1:A:279:ASP:HB3	2.40	0.51
1:B:142:LEU:HD11	1:B:148:LYS:HE2	1.94	0.50
1:B:35:LEU:HD21	1:B:66:LEU:HB2	1.94	0.49
1:B:142:LEU:HD12	1:B:142:LEU:N	2.28	0.49
1:A:281[B]:CYS:SG	1:A:434:SER:HB3	2.54	0.48
1:B:99:ASP:H	1:B:100:ILE:HG12	1.78	0.48
1:A:474:ASP:O	1:A:476:VAL:HG13	2.14	0.48
1:A:140:THR:C	1:A:142:LEU:H	2.18	0.47
1:B:166:ALA:HB2	1:B:188:TRP:CZ3	2.50	0.46
1:B:274:HIS:CD2	1:B:286:ALA:N	2.73	0.46
1:B:194:GLY:N	1:B:195:PRO:HD2	2.31	0.46
1:B:308:LYS:HB2	1:B:352:ARG:O	2.16	0.45
1:B:98:PRO:HB2	1:B:100:ILE:CG2	2.47	0.45
1:A:281[B]:CYS:SG	1:A:450:SER:HB3	2.56	0.45
1:B:156:PRO:HB2	1:B:504:PHE:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:446:ASP:HB2	1:B:447:PRO:CD	2.47	0.45
1:A:132:VAL:O	1:A:275:THR:HG23	2.16	0.45
1:A:472:GLU:OE1	1:A:500:LYS:HD3	2.17	0.44
1:B:252:ILE:O	1:B:256:LEU:HG	2.17	0.44
1:A:305:VAL:HG23	1:A:426:GLU:HA	2.00	0.44
1:A:173:GLN:HE21	1:A:186:ILE:N	2.02	0.44
1:A:360:TYR:CD1	1:A:360:TYR:C	2.91	0.43
1:B:138:GLN:CG	1:B:140:THR:HG23	2.49	0.43
1:B:421:LYS:HA	1:B:421:LYS:HD3	1.84	0.43
1:B:313:GLU:HG3	1:B:315:VAL:H	1.84	0.43
1:A:473:GLY:O	1:A:475:VAL:N	2.51	0.43
1:A:308:LYS:HB3	1:A:352:ARG:HA	2.01	0.43
1:B:309:ARG:H	1:B:310:ASN:HA	1.84	0.43
1:B:57:GLY:O	1:B:61:GLN:HG3	2.18	0.43
1:A:440:ARG:HG3	1:A:447:PRO:HG2	2.00	0.43
1:B:459:GLN:HE21	1:B:477:GLY:HA2	1.84	0.43
1:A:348:VAL:HG13	1:A:352:ARG:HD3	2.00	0.42
1:B:504:PHE:CZ	1:B:506:GLU:HB2	2.55	0.42
1:B:313:GLU:HA	1:B:315:VAL:H	1.85	0.42
1:A:171:LYS:CE	3:A:2060:HOH:O	2.68	0.42
1:B:28:SER:OG	1:B:31:GLU:HG2	2.20	0.42
1:B:238:SER:HA	1:B:388:ILE:HD11	2.02	0.42
1:A:156:PRO:HD2	1:A:479:GLU:OE1	2.20	0.41
1:A:274:HIS:CE1	1:A:358:ASN:HD21	2.30	0.41
1:A:141:ARG:O	1:A:439:ALA:HB2	2.21	0.41
1:B:320:GLN:HA	1:B:324:LYS:O	2.20	0.41
1:B:272:HIS:CD2	1:B:360:TYR:OH	2.62	0.41
1:B:133:LEU:HD13	1:B:276:TYR:CE2	2.56	0.41
1:B:128:LYS:HE2	1:B:271:GLU:OE2	2.21	0.41
1:A:81:ALA:HB1	1:A:380:VAL:HG23	2.03	0.41
1:A:179:ILE:HD11	3:A:2031:HOH:O	2.20	0.41
1:B:227:CYS:HB3	1:B:385:ILE:HD13	2.03	0.41
1:B:138:GLN:HG2	1:B:140:THR:HG23	2.03	0.40
1:B:121:LEU:HD23	1:B:121:LEU:HA	1.78	0.40
1:B:310:ASN:HB2	1:B:311:ALA:CB	2.29	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/509 (90%)	438 (95%)	18 (4%)	4 (1%)	21	14
1	B	442/509 (87%)	423 (96%)	15 (3%)	4 (1%)	21	14
All	All	902/1018 (89%)	861 (96%)	33 (4%)	8 (1%)	21	14

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	474	ASP
1	B	96	PRO
1	B	309	ARG
1	A	194	GLY
1	B	100	ILE
1	A	141	ARG
1	B	95	GLU
1	A	179	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	395/431 (92%)	376 (95%)	19 (5%)	31	28
1	B	381/431 (88%)	364 (96%)	17 (4%)	34	31
All	All	776/862 (90%)	740 (95%)	36 (5%)	32	30

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	60	SER
1	A	100	ILE
1	A	121	LEU
1	A	138	GLN
1	A	140	THR
1	A	141	ARG
1	A	172	LEU
1	A	178	ARG
1	A	198	LYS
1	A	303	THR
1	A	310	ASN
1	A	319	LEU
1	A	349	LEU
1	A	358	ASN
1	A	364	LYS
1	A	388	ILE
1	A	401	PRO
1	A	476	VAL
1	B	93	SER
1	B	94	LEU
1	B	99	ASP
1	B	121	LEU
1	B	138	GLN
1	B	172	LEU
1	B	197	ARG
1	B	303	THR
1	B	329	GLU
1	B	358	ASN
1	B	364	LYS
1	B	400	LYS
1	B	419	LEU
1	B	420	GLU
1	B	472	GLU
1	B	474	ASP
1	B	476	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	ASN
1	A	163	GLN
1	A	173	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	272	HIS
1	A	274	HIS
1	A	310	ASN
1	A	358	ASN
1	A	359	HIS
1	A	378	HIS
1	A	459	GLN
1	B	83	ASN
1	B	163	GLN
1	B	173	GLN
1	B	177	GLN
1	B	272	HIS
1	B	274	HIS
1	B	358	ASN
1	B	359	HIS
1	B	459	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	A	1508	-	5,5,5	0.27	0	5,5,5	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	1508	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1508	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	465/509 (91%)	0.69	56 (12%) 6 7	8, 19, 37, 79	0
1	B	447/509 (87%)	0.45	35 (7%) 16 21	3, 16, 38, 65	0
All	All	912/1018 (89%)	0.57	91 (9%) 9 12	3, 18, 38, 79	0

All (91) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	143	GLY	7.8
1	A	139	GLY	7.3
1	B	474	ASP	6.9
1	B	475	VAL	6.3
1	A	475	VAL	5.5
1	B	472	GLU	4.9
1	A	472	GLU	4.8
1	B	396	PHE	4.7
1	B	311	ALA	4.7
1	B	100	ILE	4.5
1	A	140	THR	4.4
1	B	310	ASN	4.4
1	A	52	ASP	4.3
1	B	471	THR	4.2
1	A	473	GLY	4.2
1	B	473	GLY	4.2
1	A	33	GLN	4.0
1	B	98	PRO	3.9
1	B	313	GLU	3.8
1	B	312	THR	3.7
1	B	95	GLU	3.7
1	A	56	THR	3.7
1	A	28	SER	3.7
1	B	330	TYR	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	452	ARG	3.6
1	A	161	LEU	3.6
1	A	388	ILE	3.6
1	B	397	LYS	3.5
1	A	84	PRO	3.5
1	A	138	GLN	3.5
1	A	55	GLN	3.4
1	A	142	LEU	3.3
1	A	85	PRO	3.3
1	B	138	GLN	3.2
1	A	389	LYS	3.2
1	B	99	ASP	3.1
1	A	441	GLY	3.1
1	B	470	ILE	3.1
1	A	386	PRO	3.1
1	A	30	GLU	3.1
1	B	352	ARG	3.1
1	A	471	THR	3.0
1	B	140	THR	3.0
1	A	474	ASP	3.0
1	A	470	ILE	3.0
1	A	443	GLY	3.0
1	A	401	PRO	3.0
1	B	139	GLY	3.0
1	A	195	PRO	2.9
1	B	143	GLY	2.9
1	B	145	SER	2.8
1	A	27	PRO	2.8
1	A	507	LYS	2.6
1	B	507	LYS	2.6
1	B	307	ARG	2.6
1	A	198	LYS	2.6
1	A	281[A]	CYS	2.5
1	A	384	LYS	2.5
1	B	318	ILE	2.5
1	A	145	SER	2.5
1	A	135	ALA	2.5
1	B	94	LEU	2.5
1	B	441	GLY	2.4
1	A	50	PHE	2.4
1	A	319	LEU	2.4
1	A	34	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	353	ALA	2.3
1	A	164	ILE	2.3
1	A	83	ASN	2.3
1	A	91	PRO	2.3
1	A	51	VAL	2.3
1	A	273	ILE	2.3
1	A	425	ILE	2.3
1	A	57	GLY	2.2
1	B	92	ALA	2.2
1	B	161	LEU	2.2
1	A	31	GLU	2.2
1	B	314	SER	2.2
1	A	179	ILE	2.2
1	B	195	PRO	2.2
1	A	137	GLY	2.1
1	B	328	VAL	2.1
1	A	336	GLU	2.1
1	A	493	PHE	2.1
1	A	141	ARG	2.1
1	A	343	PRO	2.0
1	A	465	ALA	2.0
1	A	162	PHE	2.0
1	B	442	THR	2.0
1	B	186	ILE	2.0
1	A	466	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	GOL	A	1508	6/6	0.89	0.17	0.40	36,42,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.