



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:46 AM GMT

PDB ID : 2BNR
Title : Structural and kinetic basis for heightened immunogenicity of T cell vaccines
Authors : Chen, J.-L.; Stewart-Jones, G.; Bossi, G.; Lissin, N.M.; Wooldridge, L.; Choi, E.M.L.; Held, G.; Dunbar, P.R.; Esnouf, R.M.; Sami, M.; Boultier, J.M.; Rizkallah, P.J.; Renner, C.; Sewell, A.; van der Merwe, P.A.; Jackobsen, B.K.; Griffiths, G.; Jones, E.Y.; Cerundolo, V.
Deposited on : 2005-03-31
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	<div> <div>7%</div> <div>81%18%</div> <div>.</div> </div>
2	B	100	<div> <div>15%</div> <div>74%23%</div> <div>.</div> </div>
3	C	9	<div> <div>78%11%11%</div> </div>
4	D	203	<div> <div>4%</div> <div>71%27%</div> <div>.</div> </div>
5	E	241	<div> <div>5%</div> <div>81%18%</div> <div>.</div> </div>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA CLASS I HISTOCOMPATIBILITY ANTIGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	1	0	0
			2254	1408	410	427	9			

- Molecule 2 is a protein called BETA-2-MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

- Molecule 3 is a protein called SYNTHETIC PEPTIDE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			75	49	11	13	2			

- Molecule 4 is a protein called T-CELL RECEPTOR ALPHA CHAIN V REGION.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	203	Total	C	N	O	S	0	0	0
			1557	968	262	320	7			

- Molecule 5 is a protein called T-CELL RECEPTOR BETA CHAIN C REGION.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	241	Total	C	N	O	S	0	0	0
			1902	1196	327	370	9			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	116	LYS	ASN	CONFLICT	UNP P01850
E	117	ASN	LYS	CONFLICT	UNP P01850

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	149	TYR	PHE	CONFLICT	UNP P01850
E	169	CYS	SER	CONFLICT	UNP P01850
E	187	ALA	CYS	CONFLICT	UNP P01850
E	201	ASP	ASN	CONFLICT	UNP P01850


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	158	Total 158	O 158	0	0
6	B	37	Total 37	O 37	0	0
6	C	6	Total 6	O 6	0	0
6	D	138	Total 138	O 138	0	0
6	E	181	Total 181	O 181	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA CLASS I HISTOCOMPATIBILITY ANTIGEN




- Molecule 2: BETA-2-MICROGLOBULIN




- Molecule 3: SYNTHETIC PEPTIDE




- Molecule 4: T-CELL RECEPTOR ALPHA CHAIN V REGION



- Molecule 5: T-CELL RECEPTOR BETA CHAIN C REGION





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.56Å 62.49Å 116.95Å 90.00° 105.34° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 19.41 – 1.81	Depositor EDS
% Data completeness (in resolution range)	98.5 (20.00-1.90) 87.3 (19.41-1.81)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 1.81Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.231 , (Not available) 0.226 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	26.6	Xtriage
Anisotropy	0.462	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.5	EDS
Estimated twinning fraction	0.013 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 86474 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7145	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2320	0.60	0/3149
2	B	0.34	0/860	0.59	0/1162
3	C	0.43	0/76	0.81	0/101
4	D	0.36	0/1589	0.62	0/2159
5	E	0.37	0/1953	0.63	0/2659
All	All	0.36	0/6798	0.62	0/9230

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2254	0	2103	50	0
2	B	837	0	803	25	0
3	C	75	0	79	4	0
4	D	1557	0	1489	63	0
5	E	1902	0	1796	42	0
6	A	158	0	0	4	0
6	B	37	0	0	0	0
6	C	6	0	0	0	0
6	D	138	0	0	3	0
6	E	181	0	0	3	0
All	All	7145	0	6270	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:47:GLU:HG3	2:B:48:LYS:H	1.25	0.99
1:A:68:LYS:HD3	5:E:53:ILE:HG12	1.42	0.97
1:A:176:LYS:HG2	1:A:180:GLN:NE2	1.92	0.85
2:B:79:ALA:HB2	2:B:94:LYS:HD3	1.58	0.83
2:B:41:LYS:HB2	2:B:46:ILE:HD11	1.57	0.83
4:D:93:ARG:HD3	4:D:102:PRO:HG3	1.60	0.82
1:A:68:LYS:CD	5:E:53:ILE:HG12	2.12	0.80
4:D:42:LYS:HG2	4:D:43:GLY:H	1.48	0.78
5:E:126:PHE:HB2	5:E:142:VAL:CG2	2.15	0.77
4:D:136:VAL:HG21	5:E:142:VAL:HG21	1.69	0.75
2:B:41:LYS:CB	2:B:46:ILE:HD11	2.17	0.75
5:E:133:ILE:HD11	5:E:139:ALA:HB2	1.68	0.74
1:A:173:GLU:O	1:A:176:LYS:HG3	1.86	0.74
4:D:12:SER:HA	4:D:111:ILE:HG23	1.70	0.73
1:A:43:GLN:O	1:A:68:LYS:HE3	1.89	0.72
5:E:178:GLN:HB3	5:E:181:LEU:HD13	1.75	0.69
5:E:151:ASP:OD1	5:E:174:PRO:HG2	1.95	0.67
5:E:133:ILE:CD1	5:E:139:ALA:HB2	2.24	0.67
5:E:181:LEU:HD12	5:E:181:LEU:N	2.10	0.66
1:A:3:HIS:HD2	1:A:29:ASP:OD2	1.80	0.64
4:D:128:ASP:HB2	4:D:134:LYS:HG3	1.79	0.64
1:A:6:ARG:NH2	1:A:113:TYR:CD1	2.64	0.64
4:D:196:ILE:HG23	4:D:197:PRO:HD2	1.80	0.63
4:D:142:PHE:HB2	4:D:146:THR:HG21	1.81	0.63
2:B:47:GLU:HG3	2:B:48:LYS:N	2.06	0.62
4:D:131:SER:C	4:D:133:ASP:H	2.01	0.62
1:A:111:ARG:NH2	1:A:128:GLU:HG2	2.15	0.61
1:A:232:GLU:OE2	2:B:6:LYS:HE3	2.00	0.61
1:A:234:ARG:HE	1:A:242:GLN:HE21	1.47	0.60
4:D:116:ILE:N	4:D:116:ILE:HD12	2.15	0.60
1:A:155:GLN:HG3	4:D:31:TYR:CE2	2.37	0.60
1:A:176:LYS:HE2	1:A:180:GLN:HE22	1.67	0.60
4:D:42:LYS:HG2	4:D:43:GLY:N	2.16	0.60
2:B:58:LYS:HB3	2:B:58:LYS:NZ	2.17	0.60
4:D:42:LYS:HD3	4:D:43:GLY:O	2.02	0.59
1:A:234:ARG:HE	1:A:242:GLN:NE2	2.01	0.59
2:B:7:ILE:HD12	2:B:7:ILE:N	2.18	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:97:ARG:HH11	2:B:97:ARG:HG3	1.68	0.58
1:A:45:MET:CE	3:C:2:LEU:HD11	2.33	0.58
4:D:21:LEU:HD12	4:D:75:LEU:HD23	1.85	0.58
3:C:6:ILE:H	3:C:6:ILE:HD12	1.69	0.58
2:B:92:ILE:HD12	2:B:92:ILE:N	2.19	0.58
5:E:126:PHE:HB2	5:E:142:VAL:HG22	1.86	0.57
1:A:253:GLN:NE2	1:A:256:ARG:HH12	2.02	0.57
5:E:9:PHE:HE1	5:E:108:ARG:HD3	1.69	0.57
1:A:6:ARG:HH22	1:A:113:TYR:HD1	1.48	0.57
2:B:6:LYS:C	2:B:7:ILE:HD12	2.24	0.57
4:D:146:THR:HG22	6:D:2104:HOH:O	2.05	0.56
4:D:114:PRO:HG2	4:D:163:VAL:HG11	1.87	0.56
4:D:146:THR:HB	6:D:2131:HOH:O	2.04	0.56
4:D:126:LEU:HB3	5:E:127:GLU:O	2.05	0.56
1:A:108:ARG:HA	1:A:169:ARG:HH21	1.70	0.56
5:E:9:PHE:CE1	5:E:108:ARG:HD3	2.41	0.56
5:E:12:LEU:HD12	5:E:109:LEU:HD11	1.87	0.56
5:E:125:VAL:HG23	5:E:235:ALA:HB3	1.89	0.55
1:A:119:ASP:HB3	2:B:0:MET:HG3	1.89	0.55
1:A:6:ARG:HG3	6:A:2018:HOH:O	2.06	0.55
1:A:82:ARG:CZ	1:A:89:GLU:HG2	2.37	0.55
1:A:176:LYS:HG2	1:A:180:GLN:HE21	1.68	0.54
4:D:114:PRO:HB3	4:D:172:LYS:HD3	1.89	0.54
1:A:162:GLY:O	1:A:166:GLU:HG3	2.08	0.53
5:E:196:ALA:O	5:E:200:GLN:HG3	2.08	0.53
4:D:195:ILE:O	4:D:195:ILE:HG23	2.09	0.53
2:B:0:MET:HG2	2:B:1:ILE:H	1.72	0.53
4:D:115:TYR:HE1	4:D:117:GLN:HG2	1.72	0.53
5:E:126:PHE:HB2	5:E:142:VAL:HG23	1.86	0.53
2:B:0:MET:HG2	2:B:1:ILE:N	2.24	0.53
4:D:18:ASN:HD22	4:D:79:ALA:H	1.57	0.53
1:A:108:ARG:HH11	1:A:108:ARG:HG2	1.73	0.52
5:E:12:LEU:HD11	5:E:18:MET:SD	2.50	0.52
1:A:49:ALA:O	1:A:52:ILE:HG22	2.10	0.52
4:D:131:SER:C	4:D:133:ASP:N	2.63	0.52
5:E:24:GLN:OE1	5:E:27:ASN:N	2.43	0.52
1:A:255:GLN:HB2	6:A:2147:HOH:O	2.09	0.52
4:D:163:VAL:HG12	4:D:174:ASN:OD1	2.10	0.52
5:E:133:ILE:HD11	5:E:139:ALA:CB	2.39	0.51
1:A:128:GLU:HG3	6:A:2094:HOH:O	2.09	0.51
5:E:76:ARG:HE	5:E:78:LEU:HD23	1.76	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:GLN:HG3	4:D:31:TYR:HE2	1.74	0.51
1:A:106:ASP:OD2	1:A:108:ARG:NH1	2.44	0.51
1:A:230:LEU:HD12	1:A:245:ALA:HB2	1.92	0.51
2:B:96:ASP:OD1	2:B:98:ASP:HB3	2.10	0.51
1:A:189:MET:SD	1:A:274:TRP:HB2	2.51	0.51
2:B:97:ARG:NH1	2:B:97:ARG:HG3	2.26	0.50
4:D:33:LEU:HB3	4:D:50:ILE:CG2	2.40	0.50
4:D:39:ASP:HB2	4:D:42:LYS:HD2	1.93	0.50
4:D:42:LYS:HG2	6:D:2040:HOH:O	2.11	0.50
5:E:18:MET:HG2	5:E:19:THR:N	2.26	0.49
4:D:126:LEU:O	4:D:135:SER:HB2	2.12	0.49
1:A:144:LYS:O	1:A:148:GLU:HG3	2.13	0.49
4:D:62:LEU:HG	4:D:77:ILE:CD1	2.42	0.49
5:E:52:GLY:C	5:E:53:ILE:HG13	2.32	0.49
4:D:191:PHE:CB	4:D:196:ILE:HD11	2.42	0.49
4:D:128:ASP:HB3	4:D:131:SER:O	2.12	0.48
4:D:89:LEU:HD23	4:D:107:GLY:HA3	1.96	0.48
4:D:93:ARG:NH2	5:E:93:SER:OG	2.34	0.48
4:D:18:ASN:ND2	4:D:79:ALA:H	2.12	0.48
5:E:197:THR:HG23	6:E:2155:HOH:O	2.14	0.48
4:D:31:TYR:HA	4:D:95:THR:HG23	1.95	0.48
5:E:175:LEU:C	5:E:175:LEU:HD12	2.33	0.48
5:E:114:ASP:OD2	5:E:116:LYS:HD2	2.15	0.47
1:A:82:ARG:HG3	1:A:87:GLN:HB2	1.95	0.47
4:D:42:LYS:CG	4:D:43:GLY:N	2.78	0.47
4:D:126:LEU:N	4:D:126:LEU:HD23	2.30	0.47
2:B:89:GLN:HG3	2:B:90:PRO:HD2	1.96	0.47
5:E:4:THR:HG23	6:E:2002:HOH:O	2.14	0.47
2:B:45:ARG:HG2	2:B:45:ARG:HH11	1.80	0.47
4:D:20:VAL:HG13	4:D:74:THR:CG2	2.44	0.47
1:A:192:HIS:CD2	1:A:202:ARG:HH12	2.32	0.47
4:D:126:LEU:HD12	5:E:142:VAL:HG22	1.97	0.46
1:A:106:ASP:OD1	1:A:108:ARG:HG2	2.15	0.46
5:E:11:VAL:HG23	6:E:2114:HOH:O	2.15	0.46
4:D:147:ASN:HA	4:D:161:LYS:HE2	1.98	0.46
5:E:51:ALA:O	5:E:53:ILE:HD12	2.17	0.45
1:A:253:GLN:CD	1:A:256:ARG:HH12	2.18	0.45
1:A:255:GLN:CA	1:A:255:GLN:HE21	2.30	0.45
4:D:50:ILE:O	4:D:50:ILE:HG23	2.15	0.45
5:E:181:LEU:N	5:E:181:LEU:CD1	2.76	0.45
4:D:89:LEU:HD23	4:D:107:GLY:CA	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:160:ASN:HD21	5:E:204:ASN:HD22	1.63	0.45
1:A:162:GLY:O	1:A:165:VAL:HG22	2.16	0.45
4:D:146:THR:O	4:D:161:LYS:HE2	2.17	0.45
4:D:39:ASP:O	4:D:42:LYS:HB3	2.18	0.44
4:D:191:PHE:HB2	4:D:196:ILE:HD11	1.97	0.44
2:B:58:LYS:HZ2	2:B:58:LYS:HB3	1.80	0.44
1:A:255:GLN:HE21	1:A:255:GLN:N	2.16	0.44
1:A:191:HIS:HE1	1:A:254:GLU:OE2	2.01	0.44
4:D:99:SER:O	4:D:100:TYR:HB2	2.18	0.44
4:D:131:SER:OG	4:D:134:LYS:HG2	2.18	0.43
1:A:111:ARG:HD3	1:A:113:TYR:OH	2.16	0.43
4:D:196:ILE:HG22	4:D:200:THR:OG1	2.18	0.43
1:A:19:GLU:N	1:A:19:GLU:OE1	2.52	0.43
1:A:43:GLN:O	1:A:68:LYS:CE	2.65	0.43
4:D:171:PHE:CD2	5:E:138:LYS:HE2	2.54	0.43
5:E:207:ARG:NH1	5:E:209:GLN:HB2	2.33	0.43
1:A:96:GLN:OE1	2:B:31:HIS:HE1	2.01	0.43
4:D:115:TYR:CE1	4:D:117:GLN:HG2	2.51	0.43
1:A:75:ARG:HD3	6:A:2058:HOH:O	2.17	0.43
5:E:160:ASN:HD21	5:E:204:ASN:ND2	2.17	0.43
4:D:196:ILE:CG2	4:D:197:PRO:HD2	2.49	0.43
4:D:55:ARG:HH11	4:D:55:ARG:HG3	1.83	0.43
4:D:113:HIS:HA	4:D:114:PRO:HD3	1.89	0.42
4:D:102:PRO:HG2	5:E:101:LEU:HD11	2.01	0.42
5:E:19:THR:HG22	5:E:76:ARG:HB2	2.01	0.42
2:B:96:ASP:O	2:B:99:MET:HG2	2.20	0.42
5:E:52:GLY:O	5:E:53:ILE:HG13	2.20	0.42
1:A:232:GLU:CD	2:B:6:LYS:HE3	2.41	0.42
2:B:0:MET:CG	2:B:1:ILE:H	2.30	0.42
4:D:167:ARG:HA	4:D:167:ARG:HD3	1.90	0.41
2:B:21:ASN:O	2:B:69:GLU:HG3	2.20	0.41
5:E:133:ILE:HD13	5:E:138:LYS:O	2.20	0.41
4:D:106:ARG:HD2	4:D:106:ARG:HA	1.91	0.41
4:D:125:GLN:C	4:D:126:LEU:HD23	2.40	0.41
5:E:120:PRO:HD3	5:E:228:PRO:HB3	2.03	0.41
4:D:13:VAL:HA	4:D:14:PRO:HD3	1.93	0.41
4:D:152:LYS:HD3	4:D:153:ASP:N	2.36	0.41
4:D:164:LEU:HB3	5:E:169:CYS:HB2	2.03	0.41
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.55	0.41
4:D:142:PHE:HB2	4:D:146:THR:CG2	2.49	0.41
3:C:6:ILE:N	3:C:6:ILE:HD12	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:MET:SD	1:A:98:MET:C	2.99	0.41
1:A:106:ASP:O	1:A:107:TRP:HB2	2.21	0.40
4:D:19:LEU:HD12	4:D:19:LEU:C	2.41	0.40
4:D:49:LEU:HD13	4:D:49:LEU:C	2.41	0.40
1:A:45:MET:HE1	3:C:2:LEU:HD11	2.04	0.40
1:A:182:THR:HG22	1:A:264:GLU:OE2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/276 (99%)	266 (97%)	8 (3%)	0	100	100
2	B	98/100 (98%)	94 (96%)	3 (3%)	1 (1%)	19	7
3	C	7/9 (78%)	7 (100%)	0	0	100	100
4	D	201/203 (99%)	196 (98%)	5 (2%)	0	100	100
5	E	239/241 (99%)	230 (96%)	8 (3%)	1 (0%)	39	27
All	All	819/829 (99%)	793 (97%)	24 (3%)	2 (0%)	52	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	47	GLU
5	E	222	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	226 (97%)	6 (3%)	54	45
2	B	95/95 (100%)	90 (95%)	5 (5%)	28	16
3	C	9/9 (100%)	8 (89%)	1 (11%)	8	2
4	D	179/179 (100%)	174 (97%)	5 (3%)	51	41
5	E	208/208 (100%)	204 (98%)	4 (2%)	65	59
All	All	723/723 (100%)	702 (97%)	21 (3%)	50	40

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	58	GLU
1	A	138	MET
1	A	155	GLN
1	A	177	GLU
1	A	255	GLN
2	B	0	MET
2	B	50	GLU
2	B	70	PHE
2	B	83	ASN
2	B	97	ARG
3	C	6	ILE
4	D	39	ASP
4	D	95	THR
4	D	126	LEU
4	D	146	THR
4	D	152	LYS
5	E	24	GLN
5	E	53	ILE
5	E	191	ARG
5	E	242	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	HIS
1	A	43	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	54	GLN
1	A	141	GLN
1	A	155	GLN
1	A	174	ASN
1	A	180	GLN
1	A	191	HIS
1	A	218	GLN
1	A	242	GLN
1	A	253	GLN
1	A	255	GLN
2	B	31	HIS
2	B	51	HIS
2	B	83	ASN
3	C	8	GLN
4	D	18	ASN
4	D	38	GLN
4	D	117	GLN
4	D	125	GLN
4	D	192	ASN
5	E	36	GLN
5	E	56	GLN
5	E	61	ASN
5	E	204	ASN
5	E	231	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/276 (100%)	0.33	19 (6%) 20 22	17, 29, 50, 63	1 (0%)
2	B	100/100 (100%)	0.94	15 (15%) 3 3	21, 40, 60, 66	0
3	C	9/9 (100%)	-0.04	0 100 100	21, 22, 27, 28	0
4	D	203/203 (100%)	0.37	9 (4%) 38 41	20, 33, 45, 53	0
5	E	241/241 (100%)	0.16	12 (4%) 32 35	19, 28, 43, 60	0
All	All	829/829 (100%)	0.36	55 (6%) 22 24	17, 30, 51, 66	1 (0%)

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1	ILE	7.1
2	B	0	MET	6.4
1	A	276	PRO	6.2
2	B	98	ASP	5.7
5	E	224	ASP	5.2
5	E	242	ASP	5.0
1	A	275	GLU	4.7
1	A	267	PRO	4.7
5	E	222	THR	4.7
1	A	226	GLN	4.3
1	A	196	ASP	4.3
4	D	132	SER	4.1
5	E	217	GLU	3.7
2	B	18	GLY	3.7
1	A	197	HIS	3.5
1	A	222	GLU	3.3
4	D	133	ASP	3.3
2	B	23	LEU	3.2
2	B	71	THR	3.2
2	B	47	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	D	117	GLN	3.1
1	A	251	SER	3.0
2	B	16	GLU	2.9
5	E	218	ASN	2.9
1	A	192	HIS	2.9
1	A	113	TYR	2.9
1	A	177	GLU	2.8
1	A	138	MET	2.8
2	B	85	VAL	2.8
1	A	195	SER	2.8
1	A	225	THR	2.7
4	D	167	ARG	2.7
4	D	152	LYS	2.7
5	E	182	ASN	2.7
2	B	19	LYS	2.5
1	A	108	ARG	2.5
5	E	173	GLN	2.5
2	B	70	PHE	2.5
5	E	223	GLN	2.5
1	A	268	LYS	2.5
4	D	145	GLN	2.4
2	B	89	GLN	2.4
5	E	75	LEU	2.4
1	A	223	ASP	2.4
4	D	195	ILE	2.4
4	D	42	LYS	2.3
5	E	40	MET	2.3
2	B	77	GLU	2.2
1	A	193	ALA	2.2
5	E	33	TRP	2.2
5	E	90	CYS	2.2
1	A	201	LEU	2.1
4	D	168	SER	2.1
2	B	44	GLU	2.0
2	B	50	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.