



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:39 AM GMT

PDB ID : 3BNG  
Title : W. succinogenes NrfA Y218F  
Authors : Lukat, P.; Einsle, O.  
Deposited on : 2007-12-14  
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2072 (1.50-1.50)
Clashscore	102246	2274 (1.50-1.50)
Ramachandran outliers	100387	2218 (1.50-1.50)
Sidechain outliers	100360	2216 (1.50-1.50)
RSRZ outliers	91569	2075 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	485	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	3	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	4	-	-	-	X
3	SO4	A	1	-	-	-	X

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4698 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytochrome c-552.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	471	Total	C	N	O	S	19	6	0
			3807	2412	654	720	21			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	218	PHE	TYR	ENGINEERED	UNP Q9S1E5

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C<sub>2</sub>H<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is YTTRIUM ION (three-letter code: Y1) (formula: Y).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	4	Total	Y	0	0
			4	4		

- Molecule 6 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C<sub>34</sub>H<sub>32</sub>FeN<sub>4</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
6	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	649	Total	O	0	0
			649	649		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Cytochrome c-552



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	120.03Å 120.03Å 186.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.45 – 1.50 24.18 – 1.40	Depositor EDS
% Data completeness (in resolution range)	98.7 (42.45-1.50) 98.1 (24.18-1.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.34 (at 1.40Å)	Xtriage
Refinement program	REFMAC 5.3.0008	Depositor
R, $R_{free}$	0.181 , 0.215 0.173 , 0.200	Depositor DCC
$R_{free}$ test set	5428 reflections (5.30%)	DCC
Wilson B-factor (Å <sup>2</sup> )	17.8	Xtriage
Anisotropy	0.189	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 48.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 130452 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	4698	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: Y1, HEM, CA, SO4, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.71	3/3916 (0.1%)	0.72	2/5271 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	342	LYS	CD-CE	-10.92	1.24	1.51
1	A	336	LYS	CB-CG	-6.17	1.35	1.52
1	A	331	ARG	CA-CB	-6.13	1.40	1.53

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	304	GLN	N-CA-C	7.19	130.42	111.00
1	A	305	GLU	N-CA-C	5.03	124.57	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	303	THR	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3807	0	3739	87	2
2	A	12	0	9	0	0
3	A	10	0	0	1	0
4	A	1	0	0	0	0
5	A	4	0	0	0	0
6	A	215	0	150	23	0
7	A	649	0	0	16	2
All	All	4698	0	3898	89	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:CYS:SG	6:A:514:HEM:CAB	2.04	1.46
1:A:171:CYS:SG	6:A:514:HEM:CAC	2.05	1.43
1:A:298:CYS:SG	6:A:516:HEM:CAC	2.07	1.42
1:A:329:CYS:SG	6:A:517:HEM:CAC	2.14	1.34
1:A:168:CYS:SG	6:A:514:HEM:HAB	1.67	1.33
1:A:171:CYS:SG	6:A:514:HEM:HAC	1.67	1.25
1:A:298:CYS:SG	6:A:516:HEM:HAC	1.89	1.08
1:A:329:CYS:SG	6:A:517:HEM:HAC	1.93	1.06
1:A:285:THR:HG21	7:A:906:HOH:O	1.58	1.02
1:A:329:CYS:HG	6:A:517:HEM:CAC	1.74	0.97
1:A:498:LYS:H	1:A:507:LYS:HE2	1.31	0.95
1:A:358:ASN:HD22	1:A:418:ASN:HD21	1.15	0.92
1:A:332:GLU:HG3	1:A:337:LEU:HD13	1.56	0.86
1:A:498:LYS:N	1:A:507:LYS:HE2	1.91	0.85
1:A:71:ASP:HB2	1:A:507:LYS:HB2	1.63	0.80
1:A:298:CYS:SG	6:A:516:HEM:CBC	2.71	0.77
1:A:329:CYS:SG	6:A:517:HEM:C3C	2.81	0.73
1:A:322:MET:HB3	1:A:327:MET:HE2	1.70	0.73
1:A:305:GLU:HB2	7:A:1075:HOH:O	1.88	0.73
1:A:100:ARG:HH12	1:A:507:LYS:HE3	1.53	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:ALA:CB	1:A:465:GLU:HG2	2.18	0.72
1:A:497:GLU:HG3	1:A:507:LYS:HA	1.72	0.71
1:A:298:CYS:SG	6:A:516:HEM:C3C	2.83	0.71
1:A:171:CYS:SG	6:A:514:HEM:C3C	2.82	0.71
1:A:168:CYS:SG	6:A:514:HEM:CBB	2.79	0.70
6:A:514:HEM:HBC1	6:A:515:HEM:HHC	1.75	0.68
1:A:488[B]:ASN:ND2	7:A:938:HOH:O	2.25	0.67
1:A:51[A]:GLU:HG2	7:A:938:HOH:O	1.93	0.67
1:A:329:CYS:SG	6:A:517:HEM:CBC	2.83	0.66
1:A:100:ARG:HH22	1:A:507:LYS:HE3	1.60	0.66
1:A:168:CYS:SG	6:A:514:HEM:C3B	2.88	0.64
1:A:327:MET:HE3	1:A:334:GLU:HG2	1.79	0.64
1:A:104:TYR:CE1	1:A:507:LYS:HD2	2.34	0.63
1:A:71:ASP:CB	1:A:507:LYS:HB2	2.28	0.63
1:A:117:ALA:HB3	1:A:465:GLU:HG2	1.80	0.62
1:A:171:CYS:SG	6:A:514:HEM:CBC	2.82	0.62
1:A:100:ARG:HH12	1:A:507:LYS:HG3	1.64	0.62
6:A:516:HEM:HBD2	7:A:1024:HOH:O	1.99	0.61
1:A:286:GLY:HA2	3:A:1:SO4:O4	2.01	0.61
1:A:322:MET:HB3	1:A:327:MET:CE	2.30	0.60
1:A:100:ARG:HH22	1:A:507:LYS:CE	2.14	0.60
1:A:332:GLU:CG	1:A:337:LEU:HD13	2.29	0.60
1:A:100:ARG:NH1	1:A:507:LYS:HE3	2.18	0.59
1:A:100:ARG:HH22	1:A:507:LYS:NZ	2.01	0.59
1:A:100:ARG:HH22	1:A:507:LYS:HZ1	1.50	0.57
1:A:422:GLN:HE21	1:A:422:GLN:HA	1.69	0.57
1:A:346:GLU:HG2	7:A:1157:HOH:O	2.05	0.56
1:A:322:MET:CE	1:A:327:MET:CE	2.83	0.56
1:A:44:ILE:O	1:A:47[B]:LYS:HG3	2.06	0.56
1:A:285:THR:HB	7:A:835:HOH:O	2.06	0.55
1:A:495:VAL:O	1:A:507:LYS:NZ	2.32	0.55
1:A:498:LYS:H	1:A:507:LYS:CE	2.12	0.55
1:A:452:GLN:HE22	1:A:459:MET:HG3	1.72	0.55
1:A:380:LYS:HE3	7:A:997:HOH:O	2.06	0.54
1:A:247:SER:H	1:A:250:GLN:HE21	1.56	0.54
1:A:79:GLU:HG2	7:A:950:HOH:O	2.07	0.53
1:A:71:ASP:HB2	1:A:507:LYS:CB	2.38	0.53
1:A:100:ARG:NH2	1:A:507:LYS:HE3	2.23	0.52
1:A:71:ASP:OD2	1:A:506:LYS:HE2	2.09	0.52
1:A:503:ASP:OD1	1:A:505:THR:HA	2.09	0.52
1:A:322:MET:HE1	1:A:327:MET:CE	2.40	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:ILE:HB	1:A:47[B]:LYS:HB3	1.92	0.51
1:A:285:THR:HA	7:A:1155:HOH:O	2.11	0.50
1:A:322:MET:HE1	1:A:327:MET:HE1	1.92	0.50
1:A:452:GLN:NE2	1:A:459:MET:HG3	2.26	0.50
1:A:87:TRP:CE3	1:A:92:PHE:HB3	2.47	0.50
1:A:322:MET:CE	1:A:327:MET:HE1	2.42	0.49
1:A:347[A]:ARG:NH2	7:A:985:HOH:O	2.19	0.49
1:A:215:HIS:HB3	1:A:279:ASP:HB2	1.96	0.48
1:A:87:TRP:CE2	1:A:274:LYS:HE2	2.49	0.48
1:A:327:MET:HE1	1:A:337:LEU:HD23	1.96	0.47
1:A:203:HIS:HE2	6:A:514:HEM:CGD	2.28	0.47
1:A:265:HIS:O	1:A:269:LYS:HD3	2.14	0.47
1:A:326:CYS:HB2	1:A:327:MET:HE2	1.98	0.46
1:A:75:ASP:HA	1:A:97:ASN:HD22	1.80	0.46
1:A:51[A]:GLU:CG	7:A:938:HOH:O	2.56	0.45
1:A:247:SER:H	1:A:250:GLN:NE2	2.14	0.45
1:A:276:GLN:O	1:A:277:HIS:C	2.54	0.44
1:A:285:THR:CB	7:A:835:HOH:O	2.64	0.44
1:A:159:GLY:HA3	1:A:477:TRP:CE2	2.53	0.44
1:A:305:GLU:HB3	1:A:308:VAL:O	2.19	0.43
1:A:61:PHE:HA	6:A:514:HEM:HBB2	2.00	0.42
1:A:496:ASP:HA	1:A:507:LYS:HZ3	1.85	0.42
1:A:203:HIS:NE2	6:A:514:HEM:O2D	2.49	0.42
1:A:133:CYS:HB2	6:A:513:HEM:C4C	2.54	0.41
1:A:346:GLU:CD	7:A:1156:HOH:O	2.58	0.41
1:A:104:TYR:HE1	1:A:507:LYS:HD2	1.83	0.40
1:A:72:ASN:ND2	7:A:798:HOH:O	2.50	0.40
1:A:309:LYS:HB2	7:A:1049:HOH:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:GLN:O	7:A:1116:HOH:O[16_555]	2.06	0.14
1:A:347[B]:ARG:NH1	7:A:773:HOH:O[10_565]	2.10	0.10

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	475/485 (98%)	463 (98%)	10 (2%)	2 (0%)	39	14

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	166	ILE
1	A	505	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	403/410 (98%)	389 (96%)	14 (4%)	43	11

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LYS
1	A	51[A]	GLU
1	A	51[B]	GLU
1	A	59	ARG
1	A	204	GLN
1	A	226	LYS
1	A	283	TYR
1	A	303	THR
1	A	304	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	324	LYS
1	A	336	LYS
1	A	348	LYS
1	A	468	LYS
1	A	506	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	ASN
1	A	97	ASN
1	A	144	GLN
1	A	204	GLN
1	A	250	GLN
1	A	328	ASN
1	A	352	GLN
1	A	418	ASN
1	A	422	GLN
1	A	452	GLN
1	A	480	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 5 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	A	1	-	4,4,4	0.49	0	6,6,6	0.53	0
3	SO4	A	2	-	4,4,4	0.20	0	6,6,6	0.08	0
2	ACT	A	3	-	1,3,3	1.33	0	0,3,3	0.00	-
2	ACT	A	4	-	1,3,3	1.42	0	0,3,3	0.00	-
2	ACT	A	5	-	1,3,3	1.63	0	0,3,3	0.00	-
6	HEM	A	513	1,7	30,50,50	2.09	6 (20%)	24,82,82	2.66	9 (37%)
6	HEM	A	514	1	30,50,50	1.95	9 (30%)	24,82,82	2.59	9 (37%)
6	HEM	A	515	1	30,50,50	2.05	5 (16%)	24,82,82	2.54	10 (41%)
6	HEM	A	516	1	30,50,50	2.40	7 (23%)	24,82,82	2.87	9 (37%)
6	HEM	A	517	1	30,50,50	2.25	8 (26%)	24,82,82	2.54	10 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	1	-	-	0/0/0/0	0/0/0/0
3	SO4	A	2	-	-	0/0/0/0	0/0/0/0
2	ACT	A	3	-	-	0/0/0/0	0/0/0/0
2	ACT	A	4	-	-	0/0/0/0	0/0/0/0
2	ACT	A	5	-	-	0/0/0/0	0/0/0/0
6	HEM	A	513	1,7	-	0/10/54/54	0/0/8/8
6	HEM	A	514	1	-	0/10/54/54	0/0/8/8
6	HEM	A	515	1	-	0/10/54/54	0/0/8/8
6	HEM	A	516	1	-	0/10/54/54	0/0/8/8
6	HEM	A	517	1	-	0/10/54/54	0/0/8/8

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	516	HEM	C3B-C4B	-9.44	1.43	1.51
6	A	517	HEM	C3B-C4B	-7.88	1.44	1.51
6	A	515	HEM	C3B-C4B	-6.64	1.45	1.51
6	A	513	HEM	C3B-C4B	-6.39	1.46	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	516	HEM	C3D-C4D	-5.42	1.44	1.51
6	A	517	HEM	C3D-C4D	-5.42	1.44	1.51
6	A	513	HEM	C3D-C4D	-5.04	1.45	1.51
6	A	514	HEM	C3D-C4D	-4.83	1.45	1.51
6	A	514	HEM	C3B-C4B	-4.44	1.47	1.51
6	A	515	HEM	C3D-C4D	-4.20	1.46	1.51
6	A	513	HEM	C2C-C1C	-4.04	1.44	1.52
6	A	515	HEM	C2C-C1C	-3.69	1.45	1.52
6	A	514	HEM	C2C-C1C	-3.59	1.45	1.52
6	A	517	HEM	C2C-C1C	-3.41	1.46	1.52
6	A	516	HEM	C2C-C1C	-3.11	1.46	1.52
6	A	516	HEM	C2B-C1B	-2.28	1.44	1.51
6	A	514	HEM	C2D-C1D	-2.26	1.44	1.51
6	A	517	HEM	C2B-C1B	-2.13	1.44	1.51
6	A	517	HEM	C2D-C1D	-2.07	1.45	1.51
6	A	516	HEM	CAA-C2A	2.13	1.55	1.52
6	A	513	HEM	C3B-CAB	2.15	1.55	1.51
6	A	513	HEM	C3C-CAC	2.21	1.55	1.51
6	A	517	HEM	CAA-C2A	2.22	1.55	1.52
6	A	516	HEM	CMA-C3A	2.28	1.56	1.51
6	A	514	HEM	C3C-CAC	2.34	1.55	1.51
6	A	516	HEM	C3C-CAC	2.42	1.55	1.51
6	A	517	HEM	C3B-CAB	2.53	1.56	1.51
6	A	514	HEM	CAA-C2A	2.54	1.56	1.52
6	A	514	HEM	C3B-CAB	2.56	1.56	1.51
6	A	513	HEM	FE-NC	2.68	2.06	1.95
6	A	514	HEM	C4C-NC	2.74	1.39	1.36
6	A	515	HEM	C4C-NC	2.90	1.39	1.36
6	A	517	HEM	C3C-CAC	2.95	1.56	1.51
6	A	515	HEM	C3C-CAC	2.98	1.56	1.51
6	A	514	HEM	C1C-NC	3.01	1.39	1.36

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	516	HEM	C3B-CAB-CBB	-7.39	113.12	124.46
6	A	513	HEM	C3B-CAB-CBB	-5.35	116.25	124.46
6	A	517	HEM	C3B-CAB-CBB	-4.25	117.94	124.46
6	A	514	HEM	C3B-CAB-CBB	-4.18	118.05	124.46
6	A	515	HEM	C3B-CAB-CBB	-3.53	119.05	124.46
6	A	514	HEM	CBD-CAD-C3D	-3.36	103.77	113.55
6	A	515	HEM	CBA-CAA-C2A	-3.27	106.67	112.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	513	HEM	CAA-C2A-C1A	-3.26	123.47	127.01
6	A	517	HEM	CMA-C3A-C4A	-3.18	123.10	128.36
6	A	513	HEM	CMA-C3A-C4A	-2.47	124.27	128.36
6	A	516	HEM	CBA-CAA-C2A	-2.37	108.28	112.53
6	A	516	HEM	CMA-C3A-C4A	-2.23	124.67	128.36
6	A	517	HEM	CBA-CAA-C2A	-2.23	108.53	112.53
6	A	515	HEM	CMA-C3A-C4A	-2.21	124.70	128.36
6	A	514	HEM	C3B-C4B-NB	-2.21	107.41	111.63
6	A	517	HEM	C2D-C3D-C4D	2.17	105.19	101.50
6	A	515	HEM	C2C-C1C-CHC	2.42	127.36	123.68
6	A	514	HEM	C2D-C3D-C4D	2.42	105.60	101.50
6	A	517	HEM	C2C-C1C-CHC	2.51	127.50	123.68
6	A	516	HEM	C2D-C3D-C4D	2.51	105.76	101.50
6	A	513	HEM	C2D-C3D-C4D	2.59	105.89	101.50
6	A	516	HEM	CMD-C2D-C3D	2.65	126.08	114.35
6	A	517	HEM	CMD-C2D-C3D	2.85	126.96	114.35
6	A	514	HEM	CMD-C2D-C3D	2.97	127.48	114.35
6	A	515	HEM	C2D-C3D-C4D	3.05	106.66	101.50
6	A	515	HEM	CMD-C2D-C3D	3.09	128.00	114.35
6	A	513	HEM	CMD-C2D-C3D	3.12	128.14	114.35
6	A	515	HEM	CMC-C2C-C3C	3.74	125.86	116.53
6	A	515	HEM	CAD-C3D-C4D	4.09	126.91	112.47
6	A	516	HEM	CAD-C3D-C4D	4.13	127.04	112.47
6	A	514	HEM	CAD-C3D-C4D	4.15	127.11	112.47
6	A	513	HEM	CAD-C3D-C2D	4.26	125.47	113.22
6	A	517	HEM	CAD-C3D-C4D	4.28	127.57	112.47
6	A	517	HEM	CMC-C2C-C3C	4.34	127.37	116.53
6	A	513	HEM	CAD-C3D-C4D	4.58	128.61	112.47
6	A	515	HEM	CAD-C3D-C2D	4.59	126.41	113.22
6	A	513	HEM	CMB-C2B-C3B	4.78	128.45	116.53
6	A	515	HEM	CMB-C2B-C3B	4.81	128.53	116.53
6	A	516	HEM	CAD-C3D-C2D	4.82	127.08	113.22
6	A	517	HEM	CAD-C3D-C2D	4.88	127.24	113.22
6	A	514	HEM	CAD-C3D-C2D	4.89	127.27	113.22
6	A	513	HEM	CMC-C2C-C3C	4.94	128.86	116.53
6	A	517	HEM	CMB-C2B-C3B	4.95	128.89	116.53
6	A	516	HEM	CMB-C2B-C3B	4.96	128.90	116.53
6	A	514	HEM	CMB-C2B-C3B	4.97	128.94	116.53
6	A	514	HEM	CMC-C2C-C3C	5.02	129.05	116.53
6	A	516	HEM	CMC-C2C-C3C	5.22	129.56	116.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1	SO4	1	0
6	A	513	HEM	1	0
6	A	514	HEM	12	0
6	A	515	HEM	1	0
6	A	516	HEM	5	0
6	A	517	HEM	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	471/485 (97%)	-0.19	17 (3%)	46 49	15, 21, 36, 53	5 (1%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	308	VAL	16.8
1	A	307	ALA	12.0
1	A	506	LYS	9.0
1	A	306	GLY	8.0
1	A	231	VAL	5.4
1	A	228	ASP	4.9
1	A	305	GLU	4.6
1	A	507	LYS	4.3
1	A	304	GLN	4.1
1	A	37	LYS	3.3
1	A	230	GLY	3.2
1	A	229	LYS	2.8
1	A	321	ASN	2.8
1	A	309	LYS	2.6
1	A	505	THR	2.4
1	A	460	GLU	2.1
1	A	310	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	ACT	A	3	4/4	0.82	0.20	5.79	31,33,33,33	0
2	ACT	A	4	4/4	0.79	0.15	4.15	53,53,53,53	0
3	SO4	A	1	5/5	0.91	0.15	4.01	15,18,21,23	5
6	HEM	A	516	43/43	0.97	0.09	1.63	13,16,29,39	0
6	HEM	A	515	43/43	0.98	0.08	0.80	14,16,19,26	0
6	HEM	A	513	43/43	0.99	0.07	0.07	14,15,17,19	0
6	HEM	A	517	43/43	0.97	0.08	-0.06	19,21,35,37	0
6	HEM	A	514	43/43	0.98	0.08	-0.25	16,19,26,33	0
3	SO4	A	2	5/5	0.85	0.17	-0.55	84,95,96,96	0
5	Y1	A	509	1/1	1.00	0.04	-1.70	22,22,22,22	0
4	CA	A	508	1/1	1.00	0.01	-2.86	18,18,18,18	0
5	Y1	A	511	1/1	1.00	0.04	-	21,21,21,21	1
2	ACT	A	5	4/4	0.75	0.13	-	57,57,57,57	0
5	Y1	A	512	1/1	0.99	0.09	-	35,35,35,35	1
5	Y1	A	510	1/1	1.00	0.01	-	20,20,20,20	1

## 6.5 Other polymers ⓘ

There are no such residues in this entry.