



Full wwPDB X-ray Structure Validation Report ⓘ

May 3, 2016 – 01:42 PM EDT

PDB ID : 5BSW
Title : Crystal structure of 4-coumarate:CoA ligase delta-V341 mutant complexed with feruloyl adenylate
Authors : Li, Z.; Nair, S.K.
Deposited on : 2015-06-02
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027457
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	541	<div> <div>3%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>..</div> </div> </div>
1	B	541	<div> <div>4%</div> <div> <div></div> <div>82%</div> <div>14%</div> <div>..</div> </div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8763 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 4-coumarate–CoA ligase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	526	Total	C	N	O	S	0	0	0
			4061	2605	673	761	22			
1	B	526	Total	C	N	O	S	0	0	0
			4059	2604	672	761	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	VAL	deletion	UNP O24146
B	?	-	VAL	deletion	UNP O24146

- Molecule 2 is 5'-O-[(R)-hydroxy{[(2E)-3-(5-methoxy-4-oxocyclohexa-1,5-dien-1-yl)prop-2-en-1-yl]oxy}phosphoryl]adenosine (three-letter code: 4UW) (formula: C₂₀H₂₂N₅O₁₀P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	20	5	10	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			36	20	5	10	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	287	Total	O	0	0
			287	287		
3	B	284	Total	O	0	0
			284	284		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 4-coumarate–CoA ligase 2



• Molecule 1: 4-coumarate–CoA ligase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	93.28Å 97.19Å 124.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.10 45.76 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.9 (25.00-2.10) 97.9 (45.76-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.93 (at 2.10Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.197 , 0.246 0.198 , 0.250	Depositor DCC
R_{free} test set	3306 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	24.5	Xtriage
Anisotropy	0.595	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8763	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4UW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	0/4145	0.62	1/5624 (0.0%)
1	B	0.52	0/4143	0.63	1/5623 (0.0%)
All	All	0.52	0/8288	0.63	2/11247 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	171	HIS	CB-CA-C	-9.04	92.31	110.40
1	A	364	ARG	NE-CZ-NH2	-5.25	117.68	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4061	0	4127	55	0
1	B	4059	0	4123	58	0
2	A	36	0	0	1	0
2	B	36	0	0	2	0
3	A	287	0	0	4	0
3	B	284	0	0	10	0
All	All	8763	0	8250	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:199:VAL:HG13	1:B:395:MET:HE3	1.16	1.12
1:A:63:ARG:HH11	1:A:63:ARG:HG3	1.29	0.96
1:B:27:LEU:H	1:B:203:HIS:HD2	1.16	0.92
1:A:63:ARG:HH11	1:A:63:ARG:CG	1.83	0.91
1:A:458:HIS:HD2	1:A:460:ASN:H	1.17	0.91
1:A:200:MET:HE2	1:A:399:LEU:HD13	1.52	0.90
1:B:199:VAL:CG1	1:B:395:MET:HE3	2.03	0.89
1:B:19:ILE:H	1:B:365:ASN:HD21	1.23	0.86
1:B:199:VAL:HG13	1:B:395:MET:CE	2.03	0.85
1:A:19:ILE:H	1:A:365:ASN:HD21	1.22	0.84
1:A:497:ASP:O	1:A:501:LYS:HG2	1.79	0.81
1:A:271:GLN:HE21	1:A:298:ASP:H	1.27	0.79
1:B:491:THR:HG22	1:B:494:GLU:H	1.49	0.78
1:A:271:GLN:NE2	1:A:298:ASP:H	1.83	0.76
1:A:200:MET:CE	1:A:399:LEU:HD13	2.18	0.74
1:A:491:THR:HG21	3:A:970:HOH:O	1.88	0.72
1:B:27:LEU:H	1:B:203:HIS:CD2	2.06	0.68
1:B:191:GLY:HA2	1:B:337:GLU:OE2	1.94	0.67
1:B:264:VAL:O	1:B:268:GLU:HG2	1.94	0.67
1:A:200:MET:CE	1:A:399:LEU:CD1	2.73	0.67
1:B:408:THR:HG22	1:B:415:LEU:HD12	1.78	0.66
1:A:45:ILE:HG12	1:A:52:ILE:HD12	1.77	0.66
1:B:19:ILE:HG12	1:B:364:ARG:HD2	1.77	0.65
1:A:200:MET:HE2	1:A:399:LEU:CD1	2.24	0.65
1:B:458:HIS:HD2	1:B:460:ASN:H	1.42	0.65
1:A:161:HIS:HD2	1:A:163:SER:H	1.44	0.64
1:A:470:LYS:HG2	3:A:871:HOH:O	1.97	0.63
1:A:63:ARG:NH1	1:A:63:ARG:HG3	2.06	0.63
1:A:277:ILE:CG2	1:A:306:MET:HE3	2.29	0.62
1:B:161:HIS:CD2	1:B:163:SER:H	2.18	0.61
1:A:458:HIS:CD2	1:A:460:ASN:H	2.09	0.61
1:B:170:GLU:OE2	3:B:701:HOH:O	2.15	0.61
1:B:161:HIS:HD2	1:B:163:SER:H	1.49	0.61
1:A:491:THR:HG23	1:A:494:GLU:H	1.67	0.60
1:A:271:GLN:HE21	1:A:298:ASP:N	2.00	0.58
1:A:161:HIS:CD2	1:A:163:SER:H	2.20	0.58
1:B:23:ASN:C	1:B:23:ASN:HD22	2.08	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:ILE:HG12	1:A:364:ARG:HD2	1.86	0.57
1:A:200:MET:HE3	1:A:399:LEU:HD12	1.87	0.56
1:B:389:ILE:HG23	1:B:394:ILE:HD11	1.86	0.56
1:A:200:MET:HE1	3:A:986:HOH:O	2.05	0.56
1:B:167:GLN:HA	1:B:167:GLN:OE1	2.06	0.56
1:B:113:PRO:HG3	1:B:137:LYS:HG2	1.87	0.56
1:A:237:HIS:HE1	2:A:600:4UW:O2P	1.90	0.55
1:B:50:LYS:HD3	1:B:273:TYR:OH	2.05	0.55
1:B:530:ASP:HB3	3:B:943:HOH:O	2.06	0.55
1:B:454:LEU:O	1:B:457:ASN:HB2	2.05	0.55
1:A:478:PRO:HB2	1:A:509:ILE:HD13	1.89	0.54
1:B:504:ILE:HG22	1:B:507:LYS:HE2	1.90	0.53
1:A:63:ARG:NH1	1:A:170:GLU:HG2	2.24	0.53
1:B:218:ASN:O	1:B:364:ARG:NH2	2.42	0.53
1:B:237:HIS:HE1	2:B:600:4UW:O2P	1.92	0.52
1:B:164:VAL:HA	1:B:167:GLN:HG2	1.92	0.52
1:B:458:HIS:CD2	1:B:460:ASN:H	2.26	0.51
1:A:491:THR:HG22	1:A:494:GLU:HG3	1.93	0.51
1:A:268:GLU:O	1:A:272:ARG:HG3	2.11	0.50
1:A:195:LEU:HB3	1:A:196:PRO:HD2	1.93	0.50
1:A:63:ARG:HD3	1:A:99:TYR:CZ	2.47	0.50
1:A:520:LYS:HE2	1:A:526:ILE:CD1	2.43	0.49
1:B:395:MET:HE2	1:B:397:GLY:O	2.13	0.49
1:A:454:LEU:O	1:A:457:ASN:HB2	2.13	0.49
1:B:167:GLN:CA	1:B:167:GLN:OE1	2.60	0.48
1:B:175:GLU:HG3	3:B:871:HOH:O	2.13	0.48
1:B:439:ILE:HB	1:B:446:VAL:HB	1.95	0.48
1:A:218:ASN:O	1:A:364:ARG:NH2	2.46	0.48
1:A:63:ARG:CB	1:A:63:ARG:HH11	2.27	0.48
1:B:47:GLY:O	1:B:50:LYS:NZ	2.46	0.48
1:B:199:VAL:HA	1:B:395:MET:CE	2.44	0.47
1:A:471:ASP:HB3	1:A:474:ALA:HB3	1.97	0.47
1:A:81:MET:HB3	1:A:128:ILE:HD12	1.97	0.47
1:B:271:GLN:HE21	1:B:298:ASP:H	1.60	0.47
1:B:203:HIS:HE1	3:B:730:HOH:O	1.97	0.47
1:A:321:ARG:NH1	3:A:709:HOH:O	2.48	0.47
1:A:150:ILE:HD13	1:A:160:LEU:HB2	1.97	0.46
1:B:157:GLU:HG2	3:B:939:HOH:O	2.15	0.46
1:B:281:VAL:HG23	1:B:283:PRO:HD2	1.95	0.46
1:A:491:THR:HG22	1:A:494:GLU:CG	2.45	0.46
1:B:23:ASN:HB2	1:B:204:LYS:HG3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:130:THR:O	1:A:151:CYS:HA	2.16	0.46
1:A:222:TYR:CE1	1:A:349:LYS:HD2	2.51	0.46
1:A:344:CYS:HB3	1:A:347:PHE:CE2	2.51	0.46
1:B:193:THR:HG23	3:B:764:HOH:O	2.16	0.45
1:B:12:PHE:HB3	3:B:898:HOH:O	2.17	0.45
1:B:285:VAL:HG13	1:B:320:VAL:HG21	1.99	0.45
1:B:45:ILE:HG12	1:B:52:ILE:HG12	1.99	0.45
1:B:331:GLN:HB2	1:B:359:CYS:HA	1.99	0.44
1:B:367:GLU:OE1	1:B:390:ARG:HD2	2.17	0.44
1:B:395:MET:CE	1:B:397:GLY:O	2.66	0.44
1:B:13:ARG:HD3	3:B:925:HOH:O	2.17	0.44
1:B:369:LYS:HE3	1:B:371:VAL:HG21	2.00	0.44
1:A:281:VAL:HG23	1:A:283:PRO:HD2	2.00	0.44
1:B:237:HIS:CE1	2:B:600:4UW:O2P	2.70	0.43
1:A:491:THR:CG2	1:A:494:GLU:H	2.31	0.43
1:B:302:VAL:O	1:B:327:ALA:HB2	2.19	0.42
1:B:346:ALA:HB2	1:B:354:ILE:HG12	2.01	0.42
1:B:529:LYS:HA	1:B:529:LYS:HD2	1.67	0.42
1:A:55:TYR:CZ	1:A:252:GLY:HA2	2.54	0.42
1:A:492:GLU:HG3	1:A:512:VAL:HB	2.00	0.42
1:B:106:MET:HG3	1:B:236:PHE:HA	2.01	0.42
1:A:529:LYS:HA	1:A:529:LYS:HD2	1.74	0.42
1:A:457:ASN:HA	1:A:457:ASN:HD22	1.64	0.42
1:A:106:MET:HG3	1:A:236:PHE:HA	2.01	0.42
1:A:277:ILE:O	1:A:279:PRO:HD3	2.20	0.42
1:B:317:GLU:OE2	1:B:321:ARG:NH2	2.51	0.42
1:A:9:ASP:HA	1:A:378:SER:OG	2.19	0.41
1:B:19:ILE:N	1:B:365:ASN:HD21	2.04	0.41
1:B:190:SER:HB3	3:B:888:HOH:O	2.19	0.41
1:B:520:LYS:NZ	3:B:724:HOH:O	2.54	0.41
1:A:81:MET:HB3	1:A:128:ILE:CD1	2.50	0.41
1:B:55:TYR:CZ	1:B:252:GLY:HA2	2.56	0.41
1:A:372:ASP:HB3	1:A:375:THR:OG1	2.21	0.41
1:B:499:ILE:HG21	1:B:509:ILE:HG12	2.03	0.40
1:A:335:MET:HE1	1:A:341:LEU:HD21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	524/541 (97%)	502 (96%)	21 (4%)	1 (0%)	52	53
1	B	524/541 (97%)	505 (96%)	19 (4%)	0	100	100
All	All	1048/1082 (97%)	1007 (96%)	40 (4%)	1 (0%)	56	58

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	433	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	450/462 (97%)	435 (97%)	15 (3%)	45	47
1	B	450/462 (97%)	434 (96%)	16 (4%)	42	43
All	All	900/924 (97%)	869 (97%)	31 (3%)	44	45

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	63	ARG
1	A	106	MET
1	A	111	PHE
1	A	154	SER
1	A	171	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	239	TYR
1	A	262	ASP
1	A	293	MET
1	A	364	ARG
1	A	415	LEU
1	A	433	ASP
1	A	440	LYS
1	A	457	ASN
1	A	527	LEU
1	A	534	LYS
1	B	23	ASN
1	B	106	MET
1	B	110	LEU
1	B	111	PHE
1	B	157	GLU
1	B	167	GLN
1	B	195	LEU
1	B	239	TYR
1	B	259	GLN
1	B	262	ASP
1	B	272	ARG
1	B	295	ASP
1	B	364	ARG
1	B	457	ASN
1	B	491	THR
1	B	527	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	75	GLN
1	A	119	GLN
1	A	161	HIS
1	A	179	GLN
1	A	237	HIS
1	A	271	GLN
1	A	365	ASN
1	A	457	ASN
1	A	458	HIS
1	A	460	ASN
1	A	502	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	23	ASN
1	B	34	ASN
1	B	61	ASN
1	B	161	HIS
1	B	203	HIS
1	B	237	HIS
1	B	271	GLN
1	B	331	GLN
1	B	365	ASN
1	B	382	ASN
1	B	457	ASN
1	B	458	HIS
1	B	486	ASN
1	B	502	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	4UW	A	600	-	36,39,39	3.27	8 (22%)	32,57,57	2.95	9 (28%)
2	4UW	B	600	-	36,39,39	3.24	7 (19%)	32,57,57	3.26	10 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4UW	A	600	-	-	2/16/51/51	0/4/4/4
2	4UW	B	600	-	-	2/16/51/51	0/4/4/4

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	600	4UW	CAD-CAC	-5.72	1.39	1.49
2	A	600	4UW	CAD-CAC	-5.41	1.39	1.49
2	A	600	4UW	CAS-CAH	-5.14	1.40	1.49
2	B	600	4UW	CAS-CAH	-4.62	1.41	1.49
2	A	600	4UW	O35-CAD	2.03	1.39	1.36
2	A	600	4UW	CAJ-CAD	2.19	1.43	1.36
2	B	600	4UW	CAJ-CAD	2.32	1.43	1.36
2	A	600	4UW	CAP-CAK	2.46	1.51	1.46
2	B	600	4UW	CAP-CAK	2.96	1.52	1.46
2	A	600	4UW	P-O2P	3.05	1.66	1.60
2	B	600	4UW	P-O2P	3.55	1.67	1.60
2	A	600	4UW	CAH-CAK	5.11	1.40	1.34
2	B	600	4UW	CAH-CAK	5.65	1.40	1.34
2	B	600	4UW	O2P-CAR	15.62	1.54	1.37
2	A	600	4UW	O2P-CAR	16.26	1.54	1.37

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	4UW	N3-C2-N1	-11.27	120.02	128.87
2	A	600	4UW	N3-C2-N1	-10.40	120.70	128.87
2	B	600	4UW	O2P-CAR-O34	-4.82	118.12	122.20
2	A	600	4UW	O34-CAR-CAQ	-4.69	106.65	123.54
2	B	600	4UW	O34-CAR-CAQ	-3.70	110.24	123.54
2	A	600	4UW	CAP-CAQ-CAR	-2.78	113.99	123.60
2	B	600	4UW	C1'-N9-C4	-2.34	124.20	126.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	600	4UW	CAP-CAQ-CAR	-2.26	115.79	123.60
2	A	600	4UW	C2'-C1'-N9	-2.04	107.99	113.47
2	B	600	4UW	O2P-P-O5'	2.03	108.72	102.98
2	A	600	4UW	O1P-P-O2P	2.04	110.46	104.16
2	B	600	4UW	C2-N1-C6	2.15	122.61	118.77
2	A	600	4UW	O2P-P-O3P	2.41	116.32	108.38
2	A	600	4UW	CAQ-CAP-CAK	3.85	132.66	126.29
2	A	600	4UW	C36-O35-CAD	4.41	125.48	117.12
2	B	600	4UW	C36-O35-CAD	4.94	126.50	117.12
2	B	600	4UW	CAQ-CAP-CAK	5.84	135.96	126.29
2	A	600	4UW	O2P-CAR-CAQ	8.75	131.30	110.91
2	B	600	4UW	O2P-CAR-CAQ	8.76	131.33	110.91

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	600	4UW	C36-O35-CAD-CAC
2	B	600	4UW	C36-O35-CAD-CAJ
2	A	600	4UW	C36-O35-CAD-CAC
2	A	600	4UW	C36-O35-CAD-CAJ

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	4UW	1	0
2	B	600	4UW	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	526/541 (97%)	-0.04	18 (3%) 49 58	15, 26, 43, 56	0
1	B	526/541 (97%)	-0.01	21 (3%) 42 51	13, 26, 44, 57	0
All	All	1052/1082 (97%)	-0.02	39 (3%) 45 54	13, 26, 44, 57	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	191	GLY	9.2
1	B	193	THR	8.8
1	B	192	THR	7.1
1	A	193	THR	6.5
1	A	473	GLN	5.6
1	B	190	SER	5.1
1	A	192	THR	5.0
1	B	487	GLY	4.5
1	B	473	GLN	4.4
1	B	486	ASN	4.2
1	A	194	GLY	4.0
1	A	472	GLU	3.9
1	B	8	VAL	3.9
1	A	486	ASN	3.7
1	A	487	GLY	3.6
1	B	194	GLY	3.6
1	B	472	GLU	3.4
1	B	295	ASP	3.4
1	B	293	MET	3.2
1	B	374	LYS	3.1
1	A	295	ASP	3.0
1	B	470	LYS	3.0
1	A	195	LEU	2.9
1	A	190	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	374	LYS	2.7
1	A	143	PHE	2.7
1	A	191	GLY	2.7
1	A	292	PRO	2.7
1	B	296	ASP	2.6
1	A	440	LYS	2.5
1	B	292	PRO	2.5
1	B	48	ALA	2.4
1	B	489	THR	2.4
1	A	529	LYS	2.3
1	A	533	ALA	2.2
1	B	195	LEU	2.2
1	B	264	VAL	2.1
1	A	326	ASN	2.0
1	B	375	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	4UW	B	600	36/36	0.93	0.15	0.36	18,21,39,39	0
2	4UW	A	600	36/36	0.93	0.14	-0.06	18,22,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.