



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:40 PM GMT

PDB ID : 1BTO  
Title : HORSE LIVER ALCOHOL DEHYDROGENASE COMPLEXED TO NADH  
AND (1S,3R)3-BUTYLTHIOLANE 1-OXIDE  
Authors : Ramaswamy, S.; Plapp, B.V.  
Deposited on : 1996-11-08  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	<div> <div>87%</div> <div>12% .</div> </div>
1	B	374	<div> <div>86%</div> <div>12% ..</div> </div>
1	C	374	<div> <div>%</div> <div>86%</div> <div>11% ..</div> </div>
1	D	374	<div> <div>%</div> <div>84%</div> <div>13% ..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SSB	A	378	X	-	-	-
4	SSB	B	378	X	-	-	-
4	SSB	C	378	X	-	-	-
4	SSB	D	378	X	-	-	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12882 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LIVER ALCOHOL DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	0	0	0
			2785	1769	472	521	23			
1	B	374	Total	C	N	O	S	0	0	0
			2785	1769	472	521	23			
1	C	374	Total	C	N	O	S	0	0	0
			2785	1769	472	521	23			
1	D	374	Total	C	N	O	S	0	0	0
			2785	1769	472	521	23			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		
2	C	2	Total	Zn	0	0
			2	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is 3-BUTYLTHIOLANE 1-OXIDE (three-letter code: SSB) (formula: C<sub>8</sub>H<sub>16</sub>OS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O S 10 8 1 1	0	0
4	B	1	Total C O S 10 8 1 1	0	0
4	C	1	Total C O S 10 8 1 1	0	0
4	D	1	Total C O S 10 8 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	372	Total O 372 372	0	0
5	B	396	Total O 396 396	0	0
5	C	374	Total O 374 374	0	0
5	D	376	Total O 376 376	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: LIVER ALCOHOL DEHYDROGENASE




#### • Molecule 1: LIVER ALCOHOL DEHYDROGENASE




#### • Molecule 1: LIVER ALCOHOL DEHYDROGENASE



#### • Molecule 1: LIVER ALCOHOL DEHYDROGENASE







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	49.93Å 180.20Å 86.80Å 90.00° 106.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.88 – 2.00	Depositor EDS
% Data completeness (in resolution range)	79.0 (20.00-2.00) 79.0 (19.88-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.04	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.19 (at 2.01Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.190 , 0.230 0.168 , 0.210	Depositor DCC
$R_{free}$ test set	2335 reflections (3.07%)	DCC
Wilson B-factor (Å <sup>2</sup> )	14.9	Xtriage
Anisotropy	0.619	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 60.6	EDS
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 78334 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12882	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 66.62 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 5.8724e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAD, SSB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.69	1/2837 (0.0%)	1.40	18/3834 (0.5%)
1	B	0.67	0/2837	1.32	24/3834 (0.6%)
1	C	0.68	0/2837	1.73	24/3834 (0.6%)
1	D	0.71	0/2837	1.43	35/3834 (0.9%)
All	All	0.69	1/11348 (0.0%)	1.48	101/15336 (0.7%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	234	GLU	CD-OE1	-6.69	1.18	1.25

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	84	ARG	NE-CZ-NH2	54.57	147.59	120.30
1	A	234	GLU	OE1-CD-OE2	-35.61	80.57	123.30
1	C	271	ARG	NE-CZ-NH2	33.07	136.84	120.30
1	D	256	GLU	OE1-CD-OE2	25.91	154.40	123.30
1	C	78	GLU	OE1-CD-OE2	24.68	152.92	123.30
1	A	234	GLU	CG-CD-OE2	19.90	158.11	118.30
1	C	84	ARG	NH1-CZ-NH2	-19.76	97.67	119.40
1	C	271	ARG	NE-CZ-NH1	-18.17	111.21	120.30
1	D	256	GLU	CG-CD-OE2	-17.42	83.46	118.30
1	D	78	GLU	OE1-CD-OE2	14.85	141.12	123.30
1	B	84	ARG	NE-CZ-NH2	-14.54	113.03	120.30
1	B	259	ASN	OD1-CG-ND2	-13.96	89.80	121.90
1	B	78	GLU	OE1-CD-OE2	13.20	139.14	123.30
1	D	241	VAL	CG1-CB-CG2	-12.72	90.55	110.90
1	D	34	HIS	ND1-CG-CD2	-12.64	88.30	106.00
1	A	78	GLU	OE1-CD-OE2	12.63	138.46	123.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ARG	NE-CZ-NH2	-11.39	114.61	120.30
1	C	84	ARG	NE-CZ-NH1	-11.15	114.73	120.30
1	C	84	ARG	CD-NE-CZ	-10.73	108.57	123.60
1	D	34	HIS	CG-ND1-CE1	10.63	123.08	108.20
1	B	257	MET	CG-SD-CE	10.05	116.28	100.20
1	D	47	ARG	NE-CZ-NH2	-10.05	115.28	120.30
1	D	84	ARG	NE-CZ-NH2	-9.99	115.31	120.30
1	B	259	ASN	CB-CG-OD1	9.69	140.99	121.60
1	C	369	ARG	NE-CZ-NH2	-9.58	115.51	120.30
1	D	218	ARG	NE-CZ-NH2	9.19	124.90	120.30
1	C	234	GLU	OE1-CD-OE2	-9.07	112.42	123.30
1	D	369	ARG	NE-CZ-NH1	8.78	124.69	120.30
1	D	363	ARG	NE-CZ-NH2	-8.75	115.93	120.30
1	B	133	ARG	NE-CZ-NH2	8.56	124.58	120.30
1	C	47	ARG	NE-CZ-NH1	8.52	124.56	120.30
1	D	353	GLU	OE1-CD-OE2	-8.08	113.60	123.30
1	C	78	GLU	CG-CD-OE2	-8.07	102.15	118.30
1	D	234	GLU	OE1-CD-OE2	-7.85	113.88	123.30
1	C	256	GLU	OE1-CD-OE2	7.79	132.65	123.30
1	B	349	VAL	CG1-CB-CG2	-7.62	98.71	110.90
1	A	47	ARG	NE-CZ-NH1	7.58	124.09	120.30
1	D	34	HIS	CG-CD2-NE2	7.45	123.36	109.20
1	A	338	LYS	CD-CE-NZ	-7.41	94.66	111.70
1	A	247	LYS	CG-CD-CE	7.38	134.02	111.90
1	B	218	ARG	NE-CZ-NH2	7.22	123.91	120.30
1	B	218	ARG	NE-CZ-NH1	-7.20	116.70	120.30
1	B	363	ARG	NE-CZ-NH2	-7.15	116.73	120.30
1	B	24	GLU	OE1-CD-OE2	7.08	131.80	123.30
1	B	241	VAL	CG1-CB-CG2	-7.07	99.59	110.90
1	D	129	ARG	NE-CZ-NH2	-7.05	116.77	120.30
1	D	37	ARG	NE-CZ-NH2	-7.01	116.79	120.30
1	A	241	VAL	CG1-CB-CG2	-6.90	99.85	110.90
1	B	234	GLU	OE1-CD-OE2	-6.87	115.06	123.30
1	B	247	LYS	CG-CD-CE	6.83	132.39	111.90
1	C	271	ARG	NH1-CZ-NH2	-6.77	111.95	119.40
1	C	78	GLU	CG-CD-OE1	-6.70	104.89	118.30
1	D	241	VAL	CA-CB-CG2	6.68	120.92	110.90
1	C	326	ASP	CB-CG-OD1	6.65	124.28	118.30
1	B	37	ARG	NE-CZ-NH2	-6.64	116.98	120.30
1	A	129	ARG	NE-CZ-NH2	-6.62	116.99	120.30
1	C	273	ASP	CB-CG-OD1	6.58	124.22	118.30
1	C	257	MET	CA-CB-CG	6.56	124.45	113.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	131	THR	OG1-CB-CG2	-6.52	95.01	110.00
1	D	271	ARG	NE-CZ-NH1	-6.49	117.06	120.30
1	D	257	MET	CA-CB-CG	6.47	124.30	113.30
1	B	120	ARG	CD-NE-CZ	6.45	132.63	123.60
1	B	129	ARG	NE-CZ-NH2	-6.43	117.09	120.30
1	B	120	ARG	NE-CZ-NH1	-6.38	117.11	120.30
1	B	271	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	A	369	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	C	247	LYS	CD-CE-NZ	-6.27	97.28	111.70
1	C	120	ARG	NE-CZ-NH1	-6.16	117.22	120.30
1	A	273	ASP	CB-CG-OD1	6.15	123.83	118.30
1	A	133	ARG	NE-CZ-NH2	6.06	123.33	120.30
1	B	125	ASP	CB-CG-OD1	6.00	123.70	118.30
1	D	256	GLU	CB-CG-CD	-5.92	98.21	114.20
1	C	234	GLU	CG-CD-OE2	5.80	129.89	118.30
1	D	339	LYS	CD-CE-NZ	5.76	124.95	111.70
1	C	241	VAL	CG1-CB-CG2	-5.75	101.69	110.90
1	B	312	ARG	NE-CZ-NH2	-5.71	117.45	120.30
1	D	120	ARG	NE-CZ-NH2	-5.68	117.46	120.30
1	D	234	GLU	CG-CD-OE2	5.63	129.56	118.30
1	D	256	GLU	N-CA-CB	-5.48	100.73	110.60
1	D	78	GLU	CG-CD-OE2	-5.44	107.42	118.30
1	D	369	ARG	NE-CZ-NH2	-5.44	117.58	120.30
1	D	247	LYS	CD-CE-NZ	-5.44	99.19	111.70
1	A	120	ARG	CD-NE-CZ	5.40	131.16	123.60
1	A	349	VAL	CG1-CB-CG2	-5.40	102.27	110.90
1	C	133	ARG	NE-CZ-NH2	5.36	122.98	120.30
1	C	247	LYS	CG-CD-CE	5.36	127.97	111.90
1	D	360	ASP	CB-CG-OD1	5.32	123.09	118.30
1	A	131	THR	OG1-CB-CG2	-5.32	97.77	110.00
1	B	46	CYS	CA-CB-SG	5.29	123.51	114.00
1	C	309	LEU	CA-CB-CG	5.22	127.32	115.30
1	D	353	GLU	CG-CD-OE1	5.21	128.72	118.30
1	B	259	ASN	CB-CG-ND2	5.16	129.09	116.70
1	D	349	VAL	CG1-CB-CG2	-5.15	102.66	110.90
1	D	218	ARG	NE-CZ-NH1	-5.14	117.73	120.30
1	D	306	MET	CG-SD-CE	-5.12	92.01	100.20
1	D	133	ARG	NE-CZ-NH2	5.09	122.84	120.30
1	A	46	CYS	CA-CB-SG	5.07	123.12	114.00
1	D	273	ASP	CB-CG-OD1	5.06	122.86	118.30
1	A	257	MET	CG-SD-CE	5.03	108.25	100.20
1	D	343	ASP	CB-CG-OD1	5.03	122.83	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	133	ARG	CD-NE-CZ	5.01	130.62	123.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2785	0	2848	24	1
1	B	2785	0	2845	31	0
1	C	2785	0	2848	32	0
1	D	2785	0	2848	26	2
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	44	0	25	3	0
3	B	44	0	24	2	0
3	C	44	0	25	2	0
3	D	44	0	24	1	0
4	A	10	0	16	2	0
4	B	10	0	16	1	0
4	C	10	0	16	1	0
4	D	10	0	16	1	0
5	A	372	0	0	13	1
5	B	396	0	0	19	1
5	C	374	0	0	16	1
5	D	376	0	0	11	0
All	All	12882	0	11551	114	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:339:LYS:HE3	5:C:1132:HOH:O	1.47	1.14
1:D:239:GLU:OE1	5:D:748:HOH:O	1.73	1.07
3:A:377:NAD:N7A	5:A:412:HOH:O	1.91	1.01
1:A:188:LYS:HE2	5:A:682:HOH:O	1.67	0.95
1:A:338:LYS:HE3	5:A:574:HOH:O	0.75	0.92
1:C:212:LYS:NZ	5:C:1112:HOH:O	2.01	0.90
1:C:239:GLU:OE1	5:C:934:HOH:O	1.90	0.88
1:B:298:SER:O	5:B:721:HOH:O	2.00	0.79
1:A:32:LYS:HE3	5:A:595:HOH:O	1.83	0.78
1:C:256:GLU:OE1	5:C:1056:HOH:O	2.02	0.78
1:B:257:MET:HE3	5:B:770:HOH:O	1.83	0.78
1:D:185:LYS:HE3	5:D:513:HOH:O	1.84	0.77
1:B:349:VAL:HG11	5:B:642:HOH:O	1.84	0.76
1:B:228:LYS:NZ	5:B:705:HOH:O	2.02	0.76
1:B:349:VAL:CG1	5:B:642:HOH:O	2.33	0.75
1:A:188:LYS:CE	5:A:682:HOH:O	2.28	0.75
1:B:32:LYS:HE3	5:B:594:HOH:O	1.87	0.73
1:D:228:LYS:NZ	5:D:696:HOH:O	2.02	0.72
1:C:366:GLU:OE1	5:C:1024:HOH:O	2.09	0.71
1:D:360:ASP:OD1	5:D:703:HOH:O	2.08	0.71
1:A:299:GLN:OE1	5:A:696:HOH:O	2.08	0.70
1:B:257:MET:CE	5:B:770:HOH:O	2.37	0.70
1:B:338:LYS:HE3	5:B:764:HOH:O	1.91	0.69
1:D:120:ARG:NH2	5:D:718:HOH:O	2.17	0.69
1:D:298:SER:O	5:D:712:HOH:O	2.12	0.68
1:C:299:GLN:OE1	5:C:1091:HOH:O	2.10	0.68
1:B:16:GLU:OE1	5:B:745:HOH:O	2.11	0.68
1:B:338:LYS:CE	5:B:764:HOH:O	2.41	0.67
1:D:256:GLU:OE1	5:D:684:HOH:O	2.15	0.65
1:A:188:LYS:NZ	5:A:682:HOH:O	2.29	0.64
1:C:228:LYS:NZ	5:C:1089:HOH:O	2.16	0.62
1:B:212:LYS:NZ	5:B:732:HOH:O	2.31	0.61
1:A:357:GLU:OE2	5:A:652:HOH:O	2.16	0.60
1:B:157:VAL:O	1:B:325:LYS:HE2	2.00	0.60
1:B:113:LYS:HD3	5:B:701:HOH:O	2.02	0.60
1:A:228:LYS:NZ	5:A:694:HOH:O	2.03	0.58
1:C:10:LYS:HE2	5:C:1007:HOH:O	2.04	0.58
1:A:248:LYS:HB2	1:A:249:PRO:HD2	1.87	0.56
1:A:99:LYS:HD2	5:A:647:HOH:O	2.05	0.56
1:D:168:LYS:HD3	5:D:646:HOH:O	2.06	0.56
1:A:157:VAL:O	1:A:325:LYS:HE2	2.07	0.55
1:B:279:LEU:HD22	1:B:312:ARG:HD3	1.88	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:157:VAL:O	1:C:325:LYS:HE2	2.06	0.55
1:A:25:GLU:OE2	5:A:633:HOH:O	2.18	0.55
1:C:142:GLY:HA2	5:C:991:HOH:O	2.07	0.55
1:C:279:LEU:HD22	1:C:312:ARG:HD3	1.89	0.55
1:A:279:LEU:HD22	1:A:312:ARG:HD3	1.89	0.54
1:D:279:LEU:HD22	1:D:312:ARG:HD3	1.89	0.54
1:B:247:LYS:HG2	5:B:746:HOH:O	2.08	0.54
1:C:248:LYS:HB2	1:C:249:PRO:HD2	1.88	0.54
1:C:5:LYS:HE3	5:C:853:HOH:O	2.08	0.53
1:D:174:CYS:SG	3:D:377:NAD:H5N	2.49	0.53
1:C:10:LYS:CE	5:C:1007:HOH:O	2.56	0.53
1:B:349:VAL:HG12	5:B:642:HOH:O	2.05	0.52
1:A:330:LYS:HB3	5:A:644:HOH:O	2.10	0.52
1:C:254:LEU:HA	1:C:257:MET:HG2	1.92	0.52
1:C:185:LYS:O	1:C:188:LYS:NZ	2.36	0.51
1:B:248:LYS:HB2	1:B:249:PRO:HD2	1.92	0.51
1:A:309:LEU:HG	4:D:378:SSB:C10	2.40	0.51
1:C:174:CYS:SG	3:C:377:NAD:H5N	2.51	0.50
1:C:350:LEU:HB3	1:C:351:PRO:HD2	1.93	0.50
4:B:378:SSB:C10	1:C:309:LEU:HG	2.42	0.50
1:B:174:CYS:SG	3:B:377:NAD:H5N	2.53	0.49
1:D:338:LYS:HA	5:D:515:HOH:O	2.12	0.49
1:B:338:LYS:HD2	5:B:764:HOH:O	2.12	0.49
1:C:349:VAL:HG12	5:C:852:HOH:O	2.14	0.48
1:B:309:LEU:HG	4:C:378:SSB:C10	2.42	0.48
1:C:84:ARG:HH11	1:C:84:ARG:HD2	1.27	0.48
1:B:228:LYS:HE2	5:B:622:HOH:O	2.13	0.48
1:D:27:GLU:HB2	1:D:131:THR:OG1	2.14	0.48
1:A:113:LYS:HE2	5:A:668:HOH:O	2.14	0.48
1:A:174:CYS:SG	3:A:377:NAD:H5N	2.54	0.47
1:C:27:GLU:HB2	1:C:131:THR:OG1	2.13	0.47
1:B:254:LEU:HA	1:B:257:MET:HG2	1.96	0.47
1:B:256:GLU:HG3	5:B:656:HOH:O	2.15	0.47
1:D:248:LYS:HB2	1:D:249:PRO:HD2	1.97	0.46
1:B:61:LEU:HB3	1:B:62:PRO:HA	1.97	0.46
4:A:378:SSB:C10	1:D:309:LEU:HG	2.45	0.46
1:C:231:LYS:NZ	5:C:939:HOH:O	2.02	0.46
1:D:157:VAL:O	1:D:325:LYS:HE2	2.15	0.45
1:D:254:LEU:HA	1:D:257:MET:HG2	1.99	0.45
1:D:325:LYS:HE3	5:D:500:HOH:O	2.16	0.45
1:A:199:GLY:O	1:A:204:GLY:HA3	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:ASN:HD22	1:A:225:ASN:C	2.19	0.45
1:D:142:GLY:HA2	5:D:599:HOH:O	2.15	0.45
1:C:120:ARG:NH2	5:C:1113:HOH:O	2.33	0.44
1:B:357:GLU:OE2	5:B:655:HOH:O	2.21	0.44
1:B:178:THR:HG21	3:B:377:NAD:C4N	2.49	0.43
1:D:132:CYS:HB3	1:D:137:ILE:HD11	1.99	0.43
1:C:225:ASN:C	1:C:225:ASN:HD22	2.21	0.43
1:C:32:LYS:O	1:C:77:GLY:HA3	2.19	0.43
1:D:107:GLU:OE1	1:D:107:GLU:HA	2.18	0.43
1:C:225:ASN:ND2	1:C:227:ASP:H	2.17	0.42
1:B:32:LYS:O	1:B:77:GLY:HA3	2.19	0.42
1:B:330:LYS:HB3	5:B:646:HOH:O	2.20	0.42
1:C:349:VAL:CG1	5:C:1028:HOH:O	2.68	0.42
1:D:328:VAL:HB	1:D:329:PRO:HD3	2.02	0.42
1:A:178:THR:HG21	3:A:377:NAD:C4N	2.50	0.41
1:A:32:LYS:O	1:A:77:GLY:HA3	2.20	0.41
1:D:32:LYS:O	1:D:77:GLY:HA3	2.20	0.41
1:C:294:VAL:HG23	3:C:377:NAD:H1D	2.02	0.41
1:A:69:ALA:HA	1:A:170:CYS:HB2	2.02	0.41
1:D:199:GLY:O	1:D:204:GLY:HA3	2.20	0.41
1:C:29:ALA:HB1	1:C:30:PRO:HD2	2.03	0.41
1:B:295:PRO:HA	1:B:296:PRO:HD3	1.94	0.41
4:A:378:SSB:H101	1:D:309:LEU:HG	2.03	0.41
1:B:304:ASN:HA	1:B:305:PRO:HD2	1.91	0.40
1:D:186:VAL:HG12	1:D:315:LYS:HD3	2.02	0.40
1:B:225:ASN:HD22	1:B:225:ASN:C	2.23	0.40
1:D:350:LEU:O	1:D:372:LEU:HA	2.22	0.40
1:A:271:ARG:HB2	1:A:274:THR:OG1	2.21	0.40
1:C:349:VAL:HG11	5:C:1028:HOH:O	2.21	0.40
1:A:61:LEU:HA	1:A:62:PRO:C	2.42	0.40
1:C:271:ARG:HH11	1:C:271:ARG:HD2	1.64	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:LYS:NZ	1:D:78:GLU:OE1[2_645]	2.13	0.07
5:A:734:HOH:O	5:C:1136:HOH:O[2_646]	2.16	0.04
1:D:256:GLU:OE2	5:B:689:HOH:O[1_455]	2.16	0.04



## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/374 (100%)	359 (96%)	13 (4%)	0	100	100
1	B	372/374 (100%)	356 (96%)	16 (4%)	0	100	100
1	C	372/374 (100%)	358 (96%)	14 (4%)	0	100	100
1	D	372/374 (100%)	357 (96%)	15 (4%)	0	100	100
All	All	1488/1496 (100%)	1430 (96%)	58 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/308 (100%)	300 (97%)	8 (3%)	54	54
1	B	308/308 (100%)	297 (96%)	11 (4%)	42	39
1	C	308/308 (100%)	299 (97%)	9 (3%)	50	49
1	D	308/308 (100%)	299 (97%)	9 (3%)	50	49
All	All	1232/1232 (100%)	1195 (97%)	37 (3%)	48	47

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	120	ARG
1	A	225	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	279	LEU
1	A	281	CYS
1	A	300	ASN
1	A	302	SER
1	A	309	LEU
1	A	315	LYS
1	B	120	ARG
1	B	225	ASN
1	B	251	GLN
1	B	257	MET
1	B	279	LEU
1	B	281	CYS
1	B	302	SER
1	B	306	MET
1	B	309	LEU
1	B	315	LYS
1	B	349	VAL
1	C	120	ARG
1	C	131	THR
1	C	225	ASN
1	C	251	GLN
1	C	279	LEU
1	C	281	CYS
1	C	302	SER
1	C	309	LEU
1	C	315	LYS
1	D	120	ARG
1	D	225	ASN
1	D	256	GLU
1	D	279	LEU
1	D	281	CYS
1	D	302	SER
1	D	306	MET
1	D	309	LEU
1	D	315	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	GLN
1	A	225	ASN
1	A	300	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	124	GLN
1	B	138	HIS
1	B	191	GLN
1	B	225	ASN
1	B	300	ASN
1	C	225	ASN
1	C	299	GLN
1	C	300	ASN
1	D	124	GLN
1	D	225	ASN
1	D	300	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAD	A	377	-	38,48,48	1.98	9 (23%)	47,73,73	2.64	13 (27%)
4	SSB	A	378	2	9,10,10	1.01	0	9,12,12	1.61	3 (33%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAD	B	377	-	38,48,48	1.86	8 (21%)	47,73,73	2.67	13 (27%)
4	SSB	B	378	2	9,10,10	1.00	0	9,12,12	1.40	2 (22%)
3	NAD	C	377	-	38,48,48	1.92	11 (28%)	47,73,73	2.82	13 (27%)
4	SSB	C	378	2	9,10,10	1.01	0	9,12,12	1.39	2 (22%)
3	NAD	D	377	-	38,48,48	2.09	13 (34%)	47,73,73	2.75	13 (27%)
4	SSB	D	378	2	9,10,10	1.10	1 (11%)	9,12,12	1.12	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	377	-	-	0/22/62/62	0/5/5/5
4	SSB	A	378	2	1/1/2/2	0/4/13/13	0/1/1/1
3	NAD	B	377	-	-	0/22/62/62	0/5/5/5
4	SSB	B	378	2	1/1/2/2	0/4/13/13	0/1/1/1
3	NAD	C	377	-	-	0/22/62/62	0/5/5/5
4	SSB	C	378	2	1/1/2/2	0/4/13/13	0/1/1/1
3	NAD	D	377	-	-	0/22/62/62	0/5/5/5
4	SSB	D	378	2	1/1/2/2	0/4/13/13	0/1/1/1

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	377	NAD	O2B-C2B	-3.88	1.33	1.43
3	A	377	NAD	O2B-C2B	-3.06	1.35	1.43
3	B	377	NAD	C2N-C3N	-2.86	1.34	1.39
3	C	377	NAD	O2B-C2B	-2.84	1.36	1.43
3	D	377	NAD	O2B-C2B	-2.68	1.36	1.43
3	D	377	NAD	O2D-C2D	-2.65	1.36	1.43
3	B	377	NAD	O2D-C2D	-2.63	1.36	1.43
4	D	378	SSB	O6-S1	-2.44	1.42	1.50
3	D	377	NAD	O3D-C3D	-2.26	1.37	1.43
3	D	377	NAD	C2N-C3N	-2.12	1.35	1.39
3	C	377	NAD	O2D-C2D	-2.08	1.38	1.43
3	D	377	NAD	C8A-N7A	-2.00	1.30	1.34
3	C	377	NAD	O4B-C4B	2.14	1.50	1.45
3	C	377	NAD	C3B-C4B	2.26	1.59	1.53
3	D	377	NAD	C4N-C3N	2.30	1.43	1.39
3	D	377	NAD	C5N-C4N	2.31	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	377	NAD	C4A-N3A	2.36	1.39	1.35
3	D	377	NAD	C3B-C4B	2.37	1.59	1.53
3	B	377	NAD	C3D-C4D	2.40	1.59	1.53
3	A	377	NAD	C5N-C4N	2.46	1.44	1.38
3	C	377	NAD	C4N-C3N	2.50	1.43	1.39
3	A	377	NAD	O3B-C3B	2.62	1.49	1.43
3	C	377	NAD	O4D-C1D	2.62	1.44	1.41
3	A	377	NAD	O4B-C4B	2.64	1.51	1.45
3	C	377	NAD	O3B-C3B	2.69	1.49	1.43
3	C	377	NAD	C4A-N3A	2.91	1.39	1.35
3	B	377	NAD	C4A-N3A	3.26	1.40	1.35
3	A	377	NAD	C4A-N3A	3.52	1.40	1.35
3	B	377	NAD	O4D-C4D	3.54	1.53	1.45
3	B	377	NAD	C2A-N3A	3.71	1.38	1.32
3	C	377	NAD	O4D-C4D	3.74	1.53	1.45
3	A	377	NAD	O4D-C4D	3.93	1.54	1.45
3	C	377	NAD	C3N-C7N	4.03	1.56	1.50
3	A	377	NAD	C3N-C7N	4.06	1.56	1.50
3	A	377	NAD	C2A-N3A	4.10	1.39	1.32
3	B	377	NAD	C3N-C7N	4.15	1.57	1.50
3	A	377	NAD	O4D-C1D	4.38	1.46	1.41
3	D	377	NAD	O4D-C4D	4.51	1.55	1.45
3	D	377	NAD	O4D-C1D	4.55	1.47	1.41
3	D	377	NAD	C3N-C7N	4.64	1.57	1.50
3	D	377	NAD	C2A-N3A	5.02	1.41	1.32
3	C	377	NAD	C2A-N3A	5.44	1.41	1.32

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	377	NAD	N3A-C2A-N1A	-9.58	121.56	128.89
3	B	377	NAD	N3A-C2A-N1A	-9.19	121.86	128.89
3	D	377	NAD	N3A-C2A-N1A	-8.20	122.61	128.89
3	A	377	NAD	N3A-C2A-N1A	-7.64	123.05	128.89
3	C	377	NAD	C3N-C2N-N1N	-6.92	112.38	120.36
3	A	377	NAD	C5N-C4N-C3N	-6.83	111.75	120.33
3	D	377	NAD	C5N-C4N-C3N	-6.80	111.78	120.33
3	C	377	NAD	C5N-C4N-C3N	-6.54	112.11	120.33
3	B	377	NAD	C5N-C4N-C3N	-6.25	112.48	120.33
3	D	377	NAD	C3N-C2N-N1N	-5.99	113.46	120.36
3	A	377	NAD	C3N-C2N-N1N	-5.69	113.80	120.36
3	B	377	NAD	C3N-C2N-N1N	-5.14	114.44	120.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	377	NAD	O4D-C1D-N1N	-3.13	104.70	108.13
3	A	377	NAD	C4B-O4B-C1B	-3.05	106.37	109.72
3	C	377	NAD	O4D-C1D-N1N	-2.69	105.17	108.13
3	D	377	NAD	C2N-C3N-C7N	-2.65	111.61	119.31
4	A	378	SSB	O6-S1-C2	-2.65	96.98	107.02
4	C	378	SSB	C7-C3-C4	-2.49	105.94	115.32
3	C	377	NAD	C4B-O4B-C1B	-2.43	107.05	109.72
3	C	377	NAD	C2N-C3N-C7N	-2.35	112.47	119.31
3	A	377	NAD	C2N-C3N-C7N	-2.34	112.50	119.31
4	B	378	SSB	O6-S1-C2	-2.28	98.40	107.02
3	B	377	NAD	O7N-C7N-C3N	-2.19	117.19	119.59
3	D	377	NAD	O7N-C7N-C3N	-2.16	117.22	119.59
3	A	377	NAD	O7N-C7N-C3N	-2.16	117.23	119.59
4	D	378	SSB	C7-C3-C4	-2.14	107.26	115.32
3	B	377	NAD	C2N-C3N-C7N	-2.12	113.15	119.31
3	B	377	NAD	C4B-O4B-C1B	-2.11	107.40	109.72
4	C	378	SSB	O6-S1-C2	-2.10	99.05	107.02
4	A	378	SSB	O6-S1-C5	-2.00	99.12	107.00
3	C	377	NAD	O4D-C4D-C3D	-2.00	101.11	105.15
3	A	377	NAD	O2B-C2B-C3B	2.05	118.50	111.83
3	D	377	NAD	O2A-PA-O1A	2.07	123.73	112.53
3	A	377	NAD	PN-O3-PA	2.07	138.56	132.73
4	A	378	SSB	C2-C3-C4	2.09	107.19	102.71
3	A	377	NAD	C6N-C5N-C4N	2.11	122.63	119.44
3	B	377	NAD	PN-O3-PA	2.13	138.70	132.73
4	B	378	SSB	C2-C3-C4	2.29	107.63	102.71
3	B	377	NAD	C2B-C3B-C4B	2.42	107.59	102.61
3	C	377	NAD	O2A-PA-O1A	2.46	125.88	112.53
3	A	377	NAD	C2D-C3D-C4D	2.57	107.90	102.61
3	D	377	NAD	C6N-C5N-C4N	2.59	123.36	119.44
3	C	377	NAD	C6N-C5N-C4N	2.63	123.41	119.44
3	D	377	NAD	C2B-C3B-C4B	2.67	108.09	102.61
3	C	377	NAD	C2D-C3D-C4D	2.68	108.12	102.61
3	C	377	NAD	C2B-C3B-C4B	2.69	108.13	102.61
3	B	377	NAD	O2B-C2B-C3B	2.69	120.57	111.83
3	D	377	NAD	N6A-C6A-N1A	2.71	125.01	119.20
3	D	377	NAD	C3N-C7N-N7N	2.85	120.94	117.82
3	B	377	NAD	N6A-C6A-N1A	2.90	125.42	119.20
3	A	377	NAD	C2B-C3B-C4B	2.96	108.70	102.61
3	B	377	NAD	C6N-C5N-C4N	3.09	124.11	119.44
3	A	377	NAD	C2A-N1A-C6A	4.89	127.51	118.77
3	C	377	NAD	C2A-N1A-C6A	5.38	128.38	118.77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	377	NAD	C2A-N1A-C6A	5.50	128.60	118.77
3	D	377	NAD	C2A-N1A-C6A	5.88	129.27	118.77
3	B	377	NAD	C2N-C3N-C4N	8.41	127.65	118.29
3	C	377	NAD	C2N-C3N-C4N	8.83	128.12	118.29
3	D	377	NAD	C2N-C3N-C4N	9.00	128.31	118.29
3	A	377	NAD	C2N-C3N-C4N	9.34	128.69	118.29

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	C	378	SSB	C3
4	D	378	SSB	C3
4	A	378	SSB	C3
4	B	378	SSB	C3

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	377	NAD	3	0
4	A	378	SSB	2	0
3	B	377	NAD	2	0
4	B	378	SSB	1	0
3	C	377	NAD	2	0
4	C	378	SSB	1	0
3	D	377	NAD	1	0
4	D	378	SSB	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	374/374 (100%)	-0.56	1 (0%) 94 94	9, 15, 27, 39	0
1	B	374/374 (100%)	-0.54	1 (0%) 94 94	9, 15, 27, 39	0
1	C	374/374 (100%)	-0.55	2 (0%) 91 92	9, 16, 27, 39	0
1	D	374/374 (100%)	-0.52	2 (0%) 91 92	9, 16, 27, 39	0
All	All	1496/1496 (100%)	-0.54	6 (0%) 93 93	9, 16, 27, 39	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	LYS	3.1
1	C	84	ARG	2.4
1	D	133	ARG	2.3
1	A	247	LYS	2.3
1	C	247	LYS	2.2
1	D	247	LYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron



density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	SSB	D	378	10/10	0.98	0.08	0.85	11,15,21,22	0
4	SSB	C	378	10/10	0.98	0.09	0.45	11,15,21,22	0
4	SSB	A	378	10/10	0.98	0.08	0.15	10,15,21,22	0
4	SSB	B	378	10/10	0.98	0.08	-0.12	11,15,21,22	0
3	NAD	B	377	44/44	0.98	0.07	-0.76	8,13,15,16	0
3	NAD	A	377	44/44	0.98	0.07	-0.79	8,13,15,17	0
3	NAD	C	377	44/44	0.98	0.06	-0.82	8,13,15,17	0
3	NAD	D	377	44/44	0.98	0.06	-0.93	8,13,15,16	0
2	ZN	D	376	1/1	0.99	0.04	-1.42	15,15,15,15	0
2	ZN	C	376	1/1	1.00	0.01	-1.60	15,15,15,15	0
2	ZN	A	376	1/1	1.00	0.02	-1.84	14,14,14,14	0
2	ZN	B	376	1/1	1.00	0.02	-1.87	15,15,15,15	0
2	ZN	B	375	1/1	1.00	0.02	-2.85	12,12,12,12	0
2	ZN	A	375	1/1	1.00	0.02	-2.87	12,12,12,12	0
2	ZN	D	375	1/1	1.00	0.02	-3.72	14,14,14,14	0
2	ZN	C	375	1/1	1.00	0.02	-3.79	15,15,15,15	0

## 6.5 Other polymers

There are no such residues in this entry.