



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 06:01 PM GMT

PDB ID : 1BU5
Title : X-RAY CRYSTAL STRUCTURE OF THE DESULFOVIBRIO VULGARIS
(HILDENBOROUGH) APOFLAVODOXIN-RIBOFLAVIN COMPLEX
Authors : Walsh, M.A.; Mccarthy, A.; O'Farrell, P.A.; Mccardle, P.; Cunningham, P.D.;
Mayhew, S.G.; Higgins, T.M.
Deposited on : 1998-09-12
Resolution : 1.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2862 (1.86-1.82)
Ramachandran outliers	100387	2831 (1.86-1.82)
Sidechain outliers	100360	2832 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	147	 71% 22% 5% •
1	B	147	 67% 28% • •

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 2469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (FLAVODOXIN).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	147	Total	C	N	O	S	0	0	0
			1104	686	181	233	4			
1	B	147	Total	C	N	O	S	0	0	0
			1104	686	181	233	4			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is RIBOFLAVIN (three-letter code: RBF) (formula: C₁₇H₂₀N₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			27	17	4	6		
3	B	1	Total	C	N	O	0	0
			27	17	4	6		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	107	Total	O	0	0
			107	107		
4	B	90	Total	O	0	0
			90	90		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTEIN (FLAVODOXIN)



• Molecule 1: PROTEIN (FLAVODOXIN)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	94.38 Å 62.31 Å 77.42 Å 90.00° 127.26° 90.00°	Depositor
Resolution (Å)	10.00 – 1.83	Depositor
% Data completeness (in resolution range)	81.0 (10.00-1.83)	Depositor
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CCP4	Depositor
R, R_{free}	0.167 , 0.202	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2469	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RBF, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	0/1122	2.13	36/1518 (2.4%)
1	B	0.91	1/1122 (0.1%)	2.28	55/1518 (3.6%)
All	All	0.85	1/2244 (0.0%)	2.20	91/3036 (3.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	57	CYS	CB-SG	-6.99	1.70	1.82

All (91) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	134	ARG	NE-CZ-NH1	20.43	130.51	120.30
1	B	131	ARG	NE-CZ-NH1	19.66	130.13	120.30
1	B	125	ARG	NE-CZ-NH2	-15.02	112.79	120.30
1	B	131	ARG	NE-CZ-NH2	-15.00	112.80	120.30
1	A	36	ARG	NE-CZ-NH2	-14.77	112.92	120.30
1	B	131	ARG	CD-NE-CZ	14.14	143.40	123.60
1	A	125	ARG	NE-CZ-NH2	13.44	127.02	120.30
1	A	36	ARG	NE-CZ-NH1	13.10	126.85	120.30
1	A	37	ASP	CB-CG-OD2	-12.40	107.14	118.30
1	A	134	ARG	NE-CZ-NH2	-12.26	114.17	120.30
1	B	127	ASP	CB-CG-OD2	-11.56	107.90	118.30
1	B	86	ARG	NE-CZ-NH2	-11.41	114.59	120.30
1	A	131	ARG	CD-NE-CZ	10.47	138.26	123.60
1	A	145	ARG	NE-CZ-NH2	10.30	125.45	120.30
1	A	37	ASP	CB-CG-OD1	10.29	127.56	118.30
1	A	131	ARG	NE-CZ-NH1	10.09	125.34	120.30
1	B	98	TYR	CB-CG-CD2	-9.87	115.08	121.00
1	A	76	ASP	CB-CG-OD1	9.75	127.08	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	32	GLU	CA-CB-CG	9.71	134.76	113.40
1	B	24	ARG	CD-NE-CZ	9.60	137.04	123.60
1	A	113	LYS	CA-CB-CG	9.48	134.25	113.40
1	B	145	ARG	NE-CZ-NH2	-9.45	115.58	120.30
1	A	134	ARG	CD-NE-CZ	9.34	136.68	123.60
1	B	127	ASP	CB-CG-OD1	9.11	126.50	118.30
1	B	79	GLU	OE1-CD-OE2	9.04	134.14	123.30
1	B	37	ASP	CB-CG-OD2	-8.79	110.39	118.30
1	B	50	PHE	CB-CG-CD1	-8.66	114.74	120.80
1	B	51	ASP	CB-CG-OD2	8.51	125.96	118.30
1	B	95	ASP	CB-CG-OD2	-8.26	110.86	118.30
1	A	122	ASP	CB-CG-OD2	-8.23	110.89	118.30
1	B	24	ARG	NE-CZ-NH1	8.12	124.36	120.30
1	A	17	TYR	CB-CG-CD1	-8.01	116.19	121.00
1	B	71	PHE	CZ-CE2-CD2	-7.60	110.98	120.10
1	B	37	ASP	CB-CG-OD1	7.35	124.92	118.30
1	B	76	ASP	CB-CG-OD2	-7.28	111.75	118.30
1	B	98	TYR	CB-CG-CD1	7.11	125.27	121.00
1	A	31	TYR	CB-CG-CD2	-6.96	116.83	121.00
1	B	42	GLU	CA-CB-CG	6.91	128.61	113.40
1	A	2	PRO	N-CA-CB	6.73	111.38	103.30
1	A	136	ASP	CB-CG-OD2	-6.69	112.28	118.30
1	B	125	ARG	NE-CZ-NH1	6.63	123.62	120.30
1	B	71	PHE	CG-CD2-CE2	6.62	128.08	120.80
1	B	80	GLU	OE1-CD-OE2	6.61	131.23	123.30
1	B	135	ASP	CB-CG-OD1	6.52	124.17	118.30
1	A	98	TYR	CB-CG-CD1	-6.47	117.12	121.00
1	B	35	SER	O-C-N	-6.35	112.54	122.70
1	A	2	PRO	CA-N-CD	-6.21	102.81	111.50
1	B	114	ASN	N-CA-CB	6.18	121.73	110.60
1	B	51	ASP	CB-CG-OD1	-6.10	112.81	118.30
1	B	57	CYS	N-CA-CB	-5.99	99.83	110.60
1	A	100	TYR	CB-CG-CD1	-5.93	117.44	121.00
1	A	32	GLU	N-CA-CB	5.83	121.10	110.60
1	B	71	PHE	CG-CD1-CE1	-5.82	114.40	120.80
1	B	145	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	A	76	ASP	CB-CG-OD2	-5.79	113.09	118.30
1	A	91	PHE	CB-CG-CD2	-5.72	116.80	120.80
1	A	129	ASP	CB-CG-OD1	5.70	123.43	118.30
1	B	63	ASP	CA-CB-CG	5.69	125.91	113.40
1	B	134	ARG	CA-C-O	5.67	132.01	120.10
1	B	36	ARG	CG-CD-NE	-5.65	99.93	111.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	95	ASP	N-CA-CB	-5.64	100.44	110.60
1	B	40	SER	N-CA-CB	-5.59	102.12	110.50
1	B	145	ARG	CB-CG-CD	-5.56	97.15	111.60
1	B	106	ASP	CB-CG-OD1	5.55	123.30	118.30
1	A	125	ARG	NH1-CZ-NH2	-5.54	113.31	119.40
1	B	32	GLU	N-CA-C	-5.52	96.08	111.00
1	B	28	ASP	N-CA-CB	5.49	120.48	110.60
1	B	129	ASP	CB-CG-OD1	5.47	123.23	118.30
1	B	32	GLU	N-CA-CB	5.47	120.44	110.60
1	B	125	ARG	CD-NE-CZ	5.44	131.22	123.60
1	B	9	GLY	N-CA-C	-5.41	99.58	113.10
1	B	86	ARG	CD-NE-CZ	-5.38	116.06	123.60
1	A	113	LYS	CD-CE-NZ	5.29	123.87	111.70
1	A	130	PRO	N-CA-CB	5.28	109.63	103.30
1	B	65	ILE	N-CA-CB	5.28	122.94	110.80
1	B	12	THR	O-C-N	-5.27	114.23	123.20
1	B	36	ARG	NE-CZ-NH1	-5.27	117.66	120.30
1	B	134	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	B	129	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	A	31	TYR	CB-CG-CD1	5.19	124.12	121.00
1	A	87	LYS	CA-CB-CG	-5.19	101.99	113.40
1	B	16	GLU	O-C-N	-5.18	114.41	122.70
1	A	131	ARG	NH1-CZ-NH2	-5.12	113.77	119.40
1	B	86	ARG	NH1-CZ-NH2	5.09	125.00	119.40
1	B	20	GLU	CA-CB-CG	-5.08	102.23	113.40
1	A	58	SER	O-C-N	-5.08	114.58	122.70
1	B	114	ASN	CA-CB-CG	-5.05	102.29	113.40
1	A	65	ILE	O-C-N	-5.05	114.62	122.70
1	A	79	GLU	OE1-CD-OE2	5.04	129.35	123.30
1	A	121	GLN	CA-CB-CG	5.01	124.43	113.40
1	B	34	ASP	CB-CG-OD2	-5.01	113.79	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1104	0	1032	13	0
1	B	1104	0	1032	10	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	27	0	20	1	0
3	B	27	0	20	0	0
4	A	107	0	0	1	0
4	B	90	0	0	2	0
All	All	2469	0	2104	24	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (24) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:301:RBF:O3'	3:A:301:RBF:O5'	1.98	0.64
1:A:148:ILE:OXT	1:A:148:ILE:HG13	2.01	0.61
1:A:88:VAL:HG23	1:A:119:ILE:HD13	1.86	0.56
1:B:2:PRO:HG2	1:B:31:TYR:CE2	2.44	0.53
1:A:87:LYS:HD2	4:A:375:HOH:O	2.09	0.52
1:A:140:TRP:O	1:A:144:VAL:HG13	2.10	0.52
1:A:65:ILE:HD12	1:A:103:GLY:HA3	1.93	0.51
1:B:26:LEU:CD2	1:B:145:ARG:HG3	2.40	0.51
1:B:32:GLU:O	1:B:32:GLU:HG3	2.12	0.49
1:A:21:THR:HG23	1:A:134:ARG:HH11	1.78	0.49
1:B:88:VAL:CG2	1:B:119:ILE:HD13	2.43	0.48
1:A:56:GLY:HA2	1:A:91:PHE:O	2.14	0.48
1:A:72:ILE:HB	1:A:73:PRO:HD3	1.97	0.46
1:B:26:LEU:HD23	1:B:145:ARG:HG3	1.99	0.45
1:B:56:GLY:HA2	1:B:91:PHE:O	2.15	0.45
1:A:106:ASP:OD1	1:A:125:ARG:NH2	2.36	0.44
1:A:88:VAL:HG21	1:A:112:LEU:HG	2.01	0.42
1:A:65:ILE:HG22	1:A:100:TYR:CD2	2.54	0.42
1:B:53:VAL:O	1:B:88:VAL:HA	2.19	0.42
1:B:125:ARG:NE	4:B:344:HOH:O	2.24	0.42
1:B:95:ASP:OD1	1:B:97:SER:HB3	2.19	0.41
1:A:21:THR:O	1:A:25:GLU:HG2	2.20	0.41
1:A:21:THR:HG23	1:A:134:ARG:NH1	2.36	0.41
1:B:84:GLN:HB2	4:B:361:HOH:O	2.20	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	145/147 (99%)	141 (97%)	4 (3%)	0	100	100
1	B	145/147 (99%)	140 (97%)	5 (3%)	0	100	100
All	All	290/294 (99%)	281 (97%)	9 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	112/112 (100%)	100 (89%)	12 (11%)	8	1
1	B	112/112 (100%)	104 (93%)	8 (7%)	18	4
All	All	224/224 (100%)	204 (91%)	20 (9%)	12	2

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ARG
1	A	42	GLU
1	A	65	ILE
1	A	67	LEU
1	A	84	GLN
1	A	110	GLU
1	A	112	LEU
1	A	113	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	120	VAL
1	A	134	ARG
1	A	144	VAL
1	A	148	ILE
1	B	24	ARG
1	B	32	GLU
1	B	65	ILE
1	B	87	LYS
1	B	97	SER
1	B	112	LEU
1	B	118	GLU
1	B	144	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	84	GLN
1	B	142	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	201	-	4,4,4	0.83	0	6,6,6	0.25	0
3	RBF	A	301	-	28,29,29	2.05	9 (32%)	30,43,43	4.22	16 (53%)
2	SO4	B	202	-	4,4,4	0.70	0	6,6,6	0.21	0
3	RBF	B	302	-	28,29,29	1.95	9 (32%)	30,43,43	3.28	15 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	201	-	-	0/0/0/0	0/0/0/0
3	RBF	A	301	-	-	0/14/14/14	0/3/3/3
2	SO4	B	202	-	-	0/0/0/0	0/0/0/0
3	RBF	B	302	-	-	0/14/14/14	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	301	RBF	C10-N10	-4.38	1.34	1.39
3	B	302	RBF	C10-N10	-4.28	1.34	1.39
3	B	302	RBF	C4'-C3'	-3.27	1.47	1.53
3	A	301	RBF	C4'-C3'	-3.25	1.47	1.53
3	B	302	RBF	C4A-N5	-3.17	1.28	1.33
3	A	301	RBF	C2'-C3'	-2.69	1.48	1.53
3	A	301	RBF	C5'-C4'	2.33	1.58	1.52
3	B	302	RBF	C5'-C4'	2.40	1.59	1.52
3	A	301	RBF	C8M-C8	2.56	1.56	1.51
3	B	302	RBF	C8M-C8	2.58	1.56	1.51
3	B	302	RBF	C4-N3	2.58	1.37	1.33
3	B	302	RBF	C5A-N5	2.71	1.39	1.35
3	A	301	RBF	C5A-N5	2.97	1.40	1.35
3	A	301	RBF	C4-N3	2.99	1.38	1.33
3	A	301	RBF	C9A-N10	3.06	1.43	1.38
3	B	302	RBF	C1'-N10	3.12	1.51	1.48
3	B	302	RBF	C4-C4A	4.31	1.50	1.41
3	A	301	RBF	C4-C4A	5.02	1.51	1.41

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	RBF	C4A-C4-N3	-7.96	113.11	123.52
3	A	301	RBF	N3-C2-N1	-6.93	116.03	127.69
3	B	302	RBF	N3-C2-N1	-6.82	116.21	127.69
3	B	302	RBF	C4-C4A-C10	-6.63	115.70	119.94
3	A	301	RBF	C5'-C4'-C3'	-5.94	97.75	112.43
3	B	302	RBF	O5'-C5'-C4'	-5.68	98.47	111.07
3	B	302	RBF	C4A-C10-N10	-5.30	116.67	120.52
3	B	302	RBF	O4'-C4'-C5'	-4.30	99.01	109.23
3	A	301	RBF	C7-C6-C5A	-4.13	114.17	120.90
3	A	301	RBF	O2'-C2'-C3'	-4.11	98.39	108.96
3	B	302	RBF	C5A-C9A-N10	-3.44	115.00	117.58
3	B	302	RBF	C5'-C4'-C3'	-3.18	104.57	112.43
3	A	301	RBF	C6-C5A-N5	-3.11	115.04	118.92
3	B	302	RBF	C7M-C7-C8	-2.84	114.61	120.73
3	A	301	RBF	C4-C4A-C10	-2.53	118.32	119.94
3	A	301	RBF	C7M-C7-C8	-2.37	115.64	120.73
3	A	301	RBF	C1'-N10-C9A	-2.30	116.16	118.83
3	B	302	RBF	C4A-C4-N3	-2.13	120.74	123.52
3	B	302	RBF	O2'-C2'-C3'	-2.12	103.49	108.96
3	A	301	RBF	C8-C9-C9A	-2.11	111.76	119.18
3	B	302	RBF	O3'-C3'-C2'	-2.07	103.37	108.73
3	A	301	RBF	C8M-C8-C7	-2.05	116.32	120.73
3	A	301	RBF	C9-C9A-C5A	2.02	123.28	119.65
3	B	302	RBF	C9-C9A-C5A	2.17	123.54	119.65
3	B	302	RBF	C1'-N10-C9A	2.80	122.08	118.83
3	A	301	RBF	C9-C8-C7	3.47	126.77	119.97
3	A	301	RBF	C6-C5A-C9A	3.54	123.01	119.11
3	A	301	RBF	O4'-C4'-C3'	3.84	118.84	108.96
3	B	302	RBF	O4'-C4'-C3'	4.29	120.00	108.96
3	B	302	RBF	C4-N3-C2	7.69	121.57	115.16
3	A	301	RBF	C4-N3-C2	16.24	128.71	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	RBF	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.