



Full wwPDB NMR Structure Validation Report ⓘ

Oct 6, 2016 – 06:23 PM EDT

PDB ID : 4BY9
Title : The structure of the Box CD enzyme reveals regulation of rRNA methylation
Authors : Lapinaite, A.; Simon, B.; Skjaerven, L.; Rakwalska-Bange, M.; Gabel, F.; Carlomagno, T.
Deposited on : 2013-07-18

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Mogul	:	unknown
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	rb-20027939
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 0%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958
RNA backbone	3027	600

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	72	21% 53% 24% .
1	B	72	14% 58% 24% .
2	C	366	91% 8% .
2	F	366	91% 8% .
2	I	366	90% 9% .
2	L	366	90% 9% .
3	D	121	90% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	G	121	 93% 7%
3	J	121	 92% 7% .
3	M	121	 93% 7%
4	E	227	 89% 10% .
4	H	227	 92% 7% .
4	K	227	 94% 6%
4	N	227	 93% 6%
5	W	11	 9% 64% 27%
5	X	11	 73% 27%
5	Y	11	 9% 73% 18%
5	Z	11	 9% 73% 18%

2 Ensemble composition and analysis ⓘ

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

3 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 52476 atoms, of which 25544 are hydrogens and 0 are deuteriums.

- Molecule 1 is a RNA chain called SSR26.

Mol	Chain	Residues	Atoms						Trace
1	A	72	Total	C	H	N	O	P	0
			2342	696	782	300	493	71	
1	B	72	Total	C	H	N	O	P	0
			2342	696	782	300	493	71	

- Molecule 2 is a protein called NOP5/NOP56 RELATED PROTEIN.

Mol	Chain	Residues	Atoms						Trace
2	C	366	Total	C	H	N	O	S	0
			6006	1903	3025	518	553	7	
2	F	366	Total	C	H	N	O	S	0
			6006	1903	3025	518	553	7	
2	I	366	Total	C	H	N	O	S	0
			6006	1903	3025	518	553	7	
2	L	366	Total	C	H	N	O	S	0
			6006	1903	3025	518	553	7	

- Molecule 3 is a protein called 50S RIBOSOMAL PROTEIN L7AE.

Mol	Chain	Residues	Atoms						Trace
3	D	121	Total	C	H	N	O	S	0
			1906	591	980	153	179	3	
3	G	121	Total	C	H	N	O	S	0
			1906	591	980	153	179	3	
3	J	121	Total	C	H	N	O	S	0
			1906	591	980	153	179	3	
3	M	121	Total	C	H	N	O	S	0
			1906	591	980	153	179	3	

- Molecule 4 is a protein called FIBRILLARIN-LIKE RRNA/TRNA 2'-O-METHYLTRANSFERASE.

Mol	Chain	Residues	Atoms						Trace
4	E	227	Total	C	H	N	O	S	0
			3691	1174	1869	312	334	2	
4	H	227	Total	C	H	N	O	S	0
			3691	1174	1869	312	334	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						Trace
4	K	227	Total	C	H	N	O	S	0
			3691	1174	1869	312	334	2	
4	N	227	Total	C	H	N	O	S	0
			3691	1174	1869	312	334	2	


- Molecule 5 is a RNA chain called 5'-R(*UP*CP*GP*CP*CP*CP*AP*UP*CP*AP*CP)-3'.

Mol	Chain	Residues	Atoms						Trace
5	W	11	Total	C	H	N	O	P	0
			345	102	121	37	75	10	
5	X	11	Total	C	H	N	O	P	0
			345	102	121	37	75	10	
5	Y	11	Total	C	H	N	O	P	0
			345	102	121	37	75	10	
5	Z	11	Total	C	H	N	O	P	0
			345	102	121	37	75	10	


4 Residue-property plots

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


• Molecule 1: SSR26




• Molecule 1: SSR26




• Molecule 2: NOP5/NOP56 RELATED PROTEIN




• Molecule 2: NOP5/NOP56 RELATED PROTEIN




- Molecule 2: NOP5/NOP56 RELATED PROTEIN




- Molecule 2: NOP5/NOP56 RELATED PROTEIN




- Molecule 3: 50S RIBOSOMAL PROTEIN L7AE




- Molecule 3: 50S RIBOSOMAL PROTEIN L7AE




- Molecule 3: 50S RIBOSOMAL PROTEIN L7AE



- Molecule 3: 50S RIBOSOMAL PROTEIN L7AE




- Molecule 4: FIBRILLARIN-LIKE RRNA/TRNA 2'-O-METHYLTRANSFERASE





- Molecule 4: FIBRILLARIN-LIKE RRNA/TRNA 2'-O-METHYLTRANSFERASE

Chain H: 92% 7%



- Molecule 4: FIBRILLARIN-LIKE RRNA/TRNA 2'-O-METHYLTRANSFERASE

Chain K: 94% 6%



- Molecule 4: FIBRILLARIN-LIKE RRNA/TRNA 2'-O-METHYLTRANSFERASE

Chain N: 93% 6%



- Molecule 5: 5'-R(*UP*CP*GP*CP*CP*CP*AP*UP*CP*AP*CP)-3'

Chain W: 9% 64% 27%



- Molecule 5: 5'-R(*UP*CP*GP*CP*CP*CP*AP*UP*CP*AP*CP)-3'

Chain X: 73% 27%




- Molecule 5: 5'-R(*UP*CP*GP*CP*CP*CP*AP*UP*CP*AP*CP)-3'

Chain Y: 9% 73% 18%



- Molecule 5: 5'-R(*UP*CP*GP*CP*CP*CP*AP*UP*CP*AP*CP)-3'

Chain Z: 9% 73% 18%



5 Refinement protocol and experimental data overview

The models were refined using the following method: *ARIA*.

Of the ? calculated structures, 1 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	refinement	1.2
NMRVIEW	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	4by9_cs.cif
Number of chemical shift lists	1
Total number of shifts	319
Number of shifts mapped to atoms	319
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	0%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality ⓘ

6.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.43	0/1751 (0.0%)	2.35	131/2734 (4.8%)
1	B	1.44	0/1751 (0.0%)	2.35	140/2734 (5.1%)
2	C	0.75	0/3036 (0.0%)	1.13	24/4085 (0.6%)
2	F	0.75	0/3036 (0.0%)	1.13	20/4085 (0.5%)
2	I	0.75	0/3036 (0.0%)	1.17	30/4085 (0.7%)
2	L	0.75	0/3036 (0.0%)	1.15	27/4085 (0.7%)
3	D	0.67	0/938 (0.0%)	1.06	4/1264 (0.3%)
3	G	0.67	0/938 (0.0%)	1.05	4/1264 (0.3%)
3	J	0.68	0/938 (0.0%)	1.00	3/1264 (0.2%)
3	M	0.67	0/938 (0.0%)	1.06	4/1264 (0.3%)
4	E	0.74	0/1861 (0.0%)	1.12	15/2515 (0.6%)
4	H	0.75	0/1861 (0.0%)	1.13	14/2515 (0.6%)
4	K	0.75	0/1861 (0.0%)	1.10	9/2515 (0.4%)
4	N	0.75	0/1861 (0.0%)	1.11	11/2515 (0.4%)
5	W	1.44	0/248 (0.0%)	2.29	20/383 (5.2%)
5	X	1.40	0/248 (0.0%)	2.23	21/383 (5.5%)
5	Y	1.39	0/248 (0.0%)	2.25	21/383 (5.5%)
5	Z	1.43	0/248 (0.0%)	2.38	21/383 (5.5%)
All	All	0.89	0/27834 (0.0%)	1.42	519/38456 (1.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0	12
1	B	0	13
2	F	0	4
2	I	0	3
2	L	0	2
3	J	0	1
4	H	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	Chirality	Planarity
4	K	0	3
4	N	0	2
5	W	0	3
5	X	0	3
5	Y	0	2
5	Z	0	1
All	All	0	53

There are no bond-length outliers.

All angle outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	22	ARG	NE-CZ-NH1	13.29	126.94	120.30
2	C	358	ARG	NE-CZ-NH1	11.90	126.25	120.30
1	B	63	C	O4'-C1'-N1	11.60	117.48	108.20
2	L	116	ARG	NE-CZ-NH1	11.20	125.90	120.30
1	A	44	A	N1-C6-N6	-10.87	112.08	118.60
1	B	8	A	N1-C6-N6	-10.87	112.08	118.60
1	B	44	A	N1-C6-N6	-10.67	112.20	118.60
4	K	49	ARG	NE-CZ-NH1	10.62	125.61	120.30
2	I	189	ARG	NE-CZ-NH1	10.54	125.57	120.30
1	A	66	A	N1-C6-N6	-10.50	112.30	118.60
2	I	124	ARG	NE-CZ-NH1	10.44	125.52	120.30
1	B	66	A	N1-C6-N6	-10.39	112.37	118.60
1	B	30	A	N1-C6-N6	-10.37	112.38	118.60
1	A	11	A	N1-C6-N6	-10.36	112.38	118.60
2	C	360	ARG	NE-CZ-NH1	10.33	125.47	120.30
3	G	25	ARG	NE-CZ-NH1	10.23	125.41	120.30
4	N	39	ARG	NE-CZ-NH1	10.23	125.41	120.30
2	L	148	ARG	NE-CZ-NH1	10.07	125.33	120.30
4	H	198	ARG	NE-CZ-NH1	10.01	125.30	120.30
2	I	116	ARG	NE-CZ-NH1	9.97	125.28	120.30
1	A	40	A	N1-C6-N6	-9.88	112.67	118.60
1	B	11	A	N1-C6-N6	-9.87	112.68	118.60
1	A	47	A	N1-C6-N6	-9.81	112.71	118.60
2	L	230	ARG	NE-CZ-NH1	9.74	125.17	120.30
4	E	34	ARG	NE-CZ-NH1	9.70	125.15	120.30
1	A	38	A	N1-C6-N6	-9.57	112.86	118.60
1	B	26	A	N1-C6-N6	-9.55	112.87	118.60
1	A	62	A	N1-C6-N6	-9.52	112.89	118.60
2	L	189	ARG	NE-CZ-NH1	9.51	125.06	120.30
2	F	124	ARG	NE-CZ-NH1	9.44	125.02	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	N	112	ARG	NE-CZ-NH1	9.39	125.00	120.30
5	W	10	A	N1-C6-N6	-9.37	112.98	118.60
1	A	63	C	O4'-C1'-N1	9.25	115.60	108.20
2	F	222	ARG	NE-CZ-NH1	9.23	124.91	120.30
2	I	358	ARG	NE-CZ-NH1	9.21	124.91	120.30
5	Z	10	A	N1-C6-N6	-9.19	113.09	118.60
4	H	49	ARG	NE-CZ-NH1	9.17	124.88	120.30
2	I	316	ARG	NE-CZ-NH1	9.17	124.88	120.30
1	A	50	A	O4'-C1'-N9	9.13	115.51	108.20
1	A	18	A	N1-C6-N6	-9.13	113.12	118.60
1	B	43	A	N1-C6-N6	-9.09	113.15	118.60
1	A	8	A	N1-C6-N6	-9.08	113.15	118.60
5	Y	6	C	O4'-C1'-N1	9.06	115.45	108.20
1	A	44	A	C5-C6-N1	9.04	122.22	117.70
1	A	30	A	N1-C6-N6	-9.04	113.18	118.60
5	W	4	C	O4'-C1'-N1	9.02	115.42	108.20
1	A	14	A	N1-C6-N6	-8.98	113.21	118.60
1	A	54	A	N1-C6-N6	-8.97	113.22	118.60
2	C	235	ARG	NE-CZ-NH1	8.97	124.79	120.30
2	C	230	ARG	NE-CZ-NH1	8.97	124.78	120.30
2	C	124	ARG	NE-CZ-NH1	8.91	124.75	120.30
1	B	14	A	N1-C6-N6	-8.89	113.27	118.60
2	L	327	ARG	NE-CZ-NH1	8.86	124.73	120.30
3	D	43	ARG	NE-CZ-NH1	8.83	124.72	120.30
1	A	50	A	N1-C6-N6	-8.79	113.33	118.60
2	I	88	ARG	NE-CZ-NH1	8.70	124.65	120.30
1	A	26	A	N1-C6-N6	-8.69	113.38	118.60
1	B	47	A	N1-C6-N6	-8.69	113.39	118.60
2	C	116	ARG	NE-CZ-NH1	8.64	124.62	120.30
3	M	25	ARG	NE-CZ-NH1	8.64	124.62	120.30
2	I	230	ARG	NE-CZ-NH1	8.59	124.59	120.30
1	A	4	A	N1-C6-N6	-8.57	113.46	118.60
5	Z	9	C	O4'-C1'-N1	8.54	115.03	108.20
1	B	14	A	C5-C6-N1	8.52	121.96	117.70
4	N	49	ARG	NE-CZ-NH1	8.51	124.55	120.30
1	B	26	A	C5-C6-N1	8.46	121.93	117.70
2	F	116	ARG	NE-CZ-NH1	8.41	124.50	120.30
1	A	43	A	N1-C6-N6	-8.39	113.56	118.60
1	A	61	A	N1-C6-N6	-8.38	113.57	118.60
3	D	31	ARG	NE-CZ-NH1	8.34	124.47	120.30
1	B	40	A	N1-C6-N6	-8.28	113.64	118.60
1	B	37	A	N1-C6-N6	-8.26	113.64	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	121	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	B	4	A	N1-C6-N6	-8.19	113.69	118.60
1	A	9	U	O4'-C1'-N1	8.14	114.71	108.20
1	A	26	A	C5-C6-N1	8.12	121.76	117.70
1	B	17	G	N1-C6-O6	-8.12	115.03	119.90
1	B	25	A	N1-C6-N6	-8.10	113.74	118.60
1	B	61	A	N1-C6-N6	-8.09	113.75	118.60
2	L	88	ARG	NE-CZ-NH1	8.05	124.33	120.30
2	I	235	ARG	NE-CZ-NH1	8.04	124.32	120.30
2	F	148	ARG	NE-CZ-NH1	8.03	124.31	120.30
2	L	150	ARG	NE-CZ-NH1	8.03	124.31	120.30
1	A	59	C	O4'-C1'-N1	8.01	114.60	108.20
5	Y	7	A	N1-C6-N6	-7.98	113.81	118.60
1	A	36	A	C5-C6-N1	7.96	121.68	117.70
1	B	8	A	O4'-C1'-N9	7.95	114.56	108.20
1	B	44	A	C5-C6-N1	7.94	121.67	117.70
1	A	25	A	O4'-C1'-N9	7.94	114.55	108.20
1	B	43	A	C5-C6-N1	7.91	121.66	117.70
4	K	138	ARG	NE-CZ-NH1	7.89	124.25	120.30
1	B	62	A	N1-C6-N6	-7.88	113.87	118.60
2	I	148	ARG	NE-CZ-NH1	7.88	124.24	120.30
1	B	36	A	N1-C6-N6	-7.88	113.88	118.60
1	B	62	A	C5-C6-N1	7.87	121.64	117.70
1	B	44	A	O4'-C1'-N9	7.87	114.49	108.20
1	A	37	A	N1-C6-N6	-7.87	113.88	118.60
2	L	114	ARG	NE-CZ-NH1	7.87	124.23	120.30
4	N	209	ARG	NE-CZ-NH1	7.86	124.23	120.30
2	I	148	ARG	NE-CZ-NH2	-7.85	116.38	120.30
3	M	31	ARG	NE-CZ-NH1	7.81	124.20	120.30
1	B	36	A	C5-C6-N1	7.76	121.58	117.70
5	W	7	A	N1-C6-N6	-7.74	113.96	118.60
2	I	322	ARG	NE-CZ-NH2	7.73	124.17	120.30
4	K	112	ARG	NE-CZ-NH1	7.73	124.17	120.30
2	L	235	ARG	NE-CZ-NH1	7.72	124.16	120.30
4	E	49	ARG	NE-CZ-NH1	7.71	124.16	120.30
2	C	90	ARG	NE-CZ-NH1	7.71	124.15	120.30
1	A	50	A	C5-C6-N1	7.67	121.54	117.70
3	J	31	ARG	NE-CZ-NH1	7.67	124.14	120.30
5	X	10	A	N1-C6-N6	-7.67	114.00	118.60
2	C	189	ARG	NE-CZ-NH1	7.65	124.13	120.30
1	B	37	A	C5-C6-N1	7.65	121.52	117.70
1	A	14	A	C5-C6-N1	7.64	121.52	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	X	10	A	O4'-C1'-N9	7.61	114.29	108.20
5	Z	2	C	O4'-C1'-N1	7.61	114.29	108.20
1	B	8	A	C5-C6-N1	7.60	121.50	117.70
2	C	316	ARG	NE-CZ-NH1	7.59	124.10	120.30
2	C	264	ARG	NE-CZ-NH1	7.59	124.09	120.30
4	K	34	ARG	NE-CZ-NH1	7.59	124.10	120.30
1	B	61	A	C5-C6-N1	7.57	121.49	117.70
2	F	338	ARG	NE-CZ-NH1	7.56	124.08	120.30
1	A	36	A	N1-C6-N6	-7.55	114.07	118.60
1	A	11	A	C5-C6-N1	7.54	121.47	117.70
1	B	63	C	N3-C2-O2	-7.53	116.63	121.90
5	Z	11	C	O4'-C1'-N1	7.50	114.20	108.20
1	A	43	A	C5-C6-N1	7.47	121.43	117.70
4	H	181	ARG	NE-CZ-NH1	7.46	124.03	120.30
1	A	66	A	C4-C5-C6	-7.46	113.27	117.00
1	B	15	G	N1-C6-O6	-7.45	115.43	119.90
4	H	138	ARG	NE-CZ-NH1	7.45	124.02	120.30
2	L	68	ARG	NE-CZ-NH1	7.44	124.02	120.30
1	A	44	A	O4'-C1'-N9	7.44	114.15	108.20
2	I	22	ARG	NE-CZ-NH1	7.44	124.02	120.30
1	B	63	C	C1'-O4'-C4'	-7.43	103.95	109.90
1	B	55	U	O4'-C1'-N1	7.40	114.12	108.20
2	I	181	ASP	CB-CG-OD1	-7.39	111.65	118.30
1	B	11	A	C5-C6-N1	7.38	121.39	117.70
4	E	55	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	B	27	C	N3-C2-O2	-7.36	116.75	121.90
2	F	150	ARG	NE-CZ-NH1	7.33	123.97	120.30
5	Z	10	A	C5-C6-N1	7.33	121.36	117.70
1	B	38	A	N1-C6-N6	-7.33	114.20	118.60
2	F	244	ARG	NE-CZ-NH1	7.31	123.96	120.30
1	A	53	G	O4'-C1'-N9	7.28	114.03	108.20
4	N	55	ARG	NE-CZ-NH1	7.24	123.92	120.30
2	L	322	ARG	NE-CZ-NH1	7.22	123.91	120.30
1	B	49	G	O4'-C1'-N9	7.22	113.97	108.20
5	Z	8	U	O4'-C1'-N1	7.22	113.97	108.20
1	B	17	G	O4'-C1'-N9	7.20	113.96	108.20
1	A	37	A	C5-C6-N1	7.20	121.30	117.70
1	A	38	A	O4'-C1'-N9	7.20	113.96	108.20
1	B	3	G	O4'-C1'-N9	7.20	113.96	108.20
1	B	66	A	C4-C5-C6	-7.18	113.41	117.00
1	B	69	U	O4'-C1'-N1	7.17	113.94	108.20
1	A	47	A	C5-C6-N1	7.17	121.28	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	62	A	C5-C6-N1	7.17	121.28	117.70
5	X	7	A	C5-C6-N1	7.16	121.28	117.70
3	J	25	ARG	NE-CZ-NH1	7.16	123.88	120.30
5	W	10	A	C5-C6-N1	7.15	121.28	117.70
2	C	7	ARG	NE-CZ-NH1	7.15	123.88	120.30
4	E	198	ARG	NE-CZ-NH1	7.15	123.88	120.30
1	B	7	A	C5-C6-N1	7.15	121.27	117.70
1	B	4	A	C5-C6-N1	7.15	121.27	117.70
2	I	7	ARG	NE-CZ-NH1	7.12	123.86	120.30
1	B	50	A	C5-C6-N1	7.12	121.26	117.70
1	A	8	A	C5-C6-N1	7.11	121.26	117.70
1	A	38	A	C5-C6-N1	7.09	121.25	117.70
2	L	90	ARG	NE-CZ-NH1	7.09	123.84	120.30
1	B	54	A	N1-C6-N6	-7.08	114.35	118.60
2	I	150	ARG	NE-CZ-NH1	7.07	123.84	120.30
1	B	30	A	C4-C5-C6	-7.07	113.47	117.00
1	A	18	A	C5-C6-N1	7.06	121.23	117.70
1	B	2	C	O4'-C1'-N1	7.05	113.84	108.20
2	L	264	ARG	NE-CZ-NH1	7.05	123.83	120.30
1	B	66	A	C5-C6-N1	7.04	121.22	117.70
5	X	6	C	O4'-C1'-N1	7.03	113.83	108.20
2	C	148	ARG	NE-CZ-NH1	7.02	123.81	120.30
5	X	9	C	O4'-C1'-N1	7.02	113.81	108.20
1	A	44	A	C4-C5-C6	-7.01	113.49	117.00
1	A	42	C	N3-C2-O2	-7.01	117.00	121.90
1	A	70	C	N3-C2-O2	-7.00	117.00	121.90
2	I	68	ARG	NE-CZ-NH1	6.99	123.80	120.30
2	L	22	ARG	NE-CZ-NH1	6.98	123.79	120.30
2	I	116	ARG	NE-CZ-NH2	-6.97	116.81	120.30
1	B	15	G	O4'-C1'-N9	6.97	113.77	108.20
4	K	138	ARG	NE-CZ-NH2	-6.95	116.83	120.30
1	A	61	A	C5-C6-N1	6.94	121.17	117.70
4	N	121	ARG	NE-CZ-NH1	6.94	123.77	120.30
1	A	25	A	N1-C6-N6	-6.92	114.45	118.60
5	Y	7	A	C4-C5-C6	-6.92	113.54	117.00
1	A	16	U	O4'-C1'-N1	6.91	113.73	108.20
5	W	10	A	C4-C5-C6	-6.91	113.55	117.00
3	D	25	ARG	NE-CZ-NH1	6.90	123.75	120.30
1	A	27	C	N3-C2-O2	-6.89	117.07	121.90
1	A	18	A	C4-C5-C6	-6.89	113.56	117.00
4	H	34	ARG	NE-CZ-NH1	6.89	123.75	120.30
1	A	54	A	C4-C5-C6	-6.88	113.56	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	Y	3	G	O4'-C1'-N9	6.88	113.70	108.20
5	Y	10	A	C5-C6-N1	6.88	121.14	117.70
1	B	11	A	C4-C5-C6	-6.87	113.56	117.00
1	B	4	A	C4-C5-C6	-6.87	113.56	117.00
5	Z	3	G	O4'-C1'-N9	6.87	113.69	108.20
1	A	63	C	N3-C2-O2	-6.87	117.09	121.90
5	W	6	C	N3-C2-O2	-6.86	117.09	121.90
1	A	2	C	N3-C2-O2	-6.85	117.10	121.90
1	B	54	A	O4'-C1'-N9	6.85	113.68	108.20
5	Y	7	A	O4'-C1'-N9	6.85	113.68	108.20
2	I	69	ARG	NE-CZ-NH1	6.84	123.72	120.30
5	Z	11	C	N3-C2-O2	-6.84	117.11	121.90
5	Y	8	U	O4'-C1'-N1	6.82	113.66	108.20
1	B	38	A	C5-C6-N1	6.82	121.11	117.70
5	X	10	A	C5-C6-N1	6.80	121.10	117.70
1	B	40	A	C5-C6-N1	6.79	121.10	117.70
2	I	244	ARG	NE-CZ-NH1	6.78	123.69	120.30
1	A	7	A	C5-C6-N1	6.77	121.08	117.70
1	B	23	C	N3-C2-O2	-6.76	117.17	121.90
1	A	40	A	C5-C6-N1	6.76	121.08	117.70
1	B	2	C	N3-C2-O2	-6.71	117.20	121.90
2	C	68	ARG	NE-CZ-NH1	6.70	123.65	120.30
1	A	15	G	N3-C2-N2	-6.70	115.21	119.90
1	A	30	A	C4-C5-C6	-6.69	113.65	117.00
1	A	23	C	N3-C2-O2	-6.68	117.22	121.90
5	W	1	U	O4'-C1'-N1	6.68	113.54	108.20
5	Z	6	C	N3-C2-O2	-6.67	117.23	121.90
1	A	8	A	O4'-C1'-N9	6.67	113.54	108.20
5	W	4	C	N3-C2-O2	-6.67	117.23	121.90
1	B	7	A	N1-C6-N6	-6.67	114.60	118.60
1	B	72	C	N3-C2-O2	-6.67	117.23	121.90
1	A	34	C	N3-C2-O2	-6.66	117.24	121.90
3	G	43	ARG	NE-CZ-NH1	6.65	123.62	120.30
1	B	53	G	N1-C6-O6	-6.64	115.92	119.90
5	Z	7	A	C5-C6-N1	6.64	121.02	117.70
1	B	50	A	N1-C6-N6	-6.63	114.62	118.60
4	H	209	ARG	NE-CZ-NH1	6.63	123.61	120.30
2	F	264	ARG	NE-CZ-NH1	6.62	123.61	120.30
5	Z	6	C	O4'-C1'-N1	6.62	113.50	108.20
1	A	38	A	C4-C5-C6	-6.62	113.69	117.00
1	B	42	C	N3-C2-O2	-6.62	117.27	121.90
1	A	40	A	C4-C5-C6	-6.61	113.69	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	327	ARG	NE-CZ-NH1	6.60	123.60	120.30
2	F	22	ARG	NE-CZ-NH2	-6.59	117.01	120.30
2	I	90	ARG	NE-CZ-NH1	6.58	123.59	120.30
2	F	90	ARG	NE-CZ-NH1	6.57	123.58	120.30
5	Y	2	C	O4'-C1'-N1	6.57	113.46	108.20
1	A	48	U	O4'-C1'-N1	6.57	113.45	108.20
2	L	124	ARG	NE-CZ-NH1	6.57	123.58	120.30
2	L	222	ARG	NE-CZ-NH1	6.56	123.58	120.30
2	F	316	ARG	NE-CZ-NH1	6.56	123.58	120.30
2	I	360	ARG	NE-CZ-NH1	6.54	123.57	120.30
1	B	25	A	C5-C6-N1	6.53	120.96	117.70
1	B	47	A	C5-C6-N1	6.51	120.96	117.70
5	Y	4	C	N3-C2-O2	-6.50	117.35	121.90
1	B	61	A	C4-C5-C6	-6.50	113.75	117.00
1	A	68	C	N3-C2-O2	-6.49	117.35	121.90
1	A	61	A	C4-C5-C6	-6.48	113.76	117.00
1	A	62	A	C4-C5-C6	-6.46	113.77	117.00
1	B	63	C	C5'-C4'-O4'	6.45	116.84	109.10
5	W	8	U	O4'-C1'-N1	6.45	113.36	108.20
1	A	54	A	C5-C6-N1	6.44	120.92	117.70
5	X	6	C	N3-C2-O2	-6.44	117.39	121.90
1	A	7	A	N1-C6-N6	-6.42	114.75	118.60
2	L	69	ARG	NE-CZ-NH1	6.42	123.51	120.30
5	Y	5	C	O4'-C1'-N1	6.41	113.33	108.20
1	A	41	G	O4'-C1'-N9	6.41	113.33	108.20
4	H	39	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	B	18	A	C5-C6-N1	6.40	120.90	117.70
2	C	23	TYR	CB-CG-CD1	-6.40	117.16	121.00
4	N	225	ARG	NE-CZ-NH1	6.40	123.50	120.30
3	J	106	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	A	11	A	C4-C5-C6	-6.39	113.80	117.00
1	B	53	G	O4'-C1'-N9	6.39	113.31	108.20
1	B	32	C	N3-C2-O2	-6.38	117.44	121.90
2	I	358	ARG	NE-CZ-NH2	-6.36	117.12	120.30
1	A	66	A	C5-C6-N1	6.36	120.88	117.70
1	A	4	A	C5-C6-N1	6.35	120.87	117.70
1	B	56	G	N1-C6-O6	-6.32	116.11	119.90
5	W	2	C	N3-C2-O2	-6.32	117.48	121.90
1	B	30	A	O4'-C1'-N9	6.32	113.25	108.20
2	C	69	ARG	NE-CZ-NH1	6.32	123.46	120.30
2	I	222	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	B	40	A	C4-C5-C6	-6.27	113.87	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	69	ARG	NE-CZ-NH1	6.26	123.43	120.30
1	B	24	G	N1-C6-O6	-6.25	116.15	119.90
1	A	14	A	C4-C5-C6	-6.24	113.88	117.00
5	W	2	C	O4'-C1'-N1	6.24	113.19	108.20
5	X	2	C	O4'-C1'-N1	6.24	113.19	108.20
5	Y	6	C	N3-C2-O2	-6.23	117.54	121.90
4	E	121	ARG	NE-CZ-NH1	6.22	123.41	120.30
5	Z	5	C	N3-C2-O2	-6.22	117.54	121.90
1	B	38	A	O4'-C1'-N9	6.21	113.16	108.20
5	X	1	U	O4'-C1'-N1	6.20	113.16	108.20
1	B	49	G	C2'-C3'-O3'	6.19	123.61	113.70
1	B	8	A	C4-C5-C6	-6.19	113.90	117.00
1	A	25	A	C5-C6-N1	6.19	120.79	117.70
1	A	3	G	O4'-C1'-N9	6.18	113.14	108.20
1	A	42	C	N1-C2-O2	6.17	122.60	118.90
1	A	2	C	O4'-C1'-N1	6.15	113.12	108.20
4	E	112	ARG	NE-CZ-NH1	6.15	123.37	120.30
1	A	26	A	C4-C5-C6	-6.15	113.93	117.00
1	A	27	C	O4'-C1'-N1	6.14	113.11	108.20
2	C	273	ARG	NE-CZ-NH1	6.14	123.37	120.30
5	W	7	A	C4-C5-C6	-6.12	113.94	117.00
5	Z	4	C	O4'-C1'-N1	6.12	113.09	108.20
1	A	5	G	O4'-C1'-N9	6.12	113.09	108.20
1	B	13	G	O4'-C1'-N9	6.11	113.09	108.20
5	W	5	C	O4'-C1'-N1	6.09	113.08	108.20
2	L	116	ARG	NE-CZ-NH2	-6.09	117.25	120.30
1	B	71	G	N1-C6-O6	-6.08	116.25	119.90
3	G	106	ARG	NE-CZ-NH1	6.07	123.33	120.30
2	C	88	ARG	NE-CZ-NH1	6.06	123.33	120.30
3	M	43	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	B	36	A	C4-C5-C6	-6.05	113.97	117.00
1	B	6	C	N3-C2-O2	-6.05	117.66	121.90
2	L	116	ARG	CD-NE-CZ	6.05	132.06	123.60
1	B	43	A	C4-C5-C6	-6.04	113.98	117.00
3	D	43	ARG	NE-CZ-NH2	-6.04	117.28	120.30
4	E	138	ARG	NE-CZ-NH1	6.04	123.32	120.30
4	N	109	ARG	NE-CZ-NH1	6.04	123.32	120.30
2	F	189	ARG	NE-CZ-NH1	6.03	123.32	120.30
2	L	148	ARG	NE-CZ-NH2	-6.03	117.29	120.30
1	B	2	C	C4'-C3'-C2'	-6.02	96.58	102.60
2	F	180	ARG	NE-CZ-NH1	6.02	123.31	120.30
5	X	9	C	N3-C2-O2	-6.02	117.69	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	32	C	O4'-C1'-N1	6.02	113.01	108.20
1	B	70	C	P-O3'-C3'	6.02	126.92	119.70
1	B	54	A	C5-C6-N1	6.01	120.71	117.70
3	G	31	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	A	35	G	N1-C6-O6	-6.00	116.30	119.90
1	A	15	G	C1'-O4'-C4'	-6.00	105.10	109.90
1	A	6	C	O4'-C1'-N1	6.00	113.00	108.20
5	Z	4	C	N3-C2-O2	-6.00	117.70	121.90
3	M	106	ARG	NE-CZ-NH1	6.00	123.30	120.30
4	H	112	ARG	NE-CZ-NH1	5.99	123.30	120.30
5	W	3	G	N1-C6-O6	-5.98	116.31	119.90
2	I	338	ARG	NE-CZ-NH1	5.98	123.29	120.30
2	L	316	ARG	NE-CZ-NH1	5.97	123.28	120.30
4	K	181	ARG	NE-CZ-NH1	5.96	123.28	120.30
5	Y	2	C	N3-C2-O2	-5.96	117.73	121.90
4	H	225	ARG	NE-CZ-NH1	5.96	123.28	120.30
5	X	4	C	O4'-C1'-N1	5.96	112.97	108.20
5	W	6	C	O4'-C1'-N1	5.95	112.96	108.20
1	B	34	C	N3-C2-O2	-5.94	117.74	121.90
1	B	68	C	N3-C2-O2	-5.94	117.74	121.90
1	B	58	G	O4'-C1'-N9	5.93	112.95	108.20
1	A	19	U	O4'-C1'-N1	5.93	112.94	108.20
4	H	109	ARG	NE-CZ-NH1	5.93	123.27	120.30
5	X	10	A	C4-C5-C6	-5.93	114.03	117.00
5	Z	9	C	N3-C2-O2	-5.92	117.76	121.90
1	B	27	C	O4'-C1'-N1	5.92	112.93	108.20
1	A	24	G	N1-C6-O6	-5.91	116.36	119.90
1	A	4	A	C4-C5-C6	-5.91	114.05	117.00
1	B	63	C	O4'-C4'-C3'	-5.89	98.11	104.00
5	W	9	C	N3-C2-O2	-5.88	117.78	121.90
5	X	8	U	O4'-C1'-N1	5.88	112.90	108.20
1	A	15	G	P-O3'-C3'	5.87	126.75	119.70
1	B	23	C	O4'-C1'-N1	5.87	112.89	108.20
4	E	112	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	32	C	N3-C2-O2	-5.84	117.81	121.90
4	E	181	ARG	NE-CZ-NH1	5.84	123.22	120.30
5	Y	11	C	O4'-C1'-N1	5.84	112.87	108.20
5	Y	4	C	O4'-C1'-N1	5.83	112.86	108.20
1	B	36	A	C3'-C2'-C1'	5.82	106.16	101.50
1	B	1	G	N3-C2-N2	-5.82	115.83	119.90
1	A	37	A	C4-C5-C6	-5.81	114.10	117.00
2	F	360	ARG	NE-CZ-NH1	5.80	123.20	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	327	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	A	66	A	C6-C5-N7	5.80	136.36	132.30
5	Y	5	C	N3-C2-O2	-5.78	117.85	121.90
1	B	13	G	N1-C6-O6	-5.78	116.43	119.90
2	L	294	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	B	14	A	C4-C5-C6	-5.77	114.11	117.00
1	B	19	U	O4'-C1'-N1	5.77	112.82	108.20
1	A	23	C	O4'-C1'-N1	5.77	112.81	108.20
1	A	68	C	O4'-C1'-N1	5.76	112.81	108.20
1	B	7	A	C4-C5-C6	-5.76	114.12	117.00
1	A	56	G	N1-C6-O6	-5.75	116.45	119.90
1	B	18	A	C5'-C4'-O4'	5.75	116.00	109.10
5	Y	7	A	C5-C6-N1	5.75	120.57	117.70
1	A	15	G	N1-C6-O6	-5.74	116.46	119.90
1	B	30	A	C5-C6-N1	5.74	120.57	117.70
5	Z	10	A	C4-C5-C6	-5.73	114.14	117.00
5	X	11	C	O4'-C1'-N1	5.73	112.78	108.20
1	B	50	A	O4'-C1'-N9	5.72	112.78	108.20
5	Z	7	A	N1-C6-N6	-5.72	115.17	118.60
5	Z	5	C	O4'-C1'-N1	5.72	112.78	108.20
2	F	68	ARG	NE-CZ-NH2	5.71	123.16	120.30
2	C	235	ARG	NE-CZ-NH2	-5.71	117.44	120.30
1	A	53	G	N1-C6-O6	-5.71	116.48	119.90
1	B	17	G	C5-C6-N1	5.71	114.35	111.50
1	B	63	C	N1-C2-O2	5.70	122.32	118.90
1	A	30	A	C5-C6-N1	5.69	120.55	117.70
2	I	294	ARG	NE-CZ-NH1	5.69	123.14	120.30
1	A	1	G	N1-C6-O6	-5.69	116.49	119.90
1	B	51	G	N1-C6-O6	-5.69	116.49	119.90
1	A	70	C	P-O3'-C3'	5.68	126.52	119.70
4	E	152	ALA	CB-CA-C	5.68	118.63	110.10
1	B	52	U	O4'-C1'-N1	5.67	112.73	108.20
1	B	38	A	C4-C5-C6	-5.66	114.17	117.00
1	B	15	G	O4'-C1'-C2'	-5.66	100.14	105.80
1	A	57	G	O4'-C1'-N9	5.66	112.72	108.20
1	A	59	C	N3-C2-O2	-5.65	117.95	121.90
1	B	18	A	N1-C6-N6	-5.64	115.21	118.60
1	A	5	G	N1-C6-O6	-5.64	116.52	119.90
5	X	5	C	N3-C2-O2	-5.63	117.96	121.90
1	A	34	C	O4'-C1'-N1	5.61	112.69	108.20
1	B	70	C	N3-C2-O2	-5.61	117.97	121.90
4	N	122	ARG	NE-CZ-NH1	5.61	123.10	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	70	C	O4'-C1'-N1	5.59	112.68	108.20
1	A	47	A	C4-C5-C6	-5.58	114.21	117.00
4	E	122	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	A	58	G	O4'-C1'-N9	5.57	112.66	108.20
1	B	30	A	C6-C5-N7	5.57	136.20	132.30
1	B	15	G	C1'-O4'-C4'	-5.55	105.46	109.90
1	B	31	G	N1-C6-O6	-5.55	116.57	119.90
1	B	59	C	N3-C2-O2	-5.55	118.02	121.90
1	B	54	A	C4-C5-C6	-5.54	114.23	117.00
4	N	138	ARG	NE-CZ-NH1	5.54	123.07	120.30
4	E	225	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	A	43	A	C4-C5-C6	-5.52	114.24	117.00
2	L	180	ARG	NE-CZ-NH1	5.50	123.05	120.30
2	L	180	ARG	NE-CZ-NH2	-5.50	117.55	120.30
5	Y	9	C	N3-C2-O2	-5.50	118.05	121.90
1	A	17	G	O4'-C1'-N9	5.49	112.59	108.20
1	A	17	G	N1-C6-O6	-5.49	116.60	119.90
1	A	16	U	N3-C2-O2	-5.49	118.36	122.20
1	B	42	C	N1-C2-O2	5.49	122.19	118.90
5	X	11	C	N3-C2-O2	-5.49	118.06	121.90
1	B	27	C	N1-C2-O2	5.49	122.19	118.90
1	B	48	U	O4'-C1'-N1	5.49	112.59	108.20
1	A	72	C	N3-C2-O2	-5.48	118.06	121.90
5	X	4	C	N3-C2-O2	-5.48	118.06	121.90
1	B	44	A	C4-C5-C6	-5.48	114.26	117.00
5	W	7	A	C5-C6-N1	5.46	120.43	117.70
1	B	49	G	P-O3'-C3'	5.46	126.25	119.70
2	C	150	ARG	NE-CZ-NH1	5.45	123.03	120.30
4	E	39	ARG	NE-CZ-NH1	5.45	123.03	120.30
2	F	297	ARG	NE-CZ-NH2	5.45	123.03	120.30
5	W	3	G	O4'-C1'-N9	5.44	112.55	108.20
1	A	25	A	C4-C5-C6	-5.42	114.29	117.00
4	K	49	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	B	35	G	N1-C6-O6	-5.42	116.65	119.90
1	B	66	A	C6-C5-N7	5.42	136.09	132.30
1	B	63	C	C4'-C3'-C2'	-5.42	97.19	102.60
1	B	32	C	O4'-C1'-N1	5.41	112.53	108.20
5	X	2	C	N3-C2-O2	-5.41	118.11	121.90
2	F	148	ARG	NE-CZ-NH2	-5.41	117.60	120.30
1	A	70	C	N1-C2-O2	5.40	122.14	118.90
1	B	23	C	N1-C2-O2	5.40	122.14	118.90
2	C	180	ARG	NE-CZ-NH1	5.39	123.00	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	69	U	O4'-C1'-N1	5.39	112.51	108.20
1	A	15	G	O4'-C1'-C2'	-5.38	100.42	105.80
1	A	30	A	C6-C5-N7	5.38	136.07	132.30
1	A	21	G	N1-C6-O6	-5.38	116.67	119.90
1	A	39	G	N1-C6-O6	-5.37	116.68	119.90
4	E	109	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	B	18	A	C4-C5-C6	-5.37	114.32	117.00
5	Y	11	C	N3-C2-O2	-5.34	118.16	121.90
1	A	8	A	C4-C5-C6	-5.34	114.33	117.00
2	C	22	ARG	NE-CZ-NH1	5.34	122.97	120.30
5	X	3	G	C5'-C4'-O4'	5.34	115.50	109.10
4	H	49	ARG	NE-CZ-NH2	-5.33	117.63	120.30
1	A	7	A	C4-C5-C6	-5.33	114.34	117.00
5	W	5	C	N3-C2-O2	-5.33	118.17	121.90
5	Y	7	A	C6-C5-N7	5.33	136.03	132.30
2	I	105	TYR	CB-CG-CD1	-5.33	117.80	121.00
5	Z	2	C	N3-C2-O2	-5.33	118.17	121.90
2	I	180	ARG	NE-CZ-NH1	5.30	122.95	120.30
4	K	209	ARG	NE-CZ-NH1	5.29	122.94	120.30
5	X	5	C	O4'-C1'-N1	5.27	112.42	108.20
5	Y	10	A	C4-C5-C6	-5.27	114.36	117.00
1	B	37	A	C4-C5-C6	-5.27	114.36	117.00
1	A	18	A	C6-C5-N7	5.27	135.99	132.30
1	A	50	A	C4-C5-C6	-5.27	114.37	117.00
1	A	70	C	O4'-C1'-N1	5.26	112.41	108.20
1	B	68	C	N1-C2-O2	5.24	122.05	118.90
5	Y	10	A	N1-C6-N6	-5.24	115.46	118.60
1	B	47	A	C4-C5-C6	-5.23	114.39	117.00
1	B	28	U	O4'-C1'-N1	5.22	112.38	108.20
1	B	25	A	C4-C5-C6	-5.21	114.40	117.00
1	B	1	G	N1-C6-O6	-5.20	116.78	119.90
5	Z	7	A	C4-C5-C6	-5.19	114.40	117.00
2	L	264	ARG	NE-CZ-NH2	-5.17	117.71	120.30
1	A	54	A	C6-C5-N7	5.17	135.92	132.30
1	B	24	G	N3-C2-N2	-5.16	116.29	119.90
1	A	4	A	O4'-C1'-N9	5.16	112.33	108.20
1	A	36	A	C4-C5-C6	-5.16	114.42	117.00
1	B	20	G	O4'-C1'-N9	5.15	112.32	108.20
1	A	57	G	N1-C6-O6	-5.14	116.81	119.90
1	A	39	G	O4'-C1'-N9	5.13	112.31	108.20
4	N	49	ARG	NE-CZ-NH2	-5.13	117.73	120.30
5	Z	6	C	N1-C2-O2	5.13	121.98	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	67	G	C5'-C4'-O4'	5.13	115.26	109.10
4	K	225	ARG	NE-CZ-NH1	5.13	122.87	120.30
1	B	41	G	N1-C6-O6	-5.13	116.82	119.90
2	I	114	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	B	65	G	N3-C4-C5	-5.12	126.04	128.60
1	B	62	A	C4-C5-C6	-5.10	114.45	117.00
2	F	235	ARG	NE-CZ-NH1	5.10	122.85	120.30
5	W	2	C	N1-C2-O2	5.09	121.96	118.90
1	A	37	A	O4'-C1'-N9	5.08	112.27	108.20
1	B	36	A	O4'-C4'-C3'	5.08	110.17	106.10
2	C	116	ARG	NE-CZ-NH2	-5.08	117.76	120.30
2	I	341	TYR	CB-CG-CD2	-5.08	117.95	121.00
1	B	26	A	C4-C5-C6	-5.07	114.46	117.00
1	A	68	C	N1-C2-O2	5.07	121.94	118.90
1	B	24	G	O4'-C1'-N9	5.07	112.25	108.20
4	H	121	ARG	NH1-CZ-NH2	-5.07	113.83	119.40
1	A	71	G	N1-C6-O6	-5.06	116.86	119.90
1	A	13	G	O4'-C1'-N9	5.05	112.24	108.20
1	B	21	G	N1-C6-O6	-5.05	116.87	119.90
2	L	273	ARG	NE-CZ-NH1	5.05	122.82	120.30
1	A	63	C	N1-C2-O2	5.04	121.92	118.90
4	H	198	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	B	20	G	N1-C6-O6	-5.03	116.88	119.90
4	E	79	TYR	CB-CG-CD1	-5.03	117.98	121.00
2	C	189	ARG	NH1-CZ-NH2	-5.02	113.88	119.40
2	L	7	ARG	NE-CZ-NH1	5.02	122.81	120.30
5	X	7	A	N1-C6-N6	-5.01	115.59	118.60

There are no chirality outliers.

All planar outliers are listed below.

Mol	Chain	Res	Type	Group
1	B	71	G	Sidechain
1	A	44	A	Sidechain
1	B	32	C	Sidechain
5	X	5	C	Sidechain
2	F	358	ARG	Sidechain
5	Y	10	A	Sidechain
1	A	62	A	Sidechain
1	A	34	C	Sidechain
1	A	36	A	Sidechain
2	I	22	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	51	G	Sidechain
1	A	29	G	Sidechain
5	Z	2	C	Sidechain
5	W	7	A	Sidechain
4	H	55	ARG	Sidechain
1	A	9	U	Sidechain
1	B	28	U	Sidechain
1	A	17	G	Sidechain
4	N	109	ARG	Sidechain
2	F	244	ARG	Sidechain
4	H	56	SER	Peptide
1	B	51	G	Sidechain
1	B	12	U	Sidechain
2	F	294	ARG	Sidechain
1	B	1	G	Sidechain
1	B	29	G	Sidechain
1	A	16	U	Sidechain
4	K	109	ARG	Sidechain
1	B	18	A	Sidechain
5	X	8	U	Sidechain
1	B	35	G	Sidechain
1	B	65	G	Sidechain
5	W	5	C	Sidechain
1	B	13	G	Sidechain
4	K	84	SER	Peptide
1	A	65	G	Sidechain
1	A	37	A	Sidechain
1	A	54	A	Sidechain
2	F	119	GLU	Peptide
5	W	6	C	Sidechain
5	Y	7	A	Sidechain
5	X	3	G	Sidechain
2	L	294	ARG	Sidechain
1	B	14	A	Sidechain
3	J	31	ARG	Sidechain
4	H	209	ARG	Sidechain
4	N	209	ARG	Sidechain
2	I	10	TYR	Sidechain
2	I	341	TYR	Sidechain
4	K	112	ARG	Sidechain
1	B	70	C	Sidechain
2	L	248	ASP	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
4	H	112	ARG	Sidechain

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
2	I	2981	3025	3025	1
All	All	26932	25544	25544	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
2:I:324:LYS:HE2	2:I:366:TYR:CE1	0.41	2.49

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	364/366 (99%)	338 (93%)	25 (7%)	1 (0%)	50	83
2	F	364/366 (99%)	338 (93%)	22 (6%)	4 (1%)	23	69
2	I	364/366 (99%)	351 (96%)	13 (4%)	0 (0%)	100	100
2	L	364/366 (99%)	343 (94%)	18 (5%)	3 (1%)	29	74
3	D	119/121 (98%)	113 (95%)	4 (3%)	2 (2%)	16	59
3	G	119/121 (98%)	110 (92%)	8 (7%)	1 (1%)	29	74
3	J	119/121 (98%)	110 (92%)	7 (6%)	2 (2%)	16	59
3	M	119/121 (98%)	114 (96%)	4 (3%)	1 (1%)	29	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	E	225/227 (99%)	211 (94%)	11 (5%)	3 (1%)	20	66
4	H	225/227 (99%)	212 (94%)	12 (5%)	1 (0%)	43	81
4	K	225/227 (99%)	210 (93%)	14 (6%)	1 (0%)	43	81
4	N	225/227 (99%)	211 (94%)	14 (6%)	0 (0%)	100	100
All	All	2832/2856 (99%)	2661 (94%)	152 (5%)	19 (1%)	31	76

All 19 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
3	D	92	VAL
3	G	92	VAL
4	E	44	GLU
4	E	218	ASP
4	E	65	GLY
2	L	249	VAL
2	F	300	ALA
2	F	211	ALA
2	L	178	GLY
3	J	10	PRO
4	K	83	ALA
2	F	120	GLN
3	D	11	LYS
2	L	120	GLN
2	C	312	PRO
4	H	65	GLY
3	M	92	VAL
3	J	92	VAL
2	F	59	PHE

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	C	312/312 (100%)	300 (96%)	12 (4%)	44	86
2	F	312/312 (100%)	301 (96%)	11 (4%)	47	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	I	312/312 (100%)	301 (96%)	11 (4%)	47	88
2	L	312/312 (100%)	298 (96%)	14 (4%)	38	82
3	D	98/98 (100%)	91 (93%)	7 (7%)	23	68
3	G	98/98 (100%)	94 (96%)	4 (4%)	42	84
3	J	98/98 (100%)	93 (95%)	5 (5%)	34	78
3	M	98/98 (100%)	94 (96%)	4 (4%)	42	84
4	E	197/197 (100%)	185 (94%)	12 (6%)	28	73
4	H	197/197 (100%)	191 (97%)	6 (3%)	52	90
4	K	197/197 (100%)	193 (98%)	4 (2%)	66	94
4	N	197/197 (100%)	190 (96%)	7 (4%)	46	87
All	All	2428/2428 (100%)	2331 (96%)	97 (4%)	42	85

All 97 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
2	C	363	LYS
2	F	1	PHE
4	H	198	ARG
2	I	297	ARG
3	D	26	ASP
2	C	227	GLU
2	F	157	PHE
3	J	60	ILE
3	M	60	ILE
3	D	15	GLU
3	J	77	TYR
2	L	13	ASP
2	F	120	GLN
4	E	33	GLN
2	L	230	ARG
2	L	190	GLU
2	C	27	LYS
3	G	11	LYS
4	H	209	ARG
4	N	181	ARG
2	L	125	ASP
2	C	356	GLU
4	E	30	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	I	104	GLU
4	H	128	LEU
3	G	60	ILE
2	L	236	LYS
4	E	86	THR
3	G	117	LYS
4	K	221	LEU
2	L	203	GLU
2	F	148	ARG
4	N	209	ARG
2	F	243	ASP
2	L	332	LYS
2	C	232	TYR
2	I	363	LYS
4	E	186	THR
3	D	32	LYS
4	H	18	ASP
2	L	21	LYS
4	E	162	ASP
2	I	273	ARG
2	F	68	ARG
4	E	7	HIS
2	L	148	ARG
4	E	34	ARG
4	N	19	ASP
4	E	56	SER
2	L	298	THR
2	I	44	LEU
2	C	264	ARG
2	C	305	HIS
2	I	13	ASP
4	E	198	ARG
2	F	216	THR
2	I	148	ARG
3	D	77	TYR
2	I	338	ARG
4	E	137	TYR
4	N	58	LEU
4	H	219	HIS
3	G	32	LYS
2	F	135	LEU
4	K	219	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	J	47	LYS
2	C	361	GLU
4	E	181	ARG
4	E	19	ASP
3	J	107	ASP
4	N	132	THR
2	L	243	ASP
2	C	13	ASP
4	N	198	ARG
2	C	5	ASN
2	I	167	HIS
2	I	244	ARG
2	F	208	THR
4	N	162	ASP
2	I	305	HIS
3	D	60	ILE
2	L	227	GLU
3	D	18	LEU
2	F	305	HIS
4	K	162	ASP
3	J	32	LYS
2	F	13	ASP
2	L	180	ARG
3	M	104	LYS
3	M	63	HIS
2	C	207	LYS
4	H	132	THR
2	C	148	ARG
2	L	181	ASP
4	K	198	ARG
3	D	68	CYS
3	M	32	LYS

6.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
1	A	71/72 (99%)	10 (14%)	4 (6%)	0.44
1	B	71/72 (99%)	12 (17%)	6 (8%)	0.45
5	W	10/11 (91%)	0 (0%)	0 (0%)	0.40
5	X	10/11 (91%)	0 (0%)	0 (0%)	0.46
5	Y	10/11 (91%)	0 (0%)	0 (0%)	0.48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
5	Z	10/11 (91%)	1 (10%)	0 (0%)	0.35
All	All	182/188 (97%)	23 (13%)	10 (5%)	0.44

The overall RNA backbone suiteness is 0.44.

All RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	27	C
1	A	16	U
1	A	39	G
1	B	15	G
1	B	36	A
1	B	50	A
1	A	71	G
5	Z	10	A
1	B	16	U
1	B	39	G
1	A	62	A
1	B	63	C
1	A	15	G
1	A	63	C
1	A	26	A
1	A	14	A
1	A	27	C
1	B	14	A
1	A	35	G
1	B	37	A
1	B	26	A
1	B	38	A
1	B	71	G

All RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B	26	A
1	A	70	C
1	A	29	G
1	B	49	G
1	A	14	A
1	B	70	C
1	B	36	A
1	B	15	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	63	C
1	A	15	G

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 0% for the well-defined parts and 0% for the entire structure.

7.1 Chemical shift list 1

File name: 4by9_cs.cif

Chemical shift list name: *assigned_chem_shift_list_0*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	319
Number of shifts mapped to atoms	319
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 172 atoms were assigned a chemical shift out of a possible 40078. 0 out of 496 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	0/14008 (0%)	0/5576 (0%)	0/5712 (0%)	0/2720 (0%)
Sidechain	172/20192 (1%)	80/11816 (1%)	92/7420 (1%)	0/956 (0%)
Aromatic	0/2312 (0%)	0/1220 (0%)	0/1016 (0%)	0/76 (0%)
Overall	172/40078 (0%)	80/20674 (0%)	92/15406 (1%)	0/3998 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 0%, i.e. 172 atoms were assigned a chemical shift out of a possible 40078. 0 out of 496 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	0/14008 (0%)	0/5576 (0%)	0/5712 (0%)	0/2720 (0%)
Sidechain	172/20192 (1%)	80/11816 (1%)	92/7420 (1%)	0/956 (0%)
Aromatic	0/2312 (0%)	0/1220 (0%)	0/1016 (0%)	0/76 (0%)
Overall	172/40078 (0%)	80/20674 (0%)	92/15406 (1%)	0/3998 (0%)

7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots ⓘ

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned_chem_shift_list_0). RCI is only applicable to proteins.