



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:44 AM GMT

PDB ID : 3C0O
Title : Crystal structure of the proaerolysin mutant Y221G complexed with mannose-6-phosphate
Authors : Pernot, L.; Schiltz, M.; Thurnheer, S.; Burr, S.E.; van der Goot, G.
Deposited on : 2008-01-21
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	 66% 27% . .
1	B	470	 66% 26% . .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7247 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aerolysin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	450	Total	C	N	O	S	0	0	0
			3519	2223	606	681	9			
1	B	450	Total	C	N	O	S	0	0	0
			3519	2223	606	681	9			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	221	GLY	TYR	ENGINEERED	UNP P09167
B	221	GLY	TYR	ENGINEERED	UNP P09167

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is ALPHA-D-MANNOSE-6-PHOSPHATE (three-letter code: M6P) (formula: $C_6H_{13}O_9P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			16	6	9	1		
3	B	1	Total	C	O	P	0	0
			16	6	9	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	76	Total	O	0	0
			76	76		
4	B	97	Total	O	0	0
			97	97		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aerolysin



• Molecule 1: Aerolysin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.95Å 90.78Å 165.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	61.20 – 2.50 55.90 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (61.20-2.50) 99.1 (55.90-2.50)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.86 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.3.0008	Depositor
R, R_{free}	0.203 , 0.274 0.197 , 0.259	Depositor DCC
R_{free} test set	1870 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	43.1	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 37534 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7247	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: M6P, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	1/3616 (0.0%)	0.95	1/4935 (0.0%)
1	B	0.99	5/3616 (0.1%)	0.99	3/4935 (0.1%)
All	All	0.96	6/7232 (0.1%)	0.97	4/9870 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	359	TRP	CB-CG	-5.91	1.39	1.50
1	B	314	TYR	CZ-OH	5.68	1.47	1.37
1	B	12	PHE	CE1-CZ	5.50	1.47	1.37
1	A	307	GLU	CG-CD	5.20	1.59	1.51
1	B	112	PHE	CB-CG	-5.17	1.42	1.51
1	B	114	LYS	CE-NZ	5.10	1.61	1.49

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	394	ARG	NE-CZ-NH2	-9.29	115.65	120.30
1	B	372	ASP	CB-CG-OD2	-6.65	112.32	118.30
1	A	10	ARG	NE-CZ-NH2	-6.20	117.20	120.30
1	B	23	TYR	CB-CG-CD2	-5.52	117.69	121.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3519	0	3353	96	0
1	B	3519	0	3353	120	0
2	A	4	0	3	0	0
3	A	16	0	11	1	0
3	B	16	0	11	5	0
4	A	76	0	0	6	0
4	B	97	0	0	3	0
All	All	7247	0	6731	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:ARG:HG3	1:B:28:ARG:HH11	1.02	1.17
1:B:215:TYR:CE2	1:B:440:GLY:N	2.19	1.10
1:A:253:THR:HG22	1:A:255:LEU:HD23	1.33	1.05
1:B:28:ARG:NH1	1:B:28:ARG:HG3	1.72	0.95
1:B:205:VAL:HG12	1:B:290:LYS:HB3	1.45	0.94
1:B:291:ILE:HD11	1:B:416:ILE:HG23	1.51	0.92
1:A:253:THR:CG2	1:A:255:LEU:HD23	2.00	0.91
1:B:220:ARG:HG3	1:B:220:ARG:HH11	1.35	0.90
1:B:208:SER:O	1:B:288:ARG:HG2	1.74	0.85
1:A:288:ARG:HG3	1:A:422:LEU:HD22	1.59	0.85
1:A:114:LYS:HB2	1:A:115:PRO:HD3	1.58	0.85
1:A:292:PRO:HG2	1:A:417:GLY:HA3	1.56	0.84
1:A:150:VAL:HG22	1:A:171:LYS:HG2	1.59	0.84
1:B:226:ASN:HD22	1:B:272:SER:HB3	1.43	0.84
1:B:208:SER:C	1:B:288:ARG:HE	1.80	0.84
1:B:290:LYS:HG2	1:B:422:LEU:CD1	2.08	0.83
1:A:229:LYS:HE2	1:A:265:TRP:CE2	2.15	0.81
1:B:184:PHE:O	1:B:185:LYS:HG3	1.81	0.80
1:B:28:ARG:CG	1:B:28:ARG:HH11	1.91	0.79
1:B:226:ASN:ND2	1:B:272:SER:HB3	1.97	0.79
1:B:4:VAL:HG21	1:B:30:GLU:HB3	1.66	0.78
1:B:220:ARG:HG3	1:B:220:ARG:NH1	1.99	0.78
1:B:324:TRP:N	3:B:502:M6P:O2P	2.16	0.78
1:B:299:LYS:HE3	1:B:407:GLU:OE2	1.84	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:52:ASN:ND2	1:B:52:ASN:O	2.18	0.76
1:A:194:ARG:NH2	4:A:609:HOH:O	2.19	0.75
1:B:244:LYS:HD2	1:B:258:GLU:OE2	1.86	0.75
1:B:215:TYR:HE2	1:B:440:GLY:N	1.82	0.73
1:A:90:ALA:HB1	1:A:397:ARG:HD2	1.71	0.73
1:B:127:TRP:CH2	3:B:502:M6P:H3	2.23	0.73
1:A:27:ASN:OD1	1:A:30:GLU:HG3	1.89	0.72
1:A:90:ALA:CB	1:A:397:ARG:HD2	2.18	0.72
1:A:253:THR:CG2	1:A:255:LEU:CD2	2.70	0.69
1:A:21:ASP:O	1:A:22:LYS:HB2	1.92	0.69
1:A:4:VAL:HG21	1:A:30:GLU:HB3	1.75	0.69
1:B:2:GLU:N	1:B:3:PRO:HD2	2.08	0.68
1:A:289:SER:HA	1:A:422:LEU:HD13	1.74	0.67
1:B:61:TYR:O	1:B:62:ASN:HB2	1.95	0.67
1:B:229:LYS:HE2	1:B:265:TRP:CE2	2.29	0.67
1:B:127:TRP:NE1	1:B:164:CYS:HA	2.10	0.67
1:B:220:ARG:HH11	1:B:220:ARG:CG	2.07	0.67
1:A:289:SER:HA	1:A:422:LEU:CD1	2.25	0.67
1:B:290:LYS:HG2	1:B:422:LEU:HD12	1.75	0.66
1:A:288:ARG:HG3	1:A:422:LEU:CD2	2.26	0.66
1:B:319:SER:HB2	1:B:340:ASN:ND2	2.10	0.65
1:B:242:LYS:NZ	4:B:557:HOH:O	2.26	0.65
1:A:223:THR:HG23	1:A:277:LEU:HD21	1.78	0.65
1:B:249:LEU:CD1	1:B:253:THR:O	2.45	0.65
1:A:221:GLY:HA2	1:A:459:ASN:O	1.97	0.64
1:B:130:GLY:HA3	1:B:139:ASP:O	1.98	0.63
1:B:178:ASN:HD21	1:B:242:LYS:HB2	1.63	0.63
1:B:341:HIS:CD2	1:B:371:TRP:HE1	2.16	0.63
1:B:127:TRP:CE2	1:B:164:CYS:HA	2.35	0.62
1:A:307:GLU:HG3	1:A:401:THR:HG22	1.83	0.60
1:B:208:SER:HA	1:B:288:ARG:NE	2.16	0.60
1:B:206:ASN:O	1:B:288:ARG:HA	2.01	0.59
1:A:237:GLU:O	1:A:264:SER:OG	2.20	0.59
1:A:468:ALA:O	4:A:625:HOH:O	2.17	0.59
1:A:86:PRO:HD2	1:A:390:ALA:HB2	1.84	0.59
1:A:230:THR:HG23	1:A:403:ASP:HB2	1.84	0.59
1:A:207:ASP:OD2	1:A:442:ARG:NH1	2.36	0.59
1:B:28:ARG:CG	1:B:28:ARG:NH1	2.55	0.58
1:B:208:SER:CA	1:B:288:ARG:HE	2.16	0.58
1:A:48:SER:OG	1:A:72:ASN:ND2	2.36	0.58
1:B:212:GLN:NE2	1:B:213:SER:H	2.01	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:21:ASP:O	1:B:22:LYS:HB2	2.02	0.58
1:A:172:VAL:HG12	1:A:175:PHE:CE1	2.39	0.57
1:A:253:THR:HG21	1:A:255:LEU:CD2	2.33	0.57
1:B:213:SER:OG	1:B:284:THR:OG1	2.23	0.56
1:A:155:ASN:HD22	1:A:167:LYS:NZ	2.03	0.56
1:A:359:TRP:O	1:A:362:ARG:HG2	2.05	0.56
1:A:139:ASP:OD2	1:A:154:ASN:HB3	2.06	0.56
1:B:16:GLN:NE2	1:B:70:ALA:H	2.04	0.56
1:B:208:SER:HA	1:B:288:ARG:HE	1.69	0.56
1:B:209:ASP:N	1:B:288:ARG:HE	2.02	0.56
1:A:151:ILE:HD12	1:A:151:ILE:N	2.21	0.56
1:A:11:LEU:HD11	1:A:72:ASN:HD22	1.70	0.56
1:B:205:VAL:O	1:B:441:LEU:HD12	2.06	0.56
1:B:16:GLN:HE22	1:B:70:ALA:H	1.54	0.55
1:A:204:ALA:O	1:A:290:LYS:HA	2.06	0.55
1:B:209:ASP:OD1	1:B:288:ARG:CZ	2.55	0.55
1:B:300:ALA:O	1:B:407:GLU:HA	2.06	0.55
1:A:357:TYR:CZ	1:A:361:LYS:HG2	2.42	0.55
1:A:93:ILE:HG23	1:A:94:PRO:HD2	1.90	0.54
1:B:124:GLY:O	1:B:323:ARG:HG3	2.06	0.54
1:A:155:ASN:ND2	1:A:167:LYS:NZ	2.54	0.54
1:B:52:ASN:CG	1:B:52:ASN:O	2.46	0.54
1:B:130:GLY:HA3	1:B:139:ASP:HB3	1.89	0.54
1:B:229:LYS:HE2	1:B:265:TRP:CZ2	2.43	0.54
1:B:319:SER:HB2	1:B:340:ASN:HD21	1.72	0.53
1:A:158:GLY:O	4:A:622:HOH:O	2.18	0.53
1:B:206:ASN:HB2	1:B:285:VAL:HG11	1.91	0.53
1:A:199:THR:HG22	1:A:201:VAL:HG22	1.90	0.53
1:B:24:ARG:C	1:B:24:ARG:HD2	2.29	0.53
1:B:212:GLN:NE2	1:B:214:GLY:H	2.07	0.52
1:A:142:VAL:HG22	1:A:151:ILE:HG13	1.90	0.52
1:B:319:SER:CB	1:B:340:ASN:ND2	2.72	0.52
1:A:179:LEU:O	1:A:181:PRO:HD3	2.10	0.52
1:A:2:GLU:N	1:A:3:PRO:HD3	2.24	0.52
1:B:221:GLY:HA2	1:B:459:ASN:O	2.09	0.52
1:B:227:TRP:CE2	1:B:270:GLY:HA2	2.45	0.52
1:B:213:SER:OG	1:B:284:THR:HA	2.10	0.51
1:A:145:ASP:O	1:A:147:ASP:N	2.43	0.51
1:B:323:ARG:HE	3:B:502:M6P:C1	2.24	0.51
1:B:227:TRP:CD2	1:B:270:GLY:HA2	2.45	0.51
1:B:464:VAL:O	1:B:465:THR:HG22	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:SER:OG	1:A:340:ASN:ND2	2.44	0.51
1:A:229:LYS:HE2	1:A:265:TRP:CZ2	2.46	0.50
1:A:163:ARG:HG2	1:A:321:PHE:CE2	2.46	0.50
1:B:178:ASN:ND2	1:B:242:LYS:HB2	2.26	0.50
1:A:155:ASN:ND2	1:A:167:LYS:HZ3	2.10	0.50
1:B:281:VAL:O	1:B:283:PRO:HD3	2.11	0.50
1:A:178:ASN:HD21	1:A:242:LYS:H	1.59	0.50
1:B:160:ASP:O	1:B:164:CYS:CB	2.60	0.49
1:A:135:TYR:CZ	1:B:294:LYS:HG2	2.48	0.49
1:A:350:ASP:OD1	1:A:350:ASP:C	2.51	0.49
1:A:188:ASP:O	1:A:190:THR:N	2.45	0.49
1:B:249:LEU:HD11	1:B:253:THR:O	2.12	0.49
1:B:160:ASP:O	1:B:164:CYS:HB3	2.12	0.49
1:A:227:TRP:HA	1:A:405:SER:O	2.13	0.49
1:B:215:TYR:N	1:B:215:TYR:HD1	2.10	0.48
1:B:2:GLU:N	1:B:3:PRO:CD	2.75	0.48
1:A:178:ASN:HD21	1:A:242:LYS:N	2.11	0.48
1:B:215:TYR:N	1:B:215:TYR:CD1	2.82	0.48
1:A:336:ARG:N	1:A:337:PRO:CD	2.76	0.48
1:A:261:ALA:O	1:A:262:ASN:C	2.52	0.48
1:A:114:LYS:NZ	1:A:138:GLU:OE2	2.38	0.48
1:A:351:LYS:HE3	1:A:357:TYR:OH	2.14	0.48
1:B:323:ARG:HE	3:B:502:M6P:H1	1.79	0.47
1:B:363:TYR:O	1:B:365:PRO:HD3	2.13	0.47
1:B:212:GLN:NE2	1:B:213:SER:N	2.63	0.47
1:B:213:SER:HG	1:B:284:THR:HG1	1.56	0.47
1:A:150:VAL:C	1:A:151:ILE:HD12	2.36	0.47
1:A:179:LEU:O	1:A:241:THR:HG23	2.13	0.46
1:B:93:ILE:HG21	1:B:101:VAL:HG13	1.96	0.46
1:B:134:GLN:HG2	1:B:134:GLN:H	1.57	0.46
1:B:418:ALA:HA	1:B:419:PRO:HD2	1.66	0.46
1:B:247:TRP:CG	1:B:248:PRO:HD2	2.49	0.46
1:B:9:LEU:CD1	1:B:38:ILE:HG12	2.46	0.46
1:A:285:VAL:HG21	1:A:441:LEU:HD11	1.97	0.46
1:B:7:ASP:OD1	1:B:84:GLU:OE2	2.33	0.46
1:B:394:ARG:HA	1:B:395:PRO:HD3	1.74	0.46
1:B:351:LYS:HE2	1:B:357:TYR:CZ	2.51	0.46
1:B:96:GLY:HA2	1:B:233:TYR:CG	2.50	0.46
1:A:2:GLU:N	1:A:3:PRO:CD	2.79	0.46
1:A:114:LYS:CB	1:A:115:PRO:HD3	2.40	0.45
1:B:57:MET:O	1:B:63:GLY:HA2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:THR:HG21	4:B:590:HOH:O	2.15	0.45
1:A:229:LYS:HA	1:A:403:ASP:O	2.16	0.45
1:B:214:GLY:C	1:B:215:TYR:HD1	2.19	0.45
1:A:97:ASP:HB2	1:A:100:ASP:OD2	2.17	0.45
1:A:323:ARG:HD2	3:A:501:M6P:H1	1.98	0.45
1:B:109:SER:O	1:B:114:LYS:HB2	2.17	0.45
1:A:114:LYS:HB2	1:A:115:PRO:CD	2.40	0.45
1:B:323:ARG:NE	3:B:502:M6P:H1	2.31	0.45
1:B:228:SER:HA	1:B:270:GLY:HA3	1.99	0.45
1:B:2:GLU:HB3	4:B:562:HOH:O	2.16	0.44
1:B:306:TYR:CD2	1:B:402:GLY:O	2.70	0.44
1:A:317:THR:OG1	1:A:342:THR:HB	2.18	0.44
1:B:35:LYS:O	1:B:39:VAL:HG23	2.17	0.44
1:A:127:TRP:CE2	1:A:164:CYS:HA	2.53	0.44
1:A:203:TRP:CE3	1:A:290:LYS:HD2	2.52	0.44
1:A:250:VAL:HG13	4:A:613:HOH:O	2.17	0.44
1:A:151:ILE:CD1	1:A:151:ILE:N	2.81	0.44
1:A:5:TYR:O	1:A:6:PRO:C	2.56	0.44
1:B:206:ASN:HB2	1:B:285:VAL:CG1	2.48	0.43
1:B:124:GLY:HA3	1:B:327:ASN:HA	1.98	0.43
1:B:306:TYR:CE2	1:B:402:GLY:C	2.92	0.43
1:B:442:ARG:NH1	1:B:444:GLU:OE2	2.39	0.43
1:B:364:ILE:HA	1:B:365:PRO:HD2	1.91	0.43
1:A:316:LEU:HD12	1:A:316:LEU:HA	1.71	0.43
1:B:188:ASP:N	1:B:188:ASP:OD1	2.50	0.43
4:A:601:HOH:O	1:B:356:ARG:HD3	2.18	0.43
1:A:378:GLN:NE2	1:A:379:GLN:OE1	2.51	0.43
1:B:16:GLN:HG3	1:B:17:GLY:N	2.26	0.43
1:B:420:VAL:HG13	1:B:421:PRO:HD2	2.00	0.43
1:B:250:VAL:HG21	1:B:304:TYR:CE2	2.53	0.43
1:A:113:ILE:O	1:A:117:SER:OG	2.24	0.43
1:B:24:ARG:O	1:B:24:ARG:HD2	2.19	0.42
1:A:127:TRP:NE1	1:A:164:CYS:HA	2.33	0.42
1:A:306:TYR:C	1:A:306:TYR:CD1	2.93	0.42
1:A:341:HIS:CD2	1:A:371:TRP:HE1	2.38	0.42
1:A:159:CYS:HA	4:A:622:HOH:O	2.20	0.42
1:B:114:LYS:HE2	1:B:138:GLU:HG3	2.01	0.42
1:A:128:VAL:HG22	1:A:168:THR:HB	2.01	0.42
1:B:209:ASP:OD1	1:B:288:ARG:NE	2.53	0.42
1:B:206:ASN:CB	1:B:285:VAL:HG11	2.49	0.42
1:A:93:ILE:CG2	1:A:94:PRO:HD2	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:GLY:O	1:A:323:ARG:HG3	2.19	0.41
1:B:140:MET:HG2	1:B:151:ILE:CG2	2.50	0.41
1:A:200:VAL:O	1:A:294:LYS:HA	2.20	0.41
1:A:291:ILE:HD12	1:A:416:ILE:HG23	2.01	0.41
1:A:145:ASP:O	1:A:146:GLY:C	2.58	0.41
1:A:356:ARG:HH11	1:A:356:ARG:CG	2.34	0.41
1:B:420:VAL:HG13	1:B:421:PRO:CD	2.49	0.41
1:A:134:GLN:HG2	1:A:134:GLN:H	1.41	0.41
1:A:445:ILE:HA	1:A:446:PRO:HD2	1.84	0.41
1:B:140:MET:HG2	1:B:151:ILE:HG22	2.02	0.41
1:B:464:VAL:C	1:B:465:THR:CG2	2.90	0.41
1:A:281:VAL:HG11	1:A:416:ILE:HD11	2.03	0.41
1:B:208:SER:C	1:B:288:ARG:HG2	2.37	0.41
1:B:290:LYS:HG2	1:B:422:LEU:HD11	1.97	0.40
1:B:289:SER:OG	1:B:421:PRO:HA	2.21	0.40
1:B:393:LEU:HD23	1:B:393:LEU:HA	1.86	0.40
1:B:120:ALA:O	1:B:125:TYR:HB2	2.21	0.40
1:A:329:TRP:CH2	1:A:370:TRP:HA	2.56	0.40
1:A:286:PRO:HD2	1:A:419:PRO:HB3	2.02	0.40
1:A:293:VAL:HG12	1:A:294:LYS:N	2.36	0.40
1:A:152:ARG:NH1	1:A:169:ALA:HB2	2.36	0.40
1:A:249:LEU:HD22	1:B:89:SER:HB2	2.03	0.40
1:B:130:GLY:CA	1:B:139:ASP:O	2.68	0.40
1:B:465:THR:HA	1:B:466:PRO:HD3	1.82	0.40
1:A:21:ASP:O	1:A:22:LYS:CB	2.65	0.40
1:A:303:SER:HB3	1:A:405:SER:CB	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	446/470 (95%)	413 (93%)	29 (6%)	4 (1%)	21	37
1	B	446/470 (95%)	416 (93%)	28 (6%)	2 (0%)	39	61
All	All	892/940 (95%)	829 (93%)	57 (6%)	6 (1%)	26	46

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	146	GLY
1	A	326	GLY
1	A	189	VAL
1	A	193	ASP
1	B	193	ASP
1	B	326	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/391 (97%)	353 (93%)	25 (7%)	21	38
1	B	378/391 (97%)	350 (93%)	28 (7%)	17	31
All	All	756/782 (97%)	703 (93%)	53 (7%)	19	34

All (53) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	24	ARG
1	A	69	THR
1	A	134	GLN
1	A	160	ASP
1	A	163	ARG
1	A	185	LYS
1	A	190	THR
1	A	201	VAL
1	A	220	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	230	THR
1	A	237	GLU
1	A	241	THR
1	A	255	LEU
1	A	264	SER
1	A	278	SER
1	A	280	SER
1	A	301	ASP
1	A	342	THR
1	A	354	SER
1	A	356	ARG
1	A	361	LYS
1	A	409	GLN
1	A	415	GLU
1	A	422	LEU
1	B	10	ARG
1	B	16	GLN
1	B	28	ARG
1	B	52	ASN
1	B	104	ARG
1	B	140	MET
1	B	144	ARG
1	B	155	ASN
1	B	177	TYR
1	B	194	ARG
1	B	198	LYS
1	B	201	VAL
1	B	212	GLN
1	B	213	SER
1	B	218	THR
1	B	220	ARG
1	B	272	SER
1	B	274	THR
1	B	275	THR
1	B	277	LEU
1	B	282	ARG
1	B	289	SER
1	B	290	LYS
1	B	383	SER
1	B	407	GLU
1	B	416	ILE
1	B	422	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	464	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	62	ASN
1	A	72	ASN
1	A	134	GLN
1	A	155	ASN
1	A	178	ASN
1	A	226	ASN
1	A	279	GLN
1	A	338	ASN
1	A	340	ASN
1	A	378	GLN
1	A	379	GLN
1	A	387	ASN
1	A	409	GLN
1	A	413	ASN
1	B	16	GLN
1	B	32	GLN
1	B	44	GLN
1	B	52	ASN
1	B	155	ASN
1	B	178	ASN
1	B	212	GLN
1	B	226	ASN
1	B	231	ASN
1	B	340	ASN
1	B	341	HIS
1	B	386	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	M6P	A	501	-	16,16,16	0.87	0	23,24,24	1.88	5 (21%)
2	ACT	A	600	-	1,3,3	2.85	1 (100%)	0,3,3	0.00	-
3	M6P	B	502	-	16,16,16	0.78	0	23,24,24	1.78	4 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	M6P	A	501	-	-	0/6/26/26	0/1/1/1
2	ACT	A	600	-	-	0/0/0/0	0/0/0/0
3	M6P	B	502	-	-	0/6/26/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	600	ACT	CH3-C	2.85	1.52	1.48

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	M6P	C3-C4-C5	-5.03	101.42	110.20
3	A	501	M6P	O4-C4-C3	-3.08	103.40	110.34
3	B	502	M6P	C4-C3-C2	-2.59	105.96	110.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	M6P	C1-O5-C5	2.70	118.47	113.47
3	A	501	M6P	O3P-P-O2P	2.84	118.19	107.38
3	A	501	M6P	C1-C2-C3	3.07	115.00	110.43
3	A	501	M6P	O5-C1-C2	3.30	115.06	109.80
3	B	502	M6P	O5-C1-C2	3.72	115.72	109.80
3	A	501	M6P	C1-O5-C5	4.43	121.66	113.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	M6P	1	0
3	B	502	M6P	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	450/470 (95%)	-0.22	2 (0%) 93 93	15, 39, 70, 87	0
1	B	450/470 (95%)	-0.20	6 (1%) 79 82	16, 36, 89, 137	0
All	All	900/940 (95%)	-0.21	8 (0%) 85 88	15, 38, 77, 137	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	468	ALA	4.5
1	B	210	THR	3.2
1	A	146	GLY	3.0
1	B	211	PRO	2.7
1	B	209	ASP	2.6
1	B	287	ALA	2.3
1	A	191	GLN	2.1
1	B	215	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	M6P	B	502	16/16	0.93	0.17	0.27	59,66,68,70	0
2	ACT	A	600	4/4	0.89	0.13	-0.58	53,54,55,56	0
3	M6P	A	501	16/16	0.95	0.12	-0.75	37,49,50,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.