



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:14 AM GMT

PDB ID : 2C7B
Title : THE CRYSTAL STRUCTURE OF ESTE1, A NEW THERMOPHILIC AND
THERMOSTABLE CARBOXYLESTERASE CLONED FROM A METAGE-
NOMIC LIBRARY
Authors : Byun, J.-S.; Rhee, J.-K.; Kim, D.-U.; Oh, J.-W.; Cho, H.-S.
Deposited on : 2005-11-21
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	311	
1	B	311	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4607 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBOXYLESTERASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	S	Se	12	0	1
			2248	1436	388	419	1	4			
1	B	291	Total	C	N	O	S	Se	0	0	1
			2221	1418	384	414	1	4			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	86	Total	O	0	0
			86	86		
2	B	52	Total	O	0	0
			52	52		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CARBOXYLESTERASE



• Molecule 1: CARBOXYLESTERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	73.71Å 73.71Å 234.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 28.97 – 2.10	Depositor EDS
% Data completeness (in resolution range)	76.1 (20.00-2.30) 98.5 (28.97-2.10)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.76 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.234 , 0.261 0.327 , 0.324	Depositor DCC
R_{free} test set	1511 reflections (5.12%)	DCC
Wilson B-factor (Å ²)	17.5	Xtriage
Anisotropy	0.441	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 29.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 38052 reflections	Xtriage
F_o, F_c correlation	0.80	EDS
Total number of atoms	4607	wwPDB-VP
Average B, all atoms (Å ²)	8.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.59	1/2294 (0.0%)	0.95	3/3114 (0.1%)
1	B	0.99	14/2267 (0.6%)	1.48	27/3077 (0.9%)
All	All	0.82	15/4561 (0.3%)	1.25	30/6191 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	115	ALA	C-N	21.80	1.75	1.34
1	B	203	THR	C-N	-11.89	1.06	1.34
1	B	114	LEU	C-N	9.98	1.56	1.34
1	B	98	ARG	C-N	-9.69	1.11	1.34
1	B	120	PHE	C-N	7.26	1.48	1.34
1	B	49	ARG	C-N	-5.87	1.20	1.34
1	B	99	LEU	C-N	5.79	1.47	1.34
1	B	258	GLU	C-N	5.73	1.47	1.34
1	B	45	ILE	C-N	-5.70	1.21	1.34
1	B	154	SER	C-N	-5.67	1.21	1.34
1	B	41	VAL	C-N	-5.42	1.21	1.34
1	A	121	PRO	CA-CB	-5.41	1.42	1.53
1	B	279	MSE	CG-SE	-5.37	1.77	1.95
1	B	144	ASP	C-N	-5.36	1.24	1.34
1	B	194	SER	C-N	-5.31	1.21	1.34

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	116	PRO	CA-N-CD	-33.87	64.08	111.50
1	B	121	PRO	CA-N-CD	-32.45	66.07	111.50
1	A	120	PHE	C-N-CD	-23.48	68.93	120.60
1	B	203	THR	O-C-N	-14.45	99.57	122.70
1	A	120	PHE	C-N-CA	13.16	177.27	122.00
1	B	115	ALA	O-C-N	12.53	144.91	121.10
1	B	115	ALA	CA-C-N	-11.95	83.64	117.10
1	B	204	THR	O-C-N	10.44	139.41	122.70
1	B	115	ALA	C-N-CA	10.38	165.61	122.00
1	B	46	ALA	O-C-N	-9.46	107.57	122.70
1	B	203	THR	CA-C-N	8.47	135.84	117.20
1	B	204	THR	CA-C-N	-8.31	98.91	117.20
1	B	116	PRO	N-CA-CB	8.07	112.99	103.30
1	B	46	ALA	CA-C-N	7.69	134.12	117.20
1	B	114	LEU	C-N-CA	-7.40	103.21	121.70
1	B	41	VAL	N-CA-C	-7.33	91.20	111.00
1	B	204	THR	C-N-CA	7.20	139.70	121.70
1	B	45	ILE	C-N-CA	7.15	139.57	121.70
1	B	121	PRO	CA-CB-CG	-6.91	90.88	104.00
1	B	115	ALA	C-N-CD	-6.86	105.50	120.60
1	B	95	ILE	O-C-N	-6.28	112.65	122.70
1	B	94	HIS	O-C-N	6.21	132.64	122.70
1	B	41	VAL	CB-CA-C	-6.08	99.84	111.40
1	B	99	LEU	O-C-N	5.70	131.82	122.70
1	B	45	ILE	CA-C-N	-5.55	104.98	117.20
1	B	120	PHE	C-N-CD	-5.54	108.42	120.60
1	B	182	TYR	CA-CB-CG	5.48	123.81	113.40
1	B	202	GLU	CA-CB-CG	5.44	125.37	113.40
1	A	294	ARG	NE-CZ-NH1	5.39	123.00	120.30
1	B	116	PRO	CA-CB-CG	-5.08	94.36	104.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	203	THR	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2248	0	2251	86	0
1	B	2221	0	2214	146	1
2	A	86	0	0	3	0
2	B	52	0	0	2	0
All	All	4607	0	4465	227	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:115:ALA:C	1:B:116:PRO:N	1.75	1.37
1:B:243:ALA:HB3	1:B:264:MSE:HE1	1.37	1.07
1:B:115:ALA:CA	1:B:116:PRO:N	2.20	1.03
1:B:264:MSE:HE2	1:B:271:ALA:HB2	1.39	1.02
1:A:265:LYS:HZ1	1:A:271:ALA:N	1.59	1.01
1:B:116:PRO:HD3	1:B:117:GLU:OE2	1.62	0.99
1:B:264:MSE:CE	1:B:271:ALA:HB2	1.92	0.99
1:B:192:THR:HG22	1:B:195:LEU:H	1.26	0.98
1:B:41:VAL:HG22	1:B:43:GLU:HG2	1.46	0.95
1:A:265:LYS:NZ	1:A:271:ALA:H	1.66	0.94
1:B:32:GLU:O	1:B:36:LEU:HB2	1.69	0.93
1:A:260:TYR:HE2	1:A:264:MSE:HE2	1.34	0.92
1:A:68:LYS:HE3	1:A:73:LEU:HD21	1.49	0.92
1:A:29:GLN:HG2	1:A:33:GLN:NE2	1.88	0.88
1:B:104:ASP:HB2	1:B:305:ARG:HH21	1.39	0.87
1:B:50:ASP:OD1	1:B:63:ARG:HD3	1.76	0.85
1:A:260:TYR:CE2	1:A:264:MSE:HE2	2.14	0.82
1:A:29:GLN:HG2	1:A:33:GLN:HE22	1.42	0.82
1:B:120:PHE:CE1	1:B:121:PRO:HD2	2.15	0.81
1:B:42:GLN:O	1:B:44:PRO:HD3	1.80	0.81
1:B:309:GLN:NE2	1:B:309:GLN:HA	1.96	0.79
1:B:120:PHE:O	1:B:121:PRO:HG2	1.81	0.79
1:B:91:THR:HG22	1:B:92:HIS:ND1	1.98	0.78
1:B:118:TYR:HB3	1:B:122:THR:HG21	1.64	0.77
1:A:52:HIS:ND1	2:A:2018:HOH:O	2.11	0.77
1:A:260:TYR:HE2	1:A:264:MSE:CE	1.97	0.77
1:A:91:THR:HG22	1:A:92:HIS:ND1	2.01	0.76
1:B:46:ALA:HB3	1:B:66:PHE:O	1.86	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:TYR:CE2	1:A:264:MSE:CE	2.69	0.76
1:A:265:LYS:HZ1	1:A:271:ALA:H	0.81	0.75
1:B:192:THR:HG21	1:B:255:ASP:HB2	1.69	0.75
1:B:49:ARG:HB3	1:B:64:VAL:HG13	1.68	0.75
1:B:264:MSE:HE2	1:B:271:ALA:CB	2.15	0.74
1:B:21:ALA:HB1	1:B:25:GLU:CG	2.17	0.73
1:B:41:VAL:CG2	1:B:43:GLU:HG2	2.19	0.73
1:A:265:LYS:NZ	1:A:271:ALA:N	2.31	0.72
1:A:220:LYS:HG3	1:A:221:ARG:N	2.03	0.72
1:B:39:ALA:O	1:B:40:ALA:HB2	1.89	0.71
1:A:189:GLY:O	1:A:191:PRO:HD3	1.90	0.71
1:B:115:ALA:C	1:B:116:PRO:CD	2.60	0.71
1:B:115:ALA:CB	1:B:116:PRO:N	2.55	0.70
1:B:115:ALA:HB1	1:B:116:PRO:N	2.06	0.69
1:B:120:PHE:O	1:B:121:PRO:CG	2.41	0.69
1:B:63:ARG:HG2	1:B:65:TYR:CZ	2.29	0.68
1:A:68:LYS:CE	1:A:73:LEU:HD21	2.22	0.68
1:A:17:LEU:O	1:A:18:SER:HB2	1.93	0.67
1:B:88:SER:OG	1:B:90:GLU:HG2	1.95	0.66
1:B:41:VAL:CG1	1:B:41:VAL:O	2.42	0.66
1:B:208:ILE:HA	1:B:211:MSE:CE	2.26	0.66
1:B:35:ARG:HG2	1:B:36:LEU:N	2.10	0.66
1:B:120:PHE:CD1	1:B:121:PRO:HD2	2.31	0.66
1:A:91:THR:CG2	1:A:92:HIS:ND1	2.59	0.65
1:B:115:ALA:HA	1:B:116:PRO:N	2.11	0.65
1:B:189:GLY:O	1:B:191:PRO:HD3	1.98	0.64
1:A:52:HIS:CE1	2:A:2018:HOH:O	2.50	0.64
1:B:120:PHE:CZ	1:B:121:PRO:HD2	2.32	0.64
1:A:34:SER:O	1:A:37:LEU:HB2	1.97	0.64
1:B:21:ALA:HB1	1:B:25:GLU:CD	2.18	0.64
1:B:85:VAL:HG13	1:B:115:ALA:O	1.98	0.64
1:B:208:ILE:HA	1:B:211:MSE:HE2	1.80	0.64
1:A:51:VAL:CG2	1:A:62:ALA:HB3	2.28	0.63
1:B:104:ASP:HB2	1:B:305:ARG:NH2	2.12	0.63
1:B:95:ILE:HD11	1:B:285:SER:HA	1.81	0.63
1:B:41:VAL:HG13	1:B:41:VAL:O	1.99	0.62
1:B:91:THR:CG2	1:B:92:HIS:ND1	2.62	0.62
1:A:190:VAL:HB	1:B:190:VAL:HG11	1.81	0.62
1:A:172:GLU:C	1:A:173:LYS:HD3	2.20	0.62
1:B:180:LEU:HB2	1:B:245:VAL:HG22	1.82	0.62
1:B:43:GLU:OE2	1:B:287:TYR:OH	2.11	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:VAL:HG11	1:B:190:VAL:HB	1.83	0.61
1:B:284:VAL:O	1:B:287:TYR:HB3	2.01	0.60
1:A:294:ARG:CG	1:A:294:ARG:HH11	2.14	0.60
1:A:43:GLU:OE1	1:A:101:ARG:NH1	2.34	0.60
1:A:208:ILE:HA	1:A:211:MSE:HE3	1.84	0.59
1:B:133:TRP:HA	1:B:136:ASP:OD1	2.03	0.59
1:A:221:ARG:O	1:A:223:GLU:N	2.36	0.58
1:B:30:VAL:HA	1:B:33:GLN:OE1	2.03	0.58
1:B:21:ALA:HB1	1:B:25:GLU:HG3	1.85	0.58
1:B:279:MSE:SE	1:B:292:ALA:HB3	2.54	0.58
1:B:84:PHE:O	1:B:115:ALA:N	2.37	0.58
1:B:192:THR:HG22	1:B:195:LEU:N	2.08	0.58
1:B:93:ASP:O	1:B:97:ARG:HG3	2.04	0.58
1:A:294:ARG:HH11	1:A:294:ARG:HG3	1.69	0.57
1:B:255:ASP:O	1:B:259:LEU:HD12	2.04	0.57
1:B:265:LYS:HA	1:B:269:SER:O	2.04	0.57
1:A:248:ALA:HB3	1:A:251:ASP:HB2	1.87	0.56
1:B:43:GLU:CD	1:B:287:TYR:HH	2.06	0.56
1:A:121:PRO:O	1:A:125:GLU:HG3	2.06	0.56
1:B:250:TYR:HE2	1:B:278:GLY:HA2	1.70	0.56
1:B:29:GLN:C	1:B:33:GLN:NE2	2.60	0.56
1:B:228:PHE:HB2	1:B:235:ALA:HB2	1.89	0.55
1:B:182:TYR:CE2	1:B:282:GLY:HA2	2.42	0.55
1:A:260:TYR:CE2	1:A:264:MSE:HE3	2.41	0.55
1:A:184:VAL:O	1:A:184:VAL:HG13	2.07	0.55
1:A:192:THR:OG1	1:A:195:LEU:HB2	2.07	0.55
1:A:116:PRO:HB3	1:A:217:GLN:HG3	1.89	0.54
1:A:213:TRP:HA	1:A:216:ARG:HG3	1.89	0.54
1:B:243:ALA:HB3	1:B:264:MSE:CE	2.26	0.54
1:A:51:VAL:HG22	1:A:62:ALA:HB3	1.89	0.53
1:B:39:ALA:O	1:B:40:ALA:CB	2.53	0.53
1:B:51:VAL:HG23	1:B:62:ALA:HB3	1.90	0.53
1:A:259:LEU:HD21	1:B:193:ALA:HA	1.90	0.53
1:B:248:ALA:HB3	1:B:251:ASP:HB2	1.91	0.53
1:A:29:GLN:CG	1:A:33:GLN:NE2	2.69	0.53
1:B:49:ARG:HB3	1:B:64:VAL:CG1	2.37	0.52
1:A:294:ARG:HH11	1:A:294:ARG:CB	2.21	0.52
1:A:294:ARG:CZ	2:A:2082:HOH:O	2.58	0.52
1:A:260:TYR:CD2	1:A:264:MSE:HE3	2.44	0.52
1:B:45:ILE:HD11	1:B:100:SER:HB3	1.91	0.52
1:A:89:ILE:HD11	1:A:111:ASP:HB2	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:PHE:C	1:B:288:PRO:HD2	2.30	0.52
1:B:43:GLU:OE1	1:B:101:ARG:NH2	2.43	0.52
1:B:43:GLU:OE2	1:B:98:ARG:HD2	2.09	0.52
1:A:221:ARG:O	1:A:224:GLU:HG3	2.10	0.51
1:B:21:ALA:HB1	1:B:25:GLU:OE2	2.09	0.51
1:A:168:ARG:HD3	1:A:240:LEU:HD13	1.90	0.51
1:B:162:VAL:HG12	1:B:166:LEU:HD22	1.91	0.51
1:A:29:GLN:CG	1:A:33:GLN:HE22	2.18	0.51
1:A:173:LYS:HD3	1:A:173:LYS:N	2.26	0.51
1:B:192:THR:CG2	1:B:255:ASP:HB2	2.37	0.50
1:B:256:GLU:HG2	2:B:2041:HOH:O	2.11	0.50
1:B:120:PHE:O	1:B:121:PRO:CB	2.59	0.50
1:B:131:LEU:HD22	1:B:163:VAL:CG1	2.42	0.50
1:A:265:LYS:NZ	1:A:265:LYS:HB2	2.26	0.50
1:B:187:MSE:HE1	1:B:218:TYR:HD2	1.76	0.50
1:B:186:ASN:ND2	1:B:188:THR:H	2.10	0.50
1:A:206:LEU:HD22	1:A:211:MSE:CG	2.42	0.50
1:B:279:MSE:HE2	1:B:279:MSE:HA	1.94	0.50
1:A:45:ILE:HG23	1:A:47:GLU:H	1.76	0.50
1:B:108:VAL:HG11	1:B:134:VAL:HG21	1.94	0.49
1:B:87:GLY:HA2	1:B:91:THR:HG21	1.93	0.49
1:B:147:ARG:NH2	1:B:310:PRO:HD3	2.27	0.49
1:A:162:VAL:HG22	1:A:232:PRO:HG3	1.94	0.49
1:B:120:PHE:CD1	1:B:121:PRO:CD	2.95	0.49
1:B:83:GLY:O	1:B:84:PHE:HB2	2.13	0.48
1:A:206:LEU:HD22	1:A:211:MSE:HG3	1.95	0.48
1:B:29:GLN:O	1:B:33:GLN:CD	2.51	0.48
1:B:231:SER:HB2	1:B:234:LEU:HD12	1.96	0.48
1:B:89:ILE:HG13	1:B:111:ASP:OD2	2.14	0.48
1:A:191:PRO:HG2	1:B:259:LEU:HD22	1.96	0.48
1:A:128:TYR:CE2	1:A:132:LYS:HE3	2.49	0.47
1:B:90:GLU:CD	1:B:90:GLU:H	2.16	0.47
1:A:93:ASP:O	1:A:97:ARG:HG3	2.13	0.47
1:B:177:LYS:HD3	1:B:307:GLY:HA3	1.97	0.47
1:B:154:SER:HA	1:B:182:TYR:O	2.14	0.47
1:B:250:TYR:CE2	1:B:278:GLY:HA2	2.49	0.47
1:B:51:VAL:CG2	1:B:62:ALA:HB3	2.44	0.47
1:B:116:PRO:HB3	1:B:217:GLN:OE1	2.14	0.47
1:B:70:ALA:HB3	1:B:73:LEU:HD21	1.96	0.47
1:B:108:VAL:HG22	1:B:108:VAL:O	2.15	0.47
1:B:209:GLU:CD	1:B:209:GLU:H	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:264:MSE:HE3	1:B:271:ALA:HB2	1.89	0.46
1:A:176:LYS:O	1:A:242:PRO:HD2	2.16	0.46
1:B:208:ILE:HA	1:B:211:MSE:HE3	1.98	0.46
1:A:103:SER:O	1:A:104:ASP:HB2	2.15	0.46
1:A:221:ARG:HA	1:A:222:PRO:HD2	1.68	0.46
1:B:243:ALA:CB	1:B:264:MSE:HE1	2.25	0.46
1:B:119:LYS:HD2	1:B:220:LYS:HD3	1.98	0.46
1:B:120:PHE:O	1:B:121:PRO:HB2	2.16	0.46
1:B:61:ARG:NH1	1:B:90:GLU:OE1	2.45	0.45
1:A:89:ILE:HG13	1:A:111:ASP:OD1	2.15	0.45
1:B:196:VAL:O	1:B:200:VAL:HG23	2.17	0.45
1:A:115:ALA:HB1	1:A:217:GLN:O	2.17	0.45
1:B:235:ALA:O	1:B:263:LYS:NZ	2.49	0.45
1:A:294:ARG:NH1	1:A:294:ARG:HG3	2.32	0.45
1:B:130:ALA:O	1:B:131:LEU:C	2.55	0.45
1:A:153:ASP:HA	1:A:181:ILE:O	2.17	0.45
1:A:94:HIS:ND1	1:A:94:HIS:N	2.65	0.45
1:A:98:ARG:HG3	1:A:98:ARG:HH11	1.81	0.45
1:B:150:VAL:O	1:B:150:VAL:HG23	2.17	0.45
1:A:189:GLY:O	1:A:191:PRO:CD	2.64	0.44
1:A:17:LEU:O	1:A:18:SER:CB	2.65	0.44
1:B:177:LYS:HG3	1:B:178:GLN:N	2.32	0.44
1:B:43:GLU:HG3	1:B:287:TYR:OH	2.18	0.44
1:B:165:ILE:HG23	1:B:168:ARG:NH2	2.32	0.44
1:A:98:ARG:HG3	1:A:98:ARG:NH1	2.33	0.44
1:A:75:ALA:HA	1:A:106:VAL:O	2.18	0.44
1:B:153:ASP:HA	1:B:181:ILE:O	2.17	0.44
1:B:309:GLN:HE21	1:B:309:GLN:HA	1.78	0.44
1:A:118:TYR:HB3	1:A:122:THR:HG21	1.99	0.44
1:A:226:TYR:CE2	1:B:226:TYR:CE2	3.05	0.44
1:B:192:THR:HB	1:B:195:LEU:HB2	2.00	0.44
1:B:120:PHE:CD1	1:B:121:PRO:N	2.86	0.44
1:B:133:TRP:NE1	1:B:137:ARG:HD3	2.33	0.43
1:A:212:VAL:O	1:A:216:ARG:HG2	2.17	0.43
1:A:170:SER:OG	1:A:172:GLU:HG3	2.17	0.43
1:B:284:VAL:HG13	1:B:297:LEU:HG	2.01	0.43
1:B:137:ARG:O	1:B:140:GLU:HB2	2.18	0.43
1:B:104:ASP:CB	1:B:305:ARG:HH21	2.21	0.43
1:A:159:LEU:O	1:A:163:VAL:HG23	2.18	0.43
1:B:206:LEU:HG	1:B:281:HIS:CD2	2.54	0.43
1:B:287:TYR:CD1	1:B:288:PRO:N	2.87	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:LEU:HA	1:A:240:LEU:CD2	2.48	0.43
1:A:63:ARG:NH2	1:A:90:GLU:OE1	2.46	0.42
1:B:192:THR:HG23	1:B:193:ALA:N	2.34	0.42
1:B:166:LEU:HA	1:B:166:LEU:HD12	1.82	0.42
1:A:265:LYS:HZ3	1:A:271:ALA:HB3	1.84	0.42
1:A:121:PRO:HD2	1:A:122:THR:H	1.84	0.42
1:B:178:GLN:CG	1:B:243:ALA:HB2	2.49	0.42
1:A:228:PHE:HB2	1:A:235:ALA:HB2	2.02	0.42
1:B:309:GLN:CA	1:B:309:GLN:NE2	2.67	0.42
1:B:22:SER:O	1:B:25:GLU:HG2	2.20	0.42
1:B:155:ALA:O	1:B:159:LEU:HG	2.19	0.42
1:B:41:VAL:CG2	1:B:43:GLU:CG	2.95	0.41
1:B:34:SER:O	1:B:38:THR:HG23	2.20	0.41
1:A:63:ARG:HB2	1:A:89:ILE:HG21	2.01	0.41
1:B:33:GLN:O	1:B:37:LEU:HG	2.19	0.41
1:A:53:ILE:HA	1:A:54:PRO:HD3	1.88	0.41
1:B:121:PRO:O	1:B:125:GLU:N	2.51	0.41
1:B:48:THR:HA	1:B:64:VAL:O	2.19	0.41
1:A:162:VAL:CG2	1:A:232:PRO:HG3	2.50	0.41
1:A:84:PHE:CE1	1:A:155:ALA:HB1	2.55	0.41
1:B:309:GLN:CA	1:B:309:GLN:HE21	2.33	0.41
1:B:285:SER:HB2	2:B:2024:HOH:O	2.21	0.41
1:B:29:GLN:O	1:B:33:GLN:NE2	2.54	0.41
1:B:162:VAL:HG21	1:B:229:LYS:O	2.21	0.41
1:A:38:THR:HG22	1:A:94:HIS:ND1	2.36	0.41
1:B:168:ARG:NH1	1:B:238:GLY:O	2.50	0.41
1:B:192:THR:CG2	1:B:193:ALA:N	2.84	0.40
1:A:144:ASP:HA	1:A:145:PRO:HD2	1.84	0.40
1:A:286:PHE:C	1:A:288:PRO:CD	2.90	0.40
1:B:63:ARG:HG2	1:B:65:TYR:CE2	2.56	0.40
1:B:61:ARG:HG2	1:B:89:ILE:HD12	2.03	0.40
1:B:45:ILE:CD1	1:B:100:SER:HB3	2.50	0.40
1:B:254:ARG:HD2	1:B:275:ARG:NE	2.37	0.40
1:B:192:THR:HG22	1:B:194:SER:N	2.36	0.40
1:A:26:LEU:HD12	1:A:26:LEU:HA	1.81	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:ASP:N	1:B:221:ARG:NH2[6_455]	1.63	0.57

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/311 (94%)	280 (96%)	9 (3%)	4 (1%)	14	13
1	B	289/311 (93%)	262 (91%)	21 (7%)	6 (2%)	9	7
All	All	582/622 (94%)	542 (93%)	30 (5%)	10 (2%)	11	10

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	121	PRO
1	A	222	PRO
1	B	40	ALA
1	B	41	VAL
1	B	46	ALA
1	B	116	PRO
1	B	121	PRO
1	A	18	SER
1	B	188	THR
1	A	190	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/244 (96%)	204 (88%)	29 (12%)	6	6
1	B	230/244 (94%)	195 (85%)	35 (15%)	3	3
All	All	463/488 (95%)	399 (86%)	64 (14%)	4	4

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	SER
1	A	45	ILE
1	A	47	GLU
1	A	49	ARG
1	A	56	SER
1	A	63	ARG
1	A	91	THR
1	A	94	HIS
1	A	108	VAL
1	A	173	LYS
1	A	182	TYR
1	A	195	LEU
1	A	202	GLU
1	A	205	SER
1	A	206	LEU
1	A	209	GLU
1	A	216	ARG
1	A	217	GLN
1	A	220	LYS
1	A	221	ARG
1	A	223	GLU
1	A	240	LEU
1	A	244	LEU
1	A	259	LEU
1	A	265	LYS
1	A	287	TYR
1	A	294	ARG
1	A	297	LEU
1	A	305	ARG
1	B	34	SER
1	B	35	ARG
1	B	36	LEU
1	B	45	ILE
1	B	56	SER
1	B	63	ARG
1	B	64	VAL
1	B	90	GLU
1	B	91	THR
1	B	99	LEU
1	B	104	ASP
1	B	108	VAL
1	B	111	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	121	PRO
1	B	132	LYS
1	B	136	ASP
1	B	139	ASP
1	B	146	ASP
1	B	166	LEU
1	B	170	SER
1	B	180	LEU
1	B	181	ILE
1	B	182	TYR
1	B	192	THR
1	B	195	LEU
1	B	196	VAL
1	B	204	THR
1	B	206	LEU
1	B	219	LEU
1	B	221	ARG
1	B	223	GLU
1	B	244	LEU
1	B	259	LEU
1	B	274	VAL
1	B	285	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	GLN
1	A	33	GLN
1	A	309	GLN
1	B	186	ASN
1	B	309	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	291/311 (93%)	1.48	62 (21%) 1 2	6, 16, 32, 42	3 (1%)
1	B	287/311 (92%)	1.49	80 (27%) 1 1	0, 0, 0, 0	0
All	All	578/622 (92%)	1.49	142 (24%) 1 1	0, 7, 28, 42	3 (0%)

All (142) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	311	SER	8.1
1	B	41	VAL	7.4
1	B	121	PRO	6.3
1	B	26	LEU	5.9
1	B	221	ARG	5.7
1	B	33	GLN	5.5
1	B	310	PRO	5.1
1	B	37	LEU	5.0
1	B	203	THR	4.9
1	B	36	LEU	4.9
1	B	204	THR	4.8
1	B	202	GLU	4.5
1	B	25	GLU	4.4
1	A	33	GLN	4.3
1	A	17	LEU	4.3
1	A	203	THR	4.3
1	B	21	ALA	4.3
1	A	202	GLU	4.2
1	B	40	ALA	4.1
1	B	58	GLY	4.0
1	B	39	ALA	4.0
1	B	289	PHE	4.0
1	B	139	ASP	3.9
1	A	79	TYR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	189	GLY	3.8
1	B	86	PHE	3.8
1	A	160	ALA	3.8
1	B	68	LYS	3.8
1	A	151	ALA	3.7
1	B	69	LYS	3.7
1	B	22	SER	3.7
1	B	222	PRO	3.7
1	A	76	VAL	3.6
1	A	107	VAL	3.6
1	B	140	GLU	3.5
1	B	42	GLN	3.5
1	A	150	VAL	3.4
1	B	35	ARG	3.4
1	B	56	SER	3.4
1	B	136	ASP	3.4
1	B	38	THR	3.4
1	B	219	LEU	3.4
1	B	137	ARG	3.4
1	B	216	ARG	3.3
1	A	108	VAL	3.3
1	A	286	PHE	3.2
1	B	59	SER	3.2
1	A	71	ALA	3.2
1	B	209	GLU	3.2
1	A	78	TYR	3.2
1	A	220	LYS	3.1
1	B	118	TYR	3.1
1	B	116	PRO	3.1
1	A	184	VAL	3.1
1	A	191	PRO	3.0
1	A	270	ARG	3.0
1	A	18	SER	3.0
1	B	200	VAL	3.0
1	A	141	LEU	3.0
1	A	41	VAL	3.0
1	A	179	VAL	2.9
1	B	223	GLU	2.9
1	B	44	PRO	2.9
1	A	152	GLY	2.9
1	B	205	SER	2.8
1	B	311	SER	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	46	ALA	2.8
1	A	246	VAL	2.8
1	A	61	ARG	2.7
1	B	294	ARG	2.7
1	B	23	PRO	2.7
1	A	155	ALA	2.7
1	A	163	VAL	2.7
1	B	274	VAL	2.7
1	A	244	LEU	2.7
1	B	115	ALA	2.7
1	B	120	PHE	2.7
1	B	288	PRO	2.7
1	B	55	VAL	2.6
1	B	213	TRP	2.6
1	B	286	PHE	2.6
1	A	109	SER	2.6
1	A	205	SER	2.6
1	A	28	ARG	2.6
1	B	49	ARG	2.6
1	A	120	PHE	2.5
1	A	157	GLY	2.5
1	A	99	LEU	2.5
1	A	310	PRO	2.5
1	B	270	ARG	2.5
1	B	226	TYR	2.4
1	A	299	LEU	2.4
1	A	156	GLY	2.4
1	B	212	VAL	2.4
1	B	70	ALA	2.4
1	B	57	GLY	2.4
1	B	76	VAL	2.4
1	B	190	VAL	2.4
1	B	309	GLN	2.4
1	A	180	LEU	2.3
1	A	200	VAL	2.3
1	A	173	LYS	2.3
1	B	228	PHE	2.3
1	A	95	ILE	2.3
1	A	159	LEU	2.3
1	A	110	VAL	2.3
1	A	274	VAL	2.3
1	B	79	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	77	LEU	2.3
1	B	160	ALA	2.3
1	A	69	LYS	2.2
1	B	173	LYS	2.2
1	A	19	ILE	2.2
1	B	150	VAL	2.2
1	A	65	TYR	2.2
1	B	91	THR	2.2
1	B	45	ILE	2.2
1	A	162	VAL	2.2
1	A	96	CYS	2.2
1	A	56	SER	2.2
1	B	122	THR	2.2
1	A	75	ALA	2.2
1	B	181	ILE	2.2
1	B	220	LYS	2.2
1	A	213	TRP	2.1
1	A	36	LEU	2.1
1	B	208	ILE	2.1
1	A	226	TYR	2.1
1	B	104	ASP	2.1
1	A	259	LEU	2.1
1	B	141	LEU	2.1
1	A	221	ARG	2.1
1	B	50	ASP	2.1
1	B	78	TYR	2.1
1	B	47	GLU	2.1
1	A	181	ILE	2.1
1	B	72	GLY	2.1
1	B	201	ALA	2.1
1	A	154	SER	2.1
1	B	152	GLY	2.0
1	A	297	LEU	2.0
1	A	262	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.