



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:15 AM GMT

PDB ID : 2CEX
Title : STRUCTURE OF A SIALIC ACID BINDING PROTEIN (SIAP) IN THE PRESENCE OF THE SIALIC ACID ACID ANALOGUE NEU5AC2EN
Authors : Muller, A.; Severi, E.; Mulligan, C.; Watts, A.G.; Kelly, D.J.; Wilson, K.S.; Wilkinson, A.J.; Thomas, G.H.
Deposited on : 2006-02-10
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	<div> <div>78%</div> <div>20%</div> <div>..</div> </div>
1	B	306	<div> <div>73%</div> <div>23%</div> <div>.</div> </div>
1	C	306	<div> <div>%</div> <div>75%</div> <div>19%</div> <div>...</div> </div>
1	D	306	<div> <div>83%</div> <div>15%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	1308	-	-	-	X
4	GOL	D	1306	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10023 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN HI0146.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	0
			2362	1516	382	456	8			
1	B	305	Total	C	N	O	S	0	0	0
			2404	1538	391	467	8			
1	C	300	Total	C	N	O	S	0	1	0
			2357	1511	383	455	8			
1	D	305	Total	C	N	O	S	0	0	0
			2401	1536	391	466	8			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	C	2	Total	Zn	0	0
			2	2		

- Molecule 3 is 2-DEOXY-2,3-DEHYDRO-N-ACETYL-NEURAMINIC ACID (three-letter code: DAN) (formula: C₁₁H₁₇NO₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	N	O	
			20	11	1	8	

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O		
			6	3	3	0	0
4	B	1	Total	C	O		
			6	3	3	0	0
4	D	1	Total	C	O		
			6	3	3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	89	Total 89	O 89	0	0
5	B	147	Total 147	O 147	0	0
5	C	97	Total 97	O 97	0	0
5	D	122	Total 122	O 122	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PROTEIN HI0146




• Molecule 1: PROTEIN HI0146



• Molecule 1: PROTEIN HI0146



● Molecule 1: PROTEIN HI0146



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	131.45Å 88.70Å 115.91Å 90.00° 105.33° 90.00°	Depositor
Resolution (Å)	111.80 – 2.20 49.78 – 2.20	Depositor EDS
% Data completeness (in resolution range)	75.6 (111.80-2.20) 60.0 (49.78-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.197 , 0.280 0.197 , 0.277	Depositor DCC
R_{free} test set	2001 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	28.0	Xtriage
Anisotropy	0.292	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 39065 reflections (0.003%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10023	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, DAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.80	0/2408	0.78	2/3254 (0.1%)
1	B	0.90	0/2451	0.88	2/3307 (0.1%)
1	C	0.84	0/2402	0.84	3/3244 (0.1%)
1	D	0.93	0/2447	0.86	0/3302
All	All	0.87	0/9708	0.84	7/13107 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	3
1	D	0	3
All	All	0	6

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	113	ASP	CB-CG-OD1	6.20	123.88	118.30
1	C	99	ASP	CB-CG-OD2	6.01	123.71	118.30
1	B	49	ASP	CB-CG-OD1	5.79	123.51	118.30
1	A	213	ASP	CB-CG-OD1	5.53	123.28	118.30
1	C	48	ASP	CB-CG-OD1	5.48	123.23	118.30
1	C	255	ASP	CB-CG-OD1	5.14	122.92	118.30
1	B	251	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	292	GLN	Peptide
1	C	293	LYS	Peptide
1	C	30	GLU	Peptide
1	D	1	ALA	Peptide
1	D	186	GLU	Peptide
1	D	291	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2362	0	2317	35	0
1	B	2404	0	2391	57	0
1	C	2357	0	2327	55	0
1	D	2401	0	2392	29	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	1	0	0	0	0
3	B	20	0	16	0	0
4	B	12	0	16	2	0
4	D	6	0	8	0	0
5	A	89	0	0	1	0
5	B	147	0	0	4	0
5	C	97	0	0	10	0
5	D	122	0	0	3	0
All	All	10023	0	9467	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1:ALA:HB1	1:D:2:ASP:HA	1.32	1.08
1:B:289:GLN:HE21	1:C:50:ARG:HH11	1.08	0.95
1:D:1:ALA:CB	1:D:2:ASP:HA	1.96	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:5:LEU:HD22	1:C:36:ILE:HG22	1.54	0.89
1:C:184:GLY:HA2	1:C:201:GLN:HE22	1.38	0.88
1:A:80:VAL:HA	1:A:83:LEU:HD22	1.57	0.87
1:A:151:ALA:HB3	1:A:154:ASN:HD22	1.38	0.87
1:A:186:GLU:HG3	1:A:209:HIS:NE2	1.98	0.78
1:A:184:GLY:HA2	1:A:201:GLN:HE22	1.47	0.77
1:B:166:THR:HG21	1:B:182:VAL:HG12	1.67	0.76
1:C:5:LEU:CD2	1:C:36:ILE:HG22	2.18	0.74
1:B:289:GLN:HE21	1:C:50:ARG:NH1	1.85	0.72
1:D:10:ASN:ND2	1:D:44:SER:OG	2.24	0.70
1:B:147:ARG:HD3	1:B:168:MET:HG2	1.75	0.69
1:A:50:ARG:NE	5:A:2014:HOH:O	2.24	0.69
1:A:85:TYR:HB3	1:A:276:LYS:HG3	1.74	0.68
1:D:127:ARG:NE	1:D:186:GLU:OE2	2.21	0.67
1:D:184:GLY:HA2	1:D:201:GLN:HE22	1.59	0.67
1:B:10:ASN:ND2	1:B:44:SER:OG	2.27	0.67
1:B:289:GLN:NE2	1:C:50:ARG:HH11	1.89	0.66
1:C:229:ASP:O	1:C:233:VAL:HG13	1.94	0.66
1:A:147:ARG:NH1	1:A:168:MET:O	2.29	0.66
1:C:291:GLY:O	1:C:293:LYS:N	2.30	0.64
1:B:204:LEU:HG	1:B:206:MET:CE	2.28	0.64
1:B:274:PRO:HG2	4:B:1308:GOL:H32	1.80	0.64
1:B:133:ARG:HD3	5:B:2075:HOH:O	1.98	0.64
1:A:132:ASN:HD22	1:A:180:ASN:HD22	1.47	0.63
1:C:136:ASN:ND2	5:C:2047:HOH:O	2.23	0.61
1:D:1:ALA:HB1	1:D:2:ASP:CA	2.21	0.61
1:B:207:THR:CG2	1:B:209:HIS:ND1	2.65	0.60
1:D:291:GLY:HA3	5:D:2117:HOH:O	2.02	0.59
1:C:293:LYS:HD2	1:C:296:SER:HB3	1.84	0.59
1:B:102:PHE:H	1:B:300:GLN:HE22	1.51	0.58
1:A:283:TYR:O	1:A:287:VAL:HG12	2.04	0.58
1:B:153:THR:CG2	5:B:2088:HOH:O	2.52	0.56
1:C:2:ASP:O	1:C:31:LYS:NZ	2.36	0.56
1:B:129:THR:OG1	1:B:207:THR:HG21	2.05	0.56
1:D:1:ALA:HB3	1:D:35:LYS:HA	1.87	0.55
1:B:84:PRO:HB2	1:B:279:MET:HG3	1.88	0.55
1:D:298:LEU:O	1:D:302:GLU:HG3	2.07	0.55
1:A:124:ASN:OD1	1:A:245:HIS:HE1	1.91	0.54
1:D:1:ALA:CB	1:D:2:ASP:CA	2.77	0.54
1:B:133:ARG:NH2	1:B:140:ASP:O	2.41	0.54
1:B:100:THR:HB	1:B:300:GLN:HE21	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:TYR:CB	1:A:276:LYS:HG3	2.38	0.53
1:C:77:GLU:HB3	1:C:293:LYS:HB2	1.89	0.53
1:C:151:ALA:HB3	1:C:154:ASN:HD22	1.73	0.53
1:B:288:LYS:HG2	5:C:2014:HOH:O	2.08	0.53
1:B:288:LYS:HZ2	1:C:50:ARG:NH2	2.07	0.52
1:C:147:ARG:HA	1:C:166:THR:O	2.10	0.52
1:C:221:GLU:O	1:C:225:GLU:HG2	2.10	0.52
1:A:151:ALA:HB3	1:A:154:ASN:ND2	2.16	0.52
1:D:204:LEU:HD23	1:D:267:ILE:HD12	1.92	0.52
1:A:111:ASP:OD1	1:A:220:ASN:ND2	2.41	0.51
1:C:3:TYR:HB2	1:C:36:ILE:HA	1.92	0.51
1:C:69:ALA:O	1:C:72:GLN:HG2	2.09	0.51
1:C:119:LEU:O	1:C:235:LYS:NZ	2.34	0.51
1:A:49:ASP:OD1	1:A:50:ARG:HG3	2.12	0.50
1:C:293:LYS:CD	1:C:296:SER:HB3	2.43	0.49
1:B:184:GLY:HA2	1:B:201:GLN:HE22	1.78	0.49
1:C:31:LYS:N	5:C:2011:HOH:O	2.44	0.49
1:B:230:LEU:O	1:B:233:VAL:HG22	2.12	0.49
1:B:77:GLU:HA	1:B:290:THR:HG21	1.95	0.48
1:D:42:PRO:O	1:D:45:GLN:HG3	2.13	0.48
1:C:293:LYS:HD2	1:C:296:SER:CB	2.42	0.48
1:C:77:GLU:HB2	1:C:293:LYS:HB3	1.95	0.48
1:C:147:ARG:NH1	1:C:168:MET:O	2.46	0.48
1:B:148:VAL:O	1:B:167:PRO:HA	2.13	0.48
1:C:77:GLU:HB2	1:C:293:LYS:CB	2.44	0.48
1:C:30:GLU:C	5:C:2011:HOH:O	2.52	0.48
1:B:133:ARG:NH1	5:B:2076:HOH:O	2.47	0.48
1:C:18:TYR:O	1:C:22:GLU:HB2	2.13	0.48
1:C:273:VAL:HB	1:C:274:PRO:HD3	1.95	0.47
1:C:220:ASN:HB3	1:C:224:LYS:HD2	1.96	0.47
1:C:97:LEU:HD21	1:C:118:LEU:HD21	1.96	0.47
1:C:228:GLU:HA	1:C:231:GLN:HE21	1.79	0.47
1:D:145:LYS:HD2	5:D:2076:HOH:O	2.13	0.47
1:B:278:SER:O	1:B:281:PRO:HD2	2.15	0.47
1:D:301:ILE:HA	1:D:304:ILE:HG12	1.97	0.47
1:B:128:GLN:O	1:B:186:GLU:HA	2.15	0.47
1:C:13:THR:HG23	5:C:2013:HOH:O	2.13	0.47
1:D:33:GLN:HG3	1:D:35:LYS:NZ	2.30	0.47
1:B:273:VAL:HB	1:B:274:PRO:HD3	1.97	0.47
1:C:127:ARG:NE	1:C:186:GLU:OE2	2.36	0.47
1:D:114:LEU:O	1:D:116:VAL:HG13	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:72:GLN:HA	1:B:75:TYR:O	2.15	0.47
1:B:288:LYS:NZ	1:C:50:ARG:NH2	2.62	0.46
1:A:157:TYR:O	1:A:161:VAL:HG22	2.15	0.46
1:A:91:ASN:HD21	1:A:95:LYS:HE2	1.80	0.46
1:A:16:ASN:HB2	1:A:249:PHE:CE2	2.51	0.46
1:A:280:LYS:N	1:A:281:PRO:HD2	2.30	0.46
1:C:14:SER:HB2	5:C:2005:HOH:O	2.14	0.46
1:B:26:LYS:N	1:B:26:LYS:HD3	2.30	0.46
1:B:177:LEU:HD23	1:B:182:VAL:HG23	1.96	0.46
1:B:66:ALA:HB3	1:B:217:LEU:HD11	1.98	0.46
1:B:97:LEU:HD21	1:B:118:LEU:HD21	1.98	0.46
1:D:2:ASP:HB3	5:D:2015:HOH:O	2.16	0.46
1:B:289:GLN:NE2	1:C:50:ARG:NH1	2.58	0.46
1:A:280:LYS:N	1:A:281:PRO:CD	2.78	0.46
1:D:86:VAL:HG23	1:D:283:TYR:CE1	2.51	0.45
1:B:274:PRO:HG2	4:B:1308:GOL:C3	2.46	0.45
1:A:72:GLN:HA	1:A:75:TYR:O	2.16	0.45
1:D:204:LEU:O	1:D:267:ILE:HA	2.16	0.45
1:B:141:MET:HB3	1:B:161:VAL:HG13	1.99	0.45
1:B:204:LEU:HG	1:B:206:MET:HE3	1.99	0.45
1:D:296:SER:O	1:D:300:GLN:HG3	2.17	0.45
1:D:290:THR:OG1	1:D:294:GLY:HA3	2.17	0.45
1:C:10:ASN:ND2	5:C:2003:HOH:O	2.27	0.45
1:C:7:PHE:HB3	1:C:40:LEU:HD23	1.97	0.45
1:A:97:LEU:HD21	1:A:118:LEU:HD21	1.98	0.45
1:C:55:GLN:HB3	1:C:61:LEU:HB2	1.99	0.44
1:C:293:LYS:HD3	1:C:296:SER:H	1.82	0.44
1:A:132:ASN:HD22	1:A:180:ASN:ND2	2.12	0.44
1:A:204:LEU:HD23	1:A:267:ILE:HD12	1.99	0.44
1:B:106:LEU:O	1:B:110:MET:HG3	2.18	0.44
1:D:70:ARG:NH1	1:D:73:LEU:HD11	2.32	0.44
1:B:287:VAL:HG13	1:B:295:GLU:HB2	1.99	0.44
1:A:158:ALA:O	1:A:163:ALA:HB3	2.18	0.44
1:A:173:VAL:O	1:A:177:LEU:HG	2.18	0.44
1:B:56:LEU:HD22	1:B:64:THR:HG22	2.00	0.44
1:B:46:LEU:HD13	1:B:61:LEU:HD13	2.00	0.44
1:B:214:GLN:HE21	1:B:214:GLN:HA	1.83	0.43
1:A:186:GLU:HG2	1:A:187:ASN:N	2.30	0.43
1:A:49:ASP:OD1	1:A:50:ARG:N	2.51	0.43
1:D:141:MET:HG3	1:D:161:VAL:HG13	1.99	0.43
1:B:259:PHE:O	1:B:262:LYS:HB2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:77:GLU:CB	1:C:293:LYS:CB	2.96	0.43
1:A:66:ALA:HB3	1:A:217:LEU:HD11	2.00	0.43
1:C:151:ALA:HB3	1:C:154:ASN:ND2	2.32	0.43
1:B:227:PRO:HG2	1:B:230:LEU:HB2	1.99	0.43
1:B:296:SER:HA	1:B:299:LYS:HE3	2.01	0.43
1:C:133:ARG:NH1	5:C:2046:HOH:O	2.47	0.43
1:B:141:MET:CB	1:B:161:VAL:HG13	2.48	0.43
1:B:147:ARG:HA	1:B:166:THR:O	2.19	0.43
1:D:157:TYR:O	1:D:161:VAL:HB	2.19	0.43
1:B:108:LYS:O	1:B:111:ASP:HB3	2.19	0.43
1:C:294:GLY:HA3	5:C:2093:HOH:O	2.18	0.43
1:B:166:THR:HG21	1:B:182:VAL:CG1	2.44	0.42
1:D:28:VAL:O	1:D:32:SER:OG	2.33	0.42
1:B:247:LYS:HD3	1:B:247:LYS:HA	1.71	0.42
1:B:289:GLN:NE2	5:B:2133:HOH:O	2.46	0.42
1:C:31:LYS:HA	5:C:2009:HOH:O	2.19	0.42
1:B:170:PHE:O	1:B:173:VAL:HG23	2.19	0.42
1:B:102:PHE:HB3	1:B:300:GLN:NE2	2.34	0.42
1:C:83:LEU:HB2	1:C:86:VAL:HG21	2.02	0.42
1:B:66:ALA:CB	1:B:217:LEU:HD11	2.50	0.42
1:D:52:MET:O	1:D:56:LEU:HD13	2.20	0.41
1:B:178:GLN:HB2	1:B:200:VAL:HG11	2.02	0.41
1:D:33:GLN:HG3	1:D:35:LYS:HZ2	1.85	0.41
1:A:96:ALA:O	1:A:100:THR:OG1	2.37	0.41
1:C:259:PHE:O	1:C:263:GLN:HG2	2.20	0.41
1:C:5:LEU:HA	1:C:62:ASP:OD2	2.21	0.41
1:B:207:THR:HG23	1:B:209:HIS:ND1	2.35	0.41
1:C:69:ALA:HB1	1:C:82:ALA:HB2	2.02	0.41
1:A:160:TYR:CE1	1:A:281:PRO:HB2	2.56	0.41
1:C:148:VAL:CG2	1:C:155:LEU:HD12	2.51	0.41
1:C:227:PRO:HD2	1:C:230:LEU:HD12	2.03	0.40
1:C:230:LEU:O	1:C:234:VAL:HG12	2.21	0.40
1:D:10:ASN:HD21	1:D:48:ASP:HA	1.86	0.40
1:C:30:GLU:OE2	1:C:30:GLU:CA	2.69	0.40
1:B:56:LEU:CD2	1:B:64:THR:HG22	2.51	0.40
1:C:102:PHE:H	1:C:299:LYS:HE3	1.86	0.40
1:A:160:TYR:HB3	1:A:278:SER:O	2.21	0.40
1:A:134:ALA:HB2	1:A:203:PHE:CE1	2.56	0.40
1:C:30:GLU:OE2	1:C:30:GLU:HA	2.21	0.40
1:A:124:ASN:OD1	1:A:245:HIS:CE1	2.72	0.40
1:A:160:TYR:O	1:A:278:SER:HB2	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:TYR:HB2	1:A:36:ILE:HG12	2.02	0.40
1:B:227:PRO:HB2	1:B:229:ASP:OD1	2.21	0.40
1:D:91:ASN:HD21	1:D:95:LYS:NZ	2.19	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/306 (99%)	295 (98%)	5 (2%)	2 (1%)	26	25
1	B	303/306 (99%)	295 (97%)	8 (3%)	0	100	100
1	C	297/306 (97%)	279 (94%)	14 (5%)	4 (1%)	15	11
1	D	303/306 (99%)	289 (95%)	13 (4%)	1 (0%)	46	50
All	All	1205/1224 (98%)	1158 (96%)	40 (3%)	7 (1%)	30	29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	292	GLN
1	C	303	ALA
1	A	187	ASN
1	C	3	TYR
1	C	29	LYS
1	D	292	GLN
1	A	304	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/256 (95%)	228 (94%)	15 (6%)	23	25
1	B	256/256 (100%)	233 (91%)	23 (9%)	12	11
1	C	248/256 (97%)	236 (95%)	12 (5%)	31	37
1	D	255/256 (100%)	242 (95%)	13 (5%)	29	34
All	All	1002/1024 (98%)	939 (94%)	63 (6%)	22	24

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	7	PHE
1	A	26	LYS
1	A	56	LEU
1	A	73	LEU
1	A	83	LEU
1	A	106	LEU
1	A	110	MET
1	A	147	ARG
1	A	150	ASN
1	A	186	GLU
1	A	187	ASN
1	A	230	LEU
1	A	296	SER
1	A	298	LEU
1	B	7	PHE
1	B	23	MET
1	B	26	LYS
1	B	101	GLU
1	B	102	PHE
1	B	112	LYS
1	B	116	VAL
1	B	133	ARG
1	B	147	ARG
1	B	159	LYS
1	B	161	VAL
1	B	175	LEU
1	B	187	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	207	THR
1	B	214	GLN
1	B	230	LEU
1	B	247	LYS
1	B	248	LEU
1	B	276	LYS
1	B	290	THR
1	B	292	GLN
1	B	298	LEU
1	B	299	LYS
1	C	5	LEU
1	C	7	PHE
1	C	14	SER
1	C	19	LYS
1	C	30	GLU
1	C	36	ILE
1	C	54	LYS
1	C	147	ARG
1	C	155	LEU
1	C	214	GLN
1	C	228	GLU
1	C	292	GLN
1	D	7	PHE
1	D	33	GLN
1	D	39	SER
1	D	88	SER
1	D	108	LYS
1	D	112	LYS
1	D	147	ARG
1	D	214	GLN
1	D	230	LEU
1	D	233	VAL
1	D	235	LYS
1	D	288	LYS
1	D	292	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	91	ASN
1	A	154	ASN
1	A	178	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	180	ASN
1	A	187	ASN
1	A	201	GLN
1	A	240	ASN
1	A	245	HIS
1	B	10	ASN
1	B	201	GLN
1	B	289	GLN
1	B	292	GLN
1	B	300	GLN
1	C	91	ASN
1	C	154	ASN
1	C	195	GLN
1	C	201	GLN
1	C	231	GLN
1	C	292	GLN
1	D	10	ASN
1	D	91	ASN
1	D	124	ASN
1	D	154	ASN
1	D	201	GLN
1	D	292	GLN
1	D	305	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 6 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DAN	B	1307	-	16,20,20	1.27	1 (6%)	19,28,28	1.19	2 (10%)
4	GOL	B	1308	-	5,5,5	0.78	0	5,5,5	1.41	1 (20%)
4	GOL	B	1309	-	5,5,5	0.46	0	5,5,5	0.23	0
4	GOL	D	1306	-	5,5,5	0.88	0	5,5,5	1.25	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DAN	B	1307	-	-	0/14/34/34	0/1/1/1
4	GOL	B	1308	-	-	0/4/4/4	0/0/0/0
4	GOL	B	1309	-	-	0/4/4/4	0/0/0/0
4	GOL	D	1306	-	-	0/4/4/4	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1307	DAN	O6-C2	3.51	1.44	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1307	DAN	O7-C7-C6	2.10	114.28	109.43
4	D	1306	GOL	O1-C1-C2	2.19	120.82	110.18
4	B	1308	GOL	O3-C3-C2	2.39	121.80	110.18
3	B	1307	DAN	C6-O6-C2	2.53	118.70	114.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1308	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/306 (99%)	-0.10	1 (0%) 94 94	26, 33, 43, 52	3 (0%)
1	B	305/306 (99%)	-0.21	0 100 100	22, 33, 37, 48	0
1	C	300/306 (98%)	-0.07	2 (0%) 89 88	23, 33, 38, 63	0
1	D	305/306 (99%)	-0.28	1 (0%) 94 94	25, 32, 38, 49	0
All	All	1214/1224 (99%)	-0.17	4 (0%) 94 94	22, 33, 39, 63	3 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	36	ILE	4.0
1	D	1	ALA	3.2
1	C	146	LEU	2.7
1	A	292	GLN	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	GOL	D	1306	6/6	0.95	0.26	6.29	33,35,36,37	0
4	GOL	B	1308	6/6	0.88	0.18	3.56	36,39,40,41	0
3	DAN	B	1307	20/20	0.96	0.11	-0.48	23,28,30,30	0
2	ZN	B	1310	1/1	1.00	0.08	-5.59	30,30,30,30	0
2	ZN	B	1311	1/1	0.99	0.07	-	32,32,32,32	1
2	ZN	C	1306	1/1	1.00	0.06	-	30,30,30,30	0
2	ZN	C	1307	1/1	0.95	0.12	-	53,53,53,53	1
2	ZN	A	1306	1/1	0.96	0.07	-	39,39,39,39	1
2	ZN	D	1307	1/1	0.98	0.12	-	21,21,21,21	1
4	GOL	B	1309	6/6	0.83	0.15	-	52,54,54,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.