



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:17 AM GMT

PDB ID : 2CJ9
Title : CRYSTAL STRUCTURE OF METHANOSARCINA BARKERI SERYL-
TRNA SYNTHETASE COMPLEXED WITH AN ANALOG OF SERYL-
LADENYLATE
Authors : Bilokapic, S.; Maier, T.; Ahel, D.; Gruic-Sovulj, I.; Soll, D.; Weygand-
Durasevic, I.; Ban, N.
Deposited on : 2006-03-29
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	522	 <p>25% 80% 11% 9%</p>
1	B	522	 <p>17% 82% 12% 6%</p>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8307 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERYL-TRNA SYNTHETASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	477	Total	C	N	O	S	0	1	0
			3900	2505	663	711	21			
1	B	493	Total	C	N	O	S	0	1	0
			4015	2577	681	736	21			


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		
3	A	1	Total	Cl	0	0
			1	1		

- Molecule 4 is 5'-O-(N-(L-SERYL)-SULFAMOYL)ADENOSINE (three-letter code: SSA) (formula: C₁₃H₁₉N₇O₈S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			29	13	7	8	1		
4	B	1	Total	C	N	O	S	0	0
			29	13	7	8	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	149	Total	O	0	0
			149	149		
5	B	181	Total	O	0	0
			181	181		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SERYL-TRNA SYNTHETASE



• Molecule 1: SERYL-TRNA SYNTHETASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	96.71Å 96.71Å 270.30Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.93 – 2.30 14.93 – 2.30	Depositor EDS
% Data completeness (in resolution range)	78.8 (14.93-2.30) 78.8 (14.93-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.72 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.206 , 0.248 0.208 , 0.246	Depositor DCC
R_{free} test set	2567 reflections (5.21%)	DCC
Wilson B-factor (Å ²)	49.0	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 53.8	EDS
Estimated twinning fraction	0.037 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 51868 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8307	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SSA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/4003	0.51	0/5411
1	B	0.36	0/4123	0.53	0/5579
All	All	0.37	0/8126	0.52	0/10990

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3900	0	3816	37	0
1	B	4015	0	3929	35	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	29	0	19	0	0
4	B	29	0	19	0	0
5	A	149	0	0	4	0
5	B	181	0	0	1	0
All	All	8307	0	7783	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:16:ASP:HB3	1:B:56:ASP:HB2	1.65	0.78
1:A:197:ARG:HH12	1:A:203:GLN:H	1.39	0.71
1:A:232:ARG:HD3	5:A:2049:HOH:O	1.90	0.70
1:A:450:LYS:NZ	5:A:2126:HOH:O	2.29	0.65
1:B:131:LEU:HD11	1:B:152:LEU:HD22	1.79	0.63
1:B:10:TYR:HB3	1:B:59:GLU:HB3	1.82	0.61
1:A:233:GLU:OE2	1:A:330:ARG:HD2	2.02	0.59
1:B:18:THR:HB	1:B:19:PRO:CD	2.33	0.59
1:B:18:THR:HB	1:B:19:PRO:HD2	1.86	0.58
1:B:306:CYS:SG	1:B:307:PRO:HD3	2.44	0.58
1:A:397:PHE:O	1:A:401:GLU:HG2	2.02	0.57
1:A:40:ALA:HB3	1:A:41:PRO:HD3	1.86	0.57
1:A:101:PHE:HE2	1:A:103:ILE:HD11	1.69	0.57
1:A:8:LYS:HB3	1:A:99:GLU:HB3	1.88	0.55
1:A:3:LEU:HD11	1:A:149:LEU:HD11	1.88	0.54
1:A:110:GLU:HB2	1:A:124:ASN:HD22	1.73	0.53
1:B:325:VAL:O	1:B:358:TRP:HA	2.09	0.53
1:A:261:VAL:HG11	1:B:301[A]:MET:HE2	1.92	0.51
1:B:225:LEU:HD21	1:B:372:LEU:CD2	2.41	0.50
1:A:116:VAL:HB	1:A:119:ILE:HD12	1.93	0.50
1:B:1:MET:HE3	5:B:2005:HOH:O	2.11	0.50
1:A:369:ALA:HB2	1:A:438:ILE:HD11	1.93	0.50
1:B:121:SER:HB3	1:B:132:GLU:HB3	1.93	0.50
1:A:48:VAL:O	1:A:49:THR:HG23	2.13	0.49
1:A:187:GLN:NE2	5:A:2032:HOH:O	2.46	0.49
1:A:258:ILE:O	1:B:264:PRO:HD3	2.13	0.49
1:B:320:ASN:HD21	1:B:453:SER:H	1.60	0.49
1:A:8:LYS:HD2	1:A:61:THR:HG23	1.94	0.48
1:A:118:TYR:HB2	1:A:148:ILE:HD11	1.96	0.47
1:A:306:CYS:SG	1:A:307:PRO:HD3	2.54	0.47
1:B:173:GLN:HG3	1:B:389:ARG:HB3	1.97	0.47
1:A:395:PRO:HG3	1:A:413:GLY:HA2	1.96	0.46
1:A:103:ILE:HG22	1:A:105:VAL:HG23	1.98	0.46
1:B:380:PHE:CZ	1:B:433:PHE:HE1	2.34	0.45
1:B:366:LEU:HD21	1:B:411:THR:OG1	2.16	0.45
1:A:285:VAL:HG11	1:B:242:TRP:HB3	1.99	0.45
1:A:125:ILE:HG13	1:A:128:GLY:H	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:PRO:HA	1:B:53:LEU:HD22	1.99	0.44
1:B:420:CYS:HB3	1:B:430:TRP:CE2	2.53	0.44
1:A:173:GLN:HG3	1:A:389:ARG:HB3	2.00	0.44
1:A:225:LEU:HD21	1:A:372:LEU:CD2	2.48	0.44
1:A:49:THR:HG21	1:A:61:THR:O	2.18	0.43
1:A:49:THR:OG1	1:A:62:LEU:HA	2.18	0.43
1:B:5:PHE:HB3	1:B:70:VAL:HG22	2.00	0.43
1:A:339:SER:HB3	1:B:267:ARG:NH1	2.34	0.43
1:B:335:HIS:HA	1:B:349:ASP:O	2.18	0.43
1:A:206:HIS:HB2	1:B:235:ILE:HB	2.01	0.42
1:A:74:ILE:HD12	1:A:96:ILE:HG21	2.01	0.42
1:B:12:LYS:HG2	1:B:95:GLY:O	2.19	0.42
1:B:395:PRO:HG3	1:B:413:GLY:HA2	2.01	0.42
1:B:135:VAL:HG13	1:B:139:GLU:HB2	2.02	0.42
1:B:4:GLN:HG2	1:B:104:LYS:HB2	2.02	0.42
1:B:243:GLU:HG2	1:B:311:MET:CE	2.50	0.42
1:A:330:ARG:NH1	5:A:2087:HOH:O	2.53	0.41
1:A:147:ARG:NE	1:B:281:VAL:O	2.53	0.41
1:A:306:CYS:N	1:A:307:PRO:CD	2.82	0.41
1:A:369:ALA:CB	1:A:438:ILE:HD11	2.50	0.41
1:B:451:LEU:HB2	1:B:457:LEU:HG	2.02	0.41
1:A:36:LEU:HD23	1:A:76:ARG:HD2	2.02	0.41
1:B:433:PHE:HA	1:B:468:ARG:HB3	2.03	0.41
1:A:279:TYR:CE1	1:B:246:MET:HG2	2.55	0.41
1:B:353:ARG:HA	1:B:464:VAL:O	2.21	0.41
1:B:254:VAL:HG13	1:B:258:ILE:HD13	2.02	0.40
1:A:237:PRO:HB3	1:B:203:GLN:CD	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	468/522 (90%)	445 (95%)	21 (4%)	2 (0%)	39	48
1	B	488/522 (94%)	472 (97%)	14 (3%)	2 (0%)	39	48
All	All	956/1044 (92%)	917 (96%)	35 (4%)	4 (0%)	39	48

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	253	GLY
1	B	253	GLY
1	A	127	GLY
1	B	18	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	410/444 (92%)	398 (97%)	12 (3%)	50	66
1	B	422/444 (95%)	412 (98%)	10 (2%)	57	74
All	All	832/888 (94%)	810 (97%)	22 (3%)	52	71

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ILE
1	A	49	THR
1	A	66	ARG
1	A	74	ILE
1	A	81	LEU
1	A	110	GLU
1	A	195	LEU
1	A	239	LEU
1	A	285	VAL
1	A	330	ARG
1	A	410	ASN
1	A	489	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	7	LEU
1	B	16	ASP
1	B	60	LEU
1	B	99	GLU
1	B	112	ARG
1	B	160	GLN
1	B	170	LEU
1	B	195	LEU
1	B	367	LYS
1	B	494	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	HIS
1	A	167	HIS
1	B	63	GLN
1	B	320	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SSA	A	1505	2	24,31,31	1.27	3 (12%)	29,46,46	2.70	4 (13%)
4	SSA	B	1505	2	24,31,31	1.18	4 (16%)	29,46,46	2.47	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SSA	A	1505	2	-	0/15/37/37	0/3/3/3
4	SSA	B	1505	2	-	0/15/37/37	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1505	SSA	C9-N8	-2.69	1.33	1.37
4	B	1505	SSA	C9-N8	-2.19	1.34	1.37
4	B	1505	SSA	O4'-C1'	2.03	1.43	1.41
4	B	1505	SSA	O2S-S1	2.05	1.44	1.42
4	A	1505	SSA	O4'-C1'	2.29	1.44	1.41
4	B	1505	SSA	C5-C4	3.04	1.47	1.40
4	A	1505	SSA	C5-C4	3.22	1.47	1.40

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1505	SSA	O2S-S1-O1S	-10.45	108.26	120.77
4	B	1505	SSA	O2S-S1-O1S	-8.95	110.05	120.77
4	B	1505	SSA	N3-C2-N1	-7.85	122.88	128.89
4	A	1505	SSA	N3-C2-N1	-7.31	123.30	128.89
4	A	1505	SSA	C2'-C1'-N9	-3.97	108.23	114.29
4	B	1505	SSA	C2'-C1'-N9	-3.64	108.74	114.29
4	A	1505	SSA	C4-C5-N7	-2.80	106.90	109.48
4	B	1505	SSA	C4-C5-N7	-2.29	107.37	109.48
4	B	1505	SSA	C2-N1-C6	2.17	122.64	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.







5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	477/522 (91%)	1.46	133 (27%)  	56, 66, 137, 145	0
1	B	493/522 (94%)	0.98	89 (18%)  	56, 64, 95, 104	0
All	All	970/1044 (92%)	1.21	222 (22%)  	56, 65, 118, 145	0

All (222) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	95	GLY	19.8
1	A	50	GLU	9.7
1	A	48	VAL	9.2
1	A	22	ASP	9.1
1	B	161	TYR	8.9
1	A	82	ALA	8.7
1	A	60	LEU	8.2
1	A	27	LEU	8.1
1	A	165	ALA	7.7
1	A	34	THR	7.5
1	B	16	ASP	7.4
1	A	9	ALA	7.3
1	A	36	LEU	7.1
1	A	41	PRO	7.1
1	A	42	GLU	7.0
1	A	128	GLY	7.0
1	B	14	SER	6.9
1	A	107	ALA	6.8
1	A	28	PHE	6.7
1	A	7	LEU	6.7
1	A	135	VAL	6.6
1	A	138	ALA	6.4
1	B	18	THR	6.4
1	A	79	LYS	6.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	99	GLU	6.3
1	A	20	ALA	6.3
1	A	40	ALA	6.3
1	B	404	LEU	6.3
1	A	49	THR	6.2
1	B	36	LEU	6.1
1	A	25	ALA	6.1
1	A	-1	HIS	6.0
1	A	98	VAL	6.0
1	A	37	THR	5.6
1	A	11	PHE	5.5
1	B	84	ALA	5.4
1	B	83	GLU	5.3
1	B	165	ALA	5.3
1	A	10	TYR	5.2
1	B	15	ALA	5.1
1	A	488	PHE	5.0
1	A	101	PHE	4.9
1	A	-2	SER	4.8
1	B	408	GLU	4.8
1	B	-3	GLY	4.7
1	A	129	ILE	4.6
1	A	77	LEU	4.6
1	A	148	ILE	4.6
1	A	140	MET	4.6
1	A	388	TRP	4.5
1	A	46	ALA	4.5
1	A	96	ILE	4.5
1	A	51	TRP	4.4
1	A	61	THR	4.4
1	A	26	ALA	4.4
1	B	82	ALA	4.4
1	B	410	ASN	4.3
1	B	457	LEU	4.3
1	B	19	PRO	4.2
1	A	24	ILE	4.2
1	A	126	GLU	4.2
1	B	166	GLU	4.2
1	B	11	PHE	4.1
1	A	75	PHE	4.1
1	A	21	LYS	4.0
1	B	167	HIS	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	58	ILE	4.0
1	A	71	HIS	4.0
1	A	408	GLU	4.0
1	B	52	LYS	3.9
1	A	47	LYS	3.9
1	B	406	LEU	3.8
1	A	118	TYR	3.8
1	B	407	ALA	3.8
1	A	59	GLU	3.7
1	A	31	ALA	3.7
1	B	77	LEU	3.7
1	A	108	ASP	3.7
1	B	113	MET	3.7
1	A	157	GLU	3.6
1	B	160	GLN	3.6
1	A	100	SER	3.6
1	A	23	ALA	3.6
1	A	133	LEU	3.6
1	B	156	ILE	3.5
1	A	164	LYS	3.5
1	B	402	GLY	3.5
1	B	403	LEU	3.5
1	A	30	GLU	3.5
1	B	342	ILE	3.5
1	A	403	LEU	3.5
1	A	70	VAL	3.4
1	B	7	LEU	3.4
1	A	407	ALA	3.4
1	B	55	GLU	3.4
1	B	101	PHE	3.4
1	A	78	ARG	3.4
1	B	58	ILE	3.4
1	A	119	ILE	3.3
1	B	22	ASP	3.3
1	A	178	GLU	3.3
1	A	158	ALA	3.3
1	B	34	THR	3.3
1	A	35	LEU	3.3
1	A	426	PRO	3.2
1	A	156	ILE	3.2
1	A	144	VAL	3.2
1	B	421	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	45	GLY	3.2
1	A	43	GLY	3.2
1	B	135	VAL	3.1
1	B	129	ILE	3.1
1	A	83	GLU	3.1
1	A	427	ASP	3.1
1	A	73	ALA	3.1
1	A	44	GLN	3.1
1	A	127	GLY	3.1
1	B	51	TRP	3.1
1	B	109	HIS	3.1
1	A	97	GLU	3.0
1	B	142	ASN	3.0
1	A	57	ARG	3.0
1	A	105	VAL	3.0
1	A	281	VAL	3.0
1	A	348	VAL	3.0
1	A	56	ASP	3.0
1	B	75	PHE	3.0
1	A	103	ILE	3.0
1	B	30	GLU	3.0
1	B	12	LYS	2.9
1	B	13	THR	2.9
1	B	112	ARG	2.9
1	B	123	GLU	2.9
1	B	53	LEU	2.9
1	B	81	LEU	2.9
1	A	410	ASN	2.9
1	A	134	GLU	2.8
1	A	167	HIS	2.8
1	A	29	GLU	2.8
1	A	166	GLU	2.8
1	A	154	GLU	2.8
1	A	404	LEU	2.8
1	A	406	LEU	2.8
1	A	141	LYS	2.8
1	B	57	ARG	2.7
1	A	402	GLY	2.7
1	A	2	LYS	2.7
1	B	449	VAL	2.7
1	B	172	TRP	2.7
1	B	38	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	409	GLU	2.7
1	A	429	GLU	2.6
1	A	8	LYS	2.6
1	A	81	LEU	2.6
1	A	1	MET	2.6
1	B	145	PRO	2.6
1	B	95	GLY	2.6
1	B	20	ALA	2.6
1	A	102	ILE	2.6
1	A	80	GLN	2.6
1	A	104	LYS	2.6
1	A	409	GLU	2.6
1	B	348	VAL	2.6
1	A	120	LYS	2.5
1	B	110	GLU	2.5
1	A	3	LEU	2.5
1	B	144	VAL	2.5
1	A	294	ILE	2.5
1	A	351	PHE	2.5
1	B	482	ALA	2.5
1	A	45	GLY	2.4
1	B	455	ASP	2.4
1	A	354	ILE	2.4
1	A	159	ALA	2.4
1	A	111	LEU	2.4
1	A	131	LEU	2.4
1	A	149	LEU	2.4
1	A	244	VAL	2.3
1	B	143	ARG	2.3
1	A	417	TYR	2.3
1	B	9	ALA	2.3
1	B	488	PHE	2.3
1	B	40	ALA	2.3
1	B	159	ALA	2.3
1	A	38	ARG	2.3
1	B	133	LEU	2.3
1	B	138	ALA	2.3
1	A	109	HIS	2.2
1	A	175	GLU	2.2
1	A	275	VAL	2.2
1	B	28	PHE	2.2
1	A	125	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	63	GLN	2.2
1	A	67	TYR	2.2
1	A	106	PRO	2.2
1	B	62	LEU	2.2
1	B	131	LEU	2.2
1	A	185	PRO	2.2
1	A	110	GLU	2.2
1	B	379	ILE	2.1
1	A	65	GLY	2.1
1	B	388	TRP	2.1
1	A	372	LEU	2.1
1	B	49	THR	2.1
1	B	290	ILE	2.1
1	B	354	ILE	2.1
1	B	33	SER	2.1
1	A	145	PRO	2.1
1	B	275	VAL	2.1
1	B	21	LYS	2.1
1	A	123	GLU	2.1
1	B	367	LYS	2.1
1	B	148	ILE	2.1
1	B	56	ASP	2.1
1	A	321	GLU	2.0
1	B	169	ASN	2.0
1	B	79	LYS	2.0
1	B	427	ASP	2.0
1	B	10	TYR	2.0
1	B	405	GLY	2.0
1	A	502	LEU	2.0
1	A	76	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	SSA	A	1505	29/29	0.97	0.12	-0.82	37,39,42,42	0
4	SSA	B	1505	29/29	0.97	0.12	-1.28	34,37,41,41	0
3	CL	B	1504	1/1	0.99	0.03	-4.41	37,37,37,37	0
3	CL	A	1504	1/1	0.99	0.04	-4.72	32,32,32,32	0
2	ZN	B	1503	1/1	0.98	0.09	-	51,51,51,51	0
2	ZN	A	1503	1/1	0.98	0.09	-	51,51,51,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.