



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 10:24 PM GMT

PDB ID : 5CJT
Title : Isobutyryl-CoA mutase fused with bound adenosylcobalamin, GDP, Mg (holo-IcmF/GDP), and substrate isobutyryl-coenzyme A
Authors : Jost, M.; Drennan, C.L.
Deposited on : 2015-07-15
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026982
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20026982


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1476 (3.50-3.30)
Clashscore	102246	1611 (3.50-3.30)
Ramachandran outliers	100387	1571 (3.50-3.30)
Sidechain outliers	100360	1571 (3.50-3.30)
RSRZ outliers	91569	1485 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1113	
1	B	1113	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MG	B	1105	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16534 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isobutyryl-CoA mutase fused.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1062	Total	C	N	O	S	0	0	0
			8102	5063	1453	1549	37			
1	B	1060	Total	C	N	O	S	0	0	0
			8074	5039	1455	1543	37			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q1LRY0
A	-18	GLY	-	expression tag	UNP Q1LRY0
A	-17	SER	-	expression tag	UNP Q1LRY0
A	-16	SER	-	expression tag	UNP Q1LRY0
A	-15	HIS	-	expression tag	UNP Q1LRY0
A	-14	HIS	-	expression tag	UNP Q1LRY0
A	-13	HIS	-	expression tag	UNP Q1LRY0
A	-12	HIS	-	expression tag	UNP Q1LRY0
A	-11	HIS	-	expression tag	UNP Q1LRY0
A	-10	HIS	-	expression tag	UNP Q1LRY0
A	-9	SER	-	expression tag	UNP Q1LRY0
A	-8	SER	-	expression tag	UNP Q1LRY0
A	-7	GLY	-	expression tag	UNP Q1LRY0
A	-6	LEU	-	expression tag	UNP Q1LRY0
A	-5	VAL	-	expression tag	UNP Q1LRY0
A	-4	PRO	-	expression tag	UNP Q1LRY0
A	-3	ARG	-	expression tag	UNP Q1LRY0
A	-2	GLY	-	expression tag	UNP Q1LRY0
A	-1	SER	-	expression tag	UNP Q1LRY0
A	0	HIS	-	expression tag	UNP Q1LRY0
B	-19	MET	-	initiating methionine	UNP Q1LRY0
B	-18	GLY	-	expression tag	UNP Q1LRY0
B	-17	SER	-	expression tag	UNP Q1LRY0
B	-16	SER	-	expression tag	UNP Q1LRY0
B	-15	HIS	-	expression tag	UNP Q1LRY0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	expression tag	UNP Q1LRY0
B	-13	HIS	-	expression tag	UNP Q1LRY0
B	-12	HIS	-	expression tag	UNP Q1LRY0
B	-11	HIS	-	expression tag	UNP Q1LRY0
B	-10	HIS	-	expression tag	UNP Q1LRY0
B	-9	SER	-	expression tag	UNP Q1LRY0
B	-8	SER	-	expression tag	UNP Q1LRY0
B	-7	GLY	-	expression tag	UNP Q1LRY0
B	-6	LEU	-	expression tag	UNP Q1LRY0
B	-5	VAL	-	expression tag	UNP Q1LRY0
B	-4	PRO	-	expression tag	UNP Q1LRY0
B	-3	ARG	-	expression tag	UNP Q1LRY0
B	-2	GLY	-	expression tag	UNP Q1LRY0
B	-1	SER	-	expression tag	UNP Q1LRY0
B	0	HIS	-	expression tag	UNP Q1LRY0

- Molecule 2 is COBALAMIN (three-letter code: B12) (formula: $C_{62}H_{89}CoN_{13}O_{14}P$).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		
2	B	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		

- Molecule 3 is 5'-DEOXYADENOSINE (three-letter code: 5AD) (formula: $C_{10}H_{13}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			36	20	10	6		

- Molecule 4 is ISOBUTYRYL-COENZYME A (three-letter code: CO6) (formula: $C_{25}H_{42}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			53	25	7	17	3	1		
4	B	1	Total	C	N	O	P		0	0
			27	10	5	10	2			

- Molecule 5 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:

$$\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2).$$


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 28	C 10	N 5	O 11	P 2	0	0
5	B	1	Total 28	C 10	N 5	O 11	P 2	0	0


- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	2	Total Mg 2 2	0	0
6	A	2	Total Mg 2 2	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Isobutyryl-CoA mutase fused



• Molecule 1: Isobutyryl-CoA mutase fused





4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	316.84Å 316.84Å 342.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.82 – 3.40 34.82 – 3.40	Depositor EDS
% Data completeness (in resolution range)	96.9 (34.82-3.40) 97.0 (34.82-3.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 3.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.189 , 0.209 0.198 , 0.216	Depositor DCC
R_{free} test set	4401 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	91.5	Xtriage
Anisotropy	0.288	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 54.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 87533 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	16534	wwPDB-VP
Average B, all atoms (Å ²)	90.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, B12, 5AD, CO6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.21	0/8244	0.39	3/11168 (0.0%)
1	B	0.22	0/8212	0.39	3/11116 (0.0%)
All	All	0.22	0/16456	0.39	6/22284 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	552	ARG	NE-CZ-NH1	10.27	125.44	120.30
1	A	552	ARG	NE-CZ-NH2	-10.09	115.26	120.30
1	B	552	ARG	NE-CZ-NH2	9.80	125.20	120.30
1	B	552	ARG	NE-CZ-NH1	-9.56	115.52	120.30
1	A	552	ARG	CD-NE-CZ	5.18	130.85	123.60
1	B	552	ARG	CD-NE-CZ	5.08	130.71	123.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8102	0	7852	66	0
1	B	8074	0	7819	54	0
2	A	91	0	88	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	91	0	88	8	0
3	A	36	0	26	5	0
4	A	53	0	38	8	0
4	B	27	0	11	0	0
5	A	28	0	12	1	0
5	B	28	0	12	2	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
All	All	16534	0	15946	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:GLN:HE22	2:A:1101:B12:H421	1.45	0.79
1:A:783:GLU:HB3	2:A:1101:B12:H532	1.67	0.76
3:A:1102[A]:5AD:H5'1	4:A:1103:CO6:H11	1.72	0.71
1:A:622:ARG:NH1	4:A:1103:CO6:O4A	2.23	0.68
1:B:615:SER:O	1:B:621:LYS:NZ	2.29	0.65
1:A:31:THR:HG22	1:A:82:ALA:HB3	1.81	0.62
1:B:31:THR:HG22	1:B:82:ALA:HB3	1.82	0.61
1:B:454:ALA:HA	1:B:956:LEU:HD22	1.82	0.61
1:A:856:ARG:NH1	4:A:1103:CO6:O9A	2.34	0.61
2:A:1101:B12:H261	3:A:1102[A]:5AD:H3'	1.82	0.60
1:A:735:ILE:HG13	1:A:752:SER:HB3	1.84	0.60
1:A:990:GLN:O	1:A:994:ASP:HB2	2.02	0.60
1:A:916:ARG:NH1	1:B:875:GLU:OE2	2.35	0.58
1:A:821:SER:HG	4:A:1103:CO6:H3	1.44	0.58
1:A:779:TYR:OH	3:A:1102[B]:5AD:O3'	2.16	0.58
1:A:596:ARG:HG2	1:A:624:SER:HB2	1.86	0.57
1:A:681:ASN:ND2	1:A:742:GLN:OE1	2.38	0.56
1:A:32:ALA:HB2	1:A:60:LEU:HB2	1.88	0.56
1:A:561:ASP:HB2	1:B:561:ASP:HB2	1.87	0.56
1:B:32:ALA:HB2	1:B:60:LEU:HB2	1.87	0.56
1:B:30:VAL:HG23	1:B:78:VAL:HG11	1.88	0.55
1:A:458:ARG:NH1	1:A:960:GLU:OE2	2.38	0.55
1:A:942:PHE:CZ	1:B:557:PRO:HB3	2.42	0.55
1:A:734:ASP:HB3	1:A:737:LYS:HZ2	1.71	0.54
1:A:30:VAL:HG23	1:A:78:VAL:HG11	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:513:LEU:HD21	1:A:566:LEU:HB2	1.90	0.54
1:B:1002:VAL:O	1:B:1006:ARG:NH1	2.38	0.53
1:B:528:TYR:HB2	1:B:541:LEU:HD21	1.91	0.53
1:A:1082:LEU:O	1:A:1086:GLY:N	2.40	0.53
1:B:777:SER:HA	1:B:823:PHE:HB3	1.91	0.53
1:A:528:TYR:HB2	1:A:541:LEU:HD21	1.91	0.52
1:B:513:LEU:HD21	1:B:566:LEU:HB2	1.90	0.52
1:B:572:GLU:HG2	1:B:581:THR:HG21	1.92	0.52
1:A:62:HIS:CE1	1:A:743:ASN:HB3	2.46	0.51
1:A:572:GLU:HG2	1:A:581:THR:HG21	1.93	0.51
1:B:33:ALA:HB3	1:B:62:HIS:HA	1.93	0.51
1:B:583:GLY:HA3	1:B:894:ASN:HD22	1.76	0.51
1:A:780:HIS:HA	2:A:1101:B12:H461	1.94	0.50
1:B:265:ARG:NH1	5:B:1103:GDP:O2A	2.45	0.50
1:A:33:ALA:HB3	1:A:62:HIS:HA	1.92	0.50
1:B:248:ILE:HD13	1:B:289:SER:H	1.77	0.50
1:B:657:LEU:HG	1:B:661:LYS:HE3	1.94	0.50
1:A:734:ASP:O	1:A:737:LYS:HG2	2.12	0.50
1:A:991:LEU:HD22	1:A:996:THR:HB	1.92	0.50
1:B:787:ASN:HB2	1:B:788:PRO:HD2	1.94	0.49
1:A:265:ARG:NH1	5:A:1104:GDP:O2A	2.45	0.49
1:A:787:ASN:HB2	1:A:788:PRO:HD2	1.93	0.49
1:A:49:ILE:HB	1:A:150:ILE:HG13	1.94	0.49
1:A:780:HIS:CD2	4:A:1103:CO6:H13	2.47	0.49
1:A:657:LEU:HG	1:A:661:LYS:HE3	1.94	0.49
1:A:776:ILE:HD13	1:A:799:GLY:HA2	1.93	0.49
1:A:814:ASP:CG	1:A:854:ASN:HD22	2.17	0.48
1:B:296:ILE:O	1:B:300:LYS:HG3	2.13	0.48
1:A:296:ILE:O	1:A:300:LYS:HG3	2.13	0.48
2:A:1101:B12:H261	3:A:1102[B]:5AD:H2'	1.95	0.48
1:B:49:ILE:HB	1:B:150:ILE:HG13	1.95	0.48
1:A:250:PRO:HD3	1:A:312:SER:HB2	1.96	0.48
1:A:785:GLY:HA3	1:A:985:SER:HB2	1.96	0.47
1:B:267:ASN:HD21	1:B:1090:ARG:HA	1.78	0.47
1:B:735:ILE:HD12	1:B:752:SER:HB3	1.96	0.47
1:B:731:VAL:O	1:B:733:ALA:N	2.48	0.47
1:A:778:GLY:HA3	1:A:795:THR:OG1	2.15	0.47
1:B:814:ASP:CG	1:B:854:ASN:HD22	2.17	0.46
1:B:866:THR:O	1:B:901:ASN:ND2	2.48	0.46
1:A:902:ALA:HB1	1:A:914:SER:OG	2.15	0.46
1:B:47:ARG:HB2	1:B:57:VAL:HG11	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:902:ALA:HB1	1:B:914:SER:OG	2.16	0.46
1:B:250:PRO:HD3	1:B:312:SER:HB2	1.97	0.46
1:B:685:PRO:HB3	1:B:759:ILE:HD11	1.96	0.45
1:B:738:GLU:OE2	1:B:742:GLN:NE2	2.48	0.45
1:B:697:ASP:OD1	1:B:1071:ARG:NH1	2.49	0.45
1:A:901:ASN:OD1	3:A:1102[A]:5AD:O2'	2.34	0.45
1:A:911:THR:H	1:A:914:SER:HB3	1.82	0.45
1:A:697:ASP:OD1	1:A:1071:ARG:NH1	2.50	0.45
1:A:47:ARG:HB2	1:A:57:VAL:HG11	1.98	0.45
1:A:754:LYS:NZ	1:A:758:ASP:OD2	2.50	0.45
1:A:685:PRO:HB3	1:A:759:ILE:HD11	1.99	0.45
1:B:785:GLY:HA3	1:B:985:SER:HB2	1.97	0.45
1:B:599:ALA:HB3	1:B:611:PHE:CE1	2.52	0.45
1:B:731:VAL:HG23	1:B:771:PHE:CE1	2.53	0.44
2:A:1101:B12:H552	2:A:1101:B12:H531	2.00	0.44
1:B:70:VAL:HG13	1:B:101:LEU:HD23	2.00	0.44
2:A:1101:B12:H252	2:A:1101:B12:H601	2.00	0.44
1:B:731:VAL:HG23	1:B:771:PHE:HE1	1.83	0.44
1:A:70:VAL:HG13	1:A:101:LEU:HD23	2.00	0.44
1:A:866:THR:O	1:A:901:ASN:ND2	2.51	0.44
2:B:1101:B12:H531	2:B:1101:B12:H552	2.00	0.44
1:B:231:ARG:NH1	1:B:1084:GLU:HA	2.33	0.44
1:A:946:GLU:OE1	1:B:552:ARG:NH2	2.50	0.43
2:B:1101:B12:H601	2:B:1101:B12:H262	2.01	0.43
1:A:823:PHE:CE2	4:A:1103:CO6:H21	2.54	0.43
1:B:222:LYS:NZ	5:B:1103:GDP:O2B	2.37	0.43
1:A:40:ASP:HA	1:A:43:ILE:HG22	2.01	0.43
1:A:484:LEU:HB3	1:A:489:HIS:O	2.19	0.43
1:A:829:ASP:HB2	1:A:832:TYR:CD2	2.53	0.42
1:A:735:ILE:HG12	1:A:756:MET:HE2	2.01	0.42
1:B:754:LYS:NZ	1:B:758:ASP:OD2	2.51	0.42
1:A:730:THR:HG23	1:A:772:TYR:HB2	2.01	0.42
1:B:193:ASP:HA	1:B:194:PRO:HD3	1.95	0.42
1:A:998:PRO:HB3	1:B:927:ARG:NH1	2.34	0.42
1:A:992:LYS:HG3	1:A:999:ILE:HG13	2.02	0.42
1:B:829:ASP:HB2	1:B:832:TYR:CD2	2.54	0.42
1:A:757:GLY:HA3	1:A:809:ARG:NH2	2.34	0.42
1:B:453:LEU:HD13	1:B:800:PHE:CD2	2.55	0.42
1:B:633:TYR:HD2	1:B:746:ILE:HD13	1.84	0.42
1:A:40:ASP:OD2	1:A:978:ARG:NH1	2.49	0.42
1:A:821:SER:OG	4:A:1103:CO6:OAP	2.21	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:GLY:HA3	2:B:1101:B12:H5R2	2.02	0.41
1:B:314:ILE:HD11	1:B:330:TYR:HE1	1.85	0.41
1:A:681:ASN:ND2	1:A:738:GLU:OE2	2.53	0.41
2:B:1101:B12:H91	2:B:1101:B12:H262	1.87	0.41
1:B:640:ARG:HA	1:B:641:PRO:HD3	1.90	0.41
1:A:779:TYR:CD2	1:A:825:SER:HB2	2.55	0.41
2:B:1101:B12:H253	2:B:1101:B12:H301	1.70	0.41
2:B:1101:B12:H362	2:B:1101:B12:H351	2.03	0.41
1:B:271:HIS:CG	1:B:272:PRO:HD2	2.56	0.41
2:B:1101:B12:H353	2:B:1101:B12:H311	2.03	0.41
1:B:758:ASP:OD1	1:B:809:ARG:NH1	2.40	0.41
1:B:114:GLY:HA3	2:B:1101:B12:C9B	2.51	0.41
1:B:1080:HIS:O	1:B:1084:GLU:HG3	2.20	0.41
4:A:1103:CO6:O5B	4:A:1103:CO6:H8	2.21	0.41
1:A:114:GLY:HA3	2:A:1101:B12:C9B	2.50	0.40
1:A:271:HIS:CG	1:A:272:PRO:HD2	2.56	0.40
1:A:879:ASN:O	1:A:883:THR:OG1	2.33	0.40
2:A:1101:B12:H362	2:A:1101:B12:H351	2.03	0.40
1:A:776:ILE:N	1:A:821:SER:O	2.51	0.40
1:A:596:ARG:HD3	1:A:677:SER:HB3	2.02	0.40
1:B:162:THR:HG21	1:B:191:LYS:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1054/1113 (95%)	1010 (96%)	44 (4%)	0	100	100
1	B	1052/1113 (94%)	1021 (97%)	28 (3%)	3 (0%)	46	82
All	All	2106/2226 (95%)	2031 (96%)	72 (3%)	3 (0%)	56	89

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	732	GLN
1	B	741	GLY
1	B	1091	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	825/906 (91%)	820 (99%)	5 (1%)	90	96
1	B	818/906 (90%)	816 (100%)	2 (0%)	95	98
All	All	1643/1812 (91%)	1636 (100%)	7 (0%)	93	97

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	249	ASP
1	A	598	PHE
1	A	744	THR
1	A	883	THR
1	A	1092	ASN
1	B	249	ASP
1	B	883	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	894	ASN
1	B	899	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	B12	A	1101	1,3	74,101,101	0.60	1 (1%)	114,166,166	1.36	14 (12%)
3	5AD	A	1102[A]	-	17,20,20	0.57	0	15,30,30	0.31	0
3	5AD	A	1102[B]	2	17,20,20	0.57	0	15,30,30	0.31	0
4	CO6	A	1103	-	44,55,55	0.41	0	53,82,82	0.55	1 (1%)
5	GDP	A	1104	6	24,30,30	2.54	9 (37%)	26,47,47	1.62	6 (23%)
2	B12	B	1101	1	74,101,101	0.56	1 (1%)	114,166,166	1.40	14 (12%)
4	CO6	B	1102	-	25,29,55	0.60	0	30,45,82	0.76	2 (6%)
5	GDP	B	1103	6	24,30,30	2.55	9 (37%)	26,47,47	1.63	6 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B12	A	1101	1,3	-	0/51/223/223	0/3/11/11
3	5AD	A	1102[A]	-	-	0/0/20/20	0/3/3/3
3	5AD	A	1102[B]	2	-	0/0/20/20	0/3/3/3
4	CO6	A	1103	-	-	0/51/71/71	0/3/3/3
5	GDP	A	1104	6	-	0/12/32/32	0/3/3/3
2	B12	B	1101	1	-	0/51/223/223	0/3/11/11

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CO6	B	1102	-	-	0/11/31/71	0/3/3/3
5	GDP	B	1103	6	-	0/12/32/32	0/3/3/3

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1104	GDP	C2-N1	-3.78	1.28	1.35
5	A	1104	GDP	O5'-C5'	-3.77	1.29	1.44
5	B	1103	GDP	C2-N1	-3.75	1.28	1.35
5	B	1103	GDP	O5'-C5'	-3.75	1.29	1.44
5	A	1104	GDP	C5-C4	-3.23	1.33	1.40
5	B	1103	GDP	C5-C4	-3.23	1.33	1.40
5	B	1103	GDP	C2'-C1'	-3.09	1.48	1.53
5	A	1104	GDP	C2'-C1'	-2.99	1.48	1.53
5	B	1103	GDP	PA-O2A	-2.88	1.42	1.55
5	A	1104	GDP	PA-O2A	-2.87	1.42	1.55
5	B	1103	GDP	C2'-C3'	-2.83	1.45	1.53
5	A	1104	GDP	C2'-C3'	-2.70	1.46	1.53
5	B	1103	GDP	PB-O3B	-2.37	1.46	1.54
5	A	1104	GDP	PB-O3B	-2.36	1.46	1.54
2	B	1101	B12	C1P-C2P	2.23	1.57	1.51
2	A	1101	B12	C1P-C2P	2.34	1.57	1.51
5	A	1104	GDP	O6-C6	4.90	1.37	1.24
5	B	1103	GDP	O6-C6	4.92	1.37	1.24
5	A	1104	GDP	C2-N2	6.68	1.48	1.34
5	B	1103	GDP	C2-N2	6.70	1.48	1.34

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1101	B12	C35-C5-C4	-4.20	112.03	117.81
5	A	1104	GDP	N3-C2-N1	-4.19	121.86	127.56
5	B	1103	GDP	N3-C2-N1	-4.18	121.88	127.56
2	A	1101	B12	C35-C5-C4	-3.76	112.64	117.81
2	A	1101	B12	C30-C3-C2	-3.71	111.71	119.01
2	A	1101	B12	C2-C1-C19	-3.45	115.36	118.62
2	A	1101	B12	C9-C10-C11	-3.40	124.08	132.31
2	B	1101	B12	C9-C10-C11	-3.39	124.10	132.31
2	B	1101	B12	C30-C3-C2	-3.26	112.58	119.01
2	A	1101	B12	C13-C14-C15	-3.08	122.39	132.12
2	B	1101	B12	C13-C14-C15	-3.02	122.58	132.12
5	B	1103	GDP	C5-C6-N1	-2.98	119.63	123.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1101	B12	C3-C4-C5	-2.94	122.83	132.12
2	A	1101	B12	C3-C4-C5	-2.91	122.92	132.12
2	B	1101	B12	C2-C1-C19	-2.89	115.89	118.62
5	A	1104	GDP	C5-C6-N1	-2.88	119.76	123.52
5	B	1103	GDP	C4'-O4'-C1'	-2.84	106.63	109.64
5	A	1104	GDP	C4'-O4'-C1'	-2.81	106.66	109.64
2	B	1101	B12	C25-C2-C3	-2.48	112.90	115.90
2	B	1101	B12	C55-C17-C18	-2.45	106.64	111.03
2	A	1101	B12	C20-C1-C19	-2.38	107.00	109.36
5	A	1104	GDP	C6-C5-C4	-2.25	118.29	120.86
5	B	1103	GDP	C6-C5-C4	-2.16	118.39	120.86
5	A	1104	GDP	C1'-N9-C4	-2.16	124.40	126.81
2	B	1101	B12	C16-C15-C14	-2.15	120.43	124.08
2	A	1101	B12	C16-C15-C14	-2.15	120.44	124.08
5	B	1103	GDP	C1'-N9-C4	-2.12	124.44	126.81
2	B	1101	B12	C20-C1-C19	-2.12	107.26	109.36
2	A	1101	B12	C25-C2-C3	-2.04	113.44	115.90
2	A	1101	B12	C53-C15-C16	2.01	120.57	117.81
2	B	1101	B12	P-O2-C3R	2.02	126.06	120.10
2	B	1101	B12	O3-P-O4	2.14	116.34	108.83
2	A	1101	B12	C8-C7-C6	2.23	103.97	101.00
4	A	1103	CO6	P3B-O3B-C3B	2.47	127.88	121.56
4	B	1102	CO6	O5B-P1A-O1A	2.50	113.38	107.08
4	B	1102	CO6	P3B-O3B-C3B	2.57	128.15	121.56
2	A	1101	B12	C19-C1-N21	3.11	105.45	102.16
5	A	1104	GDP	C6-N1-C2	3.56	120.06	115.88
5	B	1103	GDP	C6-N1-C2	3.59	120.09	115.88
2	A	1101	B12	C35-C5-C6	5.04	124.75	117.81
2	A	1101	B12	P-O3-C2P	5.13	128.18	120.94
2	B	1101	B12	P-O3-C2P	5.35	128.48	120.94
2	B	1101	B12	C35-C5-C6	6.10	126.20	117.81

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 30 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1101	B12	9	0
3	A	1102[A]	5AD	3	0
3	A	1102[B]	5AD	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1103	CO6	8	0
5	A	1104	GDP	1	0
2	B	1101	B12	8	0
5	B	1103	GDP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1062/1113 (95%)	-0.09	17 (1%) 74 69	58, 87, 132, 180	0
1	B	1060/1113 (95%)	-0.08	27 (2%) 61 55	59, 84, 137, 214	0
All	All	2122/2226 (95%)	-0.09	44 (2%) 67 61	58, 86, 134, 214	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	909	THR	6.0
1	A	489	HIS	4.7
1	A	284	ALA	4.4
1	A	1012	PRO	3.9
1	A	1011	ASP	3.3
1	B	908	THR	3.1
1	B	874	GLN	3.0
1	B	907	ILE	3.0
1	B	536	GLU	3.0
1	A	528	TYR	3.0
1	A	490	GLU	2.9
1	B	707	ASN	2.8
1	A	488	GLY	2.6
1	B	872	HIS	2.6
1	B	593	ASP	2.6
1	B	709	ARG	2.6
1	A	420	MET	2.6
1	B	494	LEU	2.6
1	A	255	SER	2.5
1	B	706	ASP	2.5
1	B	1008	PRO	2.4
1	B	767	GLN	2.4
1	B	1020	ALA	2.4
1	A	1010	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1015	GLN	2.4
1	A	338	ALA	2.4
1	A	707	ASN	2.3
1	B	489	HIS	2.3
1	B	534	ASP	2.3
1	A	487	ALA	2.2
1	A	538	ARG	2.2
1	A	677	SER	2.2
1	B	23	PRO	2.2
1	B	619	GLU	2.2
1	B	1023	SER	2.2
1	B	873	ALA	2.1
1	B	993	HIS	2.1
1	B	595	THR	2.1
1	B	901	ASN	2.1
1	B	620	ALA	2.1
1	B	530	VAL	2.1
1	B	1042	GLN	2.1
1	A	254	LYS	2.1
1	B	481	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	MG	B	1105	1/1	0.94	0.34	2.53	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
6	MG	B	1104	1/1	0.99	0.29	1.37	58,58,58,58	0
4	CO6	B	1102	27/53	0.84	0.27	0.70	116,141,189,191	0
6	MG	A	1106	1/1	0.97	0.24	0.44	67,67,67,67	0
2	B12	B	1101	91/91	0.95	0.24	0.41	84,101,123,140	0
2	B12	A	1101	91/91	0.97	0.20	-0.21	48,68,78,83	0
5	GDP	B	1103	28/28	0.96	0.19	-0.24	58,70,78,110	0
3	5AD	A	1102[B]	18/18	0.97	0.19	-0.58	99,101,104,105	18
3	5AD	A	1102[A]	18/18	0.97	0.19	-0.63	99,101,104,104	18
5	GDP	A	1104	28/28	0.96	0.16	-0.83	68,84,98,101	0
4	CO6	A	1103	53/53	0.92	0.20	-0.88	75,101,152,154	0
6	MG	A	1105	1/1	0.91	0.19	-1.15	55,55,55,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.