



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 03:35 PM GMT

PDB ID : 4CM5
Title : Crystal structure of pteridine reductase 1 (PTR1) from Trypanosoma brucei
in ternary complex with cofactor and inhibitor
Authors : Barrack, K.L.; Hunter, W.N.
Deposited on : 2014-01-15
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>7%</div> <div>13%</div> </div> </div>
1	B	288	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>6%</div> <div>13%</div> </div> </div>
1	C	288	<div> <div>3%</div> <div> <div></div> <div>78%</div> <div>8%</div> <div>14%</div> </div> </div>
1	D	288	<div> <div>5%</div> <div> <div></div> <div>74%</div> <div>11%</div> <div>14%</div> </div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8212 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PTERIDINE REDUCTASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1860	1168	328	353	11			
1	B	250	Total	C	N	O	S	0	3	0
			1874	1177	330	356	11			
1	C	249	Total	C	N	O	S	0	1	0
			1860	1169	328	352	11			
1	D	249	Total	C	N	O	S	0	0	0
			1854	1165	327	351	11			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP O76290
A	-18	GLY	-	EXPRESSION TAG	UNP O76290
A	-17	SER	-	EXPRESSION TAG	UNP O76290
A	-16	SER	-	EXPRESSION TAG	UNP O76290
A	-15	HIS	-	EXPRESSION TAG	UNP O76290
A	-14	HIS	-	EXPRESSION TAG	UNP O76290
A	-13	HIS	-	EXPRESSION TAG	UNP O76290
A	-12	HIS	-	EXPRESSION TAG	UNP O76290
A	-11	HIS	-	EXPRESSION TAG	UNP O76290
A	-10	HIS	-	EXPRESSION TAG	UNP O76290
A	-9	SER	-	EXPRESSION TAG	UNP O76290
A	-8	SER	-	EXPRESSION TAG	UNP O76290
A	-7	GLY	-	EXPRESSION TAG	UNP O76290
A	-6	LEU	-	EXPRESSION TAG	UNP O76290
A	-5	VAL	-	EXPRESSION TAG	UNP O76290
A	-4	PRO	-	EXPRESSION TAG	UNP O76290
A	-3	ARG	-	EXPRESSION TAG	UNP O76290
A	-2	GLY	-	EXPRESSION TAG	UNP O76290
A	-1	SER	-	EXPRESSION TAG	UNP O76290
A	0	HIS	-	EXPRESSION TAG	UNP O76290
B	-19	MET	-	EXPRESSION TAG	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	EXPRESSION TAG	UNP O76290
B	-17	SER	-	EXPRESSION TAG	UNP O76290
B	-16	SER	-	EXPRESSION TAG	UNP O76290
B	-15	HIS	-	EXPRESSION TAG	UNP O76290
B	-14	HIS	-	EXPRESSION TAG	UNP O76290
B	-13	HIS	-	EXPRESSION TAG	UNP O76290
B	-12	HIS	-	EXPRESSION TAG	UNP O76290
B	-11	HIS	-	EXPRESSION TAG	UNP O76290
B	-10	HIS	-	EXPRESSION TAG	UNP O76290
B	-9	SER	-	EXPRESSION TAG	UNP O76290
B	-8	SER	-	EXPRESSION TAG	UNP O76290
B	-7	GLY	-	EXPRESSION TAG	UNP O76290
B	-6	LEU	-	EXPRESSION TAG	UNP O76290
B	-5	VAL	-	EXPRESSION TAG	UNP O76290
B	-4	PRO	-	EXPRESSION TAG	UNP O76290
B	-3	ARG	-	EXPRESSION TAG	UNP O76290
B	-2	GLY	-	EXPRESSION TAG	UNP O76290
B	-1	SER	-	EXPRESSION TAG	UNP O76290
B	0	HIS	-	EXPRESSION TAG	UNP O76290
C	-19	MET	-	EXPRESSION TAG	UNP O76290
C	-18	GLY	-	EXPRESSION TAG	UNP O76290
C	-17	SER	-	EXPRESSION TAG	UNP O76290
C	-16	SER	-	EXPRESSION TAG	UNP O76290
C	-15	HIS	-	EXPRESSION TAG	UNP O76290
C	-14	HIS	-	EXPRESSION TAG	UNP O76290
C	-13	HIS	-	EXPRESSION TAG	UNP O76290
C	-12	HIS	-	EXPRESSION TAG	UNP O76290
C	-11	HIS	-	EXPRESSION TAG	UNP O76290
C	-10	HIS	-	EXPRESSION TAG	UNP O76290
C	-9	SER	-	EXPRESSION TAG	UNP O76290
C	-8	SER	-	EXPRESSION TAG	UNP O76290
C	-7	GLY	-	EXPRESSION TAG	UNP O76290
C	-6	LEU	-	EXPRESSION TAG	UNP O76290
C	-5	VAL	-	EXPRESSION TAG	UNP O76290
C	-4	PRO	-	EXPRESSION TAG	UNP O76290
C	-3	ARG	-	EXPRESSION TAG	UNP O76290
C	-2	GLY	-	EXPRESSION TAG	UNP O76290
C	-1	SER	-	EXPRESSION TAG	UNP O76290
C	0	HIS	-	EXPRESSION TAG	UNP O76290
D	-19	MET	-	EXPRESSION TAG	UNP O76290
D	-18	GLY	-	EXPRESSION TAG	UNP O76290
D	-17	SER	-	EXPRESSION TAG	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	EXPRESSION TAG	UNP O76290
D	-15	HIS	-	EXPRESSION TAG	UNP O76290
D	-14	HIS	-	EXPRESSION TAG	UNP O76290
D	-13	HIS	-	EXPRESSION TAG	UNP O76290
D	-12	HIS	-	EXPRESSION TAG	UNP O76290
D	-11	HIS	-	EXPRESSION TAG	UNP O76290
D	-10	HIS	-	EXPRESSION TAG	UNP O76290
D	-9	SER	-	EXPRESSION TAG	UNP O76290
D	-8	SER	-	EXPRESSION TAG	UNP O76290
D	-7	GLY	-	EXPRESSION TAG	UNP O76290
D	-6	LEU	-	EXPRESSION TAG	UNP O76290
D	-5	VAL	-	EXPRESSION TAG	UNP O76290
D	-4	PRO	-	EXPRESSION TAG	UNP O76290
D	-3	ARG	-	EXPRESSION TAG	UNP O76290
D	-2	GLY	-	EXPRESSION TAG	UNP O76290
D	-1	SER	-	EXPRESSION TAG	UNP O76290
D	0	HIS	-	EXPRESSION TAG	UNP O76290

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 2-AMINO-6-(3-FORMYLPHENYL)-4-(PYRROLIDIN-1-YL)-7H-PYRROLO [2,3-D]PYRIMIDINE-5-CARBONITRILE (three-letter code: NWJ) (formula: C₁₈H₁₆N₆O).




Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	103	Total 103	O 103	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PTERIDINE REDUCTASE 1




• Molecule 1: PTERIDINE REDUCTASE 1




• Molecule 1: PTERIDINE REDUCTASE 1



• Molecule 1: PTERIDINE REDUCTASE 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.02Å 88.25Å 84.36Å 90.00° 115.40° 90.00°	Depositor
Resolution (Å)	28.85 – 1.99 28.84 – 1.99	Depositor EDS
% Data completeness (in resolution range)	96.4 (28.85-1.99) 96.5 (28.84-1.99)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.44 (at 1.98Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.158 , 0.212 0.170 , 0.220	Depositor DCC
R_{free} test set	3342 reflections (5.40%)	DCC
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.6	EDS
Estimated twinning fraction	0.022 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	3 of 65295 reflections (0.005%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8212	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.23 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 9.7186e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, NWJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/1887	0.87	6/2560 (0.2%)
1	B	0.76	0/1909	0.87	2/2588 (0.1%)
1	C	0.77	0/1889	0.81	0/2561
1	D	0.76	0/1881	0.88	5/2552 (0.2%)
All	All	0.76	0/7566	0.86	13/10261 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	159	LEU	CA-CB-CG	-7.57	97.90	115.30
1	D	222	ARG	NE-CZ-NH1	7.27	123.94	120.30
1	B	159	LEU	CA-CB-CG	-7.25	98.62	115.30
1	A	52	ARG	NE-CZ-NH1	6.89	123.75	120.30
1	D	198	ARG	NE-CZ-NH1	6.19	123.39	120.30
1	B	198	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	A	52	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	82	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	D	222	ARG	NE-CZ-NH2	-5.66	117.47	120.30
1	A	159	LEU	CA-CB-CG	-5.61	102.39	115.30
1	D	82	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	A	17	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	A	205	GLY	N-CA-C	-5.03	100.53	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1860	0	1881	12	0
1	B	1874	0	1900	10	0
1	C	1860	0	1884	13	0
1	D	1854	0	1876	27	0
2	A	48	0	25	2	0
2	B	48	0	25	0	0
2	C	48	0	25	0	0
2	D	48	0	25	0	0
3	A	25	0	15	3	0
3	B	25	0	15	1	0
3	C	25	0	15	1	0
3	D	25	0	15	2	0
4	A	142	0	0	4	0
4	B	115	0	0	5	0
4	C	112	0	0	4	0
4	D	103	0	0	4	0
All	All	8212	0	7701	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:163:MET:HB3	4:B:2073:HOH:O	1.55	1.05
1:B:166:GLN:O	4:B:2073:HOH:O	1.74	1.03
1:D:24:HIS:CG	1:D:48:LEU:HD12	2.11	0.86
1:D:222:ARG:HD3	1:D:231:GLU:OE1	1.81	0.80
1:A:232:ALA:HB2	1:B:251:TYR:CE2	2.36	0.60
1:B:153:ASN:OD1	4:B:2065:HOH:O	2.17	0.58
1:C:130:ALA:HB3	1:C:131:PRO:HD3	1.87	0.55
1:D:136:MET:O	1:D:140:GLN:HG3	2.07	0.55
1:A:130:ALA:HB3	1:A:131:PRO:HD3	1.88	0.54
1:C:82:ARG:NH1	4:C:2047:HOH:O	2.06	0.54
1:A:117:GLU:HB3	4:C:2040:HOH:O	2.07	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:CYS:HB3	4:B:2068:HOH:O	2.09	0.53
1:D:130:ALA:HB3	1:D:131:PRO:HD3	1.91	0.53
1:D:44:LEU:O	1:D:48:LEU:HD23	2.10	0.52
1:D:141:ARG:HG2	4:D:2063:HOH:O	2.10	0.52
1:D:78:ASN:OD1	1:D:141:ARG:NH1	2.42	0.51
1:B:161:ASP:OD1	4:B:2069:HOH:O	2.18	0.51
1:D:22:LYS:HE2	1:D:239:ASP:OD1	2.10	0.51
1:D:82:ARG:NH2	4:D:2043:HOH:O	2.16	0.51
1:C:232:ALA:HB2	1:D:251:TYR:CE2	2.45	0.51
1:C:9:THR:HA	1:C:33:HIS:HB3	1.93	0.51
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.48	0.49
1:A:212:ALA:HB2	4:A:2109:HOH:O	2.13	0.48
1:C:78:ASN:OD1	1:C:141:ARG:NH2	2.37	0.48
1:D:160:CYS:HB3	4:D:2069:HOH:O	2.12	0.48
3:B:1270:NWJ:HAO1	3:B:1270:NWJ:CAG	2.43	0.48
1:D:34:TYR:CE2	1:D:38:ALA:HA	2.49	0.48
1:A:251:TYR:CE2	1:B:232:ALA:HB2	2.49	0.48
1:C:251:TYR:CE2	1:D:232:ALA:HB2	2.49	0.47
1:C:247:GLY:O	1:C:250:GLN:HG2	2.15	0.47
1:D:222:ARG:CD	1:D:231:GLU:OE1	2.58	0.47
1:A:169:MET:O	1:A:170:ALA:HB3	2.15	0.47
1:D:24:HIS:ND1	1:D:48:LEU:HD12	2.30	0.46
1:C:53:SER:HB3	4:C:2025:HOH:O	2.16	0.46
1:A:212:ALA:HB1	4:A:2110:HOH:O	2.16	0.46
1:D:208:LEU:HD22	1:D:234:ALA:HB2	1.98	0.46
1:D:78:ASN:HB3	4:D:2043:HOH:O	2.16	0.46
1:D:210:PRO:HD3	3:D:1270:NWJ:HAM2	1.98	0.46
3:C:1270:NWJ:CAG	3:C:1270:NWJ:HAO1	2.46	0.45
1:C:161:ASP:HB3	1:C:164:VAL:HG13	1.98	0.45
1:C:138:PHE:O	1:C:142[B]:GLN:HG2	2.17	0.45
2:A:1269:NAP:H4N	3:A:1270:NWJ:HAJ	1.99	0.44
1:C:163:MET:HB3	4:C:2075:HOH:O	2.18	0.44
1:D:75:GLU:OE2	1:D:82:ARG:NH2	2.36	0.44
1:C:208:LEU:H	1:C:231:GLU:HG3	1.82	0.43
1:B:9:THR:HA	1:B:33:HIS:HB3	2.00	0.43
1:A:209:LEU:HD23	4:A:2096:HOH:O	2.17	0.43
1:A:217:GLU:O	1:A:220:LYS:HB2	2.18	0.43
1:D:207:SER:O	1:D:208:LEU:C	2.56	0.43
3:A:1270:NWJ:HAN1	3:A:1270:NWJ:CAG	2.48	0.43
1:D:115:THR:HG1	1:D:118:THR:HG1	1.67	0.42
1:D:169:MET:O	1:D:170:ALA:HB3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:65:ASN:HA	1:D:69:LEU:HD22	2.02	0.41
1:A:160:CYS:HB3	4:A:2084:HOH:O	2.20	0.41
1:D:218:LYS:O	1:D:222:ARG:HG3	2.21	0.41
2:A:1269:NAP:O2A	3:A:1270:NWJ:N1	2.53	0.41
1:C:219:ASP:OD2	1:C:223:ARG:HD3	2.21	0.41
1:B:69:LEU:N	1:B:70:PRO:CD	2.83	0.41
1:D:33:HIS:HA	1:D:59:CYS:O	2.21	0.41
1:D:33:HIS:CG	1:D:34:TYR:N	2.89	0.41
1:B:33:HIS:HA	1:B:59:CYS:O	2.20	0.40
1:D:210:PRO:HD3	3:D:1270:NWJ:CAM	2.52	0.40
1:A:172:SER:O	1:A:176:MET:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/288 (85%)	235 (96%)	9 (4%)	0	100	100
1	B	246/288 (85%)	235 (96%)	11 (4%)	0	100	100
1	C	243/288 (84%)	235 (97%)	8 (3%)	0	100	100
1	D	243/288 (84%)	233 (96%)	10 (4%)	0	100	100
All	All	976/1152 (85%)	938 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	198/231 (86%)	196 (99%)	2 (1%)	82	85
1	B	201/231 (87%)	196 (98%)	5 (2%)	55	55
1	C	198/231 (86%)	195 (98%)	3 (2%)	72	75
1	D	197/231 (85%)	197 (100%)	0	100	100
All	All	794/924 (86%)	784 (99%)	10 (1%)	76	79

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	151	SER
1	A	164	VAL
1	B	26	THR
1	B	78	ASN
1	B	159	LEU
1	B	164	VAL
1	B	220	LYS
1	C	166	GLN
1	C	216	GLU
1	C	230	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	179	HIS
1	B	175	ASN
1	C	186	GLN
1	D	175	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	1269	-	42,52,52	0.94	1 (2%)	54,80,80	1.79	8 (14%)
3	NWJ	A	1270	1	27,28,28	1.90	10 (37%)	27,40,40	2.28	6 (22%)
2	NAP	B	1269	-	42,52,52	0.94	3 (7%)	54,80,80	1.95	8 (14%)
3	NWJ	B	1270	1	27,28,28	2.18	10 (37%)	27,40,40	2.07	7 (25%)
2	NAP	C	1269	-	42,52,52	0.96	2 (4%)	54,80,80	1.86	8 (14%)
3	NWJ	C	1270	1	27,28,28	1.89	7 (25%)	27,40,40	2.33	7 (25%)
2	NAP	D	1269	-	42,52,52	1.08	3 (7%)	54,80,80	1.69	9 (16%)
3	NWJ	D	1270	1	27,28,28	1.90	6 (22%)	27,40,40	2.54	9 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	1269	-	-	0/27/67/67	0/5/5/5
3	NWJ	A	1270	1	-	0/10/19/19	0/4/4/4
2	NAP	B	1269	-	-	0/27/67/67	0/5/5/5
3	NWJ	B	1270	1	-	0/10/19/19	0/4/4/4
2	NAP	C	1269	-	-	0/27/67/67	0/5/5/5
3	NWJ	C	1270	1	-	0/10/19/19	0/4/4/4
2	NAP	D	1269	-	-	0/27/67/67	0/5/5/5
3	NWJ	D	1270	1	-	0/10/19/19	0/4/4/4

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1270	NWJ	CAK-CAX	-2.87	1.35	1.39
3	A	1270	NWJ	C4-N3	-2.85	1.31	1.36
3	D	1270	NWJ	CAK-CAX	-2.67	1.35	1.39
2	B	1269	NAP	O4B-C1B	-2.53	1.38	1.41
3	B	1270	NWJ	C4-N3	-2.50	1.32	1.36
3	A	1270	NWJ	C6-C5	-2.40	1.38	1.43
3	D	1270	NWJ	C6-C5	-2.27	1.39	1.43
3	A	1270	NWJ	CAK-CAX	-2.26	1.36	1.39
3	A	1270	NWJ	CAZ-CBA	-2.26	1.37	1.41
3	B	1270	NWJ	CAK-CAX	-2.08	1.36	1.39
3	C	1270	NWJ	C5-C4	-2.01	1.37	1.43
2	C	1269	NAP	P2B-O2B	2.03	1.66	1.60
2	B	1269	NAP	C5A-C4A	2.08	1.45	1.40
2	C	1269	NAP	C5A-C4A	2.10	1.45	1.40
2	D	1269	NAP	C3N-C7N	2.19	1.54	1.50
3	D	1270	NWJ	C6-NBF	2.27	1.44	1.36
3	A	1270	NWJ	CAH-CAJ	2.28	1.43	1.38
3	A	1270	NWJ	C6-N1	2.31	1.35	1.32
3	A	1270	NWJ	C6-NBF	2.33	1.44	1.36
3	C	1270	NWJ	CAH-CAJ	2.33	1.43	1.38
2	A	1269	NAP	C5A-C4A	2.41	1.45	1.40
2	D	1269	NAP	C5A-C4A	2.51	1.46	1.40
3	A	1270	NWJ	CAY-CBA	2.54	1.51	1.49
2	B	1269	NAP	C2N-C3N	2.56	1.42	1.39
3	C	1270	NWJ	CAO-NBF	2.58	1.50	1.47
3	B	1270	NWJ	C6-N1	2.59	1.36	1.32
3	B	1270	NWJ	C2-N1	2.59	1.40	1.35
3	D	1270	NWJ	CAH-CAJ	2.73	1.44	1.38
2	D	1269	NAP	C2A-N3A	2.92	1.37	1.32
3	B	1270	NWJ	CAH-CAJ	2.93	1.44	1.38
3	B	1270	NWJ	CAO-NBF	3.02	1.51	1.47
3	C	1270	NWJ	CAY-CBA	3.49	1.52	1.49
3	A	1270	NWJ	C2-NAB	3.69	1.41	1.34
3	B	1270	NWJ	CAY-CBA	3.71	1.53	1.49
3	B	1270	NWJ	CAZ-C5	3.83	1.47	1.42
3	C	1270	NWJ	CAZ-CAG	3.94	1.49	1.44
3	D	1270	NWJ	C2-NAB	4.23	1.42	1.34
3	B	1270	NWJ	CAZ-CAG	4.33	1.49	1.44
3	B	1270	NWJ	C2-NAB	4.68	1.43	1.34
3	C	1270	NWJ	C2-NAB	4.82	1.43	1.34
3	A	1270	NWJ	CAZ-CAG	4.82	1.50	1.44
3	D	1270	NWJ	CAZ-CAG	4.92	1.50	1.44

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1269	NAP	N3A-C2A-N1A	-8.13	122.67	128.89
3	D	1270	NWJ	CBA-CAZ-CAG	-7.71	118.50	125.97
3	A	1270	NWJ	CBA-CAZ-CAG	-7.45	118.74	125.97
3	C	1270	NWJ	CBA-CAZ-CAG	-7.37	118.83	125.97
2	A	1269	NAP	N3A-C2A-N1A	-7.04	123.50	128.89
2	B	1269	NAP	N3A-C2A-N1A	-6.57	123.86	128.89
3	C	1270	NWJ	N3-C2-N1	-5.44	119.16	127.44
3	D	1270	NWJ	N3-C2-N1	-5.31	119.36	127.44
3	B	1270	NWJ	CBA-CAZ-CAG	-5.17	120.95	125.97
3	B	1270	NWJ	N3-C2-N1	-5.15	119.60	127.44
2	D	1269	NAP	N3A-C2A-N1A	-5.12	124.98	128.89
2	B	1269	NAP	C4A-C5A-N7A	-4.84	105.03	109.48
3	A	1270	NWJ	N3-C2-N1	-4.81	120.12	127.44
2	B	1269	NAP	C4B-O4B-C1B	-4.76	104.49	109.72
3	D	1270	NWJ	CAK-CAY-CBA	-3.99	113.38	120.05
2	A	1269	NAP	C4B-O4B-C1B	-3.93	105.40	109.72
2	B	1269	NAP	C1B-N9A-C4A	-3.90	121.06	126.94
3	C	1270	NWJ	CAZ-C5-C4	-3.68	99.94	106.63
3	A	1270	NWJ	CAZ-C5-C4	-3.51	100.26	106.63
2	C	1269	NAP	C4B-O4B-C1B	-3.47	105.90	109.72
3	B	1270	NWJ	CAZ-C5-C4	-3.44	100.38	106.63
3	D	1270	NWJ	CAZ-C5-C4	-3.36	100.52	106.63
3	C	1270	NWJ	CAO-NBF-CAN	-3.28	104.68	111.23
2	A	1269	NAP	C1B-N9A-C4A	-3.19	122.13	126.94
3	A	1270	NWJ	CAO-NBF-CAN	-3.11	105.02	111.23
2	D	1269	NAP	C4A-C5A-N7A	-3.05	106.67	109.48
2	C	1269	NAP	O7N-C7N-N7N	-3.00	118.37	122.59
3	D	1270	NWJ	CAO-NBF-CAN	-2.76	105.72	111.23
3	D	1270	NWJ	CAH-CAJ-CAY	-2.74	116.94	120.56
3	B	1270	NWJ	N1-C6-NBF	-2.70	112.47	116.79
2	A	1269	NAP	O7N-C7N-N7N	-2.61	118.93	122.59
2	D	1269	NAP	C4B-O4B-C1B	-2.57	106.89	109.72
2	D	1269	NAP	O7N-C7N-N7N	-2.50	119.08	122.59
2	C	1269	NAP	O2B-P2B-O1X	-2.45	101.00	107.11
3	B	1270	NWJ	CAM-CAO-NBF	-2.41	100.30	103.35
3	B	1270	NWJ	CAK-CAY-CBA	-2.40	116.03	120.05
2	D	1269	NAP	O3-PN-O5D	-2.23	97.03	102.94
2	A	1269	NAP	O3-PN-O5D	-2.12	97.30	102.94
3	A	1270	NWJ	CAK-CAY-CBA	-2.08	116.57	120.05
3	C	1270	NWJ	CAK-CAY-CBA	-2.06	116.60	120.05
2	A	1269	NAP	P2B-O2B-C2B	2.01	126.39	121.56
3	C	1270	NWJ	CAJ-CAY-CBA	2.11	123.89	120.60
2	B	1269	NAP	C2A-N1A-C6A	2.18	122.66	118.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1269	NAP	O2N-PN-O3	2.34	115.72	105.09
2	B	1269	NAP	C3N-C7N-N7N	2.34	120.38	117.82
3	C	1270	NWJ	C2-N1-C6	2.41	121.57	114.53
3	D	1270	NWJ	CAJ-CAY-CAK	2.44	121.41	118.17
3	B	1270	NWJ	CAJ-CAY-CBA	2.67	124.77	120.60
3	A	1270	NWJ	C2-N1-C6	2.69	122.39	114.53
3	D	1270	NWJ	C2-N1-C6	2.81	122.71	114.53
2	A	1269	NAP	O3X-P2B-O2X	2.81	118.08	107.38
3	D	1270	NWJ	CAJ-CAY-CBA	2.87	125.08	120.60
2	C	1269	NAP	C2A-N1A-C6A	2.89	123.93	118.77
2	D	1269	NAP	O3X-P2B-O2X	2.92	118.51	107.38
2	C	1269	NAP	O4B-C1B-N9A	3.29	114.98	108.10
2	C	1269	NAP	O4D-C1D-N1N	3.36	111.83	108.13
2	C	1269	NAP	C3N-C7N-N7N	3.45	121.59	117.82
2	D	1269	NAP	C3N-C7N-N7N	3.68	121.84	117.82
2	D	1269	NAP	O4B-C1B-N9A	3.95	116.37	108.10
2	D	1269	NAP	O4D-C1D-N1N	4.18	112.72	108.13
2	A	1269	NAP	O4B-C1B-N9A	5.18	118.94	108.10
2	B	1269	NAP	O4D-C1D-N1N	5.95	114.67	108.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1269	NAP	2	0
3	A	1270	NWJ	3	0
3	B	1270	NWJ	1	0
3	C	1270	NWJ	1	0
3	D	1270	NWJ	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/288 (86%)	0.19	17 (6%) 20 22	19, 27, 52, 72	0
1	B	250/288 (86%)	-0.04	10 (4%) 42 44	19, 27, 45, 61	0
1	C	249/288 (86%)	0.06	10 (4%) 42 44	18, 26, 47, 71	0
1	D	249/288 (86%)	0.16	14 (5%) 28 29	19, 27, 49, 71	0
All	All	998/1152 (86%)	0.09	51 (5%) 32 33	18, 27, 48, 72	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	113	GLY	6.9
1	C	113	GLY	6.6
1	C	211	VAL	5.2
1	D	113	GLY	4.9
1	A	113	GLY	4.4
1	A	212	ALA	4.2
1	A	2	GLU	3.9
1	A	216	GLU	3.8
1	D	2	GLU	3.7
1	D	91	VAL	3.7
1	D	217	GLU	3.6
1	C	8	VAL	3.5
1	A	214	GLY	3.4
1	D	211	VAL	3.4
1	A	91	VAL	3.3
1	A	217	GLU	3.2
1	A	220	LYS	3.1
1	A	51	GLU	3.0
1	B	103	VAL	3.0
1	A	213	MET	2.9
1	B	114	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	221	TRP	2.7
1	A	8	VAL	2.7
1	C	195	TYR	2.7
1	C	212	ALA	2.7
1	C	216	GLU	2.6
1	B	211	VAL	2.6
1	C	7	VAL	2.6
1	D	51	GLU	2.6
1	A	223	ARG	2.5
1	C	2	GLU	2.4
1	C	31	VAL	2.4
1	A	151	SER	2.4
1	B	8	VAL	2.4
1	A	157	VAL	2.4
1	C	91	VAL	2.4
1	A	211	VAL	2.3
1	D	50	LYS	2.3
1	B	151	SER	2.2
1	B	31	VAL	2.2
1	A	219	ASP	2.2
1	D	219	ASP	2.2
1	D	48	LEU	2.2
1	D	216	GLU	2.1
1	D	195	TYR	2.1
1	B	91	VAL	2.1
1	D	8	VAL	2.1
1	B	159	LEU	2.1
1	B	212	ALA	2.0
1	D	213	MET	2.0
1	D	156	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NWJ	B	1270	25/25	0.91	0.10	0.56	21,29,37,40	0
3	NWJ	D	1270	25/25	0.89	0.13	0.44	28,43,50,53	0
3	NWJ	A	1270	25/25	0.95	0.09	-0.06	25,32,39,42	0
3	NWJ	C	1270	25/25	0.95	0.08	-0.43	27,33,40,44	0
2	NAP	C	1269	48/48	0.97	0.08	-0.75	18,23,27,29	0
2	NAP	B	1269	48/48	0.97	0.07	-0.94	19,23,26,27	0
2	NAP	D	1269	48/48	0.98	0.07	-1.26	19,25,28,33	0
2	NAP	A	1269	48/48	0.98	0.07	-1.41	19,23,26,28	0

6.5 Other polymers

There are no such residues in this entry.