



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:05 AM GMT

PDB ID : 3DAW  
Title : Structure of the actin-depolymerizing factor homology domain in complex with actin  
Authors : Paavilainen, V.O.; Oksanen, E.; Goldman, A.; Lappalainen, P.  
Deposited on : 2008-05-30  
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4549 (2.58-2.50)
Clashscore	102246	5292 (2.58-2.50)
Ramachandran outliers	100387	5194 (2.58-2.50)
Sidechain outliers	100360	5196 (2.58-2.50)
RSRZ outliers	91569	4561 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	<div> <div>4%</div> <div>72%</div> <div>23%</div> <div>• •</div> </div>
2	B	164	<div> <div>%</div> <div>60%</div> <div>22%</div> <div>•</div> <div>15%</div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Actin, alpha skeletal muscle.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	372	Total	C	N	O	S	0	0	0
			2901	1837	489	554	21			

- Molecule 2 is a protein called Twinfilin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	140	Total	C	N	O	S	0	0	0
			1155	737	193	220	5			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	159	MET	-	EXPRESSION TAG	UNP Q91YR1
B	160	SER	-	EXPRESSION TAG	UNP Q91YR1
B	161	HIS	-	EXPRESSION TAG	UNP Q91YR1
B	162	HIS	-	EXPRESSION TAG	UNP Q91YR1
B	163	HIS	-	EXPRESSION TAG	UNP Q91YR1
B	164	HIS	-	EXPRESSION TAG	UNP Q91YR1
B	165	HIS	-	EXPRESSION TAG	UNP Q91YR1
B	166	HIS	-	EXPRESSION TAG	UNP Q91YR1
B	168	MET	VAL	ENGINEERED	UNP Q91YR1

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	83	Total O 83 83	0	0
5	B	40	Total O 40 40	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Actin, alpha skeletal muscle



- Molecule 2: Twinfilin-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.78 Å 72.99 Å 168.88 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.76 – 2.55 42.77 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.3 (42.76-2.55) 99.3 (42.77-2.55)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	0.13	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.91 (at 2.54 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.208 , 0.279 0.212 , 0.283	Depositor DCC
$R_{free}$ test set	1125 reflections (5.42%)	DCC
Wilson B-factor (Å <sup>2</sup> )	45.2	Xtriage
Anisotropy	0.127	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 45.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	0 of 21876 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4211	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.59	1/2964 (0.0%)	0.74	3/4016 (0.1%)
2	B	0.62	0/1178	0.76	0/1589
All	All	0.60	1/4142 (0.0%)	0.75	3/5605 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
2	B	0	1
All	All	0	7

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	10	CYS	CB-SG	-6.52	1.71	1.82

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	368	SER	N-CA-CB	-7.48	99.28	110.50
1	A	368	SER	CB-CA-C	-6.07	98.57	110.10
1	A	202	THR	N-CA-C	-5.72	95.54	111.00

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	201	VAL	Peptide
1	A	367	PRO	Peptide
1	A	368	SER	Peptide
1	A	4	GLU	Peptide
1	A	40	HIS	Peptide
1	A	45	VAL	Peptide
2	B	300	GLY	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2901	0	2864	91	0
2	B	1155	0	1149	41	0
3	A	1	0	0	0	0
4	A	31	0	12	1	0
5	A	83	0	0	2	0
5	B	40	0	0	1	0
All	All	4211	0	4025	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:ILE:HD11	1:A:253:GLU:HB2	1.34	1.09
1:A:274:ILE:O	1:A:278:THR:HG23	1.54	1.07
2:B:206:ASP:HB3	2:B:211:THR:HG22	1.41	0.99
1:A:47:MET:HE2	1:A:65:LEU:HD12	1.44	0.98
1:A:286:ASP:HB2	1:A:289:ILE:HG22	1.54	0.90
1:A:193:LEU:HD21	1:A:250:ILE:HD13	1.59	0.83
1:A:229:THR:HG22	5:A:447:HOH:O	1.79	0.82
1:A:144:ALA:HA	2:B:270:MET:CE	2.11	0.80
1:A:120:THR:HG21	1:A:370:VAL:HG21	1.63	0.79
1:A:120:THR:HG21	1:A:370:VAL:CG2	2.14	0.77
1:A:274:ILE:O	1:A:278:THR:CG2	2.35	0.74

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:ALA:HA	2:B:270:MET:HE2	1.72	0.72
1:A:144:ALA:CA	2:B:270:MET:CE	2.70	0.70
1:A:131:ALA:HB1	1:A:356:TRP:HB3	1.73	0.69
1:A:116:ARG:O	1:A:120:THR:HG23	1.91	0.69
1:A:70:PRO:HG2	1:A:85:ILE:HD12	1.74	0.69
1:A:242:LEU:HD12	1:A:246:GLN:HB3	1.75	0.69
1:A:202:THR:HG22	1:A:205:GLU:HB2	1.73	0.68
1:A:47:MET:CE	1:A:65:LEU:HD12	2.21	0.68
1:A:38:PRO:HA	1:A:47:MET:HE3	1.76	0.68
1:A:216:LEU:HD23	1:A:250:ILE:HG21	1.77	0.66
1:A:38:PRO:CA	1:A:47:MET:HE3	2.25	0.65
2:B:293:ARG:HD3	2:B:311:GLU:HB3	1.78	0.65
2:B:202:GLN:HG2	2:B:215:ALA:HB3	1.79	0.64
1:A:250:ILE:HD11	1:A:253:GLU:CB	2.19	0.64
2:B:266:ILE:HD12	5:B:10:HOH:O	1.98	0.63
1:A:47:MET:HE2	1:A:64:ILE:HG22	1.80	0.63
2:B:206:ASP:CB	2:B:211:THR:HG22	2.24	0.63
1:A:64:ILE:HG22	1:A:65:LEU:HD12	1.80	0.62
1:A:144:ALA:CA	2:B:270:MET:HE1	2.30	0.62
2:B:211:THR:HG23	2:B:213:ILE:HG23	1.82	0.61
1:A:368:SER:HB2	1:A:371:HIS:ND1	2.15	0.61
1:A:162:ASN:HD21	1:A:278:THR:HG22	1.65	0.61
1:A:31:PHE:CE1	1:A:93:GLU:HG3	2.36	0.60
1:A:173:HIS:NE2	1:A:284:LYS:O	2.27	0.60
2:B:304:THR:HG23	2:B:307:PHE:H	1.66	0.60
1:A:64:ILE:HG22	1:A:65:LEU:CD1	2.32	0.59
1:A:198:TYR:CE1	1:A:248:ILE:HG22	2.37	0.59
1:A:162:ASN:ND2	1:A:277:THR:OG1	2.36	0.59
2:B:214:LEU:HD11	2:B:217:THR:HG23	1.83	0.59
1:A:202:THR:HG22	1:A:205:GLU:CB	2.34	0.57
1:A:120:THR:CG2	1:A:370:VAL:HG21	2.34	0.57
1:A:47:MET:HE2	1:A:65:LEU:CD1	2.28	0.57
1:A:365:ALA:HB1	1:A:366:GLY:CA	2.35	0.56
2:B:222:LEU:HD21	2:B:305:ALA:HA	1.86	0.56
1:A:368:SER:HA	1:A:370:VAL:H	1.71	0.55
2:B:190:LEU:HD13	2:B:201:VAL:HG11	1.87	0.55
2:B:295:ILE:HG22	2:B:297:ILE:HG23	1.88	0.55
1:A:317:ILE:HG22	1:A:327:ILE:HD13	1.89	0.54
1:A:334:GLU:HG2	2:B:266:ILE:HD11	1.88	0.54
1:A:185:LEU:HD23	1:A:306:TYR:OH	2.09	0.53
1:A:172:PRO:HA	1:A:175:ILE:HD12	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:ALA:HB2	2:B:270:MET:HE1	1.89	0.53
1:A:180:LEU:HB2	1:A:269:MET:HE1	1.92	0.52
1:A:44:MET:HB2	1:A:47:MET:CG	2.40	0.52
1:A:38:PRO:CG	1:A:47:MET:HE3	2.41	0.51
1:A:273:GLY:O	1:A:277:THR:HG23	2.11	0.51
2:B:283:VAL:HG13	2:B:289:MET:CB	2.40	0.51
1:A:193:LEU:CD2	1:A:250:ILE:HD13	2.37	0.51
2:B:194:SER:CB	2:B:289:MET:CE	2.89	0.50
1:A:144:ALA:N	2:B:270:MET:HE1	2.27	0.50
1:A:362:TYR:HE1	1:A:367:PRO:HB3	1.77	0.50
1:A:162:ASN:ND2	1:A:278:THR:HG22	2.26	0.49
2:B:225:LEU:N	2:B:226:PRO:CD	2.75	0.49
1:A:318:THR:HA	1:A:327:ILE:CD1	2.43	0.49
1:A:38:PRO:HG3	1:A:47:MET:HE3	1.96	0.48
1:A:362:TYR:O	1:A:366:GLY:HA2	2.13	0.48
1:A:272:ALA:HB1	1:A:276:GLU:HB2	1.97	0.47
1:A:38:PRO:HB3	1:A:44:MET:HG3	1.95	0.47
1:A:198:TYR:CE1	1:A:248:ILE:CG2	2.97	0.47
2:B:270:MET:HE2	2:B:270:MET:HA	1.95	0.47
1:A:306:TYR:O	1:A:309:ILE:HG22	2.14	0.47
1:A:180:LEU:HD22	1:A:269:MET:CE	2.45	0.46
1:A:188:TYR:CD1	1:A:267:ILE:HG22	2.50	0.46
1:A:39:ARG:HD2	1:A:65:LEU:O	2.16	0.46
1:A:329:ILE:N	1:A:329:ILE:HD12	2.31	0.46
1:A:38:PRO:HA	1:A:47:MET:CE	2.43	0.45
2:B:194:SER:HB3	2:B:289:MET:CE	2.46	0.45
1:A:142:LEU:HD22	1:A:165:ILE:HB	1.97	0.45
1:A:190:MET:HG2	1:A:209:VAL:HG21	1.98	0.45
1:A:144:ALA:CB	2:B:270:MET:HE1	2.46	0.45
1:A:106:THR:HB	1:A:137:GLN:HG3	1.99	0.44
1:A:216:LEU:HD23	1:A:250:ILE:CG2	2.45	0.44
1:A:144:ALA:HB2	2:B:270:MET:CE	2.48	0.44
2:B:194:SER:CA	2:B:289:MET:CE	2.95	0.44
2:B:180:PHE:CZ	2:B:271:LEU:HD22	2.52	0.44
1:A:148:THR:OG1	2:B:296:GLU:OE1	2.26	0.44
1:A:170:ALA:O	1:A:172:PRO:HD3	2.18	0.44
1:A:23:GLY:N	1:A:344:SER:OG	2.46	0.44
1:A:180:LEU:HD22	1:A:269:MET:HE3	1.99	0.43
1:A:18:LYS:NZ	4:A:377:ATP:O2B	2.51	0.43
2:B:214:LEU:HD11	2:B:217:THR:CG2	2.49	0.43
1:A:366:GLY:O	1:A:369:ILE:HG22	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:194:SER:N	2:B:289:MET:HE1	2.33	0.43
2:B:221:GLU:O	2:B:222:LEU:C	2.56	0.43
2:B:283:VAL:HG13	2:B:289:MET:HB3	2.00	0.43
1:A:202:THR:HG22	1:A:205:GLU:H	1.83	0.42
1:A:192:ILE:HD12	1:A:253:GLU:HG3	2.01	0.42
1:A:329:ILE:N	1:A:329:ILE:CD1	2.83	0.42
1:A:189:LEU:HD23	1:A:209:VAL:CG1	2.49	0.42
1:A:159:VAL:HG21	1:A:161:HIS:CE1	2.55	0.42
2:B:283:VAL:HG13	2:B:289:MET:HB2	2.01	0.42
1:A:38:PRO:CB	1:A:47:MET:HE3	2.49	0.42
1:A:363:ASP:O	1:A:365:ALA:HB2	2.19	0.41
2:B:194:SER:HA	2:B:289:MET:CE	2.49	0.41
2:B:284:GLU:OE2	2:B:289:MET:O	2.39	0.41
1:A:189:LEU:HD22	1:A:213:LYS:HB2	2.02	0.41
1:A:365:ALA:HB1	1:A:366:GLY:HA2	2.01	0.41
1:A:328:LYS:C	1:A:329:ILE:HD12	2.41	0.41
1:A:8:LEU:HD11	1:A:96:VAL:HG21	2.03	0.41
1:A:113:LYS:HB3	1:A:371:HIS:HE2	1.86	0.41
1:A:355:MET:CE	5:A:410:HOH:O	2.69	0.41
2:B:194:SER:CA	2:B:289:MET:HE1	2.50	0.41
1:A:151:ILE:HG23	1:A:151:ILE:O	2.21	0.41
1:A:286:ASP:HB2	1:A:289:ILE:CG2	2.39	0.40
1:A:144:ALA:CB	2:B:270:MET:CE	2.99	0.40
2:B:257:TYR:HB3	2:B:296:GLU:HG2	2.04	0.40
1:A:375:PHE:O	2:B:176:GLN:NE2	2.55	0.40
2:B:194:SER:HB3	2:B:289:MET:HE3	2.04	0.40
2:B:308:LEU:HD12	2:B:308:LEU:HA	1.96	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	370/377 (98%)	345 (93%)	24 (6%)	1 (0%)	46	66
2	B	138/164 (84%)	130 (94%)	7 (5%)	1 (1%)	26	44
All	All	508/541 (94%)	475 (94%)	31 (6%)	2 (0%)	39	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	ILE
2	B	246	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/320 (98%)	288 (92%)	25 (8%)	15	26
2	B	130/153 (85%)	118 (91%)	12 (9%)	11	20
All	All	443/473 (94%)	406 (92%)	37 (8%)	14	24

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	10	CYS
1	A	18	LYS
1	A	28	ARG
1	A	43	VAL
1	A	44	MET
1	A	65	LEU
1	A	95	ARG
1	A	120	THR
1	A	125	GLU
1	A	128	ASN
1	A	167	GLU
1	A	180	LEU
1	A	183	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	201	VAL
1	A	202	THR
1	A	207	GLU
1	A	278	THR
1	A	288	ASP
1	A	317	ILE
1	A	326	LYS
1	A	334	GLU
1	A	346	LEU
1	A	350	SER
1	A	370	VAL
2	B	184	ARG
2	B	190	LEU
2	B	203	LEU
2	B	211	THR
2	B	219	ASN
2	B	242	LYS
2	B	252	SER
2	B	257	TYR
2	B	281	GLU
2	B	283	VAL
2	B	289	MET
2	B	294	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	ASN
1	A	161	HIS
1	A	162	ASN
2	B	188	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	ATP	A	377	3	24,33,33	0.87	1 (4%)	31,52,52	2.17	8 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	A	377	3	-	0/18/38/38	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	377	ATP	C5-C4	2.85	1.46	1.40

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	377	ATP	N3-C2-N1	-8.14	122.66	128.89
4	A	377	ATP	C2'-C1'-N9	-4.35	107.65	114.29
4	A	377	ATP	PA-O3A-PB	-3.68	122.41	132.73
4	A	377	ATP	C1'-N9-C4	-3.02	122.38	126.94
4	A	377	ATP	C4-C5-N7	-2.30	107.36	109.48
4	A	377	ATP	C2-N1-C6	2.01	122.36	118.77
4	A	377	ATP	O3G-PG-O2G	2.22	115.81	107.38
4	A	377	ATP	O2B-PB-O3B	2.31	115.59	105.09

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	377	ATP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	372/377 (98%)	0.21	15 (4%) 42 48	30, 47, 73, 77	0
2	B	140/164 (85%)	0.03	1 (0%) 89 91	33, 43, 52, 62	0
All	All	512/541 (94%)	0.16	16 (3%) 52 58	30, 45, 70, 77	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	231	ALA	3.3
1	A	221	LEU	3.3
1	A	42	GLY	2.8
1	A	198	TYR	2.6
1	A	46	GLY	2.6
1	A	212	ILE	2.5
1	A	47	MET	2.4
1	A	232	SER	2.3
2	B	201	VAL	2.3
1	A	45	VAL	2.2
1	A	225	ASN	2.2
1	A	250	ILE	2.2
1	A	320	LEU	2.1
1	A	41	GLN	2.1
1	A	324	THR	2.0
1	A	249	THR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CA	A	376	1/1	0.97	0.21	0.72	33,33,33,33	0
4	ATP	A	377	31/31	0.98	0.15	-0.72	27,34,36,39	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.