



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 06:57 PM GMT

PDB ID : 1DC6  
Title : STRUCTURAL ANALYSIS OF GLYCERALDEHYDE 3-PHOSPHATE DEHYDROGENASE FROM ESCHERICHIA COLI: DIRECT EVIDENCE FOR SUBSTRATE BINDING AND COFACTOR-INDUCED CONFORMATIONAL CHANGES.  
Authors : Yun, M.; Park, C.-G.; Kim, J.-Y.; Park, H.-W.  
Deposited on : 1999-11-04  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	<div> <div>2%</div> <div>68%</div> <div>28%</div> <div>5%</div> </div>
1	B	330	<div> <div>2%</div> <div>58%</div> <div>36%</div> <div>5%</div> </div>

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5321 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	330	Total	C	N	O	S	0	0	0
			2488	1563	431	484	10			
1	B	330	Total	C	N	O	S	0	0	0
			2488	1563	431	484	10			

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	134	Total 134	O 134	0	0
3	B	123	Total 123	O 123	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE



#### • Molecule 1: GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.45Å 134.47Å 67.34Å 90.00° 107.89° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.60 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.00) 82.0 (19.60-2.00)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.01 (at 2.01Å)	Xtriage
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.224 , 0.291 0.204 , 0.266	Depositor DCC
$R_{free}$ test set	2048 reflections (5.13%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.9	Xtriage
Anisotropy	0.599	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 77.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 43875 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5321	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/2527	0.67	1/3421 (0.0%)
1	B	0.42	0/2527	0.68	1/3421 (0.0%)
All	All	0.41	0/5054	0.68	2/6842 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	203	ILE	N-CA-C	-6.89	92.41	111.00
1	A	203	ILE	N-CA-C	-5.79	95.36	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2488	0	2506	67	0
1	B	2488	0	2506	102	0
2	A	44	0	26	2	0
2	B	44	0	26	2	0
3	A	134	0	0	3	0
3	B	123	0	0	6	1
All	All	5321	0	5064	167	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:LEU:HD22	1:A:172:MET:HE3	1.48	0.93
1:B:169:GLU:OE2	1:B:245:ARG:HD3	1.77	0.84
1:B:251:THR:H	1:B:254:GLN:NE2	1.82	0.78
1:A:289:THR:HG23	1:A:320:LYS:HE2	1.66	0.76
1:B:41:ALA:O	1:B:45:LYS:HG3	1.85	0.76
1:B:237:VAL:HG23	1:B:280:SER:HB2	1.67	0.76
1:B:82:LEU:HD13	1:B:84:TRP:CZ2	2.22	0.75
1:A:275:GLU:O	1:A:295:LYS:HD2	1.86	0.74
1:A:41:ALA:O	1:A:45:LYS:HG3	1.87	0.74
1:A:242:LEU:HD11	1:A:244:VAL:HG13	1.69	0.73
1:A:154:LEU:HD11	1:A:242:LEU:HD22	1.71	0.72
1:A:176:HIS:HA	1:A:238:SER:HB3	1.71	0.71
1:B:299:ALA:CB	1:B:305:VAL:HG12	2.21	0.70
1:B:236:ASN:O	1:B:237:VAL:HG22	1.91	0.70
1:B:172:MET:HG2	1:B:173:THR:N	2.07	0.69
1:A:182:GLN:HB3	3:A:2041:HOH:O	1.91	0.68
1:A:9:GLY:HA3	2:A:351:NAD:O5B	1.94	0.67
1:A:146:ASN:HD22	1:A:324:LEU:HD22	1.58	0.67
1:A:154:LEU:HD22	1:A:172:MET:CE	2.23	0.67
1:B:263:ALA:O	1:B:268:LYS:HG2	1.95	0.66
1:B:72:ARG:HD3	1:B:74:THR:HG23	1.78	0.65
1:B:41:ALA:HB2	1:B:64:LEU:CD2	2.25	0.65
1:B:298:ILE:HD12	1:B:299:ALA:H	1.62	0.65
1:A:168:ILE:HD11	1:A:247:GLU:HG3	1.78	0.64
1:A:172:MET:HG2	1:A:173:THR:N	2.12	0.64
1:B:122:SER:HB3	1:B:125:THR:HB	1.80	0.63
1:A:32:ASP:O	1:A:75:ALA:HA	1.97	0.63
1:B:92:VAL:HG13	1:B:116:VAL:HG22	1.81	0.63
1:A:155:ALA:HB3	1:A:156:PRO:HD3	1.80	0.63
1:B:251:THR:H	1:B:254:GLN:HE21	1.46	0.63
1:B:176:HIS:HA	1:B:238:SER:HB3	1.79	0.63
1:A:134:PHE:HB2	3:A:2021:HOH:O	1.99	0.62
1:B:32:ASP:O	1:B:75:ALA:HA	1.99	0.62
1:B:237:VAL:CG2	1:B:280:SER:HB2	2.30	0.62
1:B:76:GLU:HG2	1:B:81:ASN:HB2	1.82	0.61
1:B:115:LYS:HG2	1:B:142:ASP:HA	1.80	0.61
1:B:182:GLN:OE1	1:B:231:ARG:HD2	1.99	0.61

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ARG:O	1:A:14:ILE:HG12	2.01	0.60
1:A:106:ARG:O	1:A:110:THR:HG22	2.02	0.60
1:A:293:ASP:HB3	1:A:308:VAL:HG22	1.83	0.60
1:B:130:LYS:HG2	1:B:270:VAL:CG2	2.31	0.60
1:A:107:LYS:HA	1:A:110:THR:HG23	1.82	0.59
1:A:236:ASN:O	1:A:237:VAL:HG22	2.02	0.59
1:B:155:ALA:HB3	1:B:156:PRO:HD3	1.83	0.59
1:A:299:ALA:CB	1:A:305:VAL:HG12	2.32	0.59
1:A:251:THR:H	1:A:254:GLN:NE2	2.03	0.57
1:B:165:PHE:O	1:B:248:LYS:HG3	2.04	0.57
1:A:107:LYS:HA	1:A:110:THR:CG2	2.35	0.57
1:B:146:ASN:HD22	1:B:324:LEU:HD22	1.69	0.56
1:A:299:ALA:HB1	1:A:305:VAL:HG12	1.88	0.56
1:B:92:VAL:CG1	1:B:116:VAL:HG22	2.35	0.56
1:B:130:LYS:HG2	1:B:270:VAL:HG22	1.88	0.55
1:A:168:ILE:HG21	1:A:245:ARG:HH12	1.71	0.55
1:B:313:ASN:O	2:B:352:NAD:H4N	2.07	0.55
1:B:9:GLY:O	1:B:13:ARG:HB2	2.08	0.54
1:B:237:VAL:HG21	1:B:280:SER:O	2.07	0.54
1:B:58:GLU:CG	1:B:65:ILE:HB	2.38	0.53
1:B:208:THR:HG22	1:B:210:ALA:H	1.72	0.53
1:B:41:ALA:HB2	1:B:64:LEU:HD21	1.89	0.53
1:A:168:ILE:HD11	1:A:247:GLU:CG	2.39	0.53
1:B:92:VAL:HG11	1:B:108:HIS:HB3	1.90	0.53
1:B:204:ILE:HB	1:B:231:ARG:HB2	1.91	0.52
1:B:83:LYS:HB3	1:B:86:GLU:HG2	1.91	0.52
1:B:94:GLU:HB3	1:B:118:MET:HA	1.91	0.52
1:A:298:ILE:HG12	1:A:299:ALA:N	2.25	0.51
1:B:106:ARG:HA	1:B:143:ILE:HD11	1.93	0.51
1:A:251:THR:H	1:A:254:GLN:HE21	1.59	0.51
1:B:60:LYS:C	1:B:62:GLY:H	2.13	0.51
1:B:300:LEU:HD12	1:B:300:LEU:O	2.10	0.51
1:B:299:ALA:HA	1:B:305:VAL:HG12	1.92	0.51
1:A:168:ILE:HG21	1:A:245:ARG:NH1	2.26	0.51
1:B:250:ALA:HA	1:B:254:GLN:NE2	2.26	0.51
1:A:100:LEU:HB2	1:A:122(A):LYS:HG3	1.92	0.51
1:A:121:PRO:HG3	1:A:148:SER:HB3	1.93	0.50
1:A:150:THR:HG22	1:A:172:MET:HE2	1.93	0.50
1:B:298:ILE:HD12	1:B:299:ALA:N	2.26	0.50
1:B:58:GLU:HG3	1:B:65:ILE:HB	1.93	0.50
1:B:211:ALA:HB3	3:B:2058:HOH:O	2.12	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:84:TRP:HB3	1:B:89:VAL:HB	1.94	0.50
1:A:219:PRO:O	1:A:222:ASN:HB2	2.12	0.49
1:A:45:LYS:HG2	1:A:57:VAL:HG11	1.93	0.49
1:B:329:SER:O	1:B:330:LYS:CB	2.59	0.49
1:B:45:LYS:HG2	1:B:57:VAL:HG11	1.95	0.49
1:B:118:MET:HG3	1:B:144:VAL:O	2.13	0.49
1:A:25:ILE:CG2	1:A:26:GLU:N	2.76	0.49
1:A:159:LYS:HB2	1:A:218:LEU:HD11	1.94	0.49
1:B:170:GLY:HA3	1:B:244:VAL:HG12	1.96	0.48
1:B:250:ALA:HA	1:B:254:GLN:HE21	1.77	0.48
1:A:46:TYR:HB3	1:B:282:ASP:OD1	2.14	0.48
1:B:44:LEU:O	1:B:53:PHE:HB2	2.13	0.48
1:A:95:ALA:O	2:A:351:NAD:H52N	2.14	0.48
1:B:60:LYS:O	1:B:62:GLY:N	2.47	0.48
1:B:299:ALA:CA	1:B:305:VAL:HG12	2.43	0.47
1:A:169:GLU:OE2	1:A:245:ARG:NH1	2.47	0.47
1:A:251:THR:HA	1:A:302:ASP:OD2	2.14	0.47
1:B:329:SER:O	1:B:330:LYS:HB2	2.13	0.47
1:B:252:TYR:OH	1:B:297:GLY:HA3	2.14	0.47
1:B:76:GLU:CG	1:B:81:ASN:HB2	2.42	0.47
1:B:9:GLY:HA3	2:B:352:NAD:O5B	2.15	0.47
1:A:154:LEU:HD23	1:A:214:VAL:HG21	1.97	0.47
1:A:215:GLY:HA3	1:A:222:ASN:HA	1.95	0.47
1:A:8:PHE:CE1	1:A:30:ILE:HD13	2.50	0.47
1:A:282:ASP:HB3	1:B:52:ARG:HH11	1.78	0.47
1:B:183:LYS:NZ	3:B:2100:HOH:O	2.47	0.47
1:B:251:THR:N	1:B:254:GLN:HE21	2.12	0.47
1:A:87:VAL:HG12	1:A:89:VAL:HG23	1.97	0.46
1:B:63:HIS:CD2	1:B:70:LYS:NZ	2.83	0.46
1:B:169:GLU:HG3	1:B:245:ARG:HG3	1.97	0.46
1:B:17:ARG:NH2	1:B:51:GLY:O	2.43	0.46
1:A:82:LEU:O	1:A:83:LYS:C	2.53	0.46
1:A:242:LEU:HD12	1:A:243:THR:N	2.31	0.46
1:B:72:ARG:HD2	3:B:2077:HOH:O	2.15	0.46
1:B:24:ASP:N	1:B:24:ASP:OD2	2.48	0.45
1:B:245:ARG:HA	1:B:303:ASN:O	2.16	0.45
1:B:37:ALA:O	1:B:64:LEU:HD21	2.16	0.45
1:A:95:ALA:HA	1:A:119:THR:OG1	2.16	0.45
1:B:2:LYS:O	1:B:90:ASP:HB2	2.16	0.45
1:A:237:VAL:HG21	1:A:280:SER:O	2.16	0.45
1:B:201:GLN:HG3	3:B:2084:HOH:O	2.17	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:SER:CB	1:B:125:THR:HB	2.47	0.45
1:A:220:GLU:HG2	1:A:221:LEU:N	2.32	0.45
1:B:45:LYS:HG2	1:B:57:VAL:CG1	2.47	0.45
1:B:16:PHE:O	1:B:20:GLN:HG2	2.17	0.45
1:B:154:LEU:HD11	1:B:242:LEU:HD22	1.99	0.44
1:A:237:VAL:CG2	1:A:280:SER:HB2	2.48	0.44
1:B:210:ALA:O	1:B:214:VAL:HG23	2.17	0.44
1:A:82:LEU:HD13	1:A:84:TRP:CZ2	2.53	0.44
1:A:135:ASP:OD2	1:A:136:LYS:HD3	2.18	0.44
1:B:96:THR:OG1	1:B:98:LEU:HB2	2.17	0.44
1:A:129:VAL:HB	1:A:132:ALA:HB3	1.99	0.44
1:A:37:ALA:O	1:A:64:LEU:HD21	2.18	0.44
1:A:287:VAL:HG23	1:A:319:ASN:ND2	2.34	0.43
1:B:289:THR:HG23	1:B:320:LYS:HD3	2.01	0.43
1:B:317:TYR:O	1:B:321:VAL:HG23	2.18	0.43
1:A:24:ASP:OD2	1:A:24:ASP:N	2.51	0.43
1:B:220:GLU:HG2	1:B:221:LEU:N	2.33	0.43
1:A:211:ALA:HB3	3:A:2103:HOH:O	2.19	0.43
1:B:194:ARG:HH11	1:B:205:PRO:HG2	1.84	0.42
1:B:130:LYS:HG2	1:B:270:VAL:HG21	1.99	0.42
1:A:215:GLY:O	1:A:219:PRO:HA	2.19	0.42
1:B:295:LYS:HB2	3:B:2016:HOH:O	2.19	0.42
1:B:275:GLU:O	1:B:295:LYS:HE3	2.20	0.42
1:B:251:THR:O	1:B:255:ILE:HG13	2.20	0.42
1:B:86:GLU:HA	1:B:86:GLU:OE2	2.19	0.42
1:B:320:LYS:O	1:B:323:ASP:HB2	2.20	0.42
1:B:10:ARG:O	1:B:14:ILE:HG12	2.19	0.42
1:B:102:ASP:O	1:B:106:ARG:HB2	2.19	0.42
1:B:41:ALA:HB2	1:B:64:LEU:HD22	2.00	0.42
1:B:170:GLY:CA	1:B:244:VAL:HG12	2.49	0.42
1:B:239:VAL:HB	1:B:310:TRP:CE3	2.55	0.42
1:A:168:ILE:CD1	1:A:247:GLU:HG3	2.48	0.41
1:B:220:GLU:HG2	1:B:221:LEU:H	1.85	0.41
1:B:108:HIS:O	1:B:113:ALA:HB3	2.20	0.41
1:B:271:LEU:HD12	1:B:290:SER:O	2.21	0.41
1:A:248:LYS:HG2	1:A:248:LYS:O	2.19	0.41
1:B:87:VAL:HG23	1:B:89:VAL:HG23	2.02	0.41
1:A:237:VAL:HG12	1:A:312:ASP:HA	2.03	0.41
1:A:239:VAL:HG23	1:A:309:SER:O	2.21	0.41
1:A:176:HIS:HB3	1:A:231:ARG:HD3	2.03	0.41
1:A:95:ALA:HA	1:A:119:THR:HG1	1.86	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:SER:HB2	3:B:2108:HOH:O	2.21	0.41
1:B:60:LYS:C	1:B:62:GLY:N	2.74	0.41
1:B:260:LYS:O	1:B:264:GLU:HG3	2.21	0.41
1:B:265:GLY:O	1:B:268:LYS:HB2	2.21	0.40
1:A:315:THR:HG22	1:A:319:ASN:ND2	2.36	0.40
1:B:266:GLU:H	1:B:266:GLU:CD	2.24	0.40
1:B:45:LYS:HB2	1:B:45:LYS:HE2	1.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:2146:HOH:O	3:B:2146:HOH:O[2_455]	1.28	0.92

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	328/330 (99%)	300 (92%)	23 (7%)	5 (2%)	13	5
1	B	328/330 (99%)	305 (93%)	16 (5%)	7 (2%)	9	3
All	All	656/660 (99%)	605 (92%)	39 (6%)	12 (2%)	11	4

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	166	GLY
1	B	192	ASP
1	A	237	VAL
1	A	302	ASP
1	B	61	ASP
1	B	190	HIS

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	198	GLY
1	B	237	VAL
1	A	249	ALA
1	B	166	GLY
1	B	186	ASP
1	A	198	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/265 (100%)	234 (88%)	31 (12%)	7	3
1	B	265/265 (100%)	237 (89%)	28 (11%)	8	4
All	All	530/530 (100%)	471 (89%)	59 (11%)	8	4

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	PHE
1	A	13	ARG
1	A	23	SER
1	A	34	LEU
1	A	57	VAL
1	A	58	GLU
1	A	64	LEU
1	A	70	LYS
1	A	83	LYS
1	A	87	VAL
1	A	94	GLU
1	A	103	GLU
1	A	110	THR
1	A	122	SER
1	A	134	PHE
1	A	145	SER
1	A	172	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	200	SER
1	A	212	LYS
1	A	217	VAL
1	A	228	MET
1	A	238	SER
1	A	244	VAL
1	A	245	ARG
1	A	247	GLU
1	A	254	GLN
1	A	264	GLU
1	A	271	LEU
1	A	298	ILE
1	A	311	TYR
1	A	330	LYS
1	B	3	VAL
1	B	23	SER
1	B	34	LEU
1	B	43	MET
1	B	52	ARG
1	B	70	LYS
1	B	92	VAL
1	B	98	LEU
1	B	103	GLU
1	B	118	MET
1	B	122	SER
1	B	134	PHE
1	B	149	CYS
1	B	161	ILE
1	B	183	LYS
1	B	206	SER
1	B	208	THR
1	B	212	LYS
1	B	221	LEU
1	B	238	SER
1	B	254	GLN
1	B	268	LYS
1	B	289	THR
1	B	298	ILE
1	B	300	LEU
1	B	302	ASP
1	B	320	LYS
1	B	330	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	146	ASN
1	A	254	GLN
1	A	319	ASN
1	B	63	HIS
1	B	124	ASN
1	B	146	ASN
1	B	164	ASN
1	B	254	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAD	A	351	-	38,48,48	2.14	6 (15%)	47,73,73	1.70	8 (17%)
2	NAD	B	352	-	38,48,48	2.09	6 (15%)	47,73,73	1.78	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	A	351	-	-	0/22/62/62	0/5/5/5
2	NAD	B	352	-	-	0/22/62/62	0/5/5/5

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	352	NAD	C6N-C5N	-3.13	1.31	1.38
2	A	351	NAD	C6N-C5N	-2.62	1.32	1.38
2	B	352	NAD	C2A-N1A	2.24	1.38	1.33
2	A	351	NAD	C2A-N1A	2.49	1.38	1.33
2	B	352	NAD	C6N-N1N	2.64	1.42	1.35
2	A	351	NAD	C6N-N1N	2.77	1.42	1.35
2	B	352	NAD	C5N-C4N	5.25	1.49	1.38
2	A	351	NAD	C5N-C4N	5.28	1.49	1.38
2	B	352	NAD	C2N-C3N	6.99	1.49	1.39
2	A	351	NAD	C4N-C3N	7.08	1.51	1.39
2	B	352	NAD	C4N-C3N	7.08	1.51	1.39
2	A	351	NAD	C2N-C3N	7.75	1.50	1.39

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	351	NAD	C5N-C4N-C3N	-6.06	112.71	120.33
2	B	352	NAD	C5N-C4N-C3N	-5.86	112.96	120.33
2	B	352	NAD	O4D-C4D-C5D	-2.80	99.32	109.32
2	A	351	NAD	O4D-C4D-C5D	-2.73	99.56	109.32
2	A	351	NAD	C4B-O4B-C1B	-2.59	106.87	109.72
2	B	352	NAD	O7N-C7N-N7N	-2.48	119.11	122.59
2	B	352	NAD	O7N-C7N-C3N	-2.45	116.91	119.59
2	A	351	NAD	O7N-C7N-C3N	-2.37	117.00	119.59
2	B	352	NAD	C4B-O4B-C1B	-2.16	107.34	109.72
2	A	351	NAD	O7N-C7N-N7N	-2.05	119.71	122.59
2	A	351	NAD	C4D-O4D-C1D	2.28	112.22	109.72
2	B	352	NAD	C4D-O4D-C1D	3.08	113.10	109.72
2	B	352	NAD	C6N-C5N-C4N	4.37	126.05	119.44
2	A	351	NAD	C6N-C5N-C4N	4.44	126.15	119.44
2	A	351	NAD	C3N-C7N-N7N	5.00	123.29	117.82
2	B	352	NAD	C3N-C7N-N7N	5.63	123.98	117.82

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	351	NAD	2	0
2	B	352	NAD	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	330/330 (100%)	-0.15	5 (1%) 76 77	15, 26, 38, 52	0
1	B	330/330 (100%)	-0.10	7 (2%) 67 67	14, 26, 39, 60	0
All	All	660/660 (100%)	-0.13	12 (1%) 71 72	14, 26, 39, 60	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	330	LYS	3.9
1	A	190	HIS	3.6
1	B	61	ASP	3.3
1	A	61	ASP	2.8
1	A	330	LYS	2.6
1	B	190	HIS	2.5
1	A	0	THR	2.5
1	B	266	GLU	2.3
1	B	92	VAL	2.2
1	B	191	LYS	2.2
1	B	116	VAL	2.1
1	A	191	LYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NAD	B	352	44/44	0.96	0.11	0.01	14,25,31,33	0
2	NAD	A	351	44/44	0.95	0.11	-0.10	12,29,34,37	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.