



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 07:26 PM BST

PDB ID : 2DDJ  
Title : NMR structure of the second Kunitz domain of human WFIKKN1  
Authors : Liepinsh, E.; Otting, G.  
Deposited on : 2006-01-30

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : rb-20027457  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027457


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 48%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	70	<div> <div style="width: 69%; background-color: green;"></div> <div style="width: 6%; background-color: yellow;"></div> <div style="width: 24%; background-color: cyan;"></div> <div style="display: flex; justify-content: space-between; padding: 0 10px;"> <span>69%</span> <span>6% •</span> <span>24%</span> </div> </div>

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 13 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:9-A:61 (53)	0.28	13

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 6, 8, 9, 12, 13, 14, 15, 19, 20
2	7, 10, 11, 16
3	4, 18
Single-model clusters	5; 17

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1033 atoms, of which 480 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1.

Mol	Chain	Residues	Atoms						Trace
1	A	70	Total	C	H	N	O	S	0
			1033	341	480	103	103	6	

There are 15 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLU	-	CLONING ARTIFACT	GB 75517744
A	2	ALA	-	CLONING ARTIFACT	GB 75517744
A	3	GLU	-	CLONING ARTIFACT	GB 75517744
A	4	ALA	-	CLONING ARTIFACT	GB 75517744
A	5	GLU	-	CLONING ARTIFACT	GB 75517744
A	6	PHE	-	CLONING ARTIFACT	GB 75517744
A	7	THR	-	CLONING ARTIFACT	GB 75517744
A	63	VAL	-	EXPRESSION TAG	GB 75517744
A	64	ASP	-	EXPRESSION TAG	GB 75517744
A	65	HIS	-	EXPRESSION TAG	GB 75517744
A	66	HIS	-	EXPRESSION TAG	GB 75517744
A	67	HIS	-	EXPRESSION TAG	GB 75517744
A	68	HIS	-	EXPRESSION TAG	GB 75517744
A	69	HIS	-	EXPRESSION TAG	GB 75517744
A	70	HIS	-	EXPRESSION TAG	GB 75517744

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section [4.1](#) above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




#### 4.2.2 Score per residue for model 2

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.3 Score per residue for model 3

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.4 Score per residue for model 4

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.5 Score per residue for model 5

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.6 Score per residue for model 6

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.7 Score per residue for model 7

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.8 Score per residue for model 8

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.9 Score per residue for model 9

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.10 Score per residue for model 10

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.11 Score per residue for model 11

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




### 4.2.12 Score per residue for model 12

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




#### 4.2.13 Score per residue for model 13 (medoid)

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




#### 4.2.14 Score per residue for model 14

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




#### 4.2.15 Score per residue for model 15

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




#### 4.2.16 Score per residue for model 16

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1



#### 4.2.17 Score per residue for model 17


- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1






#### 4.2.18 Score per residue for model 18

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1




#### 4.2.19 Score per residue for model 19

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1



#### 4.2.20 Score per residue for model 20

- Molecule 1: WAP, follistatin/kazal, immunoglobulin, kunitz and netrin domain containing 1



## 5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: *torsion angle dynamics*.

Of the 50 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.5
Opal	refinement	2.6

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 6963
Number of chemical shift lists	1
Total number of shifts	820
Number of shifts mapped to atoms	410
Number of unparsed shifts	410
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	48%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality

### 6.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.66±0.01	0±0/423 (0.0±0.0%)	1.24±0.05	2±1/579 (0.3±0.2%)
All	All	0.66	0/8460 (0.0%)	1.24	30/11580 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.9±0.8
All	All	0	19

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	53	ARG	CD-NE-CZ	7.54	134.16	123.60	5	10
1	A	53	ARG	NE-CZ-NH1	7.34	123.97	120.30	14	4
1	A	53	ARG	NE-CZ-NH2	-7.23	116.69	120.30	17	3
1	A	40	TYR	CB-CG-CD2	-7.05	116.77	121.00	19	5
1	A	61	PRO	C-N-CA	5.95	136.56	121.70	19	1
1	A	54	GLU	N-CA-CB	-5.25	101.14	110.60	3	3
1	A	51	HIS	CB-CA-C	-5.23	99.94	110.40	6	1
1	A	59	ALA	C-N-CA	5.12	134.50	121.70	1	3

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	51	HIS	Sidechain	8
1	A	53	ARG	Sidechain	7
1	A	20	ARG	Sidechain	2
1	A	57	GLU	Sidechain	1
1	A	50	PHE	Sidechain	1

## 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	407	360	358	1±1
All	All	8140	7200	7160	28

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:LEU:HD12	1:A:13:PRO:HD2	0.60	1.72	7	3
1:A:12:LEU:HD11	1:A:46:ASN:HD22	0.54	1.63	7	1
1:A:26:TRP:CZ3	1:A:53:ARG:HD3	0.50	2.41	16	16
1:A:50:PHE:CZ	1:A:59:ALA:HB2	0.47	2.45	8	4
1:A:34:GLN:NE2	1:A:35:CYS:H	0.43	2.12	2	1
1:A:12:LEU:HD23	1:A:48:ASN:H	0.43	1.73	9	1
1:A:44:GLU:H	1:A:44:GLU:CD	0.41	2.19	19	1
1:A:53:ARG:HH11	1:A:53:ARG:HG3	0.40	1.75	14	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	53/70 (76%)	49±1 (92±3%)	4±1 (7±2%)	0±0 (1±1%)	29	74
All	All	1060/1400 (76%)	973 (92%)	79 (7%)	8 (1%)	29	74

All 2 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	61	PRO	6
1	A	60	CYS	2

### 6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	43/58 (74%)	40±1 (93±1%)	3±1 (7±1%)	23	68
All	All	860/1160 (74%)	798 (93%)	62 (7%)	23	68

All 7 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	33	GLN	20
1	A	20	ARG	19
1	A	54	GLU	14
1	A	12	LEU	5
1	A	57	GLU	2
1	A	34	GLN	1
1	A	53	ARG	1

### 6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 48% for the well-defined parts and 43% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 6963

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	820
Number of shifts mapped to atoms	410
Number of unparsed shifts	410
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

The following errors were found when reading this chemical shift list.

- Chemical shift has been reported more than once. All 410 occurrences are reported below.

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
411	A	1	GLU	HA	3.970	0.02	1
412	A	1	GLU	HB2	1.994	0.02	2
413	A	1	GLU	HB3	2.048	0.02	2
414	A	1	GLU	HG2	2.330	0.02	1
415	A	1	GLU	HG3	2.330	0.02	1
416	A	2	ALA	H	8.678	0.02	1
417	A	2	ALA	HA	4.243	0.02	1
418	A	2	ALA	HB1	1.266	0.02	1
419	A	2	ALA	HB2	1.266	0.02	1
420	A	2	ALA	HB3	1.266	0.02	1
421	A	3	GLU	H	8.404	0.02	1
422	A	3	GLU	HA	4.184	0.02	1
423	A	3	GLU	HB2	1.817	0.02	2
424	A	3	GLU	HB3	1.878	0.02	2
425	A	3	GLU	HG2	2.133	0.02	2

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
426	A	3	GLU	HG3	2.212	0.02	2
427	A	4	ALA	H	8.285	0.02	1
428	A	4	ALA	HA	4.194	0.02	1
429	A	4	ALA	HB1	1.258	0.02	1
430	A	4	ALA	HB2	1.258	0.02	1
431	A	4	ALA	HB3	1.258	0.02	1
432	A	5	GLU	H	8.353	0.02	1
433	A	5	GLU	HA	4.186	0.02	1
434	A	5	GLU	HB2	1.792	0.02	2
435	A	5	GLU	HB3	1.861	0.02	2
436	A	5	GLU	HG2	2.123	0.02	2
437	A	5	GLU	HG3	2.203	0.02	2
438	A	6	PHE	H	8.288	0.02	1
439	A	6	PHE	HA	4.625	0.02	1
440	A	6	PHE	HB2	2.944	0.02	1
441	A	6	PHE	HB3	3.078	0.02	1
442	A	6	PHE	HD1	7.140	0.02	1
443	A	6	PHE	HD2	7.140	0.02	1
444	A	6	PHE	HE1	7.240	0.02	1
445	A	6	PHE	HE2	7.240	0.02	1
446	A	6	PHE	HZ	7.193	0.02	1
447	A	7	THR	H	7.977	0.02	1
448	A	7	THR	HA	4.223	0.02	1
449	A	7	THR	HB	4.133	0.02	1
450	A	7	THR	HG21	1.154	0.02	1
451	A	7	THR	HG22	1.154	0.02	1
452	A	7	THR	HG23	1.154	0.02	1
453	A	8	ASP	H	8.253	0.02	1
454	A	8	ASP	HA	4.452	0.02	1
455	A	8	ASP	HB2	2.553	0.02	1
456	A	8	ASP	HB3	2.761	0.02	1
457	A	9	ALA	H	8.352	0.02	1
458	A	9	ALA	HA	3.904	0.02	1
459	A	9	ALA	HB1	1.212	0.02	1
460	A	9	ALA	HB2	1.212	0.02	1
461	A	9	ALA	HB3	1.212	0.02	1
462	A	10	CYS	H	7.714	0.02	1
463	A	10	CYS	HA	4.134	0.02	1
464	A	10	CYS	HB2	3.247	0.02	1
465	A	10	CYS	HB3	2.787	0.02	1
466	A	11	VAL	H	6.752	0.02	1

*Continued on next page...*



*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
467	A	11	VAL	HA	4.411	0.02	1
468	A	11	VAL	HB	2.428	0.02	1
469	A	11	VAL	HG11	0.860	0.02	1
470	A	11	VAL	HG12	0.860	0.02	1
471	A	11	VAL	HG13	0.860	0.02	1
472	A	11	VAL	HG21	0.860	0.02	1
473	A	11	VAL	HG22	0.860	0.02	1
474	A	11	VAL	HG23	0.860	0.02	1
475	A	12	LEU	H	7.489	0.02	1
476	A	12	LEU	HA	4.450	0.02	1
477	A	12	LEU	HB2	1.437	0.02	1
478	A	12	LEU	HB3	1.795	0.02	1
479	A	12	LEU	HG	1.789	0.02	1
480	A	12	LEU	HD11	0.819	0.02	1
481	A	12	LEU	HD12	0.819	0.02	1
482	A	12	LEU	HD13	0.819	0.02	1
483	A	12	LEU	HD21	0.855	0.02	1
484	A	12	LEU	HD22	0.855	0.02	1
485	A	12	LEU	HD23	0.855	0.02	1
486	A	13	PRO	HA	4.313	0.02	1
487	A	13	PRO	HB2	1.643	0.02	1
488	A	13	PRO	HB3	2.172	0.02	1
489	A	13	PRO	HG2	1.785	0.02	1
490	A	13	PRO	HG3	1.956	0.02	1
491	A	13	PRO	HD2	3.484	0.02	1
492	A	13	PRO	HD3	3.715	0.02	1
493	A	14	ALA	H	7.933	0.02	1
494	A	14	ALA	HA	4.278	0.02	1
495	A	14	ALA	HB1	0.242	0.02	1
496	A	14	ALA	HB2	0.242	0.02	1
497	A	14	ALA	HB3	0.242	0.02	1
498	A	15	VAL	H	8.110	0.02	1
499	A	15	VAL	HA	4.245	0.02	1
500	A	15	VAL	HB	1.790	0.02	1
501	A	15	VAL	HG11	0.952	0.02	1
502	A	15	VAL	HG12	0.952	0.02	1
503	A	15	VAL	HG13	0.952	0.02	1
504	A	15	VAL	HG21	0.814	0.02	1
505	A	15	VAL	HG22	0.814	0.02	1
506	A	15	VAL	HG23	0.814	0.02	1
507	A	16	GLN	H	9.008	0.02	1

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
508	A	16	GLN	HA	4.603	0.02	1
509	A	16	GLN	HB2	2.225	0.02	1
510	A	16	GLN	HB3	2.528	0.02	1
511	A	16	GLN	HG2	2.629	0.02	1
512	A	16	GLN	HG3	2.629	0.02	1
513	A	16	GLN	HE21	7.873	0.02	2
514	A	16	GLN	HE22	6.845	0.02	2
515	A	17	GLY	H	8.524	0.02	1
516	A	17	GLY	HA2	4.032	0.02	1
517	A	17	GLY	HA3	4.212	0.02	1
518	A	18	PRO	HA	4.603	0.02	1
519	A	18	PRO	HB2	2.058	0.02	1
520	A	18	PRO	HB3	2.000	0.02	1
521	A	18	PRO	HG2	1.812	0.02	2
522	A	18	PRO	HG3	1.965	0.02	2
523	A	18	PRO	HD2	3.518	0.02	1
524	A	18	PRO	HD3	3.586	0.02	1
525	A	19	CYS	H	8.761	0.02	1
526	A	19	CYS	HA	4.386	0.02	1
527	A	19	CYS	HB2	2.672	0.02	1
528	A	19	CYS	HB3	3.157	0.02	1
529	A	20	ARG	H	7.994	0.02	1
530	A	20	ARG	HA	3.336	0.02	1
531	A	20	ARG	HB2	1.187	0.02	1
532	A	20	ARG	HB3	1.670	0.02	1
533	A	20	ARG	HG2	1.291	0.02	1
534	A	20	ARG	HG3	1.291	0.02	1
535	A	20	ARG	HD2	3.084	0.02	1
536	A	20	ARG	HD3	3.084	0.02	1
537	A	20	ARG	HE	7.089	0.02	1
538	A	21	GLY	H	8.023	0.02	1
539	A	21	GLY	HA2	4.027	0.02	1
540	A	21	GLY	HA3	3.038	0.02	1
541	A	22	TRP	H	7.005	0.02	1
542	A	22	TRP	HA	4.534	0.02	1
543	A	22	TRP	HB2	2.851	0.02	1
544	A	22	TRP	HB3	3.018	0.02	1
545	A	22	TRP	HD1	7.118	0.02	1
546	A	22	TRP	HE1	10.082	0.02	1
547	A	22	TRP	HE3	7.221	0.02	1
548	A	22	TRP	HZ2	7.342	0.02	1

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
549	A	22	TRP	HZ3	6.872	0.02	1
550	A	22	TRP	HH2	7.089	0.02	1
551	A	23	GLU	H	8.729	0.02	1
552	A	23	GLU	HA	4.890	0.02	1
553	A	23	GLU	HB2	2.022	0.02	1
554	A	23	GLU	HB3	1.930	0.02	1
555	A	23	GLU	HG2	2.171	0.02	1
556	A	23	GLU	HG3	2.284	0.02	1
557	A	24	PRO	HA	4.431	0.02	1
558	A	24	PRO	HB2	1.875	0.02	1
559	A	24	PRO	HB3	1.998	0.02	1
560	A	24	PRO	HG2	1.878	0.02	1
561	A	24	PRO	HG3	2.189	0.02	1
562	A	24	PRO	HD2	3.681	0.02	1
563	A	24	PRO	HD3	3.739	0.02	1
564	A	25	ARG	H	8.302	0.02	1
565	A	25	ARG	HA	4.592	0.02	1
566	A	25	ARG	HB2	0.390	0.02	1
567	A	25	ARG	HB3	1.506	0.02	1
568	A	25	ARG	HG2	1.136	0.02	1
569	A	25	ARG	HG3	1.079	0.02	1
570	A	25	ARG	HD2	2.549	0.02	1
571	A	25	ARG	HD3	3.246	0.02	1
572	A	25	ARG	HE	7.204	0.02	1
573	A	26	TRP	H	8.834	0.02	1
574	A	26	TRP	HA	4.974	0.02	1
575	A	26	TRP	HB2	2.631	0.02	1
576	A	26	TRP	HB3	2.822	0.02	1
577	A	26	TRP	HD1	6.579	0.02	1
578	A	26	TRP	HE1	10.155	0.02	1
579	A	26	TRP	HE3	6.909	0.02	1
580	A	26	TRP	HZ2	7.448	0.02	1
581	A	26	TRP	HZ3	6.941	0.02	1
582	A	26	TRP	HH2	7.220	0.02	1
583	A	27	ALA	H	8.914	0.02	1
584	A	27	ALA	HA	4.907	0.02	1
585	A	27	ALA	HB1	0.930	0.02	1
586	A	27	ALA	HB2	0.930	0.02	1
587	A	27	ALA	HB3	0.930	0.02	1
588	A	28	TYR	H	10.534	0.02	1
589	A	28	TYR	HA	4.615	0.02	1

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
590	A	28	TYR	HB2	2.951	0.02	1
591	A	28	TYR	HB3	3.254	0.02	1
592	A	28	TYR	HD1	7.294	0.02	1
593	A	28	TYR	HD2	7.081	0.02	1
594	A	28	TYR	HE1	6.513	0.02	1
595	A	28	TYR	HE2	6.358	0.02	1
596	A	29	SER	H	7.531	0.02	1
597	A	29	SER	HA	5.029	0.02	1
598	A	29	SER	HB2	3.675	0.02	1
599	A	29	SER	HB3	3.796	0.02	1
600	A	30	PRO	HA	4.120	0.02	1
601	A	30	PRO	HB2	1.991	0.02	1
602	A	30	PRO	HB3	2.452	0.02	1
603	A	30	PRO	HG2	2.126	0.02	1
604	A	30	PRO	HG3	2.056	0.02	1
605	A	30	PRO	HD2	3.951	0.02	1
606	A	30	PRO	HD3	3.951	0.02	1
607	A	31	LEU	H	7.252	0.02	1
608	A	31	LEU	HA	4.082	0.02	1
609	A	31	LEU	HB2	1.479	0.02	1
610	A	31	LEU	HB3	1.369	0.02	1
611	A	31	LEU	HG	1.454	0.02	1
612	A	31	LEU	HD11	0.759	0.02	1
613	A	31	LEU	HD12	0.759	0.02	1
614	A	31	LEU	HD13	0.759	0.02	1
615	A	31	LEU	HD21	0.814	0.02	1
616	A	31	LEU	HD22	0.814	0.02	1
617	A	31	LEU	HD23	0.814	0.02	1
618	A	32	LEU	H	7.273	0.02	1
619	A	32	LEU	HA	4.123	0.02	1
620	A	32	LEU	HB2	1.362	0.02	1
621	A	32	LEU	HB3	1.436	0.02	1
622	A	32	LEU	HG	1.434	0.02	1
623	A	32	LEU	HD11	0.601	0.02	1
624	A	32	LEU	HD12	0.601	0.02	1
625	A	32	LEU	HD13	0.601	0.02	1
626	A	32	LEU	HD21	0.672	0.02	1
627	A	32	LEU	HD22	0.672	0.02	1
628	A	32	LEU	HD23	0.672	0.02	1
629	A	33	GLN	H	8.124	0.02	1
630	A	33	GLN	HA	3.798	0.02	1

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
631	A	33	GLN	HB2	2.168	0.02	1
632	A	33	GLN	HB3	2.215	0.02	1
633	A	33	GLN	HG2	2.239	0.02	1
634	A	33	GLN	HG3	2.296	0.02	1
635	A	33	GLN	HE21	7.555	0.02	1
636	A	33	GLN	HE22	6.708	0.02	1
637	A	34	GLN	H	6.860	0.02	1
638	A	34	GLN	HA	4.747	0.02	1
639	A	34	GLN	HB2	2.232	0.02	1
640	A	34	GLN	HB3	1.797	0.02	1
641	A	34	GLN	HG2	2.143	0.02	1
642	A	34	GLN	HG3	2.203	0.02	1
643	A	34	GLN	HE21	7.398	0.02	1
644	A	34	GLN	HE22	6.911	0.02	1
645	A	35	CYS	H	9.366	0.02	1
646	A	35	CYS	HA	5.770	0.02	1
647	A	35	CYS	HB2	3.653	0.02	1
648	A	35	CYS	HB3	2.853	0.02	1
649	A	36	HIS	H	9.771	0.02	1
650	A	36	HIS	HA	5.326	0.02	1
651	A	36	HIS	HB2	3.295	0.02	1
652	A	36	HIS	HB3	3.022	0.02	1
653	A	36	HIS	HD2	7.029	0.02	1
654	A	36	HIS	HE1	8.403	0.02	1
655	A	37	PRO	HA	4.309	0.02	1
656	A	37	PRO	HB2	0.842	0.02	1
657	A	37	PRO	HB3	1.306	0.02	1
658	A	37	PRO	HG2	1.587	0.02	1
659	A	37	PRO	HG3	0.974	0.02	1
660	A	37	PRO	HD2	3.373	0.02	1
661	A	37	PRO	HD3	3.279	0.02	1
662	A	38	PHE	H	8.815	0.02	1
663	A	38	PHE	HA	4.645	0.02	1
664	A	38	PHE	HB2	2.896	0.02	1
665	A	38	PHE	HB3	2.796	0.02	1
666	A	38	PHE	HD1	6.680	0.02	1
667	A	38	PHE	HD2	6.680	0.02	1
668	A	38	PHE	HE1	6.995	0.02	1
669	A	38	PHE	HE2	6.995	0.02	1
670	A	38	PHE	HZ	6.748	0.02	1
671	A	39	VAL	H	8.273	0.02	1

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
672	A	39	VAL	HA	3.646	0.02	1
673	A	39	VAL	HB	1.613	0.02	1
674	A	39	VAL	HG11	0.360	0.02	1
675	A	39	VAL	HG12	0.360	0.02	1
676	A	39	VAL	HG13	0.360	0.02	1
677	A	39	VAL	HG21	0.507	0.02	1
678	A	39	VAL	HG22	0.507	0.02	1
679	A	39	VAL	HG23	0.507	0.02	1
680	A	40	TYR	H	8.495	0.02	1
681	A	40	TYR	HA	4.964	0.02	1
682	A	40	TYR	HB2	2.410	0.02	1
683	A	40	TYR	HB3	2.694	0.02	1
684	A	40	TYR	HD1	6.750	0.02	1
685	A	40	TYR	HD2	7.831	0.02	1
686	A	40	TYR	HE1	6.676	0.02	1
687	A	40	TYR	HE2	6.575	0.02	1
688	A	41	GLY	H	8.727	0.02	1
689	A	41	GLY	HA2	3.618	0.02	1
690	A	41	GLY	HA3	3.368	0.02	1
691	A	42	GLY	H	4.407	0.02	1
692	A	42	GLY	HA2	3.003	0.02	1
693	A	42	GLY	HA3	4.190	0.02	1
694	A	43	CYS	H	7.558	0.02	1
695	A	43	CYS	HA	4.923	0.02	1
696	A	43	CYS	HB2	2.784	0.02	1
697	A	43	CYS	HB3	3.861	0.02	1
698	A	44	GLU	H	9.188	0.02	1
699	A	44	GLU	HA	3.884	0.02	1
700	A	44	GLU	HB2	1.960	0.02	1
701	A	44	GLU	HB3	2.281	0.02	1
702	A	44	GLU	HG2	2.115	0.02	2
703	A	44	GLU	HG3	2.183	0.02	2
704	A	45	GLY	H	8.374	0.02	1
705	A	45	GLY	HA2	3.847	0.02	1
706	A	45	GLY	HA3	4.237	0.02	1
707	A	46	ASN	H	8.028	0.02	1
708	A	46	ASN	HA	4.846	0.02	1
709	A	46	ASN	HB2	3.052	0.02	1
710	A	46	ASN	HB3	2.764	0.02	1
711	A	46	ASN	HD21	8.332	0.02	2
712	A	46	ASN	HD22	8.162	0.02	2

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
713	A	47	GLY	H	8.156	0.02	1
714	A	47	GLY	HA2	3.868	0.02	1
715	A	47	GLY	HA3	3.442	0.02	1
716	A	48	ASN	H	8.058	0.02	1
717	A	48	ASN	HA	4.783	0.02	1
718	A	48	ASN	HB2	2.734	0.02	1
719	A	48	ASN	HB3	3.111	0.02	1
720	A	48	ASN	HD21	7.631	0.02	2
721	A	48	ASN	HD22	7.632	0.02	2
722	A	49	ASN	H	6.243	0.02	1
723	A	49	ASN	HA	4.546	0.02	1
724	A	49	ASN	HB2	2.299	0.02	1
725	A	49	ASN	HB3	2.547	0.02	1
726	A	49	ASN	HD21	7.345	0.02	1
727	A	49	ASN	HD22	3.004	0.02	1
728	A	50	PHE	H	9.632	0.02	1
729	A	50	PHE	HA	4.927	0.02	1
730	A	50	PHE	HB2	2.645	0.02	1
731	A	50	PHE	HB3	3.354	0.02	1
732	A	50	PHE	HD1	7.198	0.02	1
733	A	50	PHE	HD2	7.198	0.02	1
734	A	50	PHE	HE1	7.135	0.02	1
735	A	50	PHE	HE2	7.135	0.02	1
736	A	50	PHE	HZ	7.046	0.02	1
737	A	51	HIS	H	9.833	0.02	1
738	A	51	HIS	HA	4.434	0.02	1
739	A	51	HIS	HB2	3.324	0.02	1
740	A	51	HIS	HB3	3.450	0.02	1
741	A	51	HIS	HD2	7.380	0.02	1
742	A	52	SER	H	7.434	0.02	1
743	A	52	SER	HA	4.344	0.02	1
744	A	52	SER	HB2	3.955	0.02	1
745	A	52	SER	HB3	3.798	0.02	1
746	A	53	ARG	H	7.795	0.02	1
747	A	53	ARG	HA	2.479	0.02	1
748	A	53	ARG	HB2	-0.773	0.02	1
749	A	53	ARG	HB3	0.678	0.02	1
750	A	53	ARG	HG2	0.761	0.02	1
751	A	53	ARG	HG3	0.991	0.02	1
752	A	53	ARG	HD2	2.790	0.02	1
753	A	53	ARG	HD3	2.847	0.02	1

*Continued on next page...*

*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
754	A	53	ARG	HE	7.277	0.02	1
755	A	54	GLU	H	8.647	0.02	1
756	A	54	GLU	HA	3.654	0.02	1
757	A	54	GLU	HB2	1.818	0.02	1
758	A	54	GLU	HB3	1.671	0.02	1
759	A	54	GLU	HG2	2.053	0.02	1
760	A	54	GLU	HG3	2.249	0.02	1
761	A	55	SER	H	7.797	0.02	1
762	A	55	SER	HA	4.042	0.02	1
763	A	55	SER	HB2	3.891	0.02	1
764	A	55	SER	HB3	3.891	0.02	1
765	A	56	CYS	H	6.918	0.02	1
766	A	56	CYS	HA	2.124	0.02	1
767	A	56	CYS	HB2	2.780	0.02	1
768	A	56	CYS	HB3	3.185	0.02	1
769	A	57	GLU	H	8.275	0.02	1
770	A	57	GLU	HA	3.714	0.02	1
771	A	57	GLU	HB2	1.829	0.02	2
772	A	57	GLU	HB3	1.905	0.02	2
773	A	57	GLU	HG2	2.314	0.02	2
774	A	57	GLU	HG3	2.462	0.02	2
775	A	58	ASP	H	7.621	0.02	1
776	A	58	ASP	HA	4.313	0.02	1
777	A	58	ASP	HB2	2.569	0.02	1
778	A	58	ASP	HB3	2.569	0.02	1
779	A	59	ALA	H	6.944	0.02	1
780	A	59	ALA	HA	4.103	0.02	1
781	A	59	ALA	HB1	1.268	0.02	1
782	A	59	ALA	HB2	1.268	0.02	1
783	A	59	ALA	HB3	1.268	0.02	1
784	A	60	CYS	H	7.528	0.02	1
785	A	60	CYS	HA	4.848	0.02	1
786	A	60	CYS	HB2	2.006	0.02	1
787	A	60	CYS	HB3	1.496	0.02	1
788	A	61	PRO	HA	4.361	0.02	1
789	A	61	PRO	HB2	1.858	0.02	1
790	A	61	PRO	HB3	1.828	0.02	1
791	A	61	PRO	HG2	1.692	0.02	1
792	A	61	PRO	HG3	1.692	0.02	1
793	A	61	PRO	HD2	3.203	0.02	1
794	A	61	PRO	HD3	2.824	0.02	1

*Continued on next page...*



*Continued from previous page...*

Shift ID	Chain	Res	Type	Atom	Shift Data		
					Value	Uncertainty	Ambiguity
795	A	62	VAL	H	8.239	0.02	1
796	A	62	VAL	HA	4.067	0.02	1
797	A	62	VAL	HB	2.099	0.02	1
798	A	62	VAL	HG11	0.884	0.02	1
799	A	62	VAL	HG12	0.884	0.02	1
800	A	62	VAL	HG13	0.884	0.02	1
801	A	62	VAL	HG21	0.946	0.02	1
802	A	62	VAL	HG22	0.946	0.02	1
803	A	62	VAL	HG23	0.946	0.02	1
804	A	63	VAL	H	7.987	0.02	1
805	A	63	VAL	HA	3.970	0.02	1
806	A	63	VAL	HB	1.903	0.02	1
807	A	63	VAL	HG11	0.739	0.02	1
808	A	63	VAL	HG12	0.739	0.02	1
809	A	63	VAL	HG13	0.739	0.02	1
810	A	63	VAL	HG21	0.822	0.02	1
811	A	63	VAL	HG22	0.822	0.02	1
812	A	63	VAL	HG23	0.822	0.02	1
813	A	64	ASP	H	8.310	0.02	1
814	A	64	ASP	HA	4.477	0.02	1
815	A	64	ASP	HB2	2.579	0.02	2
816	A	64	ASP	HB3	2.617	0.02	2
817	A	70	HIS	H	8.465	0.02	1
818	A	70	HIS	HA	4.487	0.02	1
819	A	70	HIS	HB2	2.894	0.02	1
820	A	70	HIS	HB3	3.151	0.02	1

### 7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 48%, i.e. 300 atoms were assigned a chemical shift out of a possible 622. 0 out of 6 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	100/253 (40%)	100/100 (100%)	0/106 (0%)	0/47 (0%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Sidechain	167/295 (57%)	167/179 (93%)	0/101 (0%)	0/15 (0%)
Aromatic	33/74 (45%)	33/38 (87%)	0/30 (0%)	0/6 (0%)
Overall	300/622 (48%)	300/317 (95%)	0/237 (0%)	0/68 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 43%, i.e. 357 atoms were assigned a chemical shift out of a possible 834. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	123/338 (36%)	123/134 (92%)	0/140 (0%)	0/64 (0%)
Sidechain	196/365 (54%)	196/219 (89%)	0/131 (0%)	0/15 (0%)
Aromatic	38/131 (29%)	38/67 (57%)	0/46 (0%)	0/18 (0%)
Overall	357/834 (43%)	357/420 (85%)	0/317 (0%)	0/97 (0%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	53	ARG	HB2	-0.77	3.15 – 0.45	-9.5
1	A	49	ASN	HD22	3.01	9.59 – 4.69	-8.4
1	A	42	GLY	H	4.41	11.63 – 5.03	-5.9
1	A	25	ARG	HB2	0.40	3.15 – 0.45	-5.2

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

