



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 01:31 AM GMT

PDB ID : 2DFI
Title : Crystal structure of Pf-MAP(1-292)-C
Authors : Katagiri, Y.; Takano, K.; Chon, H.; Matsumura, H.; Koga, Y.; Kanaya, S.
Deposited on : 2006-03-01
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	<div> <div>4%</div> <div>69%</div> <div>29%</div> <div>.</div> </div>
1	B	301	<div> <div>4%</div> <div>67%</div> <div>30%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CO	B	501	-	-	-	X
2	CO	B	502	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5037 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methionine aminopeptidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	301	Total	C	N	O	S	0	0	0
			2355	1515	398	432	10			
1	B	301	Total	C	N	O	S	0	0	0
			2355	1515	398	432	10			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	293	THR	-	SEE REMARK 999	UNP P56218
A	294	GLN	-	SEE REMARK 999	UNP P56218
A	295	ASP	-	SEE REMARK 999	UNP P56218
A	296	MET	-	SEE REMARK 999	UNP P56218
A	297	ILE	-	SEE REMARK 999	UNP P56218
A	298	ASN	-	SEE REMARK 999	UNP P56218
A	299	LYS	-	SEE REMARK 999	UNP P56218
A	300	SER	-	SEE REMARK 999	UNP P56218
A	301	THR	-	SEE REMARK 999	UNP P56218
B	293	THR	-	SEE REMARK 999	UNP P56218
B	294	GLN	-	SEE REMARK 999	UNP P56218
B	295	ASP	-	SEE REMARK 999	UNP P56218
B	296	MET	-	SEE REMARK 999	UNP P56218
B	297	ILE	-	SEE REMARK 999	UNP P56218
B	298	ASN	-	SEE REMARK 999	UNP P56218
B	299	LYS	-	SEE REMARK 999	UNP P56218
B	300	SER	-	SEE REMARK 999	UNP P56218
B	301	THR	-	SEE REMARK 999	UNP P56218

- Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Co	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total 3	O 3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	151	Total 151	O 151	0	0
3	B	170	Total 170	O 170	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Methionine aminopeptidase



• Molecule 1: Methionine aminopeptidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.65Å 81.07Å 51.35Å 90.00° 105.62° 90.00°	Depositor
Resolution (Å)	46.19 – 2.10 49.45 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.19-2.10) 98.6 (49.45-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.31 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.203 , 0.252 0.203 , 0.252	Depositor DCC
R_{free} test set	1596 reflections (4.97%)	DCC
Wilson B-factor (Å ²)	21.5	Xtriage
Anisotropy	0.432	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 52.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 36788 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5037	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/2396	0.58	0/3234
1	B	0.34	0/2396	0.58	0/3234
All	All	0.33	0/4792	0.58	0/6468

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2355	0	2446	65	0
1	B	2355	0	2446	88	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	151	0	0	6	0
3	B	170	0	0	9	0
All	All	5037	0	4892	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:ILE:O	1:B:290:VAL:HG13	1.71	0.89
1:B:291:ILE:HG12	1:B:299:LYS:HG2	1.60	0.84
1:A:86:HIS:HD2	1:A:89:GLY:H	1.23	0.82
1:B:86:HIS:HD2	1:B:89:GLY:H	1.29	0.79
1:B:283:ILE:HD12	1:B:290:VAL:HG11	1.64	0.78
1:B:47:LYS:HD2	1:B:47:LYS:N	2.01	0.76
1:A:16:VAL:CG1	1:A:37:ILE:HG23	2.18	0.73
1:B:254:LYS:HD2	1:B:258:LYS:HE3	1.72	0.70
1:B:198:ILE:HG13	1:B:271:ILE:HG12	1.74	0.69
1:A:147:ILE:HD12	1:A:189:PHE:HB3	1.74	0.67
1:B:7:MET:SD	1:B:299:LYS:HB2	2.36	0.66
1:B:94:THR:HB	1:B:294:GLN:CD	2.17	0.64
1:B:23:LEU:O	1:B:28:MET:HG3	1.96	0.64
1:B:147:ILE:HD12	1:B:189:PHE:HB3	1.78	0.64
1:B:7:MET:HG3	1:B:300:SER:H	1.64	0.63
1:B:16:VAL:CG1	1:B:37:ILE:HG23	2.28	0.63
1:B:14:LYS:NZ	1:B:297:ILE:HG13	2.13	0.62
1:A:94:THR:HB	1:A:293:THR:HG21	1.80	0.62
1:B:60:ALA:HA	1:B:80:LYS:HE3	1.81	0.61
1:B:228:ARG:NE	3:B:512:HOH:O	2.33	0.61
1:A:254:LYS:HB2	1:A:254:LYS:NZ	2.15	0.61
1:B:4:GLU:HA	1:B:300:SER:O	2.01	0.60
1:B:194:ALA:HB2	1:B:272:ARG:HG3	1.83	0.60
1:B:291:ILE:HD12	1:B:291:ILE:N	2.16	0.60
1:B:7:MET:HE3	1:B:284:ILE:HD11	1.83	0.60
1:A:1:MET:HB2	1:A:4:GLU:HG2	1.83	0.60
1:A:55:SER:HB3	1:A:59:ILE:HG22	1.85	0.59
1:B:69:ASP:OD2	1:B:71:THR:HG22	2.02	0.59
1:B:104:GLU:HG3	1:B:108:MET:HB2	1.86	0.58
1:B:3:THR:HG21	1:B:299:LYS:HD2	1.86	0.58
1:A:59:ILE:O	1:A:80:LYS:HE2	2.05	0.57
1:B:31:LEU:O	1:B:35:GLU:HG2	2.05	0.56
1:B:69:ASP:CG	1:B:71:THR:HG22	2.26	0.56
1:A:1:MET:H2	1:A:4:GLU:HB2	1.71	0.56
1:B:31:LEU:C	1:B:31:LEU:HD13	2.27	0.56
1:A:80:LYS:HE3	1:A:276:VAL:HB	1.88	0.56
1:B:21:ILE:HD11	1:B:96:VAL:HG21	1.89	0.55
1:B:16:VAL:HG13	1:B:37:ILE:HG23	1.88	0.55
1:A:30:LEU:HB3	1:A:65:PRO:HG3	1.89	0.55
1:B:2:ASP:HB3	3:B:639:HOH:O	2.08	0.54
1:B:23:LEU:O	1:B:25:ARG:HD3	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:ARG:CZ	3:B:512:HOH:O	2.56	0.53
1:B:282:THR:O	1:B:293:THR:HG22	2.08	0.53
1:B:164:ILE:HD13	1:B:176:TYR:CE2	2.44	0.53
1:A:3:THR:O	1:A:7:MET:HG2	2.08	0.53
1:B:286:GLU:H	1:B:290:VAL:HG22	1.74	0.52
1:B:154:LYS:HD3	1:B:164:ILE:HD12	1.91	0.52
1:B:286:GLU:O	1:B:288:ASP:N	2.42	0.52
1:A:164:ILE:HD13	1:A:176:TYR:CE2	2.44	0.52
1:B:227:LYS:HE3	3:B:586:HOH:O	2.09	0.51
1:B:123:ARG:HE	1:B:288:ASP:HA	1.75	0.51
1:B:61:ALA:HB1	3:B:542:HOH:O	2.10	0.51
1:A:246:GLU:HG2	1:A:250:LYS:HE2	1.91	0.51
1:B:299:LYS:HE3	3:B:623:HOH:O	2.09	0.51
1:A:151:SER:HB2	1:A:166:ILE:O	2.11	0.51
1:B:26:PRO:HG3	1:B:100:VAL:HG12	1.93	0.51
1:B:187:GLU:HG2	1:B:280:GLU:CD	2.32	0.50
1:A:86:HIS:CD2	1:A:89:GLY:H	2.15	0.50
1:A:187:GLU:HG2	1:A:189:PHE:CE2	2.47	0.50
1:B:30:LEU:HB2	1:B:71:THR:HG23	1.94	0.50
1:B:104:GLU:HG3	1:B:108:MET:CB	2.41	0.50
1:B:198:ILE:HG13	1:B:271:ILE:CG1	2.42	0.50
1:B:11:GLU:HG3	1:B:297:ILE:HD11	1.95	0.49
1:A:179:LYS:HE3	3:A:538:HOH:O	2.12	0.49
1:B:285:VAL:HA	1:B:290:VAL:HG22	1.94	0.49
1:A:254:LYS:HB2	1:A:254:LYS:HZ2	1.76	0.49
1:A:1:MET:N	1:A:4:GLU:HB2	2.28	0.48
1:B:151:SER:HB2	1:B:166:ILE:O	2.13	0.48
1:B:64:THR:O	1:B:204:LEU:HD13	2.12	0.48
1:B:50:PHE:HB2	1:B:51:PRO:HD2	1.94	0.48
1:A:10:GLY:HA3	1:A:292:VAL:HG12	1.95	0.48
1:A:198:ILE:HD12	1:A:271:ILE:HG13	1.95	0.48
1:B:95:ALA:HB3	1:B:280:GLU:HB3	1.96	0.48
1:A:121:VAL:HG23	1:A:131:LEU:CD2	2.44	0.48
1:B:40:MET:HA	1:B:43:GLU:HG2	1.96	0.48
1:B:30:LEU:HD12	1:B:71:THR:HG21	1.96	0.47
1:B:8:LYS:HB3	1:B:87:ILE:HD12	1.96	0.47
1:B:5:LYS:HD2	1:B:90:PHE:CE2	2.50	0.47
1:B:244:MET:HG3	1:B:249:LEU:HB2	1.97	0.47
1:B:99:ARG:HD2	3:B:619:HOH:O	2.13	0.47
3:A:546:HOH:O	1:B:210:ARG:HD2	2.14	0.47
1:A:245:PRO:HB2	3:A:572:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:154:LYS:HB2	1:A:184:PHE:CE1	2.49	0.47
1:A:168:ASN:ND2	1:A:188:PRO:HA	2.30	0.47
1:A:188:PRO:HD2	1:A:279:PHE:O	2.15	0.47
1:B:179:LYS:O	1:B:182:ASP:HB2	2.14	0.47
1:A:223:LEU:HG	1:A:227:LYS:HD2	1.97	0.47
1:B:228:ARG:HH11	1:B:228:ARG:HG2	1.80	0.46
1:B:121:VAL:HG23	1:B:131:LEU:CD2	2.45	0.46
1:A:278:GLN:HG2	1:A:279:PHE:N	2.29	0.46
1:A:135:ILE:HG21	1:A:168:ASN:HD22	1.79	0.46
1:A:110:ALA:CB	1:A:142:ARG:HD2	2.46	0.46
1:B:283:ILE:HB	1:B:290:VAL:CG1	2.45	0.46
1:A:1:MET:HB2	1:A:4:GLU:CG	2.46	0.46
1:A:16:VAL:HG11	1:A:37:ILE:HG23	1.98	0.46
1:A:55:SER:O	1:A:80:LYS:HG2	2.16	0.45
1:A:233:LEU:HD12	1:A:233:LEU:N	2.31	0.45
1:B:294:GLN:HE21	1:B:294:GLN:HB2	1.61	0.44
1:B:228:ARG:NH1	1:B:228:ARG:HG2	2.32	0.44
1:A:208:TYR:OH	1:A:227:LYS:HE2	2.17	0.44
1:B:254:LYS:CD	1:B:258:LYS:HE3	2.45	0.44
1:B:90:PHE:CE2	1:B:157:ARG:NH1	2.86	0.44
1:A:17:ARG:HD2	1:A:96:VAL:HG13	2.00	0.44
1:B:53:ASN:HB2	1:B:82:ASP:HB3	2.00	0.44
1:B:121:VAL:HG23	1:B:131:LEU:HD22	1.99	0.43
1:A:208:TYR:CZ	1:A:227:LYS:HE2	2.53	0.43
1:A:86:HIS:HA	1:A:90:PHE:O	2.18	0.43
1:A:215:ARG:HG3	1:A:215:ARG:HH11	1.84	0.43
1:B:14:LYS:HD3	1:B:294:GLN:C	2.39	0.43
1:B:282:THR:HB	1:B:293:THR:CG2	2.49	0.43
1:B:51:PRO:HB3	1:B:236:ALA:HB2	2.00	0.43
1:A:142:ARG:HD3	3:A:570:HOH:O	2.19	0.43
1:A:145:LYS:HD2	1:A:193:GLY:O	2.18	0.43
1:B:291:ILE:N	1:B:291:ILE:CD1	2.82	0.43
1:A:66:TYR:HA	1:A:238:ARG:HB2	2.00	0.43
1:A:158:TYR:HA	1:A:233:LEU:HD11	2.01	0.42
1:B:35:GLU:HG3	3:B:609:HOH:O	2.19	0.42
1:A:11:GLU:O	1:A:15:LYS:HG3	2.19	0.42
1:B:3:THR:HG22	1:B:300:SER:OG	2.19	0.42
1:B:154:LYS:HB2	1:B:184:PHE:CE1	2.54	0.42
1:A:8:LYS:HA	1:A:8:LYS:HE3	2.01	0.42
1:A:37:ILE:CG2	1:A:52:VAL:HG21	2.49	0.42
1:B:278:GLN:HG2	1:B:279:PHE:N	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:ARG:O	1:B:28:MET:HB2	2.19	0.42
1:A:136:GLU:HB2	1:A:169:ILE:HA	2.01	0.42
1:A:51:PRO:CB	1:A:236:ALA:HB2	2.49	0.42
1:A:28:MET:O	1:A:73:LEU:HD13	2.20	0.42
1:A:286:GLU:C	1:A:288:ASP:N	2.73	0.42
1:A:274:GLY:HA2	3:A:592:HOH:O	2.19	0.42
1:B:52:VAL:HG13	1:B:83:VAL:HG12	2.01	0.42
1:A:133:LYS:HE3	3:A:642:HOH:O	2.20	0.41
1:A:42:MET:HA	1:A:46:GLY:O	2.20	0.41
1:B:187:GLU:CG	1:B:280:GLU:OE2	2.68	0.41
1:A:53:ASN:HD22	1:A:53:ASN:N	2.19	0.41
1:B:50:PHE:CE1	1:B:84:GLY:HA3	2.56	0.41
1:B:1:MET:O	1:B:5:LYS:HG3	2.19	0.41
1:A:113:GLU:HG3	1:A:142:ARG:NH2	2.36	0.41
1:A:297:ILE:HG23	1:A:298:ASN:N	2.35	0.41
1:A:284:ILE:HG23	1:A:284:ILE:O	2.20	0.41
1:B:286:GLU:HG3	1:B:291:ILE:HD13	2.02	0.41
1:B:16:VAL:HG21	1:B:41:ILE:HG12	2.03	0.41
1:A:207:MET:O	1:A:209:VAL:HG23	2.20	0.41
1:A:90:PHE:CE2	1:A:157:ARG:NH1	2.88	0.41
1:A:52:VAL:HG13	1:A:83:VAL:HG12	2.03	0.41
1:B:94:THR:HB	1:B:294:GLN:NE2	2.35	0.41
1:A:39:LYS:O	1:A:43:GLU:HG2	2.20	0.41
1:B:138:GLU:O	1:B:142:ARG:HD2	2.21	0.41
1:B:154:LYS:HB3	1:B:162:ALA:HB3	2.03	0.40
1:A:121:VAL:HG23	1:A:131:LEU:HD22	2.02	0.40
1:A:222:LEU:HD11	1:A:240:LEU:HD13	2.03	0.40
1:A:156:GLU:HG3	1:A:162:ALA:HB2	2.04	0.40
1:B:109:GLU:HG3	3:B:563:HOH:O	2.21	0.40
1:B:106:GLU:HG2	1:B:106:GLU:H	1.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	299/301 (99%)	283 (95%)	11 (4%)	5 (2%)	11	5
1	B	299/301 (99%)	284 (95%)	10 (3%)	5 (2%)	11	5
All	All	598/602 (99%)	567 (95%)	21 (4%)	10 (2%)	11	5

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	289	SER
1	B	287	LYS
1	A	300	SER
1	A	298	ASN
1	B	2	ASP
1	B	297	ILE
1	B	299	LYS
1	A	2	ASP
1	B	288	ASP
1	A	100	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	248/249 (100%)	242 (98%)	6 (2%)	57	61
1	B	248/249 (100%)	239 (96%)	9 (4%)	42	43
All	All	496/498 (100%)	481 (97%)	15 (3%)	48	51

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	80	LYS
1	A	180	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	215	ARG
1	A	254	LYS
1	A	298	ASN
1	B	25	ARG
1	B	28	MET
1	B	47	LYS
1	B	53	ASN
1	B	73	LEU
1	B	106	GLU
1	B	179	LYS
1	B	215	ARG
1	B	263	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	86	HIS
1	A	168	ASN
1	A	175	ASN
1	A	218	GLN
1	A	281	HIS
1	B	86	HIS
1	B	168	ASN
1	B	218	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	301/301 (100%)	-0.03	12 (3%)	42	51	13, 24, 41, 64	0
1	B	301/301 (100%)	0.01	12 (3%)	42	51	12, 21, 39, 63	0
All	All	602/602 (100%)	-0.01	24 (3%)	42	51	12, 23, 41, 64	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	297	ILE	13.8
1	B	301	THR	12.2
1	B	300	SER	10.1
1	A	301	THR	8.2
1	B	298	ASN	7.9
1	A	300	SER	7.8
1	B	296	MET	6.7
1	A	1	MET	5.7
1	B	1	MET	5.4
1	A	299	LYS	4.7
1	B	299	LYS	4.4
1	B	288	ASP	4.3
1	A	297	ILE	3.6
1	B	294	GLN	3.6
1	A	298	ASN	3.5
1	A	243	ASP	3.4
1	B	289	SER	3.4
1	A	296	MET	3.3
1	A	288	ASP	2.9
1	B	295	ASP	2.8
1	A	263	TYR	2.6
1	A	216	VAL	2.4
1	B	215	ARG	2.2
1	A	2	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CO	B	501	1/1	0.99	0.14	5.72	19,19,19,19	0
2	CO	B	502	1/1	1.00	0.11	2.41	17,17,17,17	0
2	CO	A	505	1/1	0.99	0.10	0.37	16,16,16,16	0
2	CO	A	504	1/1	0.99	0.08	-0.67	18,18,18,18	0
2	CO	B	503	1/1	0.99	0.13	-	28,28,28,28	0
2	CO	A	506	1/1	0.97	0.13	-	28,28,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.