



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:07 PM GMT

PDB ID : 1E5F
Title : METHIONINE GAMMA-LYASE (MGL) FROM TRICHOMONAS VAGINALIS
Authors : Goodall, G.; Mottram, J.C.; Coombs, G.H.; Lapthorn, A.J.
Deposited on : 2000-07-25
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5965 (2.20-2.16)
Ramachandran outliers	100387	5863 (2.20-2.16)
Sidechain outliers	100360	5864 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	404	
1	B	404	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	407	-	-	X	-
3	SO4	B	411	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6649 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called METHIONINE GAMMA-LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	0	5	0
			2969	1882	501	562	24			
1	B	393	Total	C	N	O	S	0	4	0
			2969	1877	505	563	24			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	SER	CLONING ARTIFACT	UNP O15564
A	308	TYR	SER	CLONING ARTIFACT	UNP O15564
B	2	ALA	SER	CLONING ARTIFACT	UNP O15564
B	308	TYR	SER	CLONING ARTIFACT	UNP O15564

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	329	Total	O	0	0
			329	329		
5	B	316	Total	O	0	0
			316	316		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: METHIONINE GAMMA-LYASE



• Molecule 1: METHIONINE GAMMA-LYASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 31 1 2	Depositor
Cell constants a, b, c, α , β , γ	88.26 Å 88.26 Å 217.85 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.00 – 2.18	Depositor
% Data completeness (in resolution range)	98.6 (25.00-2.18)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.162 , 0.212	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6649	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.29	10/3050 (0.3%)	2.20	100/4133 (2.4%)
1	B	1.31	10/3046 (0.3%)	2.22	104/4131 (2.5%)
All	All	1.30	20/6096 (0.3%)	2.21	204/8264 (2.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	24
1	B	0	13
All	All	0	37

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	280	SER	CB-OG	7.79	1.52	1.42
1	A	343	GLU	CB-CG	-6.88	1.39	1.52
1	B	12[A]	CYS	CB-SG	-6.80	1.70	1.82
1	B	12[B]	CYS	CB-SG	-6.80	1.70	1.82
1	B	338	SER	CB-OG	6.64	1.50	1.42
1	B	280	SER	CA-CB	6.22	1.62	1.52
1	A	343	GLU	CD-OE2	6.22	1.32	1.25
1	A	268	SER	CB-OG	5.89	1.50	1.42
1	A	200	VAL	N-CA	5.72	1.57	1.46
1	B	119	GLU	CD-OE1	-5.72	1.19	1.25
1	A	30	TYR	CG-CD1	5.42	1.46	1.39
1	B	379	GLU	CG-CD	5.41	1.60	1.51
1	B	258	SER	CA-CB	5.33	1.60	1.52
1	B	248	HIS	CG-ND1	5.33	1.50	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	267	GLU	CD-OE2	5.26	1.31	1.25
1	A	339	LEU	CA-CB	5.26	1.65	1.53
1	A	285	GLU	CG-CD	5.19	1.59	1.51
1	A	222	ILE	N-CA	-5.17	1.36	1.46
1	A	144	MET	CB-CG	5.17	1.67	1.51
1	B	195	PRO	N-CD	5.15	1.55	1.47

All (204) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	46	ARG	CD-NE-CZ	40.20	179.87	123.60
1	A	46	ARG	NE-CZ-NH2	-20.89	109.86	120.30
1	A	46	ARG	NE-CZ-NH1	20.67	130.64	120.30
1	B	306[A]	ARG	NE-CZ-NH1	20.02	130.31	120.30
1	B	306[B]	ARG	NE-CZ-NH1	20.02	130.31	120.30
1	B	306[A]	ARG	NE-CZ-NH2	-19.23	110.68	120.30
1	B	306[B]	ARG	NE-CZ-NH2	-19.23	110.68	120.30
1	B	172	ASP	CB-CG-OD2	-18.41	101.73	118.30
1	B	5	ARG	NE-CZ-NH2	17.75	129.17	120.30
1	A	306	ARG	NE-CZ-NH2	-17.69	111.46	120.30
1	B	168	ARG	NE-CZ-NH2	-15.86	112.37	120.30
1	B	73	PHE	CB-CG-CD1	15.22	131.46	120.80
1	B	73	PHE	CB-CG-CD2	-14.95	110.33	120.80
1	A	263	ARG	NE-CZ-NH2	-14.22	113.19	120.30
1	B	299	ASP	CB-CG-OD2	13.58	130.52	118.30
1	A	343	GLU	OE1-CD-OE2	13.13	139.05	123.30
1	B	172	ASP	CB-CG-OD1	12.43	129.49	118.30
1	B	263	ARG	NE-CZ-NH1	12.30	126.45	120.30
1	B	119	GLU	OE1-CD-OE2	-11.86	109.07	123.30
1	A	263	ARG	NE-CZ-NH1	11.80	126.20	120.30
1	B	269	GLU	OE1-CD-OE2	-10.90	110.21	123.30
1	B	152	TYR	CB-CG-CD1	10.84	127.50	121.00
1	B	362	ARG	NE-CZ-NH2	-10.69	114.95	120.30
1	A	172	ASP	CB-CG-OD1	10.62	127.86	118.30
1	B	255	ARG	NE-CZ-NH2	10.36	125.48	120.30
1	A	78	GLU	OE1-CD-OE2	-10.04	111.26	123.30
1	A	373	ARG	NE-CZ-NH2	-9.86	115.37	120.30
1	A	118	PHE	O-C-N	-9.70	107.18	122.70
1	A	393	ASP	CB-CG-OD1	-9.42	109.83	118.30
1	A	130	ASP	CB-CG-OD2	9.26	126.63	118.30
1	B	130	ASP	CB-CG-OD2	9.09	126.48	118.30
1	A	30	TYR	CG-CD1-CE1	-9.05	114.06	121.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	75	GLU	OE1-CD-OE2	-9.04	112.45	123.30
1	B	123	THR	CA-CB-OG1	-8.99	90.12	109.00
1	A	233	ARG	CD-NE-CZ	-8.81	111.26	123.60
1	A	5	ARG	NE-CZ-NH2	8.79	124.70	120.30
1	A	393	ASP	CB-CG-OD2	8.65	126.08	118.30
1	A	277	TYR	CZ-CE2-CD2	-8.46	112.19	119.80
1	B	227	ASP	CB-CG-OD1	8.45	125.90	118.30
1	A	306	ARG	NH1-CZ-NH2	8.34	128.57	119.40
1	B	46	ARG	NE-CZ-NH2	8.22	124.41	120.30
1	A	289	TYR	CB-CG-CD2	8.11	125.86	121.00
1	A	30	TYR	CB-CG-CD2	-8.04	116.17	121.00
1	B	263	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	B	299	ASP	CB-CG-OD1	-7.91	111.18	118.30
1	A	58	ARG	NE-CZ-NH1	7.83	124.21	120.30
1	A	373	ARG	NE-CZ-NH1	7.78	124.19	120.30
1	A	328	ASP	CB-CG-OD1	7.78	125.30	118.30
1	A	308	TYR	CB-CG-CD1	7.75	125.65	121.00
1	B	5	ARG	NE-CZ-NH1	-7.69	116.45	120.30
1	A	172	ASP	CB-CG-OD2	-7.69	111.38	118.30
1	B	373	ARG	NE-CZ-NH1	-7.50	116.55	120.30
1	A	210	TYR	CG-CD2-CE2	7.49	127.29	121.30
1	A	295	HIS	CA-CB-CG	-7.46	100.91	113.60
1	B	387	ASP	CB-CG-OD2	-7.42	111.63	118.30
1	B	255	ARG	CD-NE-CZ	-7.36	113.30	123.60
1	B	58	ARG	CD-NE-CZ	-7.32	113.36	123.60
1	B	340	GLY	CA-C-N	7.24	130.67	116.20
1	A	227	ASP	CB-CG-OD1	7.21	124.79	118.30
1	B	201	ASP	CB-CG-OD1	-7.21	111.81	118.30
1	B	239	ASP	CB-CG-OD2	7.18	124.76	118.30
1	B	152	TYR	CB-CG-CD2	-7.15	116.71	121.00
1	A	308	TYR	CB-CG-CD2	-7.14	116.71	121.00
1	A	343	GLU	CG-CD-OE2	-7.11	104.08	118.30
1	A	350	ALA	O-C-N	7.11	134.07	122.70
1	A	382	ASP	CB-CG-OD2	7.00	124.61	118.30
1	B	292	PHE	CB-CG-CD1	-6.97	115.92	120.80
1	B	76	LYS	CD-CE-NZ	6.95	127.69	111.70
1	A	78	GLU	CG-CD-OE1	6.95	132.19	118.30
1	B	159	PRO	N-CA-CB	-6.95	94.96	102.60
1	B	54	TYR	CG-CD2-CE2	-6.87	115.81	121.30
1	A	72	ALA	CB-CA-C	-6.86	99.81	110.10
1	B	233	ARG	CD-NE-CZ	-6.86	114.00	123.60
1	B	340	GLY	CA-C-O	-6.85	108.27	120.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	MET	CA-CB-CG	-6.84	101.67	113.30
1	B	285	GLU	CG-CD-OE1	6.84	131.97	118.30
1	A	46	ARG	CA-CB-CG	6.76	128.26	113.40
1	A	251	TRP	CE3-CZ3-CH2	-6.75	113.77	121.20
1	B	168	ARG	CD-NE-CZ	6.65	132.91	123.60
1	B	119	GLU	CG-CD-OE1	6.63	131.56	118.30
1	B	184	ASP	CB-CG-OD2	6.60	124.24	118.30
1	A	197	ASP	CB-CG-OD2	-6.58	112.38	118.30
1	B	314	PHE	CZ-CE2-CD2	-6.57	112.21	120.10
1	A	329	ASN	O-C-N	-6.55	112.22	122.70
1	A	31	GLN	O-C-N	-6.50	112.29	122.70
1	A	5	ARG	NE-CZ-NH1	-6.41	117.10	120.30
1	B	58	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	A	380	ASP	CB-CG-OD1	-6.39	112.55	118.30
1	A	293	GLU	C-N-CA	6.37	137.62	121.70
1	A	100	ALA	C-N-CA	-6.35	108.96	122.30
1	B	277	TYR	CB-CG-CD2	-6.29	117.22	121.00
1	B	78	GLU	OE1-CD-OE2	-6.28	115.76	123.30
1	A	294	ASP	CB-CA-C	-6.27	97.86	110.40
1	B	58	ARG	NE-CZ-NH2	6.22	123.41	120.30
1	B	265	LYS	CD-CE-NZ	6.21	125.99	111.70
1	B	368	THR	CA-CB-OG1	6.21	122.05	109.00
1	A	265	LYS	CD-CE-NZ	6.19	125.94	111.70
1	A	130	ASP	OD1-CG-OD2	-6.19	111.54	123.30
1	B	136	ILE	CB-CA-C	-6.17	99.25	111.60
1	A	352	MET	CA-C-N	6.16	130.74	117.20
1	B	333	ILE	CA-CB-CG1	-6.15	99.32	111.00
1	B	187	PHE	CB-CG-CD2	-6.13	116.51	120.80
1	A	100	ALA	CB-CA-C	-6.12	100.91	110.10
1	B	383	GLU	OE1-CD-OE2	6.12	130.64	123.30
1	A	173	ALA	CB-CA-C	-6.11	100.94	110.10
1	A	125	PHE	CB-CG-CD1	6.10	125.07	120.80
1	A	205	HIS	CB-CA-C	-6.08	98.23	110.40
1	A	206	SER	N-CA-CB	6.08	119.61	110.50
1	B	343	GLU	CG-CD-OE2	-6.06	106.19	118.30
1	A	382	ASP	OD1-CG-OD2	-6.04	111.81	123.30
1	A	250	ALA	N-CA-CB	6.03	118.55	110.10
1	B	251	TRP	CA-C-O	-6.03	107.45	120.10
1	B	154	GLU	CB-CA-C	-6.02	98.36	110.40
1	B	276	GLU	OE1-CD-OE2	-6.01	116.09	123.30
1	B	381	ALA	N-CA-CB	-6.00	101.69	110.10
1	A	118	PHE	CB-CG-CD1	-6.00	116.60	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	119	GLU	OE1-CD-OE2	-5.94	116.17	123.30
1	A	329	ASN	CA-C-O	5.94	132.57	120.10
1	A	210	TYR	CZ-CE2-CD2	-5.93	114.46	119.80
1	A	327	LEU	N-CA-CB	5.93	122.27	110.40
1	B	20	ASP	CB-CG-OD1	-5.92	112.97	118.30
1	B	284	VAL	CA-CB-CG2	-5.92	102.03	110.90
1	B	147	ASN	CB-CG-ND2	5.90	130.87	116.70
1	B	144	MET	N-CA-CB	-5.89	99.99	110.60
1	B	293	GLU	N-CA-CB	5.89	121.20	110.60
1	A	32	THR	CA-CB-CG2	5.87	120.61	112.40
1	A	191	MET	CA-CB-CG	5.85	123.25	113.30
1	B	54	TYR	CG-CD1-CE1	5.81	125.95	121.30
1	A	299	ASP	CB-CG-OD1	-5.81	113.07	118.30
1	B	76	LYS	CA-CB-CG	5.78	126.11	113.40
1	A	255	ARG	NE-CZ-NH1	5.75	123.17	120.30
1	B	58	ARG	NH1-CZ-NH2	-5.74	113.08	119.40
1	A	48	ALA	CA-C-N	5.72	127.64	116.20
1	A	300	ILE	CB-CG1-CD1	-5.70	97.95	113.90
1	B	343	GLU	OE1-CD-OE2	5.68	130.11	123.30
1	B	141	LYS	CA-CB-CG	5.68	125.89	113.40
1	A	295	HIS	N-CA-CB	-5.63	100.46	110.60
1	A	85	SER	N-CA-CB	5.62	118.93	110.50
1	A	191	MET	CG-SD-CE	-5.62	91.21	100.20
1	A	233	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	A	395	LEU	CB-CA-C	-5.59	99.57	110.20
1	A	292	PHE	C-N-CA	5.58	135.66	121.70
1	A	300	ILE	CA-CB-CG2	5.57	122.05	110.90
1	A	226	ALA	CB-CA-C	5.57	118.45	110.10
1	A	166	MET	CA-CB-CG	-5.56	103.84	113.30
1	A	118	PHE	CZ-CE2-CD2	-5.55	113.44	120.10
1	A	295	HIS	ND1-CE1-NE2	5.54	122.10	109.90
1	B	160	THR	N-CA-CB	-5.54	99.77	110.30
1	B	207	ALA	CB-CA-C	-5.54	101.79	110.10
1	A	369	ASP	CB-CG-OD2	5.53	123.27	118.30
1	A	20	ASP	CB-CG-OD2	-5.49	113.36	118.30
1	B	388	PHE	CB-CG-CD1	5.49	124.64	120.80
1	B	226	ALA	N-CA-CB	-5.47	102.44	110.10
1	B	337	VAL	CG1-CB-CG2	-5.46	102.16	110.90
1	A	118	PHE	CA-CB-CG	5.45	126.98	113.90
1	B	343	GLU	CA-CB-CG	5.45	125.38	113.40
1	A	108	GLU	OE1-CD-OE2	-5.44	116.77	123.30
1	B	130	ASP	OD1-CG-OD2	-5.44	112.97	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	130	ASP	CB-CA-C	-5.43	99.53	110.40
1	A	154	GLU	OE1-CD-OE2	-5.43	116.78	123.30
1	A	121	ALA	CA-C-O	5.43	131.50	120.10
1	B	147	ASN	OD1-CG-ND2	-5.39	109.50	121.90
1	B	336	ALA	CA-C-O	-5.37	108.82	120.10
1	B	374	LEU	CB-CG-CD1	-5.36	101.89	111.00
1	B	135	ALA	CB-CA-C	-5.33	102.10	110.10
1	A	356	VAL	CG1-CB-CG2	-5.32	102.39	110.90
1	B	257	LEU	CB-CG-CD1	5.31	120.02	111.00
1	B	294	ASP	CB-CG-OD1	5.31	123.08	118.30
1	B	263	ARG	CD-NE-CZ	-5.30	116.18	123.60
1	B	380	ASP	CB-CG-OD1	-5.29	113.54	118.30
1	B	292	PHE	CG-CD2-CE2	-5.27	115.00	120.80
1	B	350	ALA	C-N-CA	-5.26	108.55	121.70
1	B	325	LYS	O-C-N	5.24	131.09	122.70
1	B	152	TYR	CZ-CE2-CD2	-5.24	115.08	119.80
1	A	197	ASP	C-N-CA	5.23	134.78	121.70
1	B	352	MET	CG-SD-CE	5.23	108.57	100.20
1	B	210	TYR	N-CA-CB	-5.22	101.20	110.60
1	A	166	MET	O-C-N	5.22	131.05	122.70
1	B	121	ALA	O-C-N	-5.22	114.36	122.70
1	B	255	ARG	NE-CZ-NH1	-5.22	117.69	120.30
1	B	320	PHE	N-CA-CB	-5.20	101.23	110.60
1	A	201	ASP	CB-CG-OD2	5.20	122.98	118.30
1	B	139	GLU	N-CA-CB	5.20	119.95	110.60
1	A	373	ARG	CD-NE-CZ	-5.18	116.35	123.60
1	B	363	GLU	CA-CB-CG	-5.17	102.03	113.40
1	A	144	MET	CG-SD-CE	-5.16	91.94	100.20
1	B	334	THR	CA-C-O	-5.16	109.26	120.10
1	A	212	ASN	CB-CG-OD1	-5.16	111.29	121.60
1	B	168	ARG	NH1-CZ-NH2	5.16	125.07	119.40
1	B	201	ASP	CB-CG-OD2	5.16	122.94	118.30
1	A	145	LYS	N-CA-CB	5.15	119.87	110.60
1	A	204	VAL	CA-CB-CG1	5.13	118.60	110.90
1	B	307	MET	CA-CB-CG	-5.12	104.60	113.30
1	B	363	GLU	OE1-CD-OE2	5.11	129.44	123.30
1	A	317	LYS	O-C-N	-5.10	114.55	122.70
1	A	350	ALA	CA-C-O	-5.08	109.43	120.10
1	B	289	TYR	CB-CG-CD1	5.08	124.05	121.00
1	A	210	TYR	CB-CG-CD1	5.07	124.04	121.00
1	B	234	MET	CG-SD-CE	-5.06	92.10	100.20
1	A	201	ASP	CB-CG-OD1	-5.05	113.75	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	292	PHE	O-C-N	-5.04	114.63	122.70
1	B	31	GLN	OE1-CD-NE2	-5.03	110.34	121.90
1	A	325	LYS	N-CA-CB	5.01	119.62	110.60
1	B	78	GLU	CG-CD-OE1	5.00	128.30	118.30

There are no chirality outliers.

All (37) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	118	PHE	Mainchain
1	A	146	PRO	Mainchain
1	A	197	ASP	Mainchain
1	A	207	ALA	Mainchain
1	A	236	GLY	Mainchain
1	A	241	THR	Mainchain
1	A	289	TYR	Mainchain
1	A	295	HIS	Mainchain
1	A	31	GLN	Mainchain
1	A	317	LYS	Mainchain
1	A	325	LYS	Mainchain
1	A	327	LEU	Mainchain
1	A	346	ILE	Mainchain
1	A	368	THR	Mainchain
1	A	376	VAL	Mainchain
1	A	380	ASP	Mainchain
1	A	387	ASP	Mainchain
1	A	391	GLY	Mainchain
1	A	47	PHE	Mainchain
1	A	50	GLN	Mainchain
1	A	53	GLY	Mainchain
1	A	9	ALA	Mainchain
1	A	97	ILE	Mainchain
1	A	99	LYS	Mainchain
1	B	111	TYR	Mainchain
1	B	160	THR	Mainchain
1	B	168	ARG	Mainchain
1	B	195	PRO	Mainchain
1	B	214	HIS	Mainchain
1	B	308	TYR	Sidechain
1	B	317	LYS	Mainchain
1	B	32	THR	Mainchain
1	B	335	LEU	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	34	THR	Mainchain
1	B	370	GLY	Mainchain
1	B	375	SER	Mainchain
1	B	65	SER	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2969	0	2961	45	0
1	B	2969	0	2942	49	0
2	A	15	0	6	5	0
2	B	15	0	7	5	0
3	A	15	0	0	2	0
3	B	15	0	0	3	0
4	A	6	0	8	3	0
5	A	329	0	0	5	0
5	B	316	0	0	9	0
All	All	6649	0	5924	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:LYS:NZ	2:A:405:PLP:C4A	2.45	0.79
1:A:209:LYS:HZ1	2:A:405:PLP:C4A	1.97	0.77
1:A:281:HIS:HD2	1:A:283:ALA:H	1.32	0.73
1:B:146:PRO:HA	5:B:2184:HOH:O	1.89	0.73
1:B:103:HIS:HB3	1:B:148:THR:HA	1.74	0.70
1:B:209:LYS:HD2	1:B:339:LEU:HG	1.74	0.67
1:B:362:ARG:HB3	1:B:367:ILE:HB	1.75	0.67
1:B:128:GLN:NE2	1:B:145:LYS:NZ	2.44	0.66
1:A:109[B]:CYS:SG	1:A:162:LYS:HE2	2.37	0.64
1:B:145:LYS:HB3	1:B:146:PRO:HD2	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109[B]:CYS:SG	5:A:2128:HOH:O	2.56	0.62
1:B:109[B]:CYS:SG	1:B:162:LYS:HE2	2.42	0.59
1:B:123:THR:HG22	5:B:2064:HOH:O	2.01	0.59
1:A:359[B]:LYS:HB3	5:A:2307:HOH:O	2.03	0.58
1:A:281:HIS:CD2	1:A:283:ALA:H	2.18	0.57
1:A:209:LYS:HZ2	2:A:405:PLP:C4A	2.18	0.57
1:B:140:VAL:O	1:B:144:MET:HG3	2.04	0.57
1:B:111:TYR:CZ	2:B:405:PLP:C4A	2.88	0.56
1:A:320:PHE:CE2	1:A:324:LYS:HE2	2.42	0.55
1:A:343:GLU:HG3	5:A:2297:HOH:O	2.08	0.53
1:A:359[A]:LYS:HB3	5:A:2307:HOH:O	2.08	0.53
1:A:163:ILE:HG13	1:A:295:HIS:HE1	1.73	0.53
1:B:209:LYS:HZ1	2:B:405:PLP:C4A	2.22	0.52
1:B:145:LYS:HB3	1:B:146:PRO:CD	2.39	0.52
1:A:128:GLN:HE21	1:A:145:LYS:NZ	2.08	0.52
1:B:29:ILE:HG12	1:B:251:TRP:CD1	2.44	0.52
1:A:163:ILE:CG1	1:A:295:HIS:HE1	2.23	0.52
1:B:128:GLN:NE2	1:B:147:ASN:OD1	2.43	0.52
1:A:334:THR:HB	1:A:345:LEU:HD23	1.92	0.52
1:B:209:LYS:NZ	2:B:405:PLP:C4A	2.72	0.52
1:A:209:LYS:HD2	1:A:339:LEU:HG	1.91	0.51
1:A:128:GLN:NE2	1:A:145:LYS:NZ	2.58	0.51
1:A:233:ARG:NH1	4:A:412:GOL:H32	2.25	0.51
1:A:128:GLN:HE21	1:A:145:LYS:HZ1	1.58	0.50
1:A:292:PHE:HB2	1:A:295:HIS:HB2	1.94	0.50
1:B:279:LYS:HE3	5:B:2244:HOH:O	2.11	0.50
1:B:249:ASP:O	1:B:253:ILE:HG13	2.12	0.49
1:A:155:THR:HA	1:A:156:PRO:C	2.32	0.49
1:B:193:THR:HG22	1:B:194:ASN:N	2.27	0.49
2:A:405:PLP:O3P	1:B:58:ARG:NE	2.41	0.49
2:A:405:PLP:C4A	3:A:407:SO4:O4	2.62	0.48
1:A:103:HIS:HB3	1:A:148:THR:HA	1.96	0.48
1:A:231:GLN:HG3	5:A:2117:HOH:O	2.15	0.47
1:A:154:GLU:HG2	1:A:184:ASP:HB3	1.97	0.47
1:A:109[B]:CYS:SG	1:A:162:LYS:CE	3.03	0.47
1:B:21:GLN:HG2	5:B:2034:HOH:O	2.15	0.47
1:A:327:LEU:HB2	1:B:40:CYS:SG	2.54	0.47
1:A:362:ARG:HB3	1:A:367:ILE:HB	1.97	0.47
1:A:353:THR:CG2	3:A:407:SO4:O2	2.63	0.46
1:B:279:LYS:NZ	3:B:411:SO4:O3	2.44	0.46
1:B:188:CYS:O	1:B:189:SER:CB	2.63	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145:LYS:HB2	1:B:147:ASN:ND2	2.31	0.46
1:B:334:THR:HB	1:B:345:LEU:HD23	1.98	0.45
1:A:182:ILE:HG12	1:A:202:VAL:HB	1.97	0.45
1:A:64:VAL:HG11	4:A:412:GOL:H2	1.97	0.45
1:A:145:LYS:HB3	1:A:146:PRO:CD	2.47	0.45
1:B:293:GLU:N	3:B:411:SO4:O2	2.50	0.45
1:A:292:PHE:O	1:A:295:HIS:HB3	2.16	0.45
1:A:337:VAL:O	1:A:338:SER:CB	2.65	0.45
1:A:300:ILE:O	1:A:304:GLN:HG3	2.16	0.45
1:A:267:GLU:HB3	1:A:310:SER:CB	2.46	0.45
1:B:286:LYS:HE2	5:B:2243:HOH:O	2.17	0.45
1:B:348[A]:HIS:CE1	1:B:351:SER:HB3	2.52	0.45
1:B:80:CYS:HA	1:B:222:ILE:O	2.17	0.44
1:A:233:ARG:HH12	4:A:412:GOL:H32	1.82	0.44
1:B:210:TYR:HH	1:B:310:SER:HG	1.62	0.44
1:B:145:LYS:HB2	1:B:147:ASN:HD22	1.83	0.44
1:A:210:TYR:CE1	1:A:340:GLY:HA2	2.53	0.43
1:B:76:LYS:NZ	5:B:2095:HOH:O	2.48	0.43
1:A:80:CYS:HA	1:A:222:ILE:O	2.17	0.43
1:A:392:LEU:O	1:A:395:LEU:HB2	2.17	0.43
1:B:302:LYS:NZ	5:B:2249:HOH:O	2.52	0.43
1:A:158:ASN:HA	1:A:159:PRO:HA	1.85	0.42
1:A:40:CYS:SG	1:B:327:LEU:HB2	2.59	0.42
1:A:153:PHE:CZ	1:A:166:MET:HG2	2.54	0.42
2:B:405:PLP:C4A	3:B:406:SO4:O1	2.68	0.42
1:B:158:ASN:HA	1:B:159:PRO:HA	1.79	0.42
1:B:358:PRO:O	1:B:359:LYS:C	2.57	0.42
1:B:41:GLN:HB2	1:B:41:GLN:HE21	1.46	0.42
1:A:144:MET:HE1	1:A:176:GLN:HB3	2.00	0.42
1:B:277:TYR:OH	1:B:389:LYS:HG3	2.20	0.42
1:B:210:TYR:CE1	1:B:340:GLY:HA2	2.56	0.41
1:B:306[A]:ARG:NH2	5:B:2095:HOH:O	2.53	0.41
1:B:77:THR:HG22	1:B:196:VAL:HG11	2.02	0.41
1:B:350:ALA:HB1	1:B:362:ARG:NH2	2.35	0.41
1:B:299:ASP:HB2	5:B:2247:HOH:O	2.20	0.41
1:B:147:ASN:HD22	1:B:147:ASN:H	1.69	0.41
1:B:255:ARG:HD3	1:B:255:ARG:HH11	1.39	0.41
1:B:136:ILE:HB	1:B:139:GLU:HG2	2.03	0.41
1:B:155:THR:HA	1:B:156:PRO:C	2.41	0.40
1:A:191:MET:HG2	1:A:260:LEU:HG	2.03	0.40
1:B:111:TYR:CE2	2:B:405:PLP:C4A	3.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:374:LEU:HD22	1:A:388:PHE:CZ	2.56	0.40
1:B:46:ARG:O	1:B:47:PHE:C	2.58	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	396/404 (98%)	382 (96%)	13 (3%)	1 (0%)	46	48
1	B	395/404 (98%)	386 (98%)	8 (2%)	1 (0%)	46	48
All	All	791/808 (98%)	768 (97%)	21 (3%)	2 (0%)	46	48

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	338	SER
1	B	338	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/334 (96%)	314 (98%)	6 (2%)	65	75
1	B	319/334 (96%)	311 (98%)	8 (2%)	55	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	639/668 (96%)	625 (98%)	14 (2%)	61	70

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	PRO
1	A	110	LEU
1	A	159	PRO
1	A	338	SER
1	A	359[A]	LYS
1	A	359[B]	LYS
1	B	123	THR
1	B	124	LYS
1	B	145	LYS
1	B	147	ASN
1	B	159	PRO
1	B	314	PHE
1	B	331	LYS
1	B	339	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	41	GLN
1	A	128	GLN
1	A	281	HIS
1	A	295	HIS
1	B	41	GLN
1	B	128	GLN
1	B	147	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PLP	A	405	-	15,15,16	1.83	4 (26%)	21,22,23	3.19	8 (38%)
3	SO4	A	407	-	4,4,4	1.42	1 (25%)	6,6,6	1.22	1 (16%)
3	SO4	A	408	-	4,4,4	0.98	0	6,6,6	0.59	0
3	SO4	A	409	-	4,4,4	1.09	0	6,6,6	0.74	0
4	GOL	A	412	-	5,5,5	1.00	0	5,5,5	1.49	1 (20%)
2	PLP	B	405	-	15,15,16	1.56	2 (13%)	21,22,23	2.13	8 (38%)
3	SO4	B	406	-	4,4,4	1.44	1 (25%)	6,6,6	0.90	0
3	SO4	B	410	-	4,4,4	1.30	0	6,6,6	0.84	0
3	SO4	B	411	-	4,4,4	1.26	0	6,6,6	1.49	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	405	-	-	0/6/6/8	0/1/1/1
3	SO4	A	407	-	-	0/0/0/0	0/0/0/0
3	SO4	A	408	-	-	0/0/0/0	0/0/0/0
3	SO4	A	409	-	-	0/0/0/0	0/0/0/0
4	GOL	A	412	-	-	0/4/4/4	0/0/0/0
2	PLP	B	405	-	-	0/6/6/8	0/1/1/1
3	SO4	B	406	-	-	0/0/0/0	0/0/0/0
3	SO4	B	410	-	-	0/0/0/0	0/0/0/0
3	SO4	B	411	-	-	0/0/0/0	0/0/0/0

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	405	PLP	C5-C4	-4.51	1.35	1.40
2	B	405	PLP	C5-C4	-4.25	1.35	1.40
2	A	405	PLP	P-O2P	-2.12	1.47	1.54
3	A	407	SO4	O2-S	2.12	1.54	1.47
3	B	406	SO4	O3-S	2.47	1.56	1.47
2	A	405	PLP	C3-C2	2.50	1.42	1.40
2	B	405	PLP	C4A-C4	3.12	1.58	1.51
2	A	405	PLP	C4A-C4	3.58	1.59	1.51

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	405	PLP	C3-C2-N1	-7.90	109.70	120.61
2	A	405	PLP	C4A-C4-C3	-5.02	111.27	120.36
2	B	405	PLP	C3-C2-N1	-4.16	114.87	120.61
2	A	405	PLP	C2A-C2-C3	-3.83	116.42	121.04
2	B	405	PLP	O4P-C5A-C5	-3.25	103.62	108.99
3	B	411	SO4	O2-S-O1	-3.23	99.25	109.50
2	A	405	PLP	C5-C6-N1	-3.21	118.28	123.86
4	A	412	GOL	O3-C3-C2	-2.78	96.72	110.18
3	A	407	SO4	O2-S-O1	-2.30	102.21	109.50
2	B	405	PLP	C5A-C5-C6	-2.28	114.97	119.28
2	B	405	PLP	C5-C6-N1	-2.15	120.13	123.86
2	A	405	PLP	O3P-P-O2P	2.06	115.22	107.38
2	A	405	PLP	C4-C3-C2	2.50	124.32	120.05
2	B	405	PLP	C6-N1-C2	2.93	125.25	119.28
2	B	405	PLP	O2P-P-O1P	3.25	121.03	110.58
2	B	405	PLP	C2A-C2-C3	3.26	124.96	121.04
2	B	405	PLP	C5A-C5-C4	4.08	127.06	121.65
2	A	405	PLP	C2A-C2-N1	5.50	130.13	117.95
2	A	405	PLP	C4A-C4-C5	6.38	127.53	120.88

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	405	PLP	5	0
3	A	407	SO4	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	412	GOL	3	0
2	B	405	PLP	5	0
3	B	406	SO4	1	0
3	B	411	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.