



wwPDB X-ray Structure Validation Summary Report ⓘ

May 2, 2016 – 03:40 PM EDT

PDB ID : 5E7O
Title : Crystal structure of the perchlorate reductase PcrAB mutant W461E of PcrA from Azospira suillum PS
Authors : Tsai, C.-L.; Tainer, J.A.
Deposited on : 2015-10-12
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027457
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	899	<div> <div>81%</div> <div>18%</div> </div>
1	C	899	<div> <div>82%</div> <div>17%</div> <div>.</div> </div>
1	E	899	<div> <div>78%</div> <div>21%</div> <div>.</div> </div>
1	G	899	<div> <div>%</div> <div>79%</div> <div>20%</div> <div>.</div> </div>
1	I	899	<div> <div>2%</div> <div>68%</div> <div>30%</div> <div>.</div> </div>
1	K	899	<div> <div>%</div> <div>71%</div> <div>27%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	333	
2	D	333	
2	F	333	
2	H	333	
2	J	333	
2	L	333	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SF4	B	404	-	-	-	X
3	SF4	F	405	-	-	-	X
3	SF4	I	1001	-	-	X	-
3	SF4	K	1001	-	-	X	-
7	EDO	A	1005	-	-	-	X
7	EDO	C	1005	-	-	-	X
7	EDO	E	1005	-	-	-	X
7	EDO	F	401	-	-	-	X
7	EDO	F	406	-	-	-	X
7	EDO	G	1005	-	-	-	X
7	EDO	G	1006	-	-	-	X
7	EDO	G	1007	-	-	-	X
7	EDO	G	1008	-	-	-	X
7	EDO	H	405	-	-	-	X
7	EDO	K	1005	-	-	-	X
7	EDO	K	1006	-	-	-	X
7	EDO	L	406	-	-	-	X
8	GOL	E	1006	-	-	-	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 62374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DMSO reductase family type II enzyme, molybdopterin subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	895	Total	C	N	O	S	0	3	0
			7180	4583	1246	1313	38			
1	C	895	Total	C	N	O	S	0	3	0
			7180	4583	1246	1313	38			
1	E	895	Total	C	N	O	S	0	3	0
			7180	4583	1246	1313	38			
1	G	895	Total	C	N	O	S	0	3	0
			7180	4583	1246	1313	38			
1	I	895	Total	C	N	O	S	0	3	0
			7180	4583	1246	1313	38			
1	K	895	Total	C	N	O	S	0	3	0
			7180	4583	1246	1313	38			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	461	GLU	TRP	engineered mutation	UNP G8QM55
C	461	GLU	TRP	engineered mutation	UNP G8QM55
E	461	GLU	TRP	engineered mutation	UNP G8QM55
G	461	GLU	TRP	engineered mutation	UNP G8QM55
I	461	GLU	TRP	engineered mutation	UNP G8QM55
K	461	GLU	TRP	engineered mutation	UNP G8QM55

- Molecule 2 is a protein called DMSO reductase family type II enzyme, iron-sulfur subunit.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			
2	D	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			
2	F	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			
2	J	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			
2	L	329	Total	C	N	O	S	0	0	0
			2564	1627	447	465	25			

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total 8	Fe 4	S 4	0	0
3	F	1	Total 8	Fe 4	S 4	0	0
3	F	1	Total 8	Fe 4	S 4	0	0
3	F	1	Total 8	Fe 4	S 4	0	0
3	G	1	Total 8	Fe 4	S 4	0	0
3	H	1	Total 8	Fe 4	S 4	0	0
3	H	1	Total 8	Fe 4	S 4	0	0
3	H	1	Total 8	Fe 4	S 4	0	0
3	I	1	Total 8	Fe 4	S 4	0	0
3	J	1	Total 8	Fe 4	S 4	0	0
3	J	1	Total 8	Fe 4	S 4	0	0
3	J	1	Total 8	Fe 4	S 4	0	0
3	K	1	Total 8	Fe 4	S 4	0	0
3	L	1	Total 8	Fe 4	S 4	0	0
3	L	1	Total 8	Fe 4	S 4	0	0
3	L	1	Total 8	Fe 4	S 4	0	0

- Molecule 4 is MOLYBDENUM ATOM (three-letter code: MO) (formula: Mo).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total 1	Mo 1	0	0
4	K	1	Total 1	Mo 1	0	0
4	E	1	Total 1	Mo 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	I	1	Total	Mo	0	0
			1	1		
4	C	1	Total	Mo	0	0
			1	1		
4	A	1	Total	Mo	0	0
			1	1		


- Molecule 5 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (three-letter code: MGD) (formula: $C_{20}H_{26}N_{10}O_{13}P_2S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	C	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	E	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	G	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	I	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
5	K	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		


- Molecule 6 is PHOSPHORIC ACID 4-(2-AMINO-4-OXO-3,4,5,6,-TETRAHYDRO-PTE RIDIN-6-YL)-2-HYDROXY-3,4-DIMERCAPTO-BUT-3-EN-YL ESTER GUANYLATE

ESTER (three-letter code: MD1) (formula: C₂₀H₂₆N₁₀O₁₃P₂S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
6	C	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
6	E	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
6	G	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
6	I	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		
6	K	1	Total	C	N	O	P	S	0	0
			47	20	10	13	2	2		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	A	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	B	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	E	1	Total	C	O	0	0
			4	2	2		
7	F	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	F	1	Total 4	C 2	O 2	0	0
7	G	1	Total 4	C 2	O 2	0	0
7	G	1	Total 4	C 2	O 2	0	0
7	G	1	Total 4	C 2	O 2	0	0
7	G	1	Total 4	C 2	O 2	0	0
7	H	1	Total 4	C 2	O 2	0	0
7	H	1	Total 4	C 2	O 2	0	0
7	H	1	Total 4	C 2	O 2	0	0
7	I	1	Total 4	C 2	O 2	0	0
7	I	1	Total 4	C 2	O 2	0	0
7	J	1	Total 4	C 2	O 2	0	0
7	K	1	Total 4	C 2	O 2	0	0
7	K	1	Total 4	C 2	O 2	0	0
7	L	1	Total 4	C 2	O 2	0	0
7	L	1	Total 4	C 2	O 2	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	E	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe_3S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	Fe	S	0	0
			7	3	4		
9	D	1	Total	Fe	S	0	0
			7	3	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	F	1	Total 7	Fe 3	S 4	0	0
9	H	1	Total 7	Fe 3	S 4	0	0
9	J	1	Total 7	Fe 3	S 4	0	0
9	L	1	Total 7	Fe 3	S 4	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	399	Total 399	O 399	0	0
10	B	179	Total 179	O 179	0	0
10	C	417	Total 417	O 417	0	0
10	D	176	Total 176	O 176	0	0
10	E	384	Total 384	O 384	0	0
10	F	148	Total 148	O 148	0	0
10	G	348	Total 348	O 348	0	0
10	H	116	Total 116	O 116	0	0
10	I	266	Total 266	O 266	0	0
10	J	127	Total 127	O 127	0	0
10	K	287	Total 287	O 287	0	0
10	L	131	Total 131	O 131	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit




- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit






- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit

Chain E: 78% 21% .




- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit

Chain G: 79% 20% .





- Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit

Chain I: 68% 30% .




• Molecule 1: DMSO reductase family type II enzyme, molybdopterin subunit






- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit

Chain B: 69% 28% ..




- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit

Chain D: 83% 15% ..




- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit

Chain F: 72% 26% ..





- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit

Chain H: 67% 29% ..






- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit



- Molecule 2: DMSO reductase family type II enzyme, iron-sulfur subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.59Å 253.13Å 135.80Å 90.00° 119.77° 90.00°	Depositor
Resolution (Å)	48.32 – 2.40 48.32 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (48.32-2.40) 99.2 (48.32-2.40)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.39Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.195 , 0.249 0.201 , 0.249	Depositor DCC
R_{free} test set	26650 reflections (4.88%)	DCC
Wilson B-factor (Å ²)	29.9	Xtriage
Anisotropy	0.602	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 22.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.137 for -h-l,k,h 0.137 for l,k,-h-l 0.186 for h,-k,-h-l 0.135 for -h-l,-k,l 0.127 for l,-k,h	Xtriage
Reported twinning fraction	0.160 for l,k,-h-l	Depositor
Outliers	0 of 306123 reflections	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	62374	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MGD, SF4, EDO, F3S, MD1, MO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/7396	0.43	0/10034
1	C	0.25	0/7396	0.44	0/10034
1	E	0.25	0/7396	0.45	0/10034
1	G	0.26	0/7396	0.45	0/10034
1	I	0.30	0/7396	0.50	3/10034 (0.0%)
1	K	0.29	1/7396 (0.0%)	0.48	1/10034 (0.0%)
2	B	0.26	0/2632	0.44	0/3567
2	D	0.26	0/2632	0.45	1/3567 (0.0%)
2	F	0.25	0/2632	0.43	0/3567
2	H	0.30	0/2632	0.50	1/3567 (0.0%)
2	J	0.28	0/2632	0.49	0/3567
2	L	0.28	0/2632	0.46	0/3567
All	All	0.27	1/60168 (0.0%)	0.46	6/81606 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	I	0	2
1	K	0	1
2	H	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	K	324	GLN	C-N	5.12	1.44	1.34

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	73	LEU	CA-CB-CG	-7.69	97.61	115.30
1	I	406	LEU	CA-CB-CG	6.90	131.18	115.30
1	K	294	ASP	CB-CG-OD1	-6.26	112.67	118.30
2	D	176	CYS	CA-CB-SG	-5.65	103.83	114.00
1	I	19	ARG	NE-CZ-NH1	5.37	122.98	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	240	TYR	Peptide
1	I	345	GLY	Peptide
1	I	644	LYS	Peptide
1	K	294	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7180	0	7012	108	0
1	C	7180	0	7013	113	0
1	E	7180	0	7013	158	0
1	G	7180	0	7014	144	0
1	I	7180	0	7014	265	0
1	K	7180	0	7013	209	0
2	B	2564	0	2545	75	0
2	D	2564	0	2547	39	0
2	F	2564	0	2546	66	0
2	H	2564	0	2549	99	0
2	J	2564	0	2548	98	0
2	L	2564	0	2547	78	0
3	A	8	0	0	0	0
3	B	24	0	0	1	0
3	C	8	0	0	0	0
3	D	24	0	0	1	0
3	E	8	0	0	0	0
3	F	24	0	0	1	0
3	G	8	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	24	0	0	0	0
3	I	8	0	0	2	0
3	J	24	0	0	0	0
3	K	8	0	0	2	0
3	L	24	0	0	1	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	G	1	0	0	0	0
4	I	1	0	0	0	0
4	K	1	0	0	0	0
5	A	47	0	22	2	0
5	C	47	0	22	1	0
5	E	47	0	22	4	0
5	G	47	0	22	3	0
5	I	47	0	22	7	0
5	K	47	0	22	1	0
6	A	47	0	21	1	0
6	C	47	0	21	2	0
6	E	47	0	21	1	0
6	G	47	0	22	6	0
6	I	47	0	23	2	0
6	K	47	0	21	3	0
7	A	20	0	30	1	0
7	B	8	0	12	0	0
7	C	12	0	18	2	0
7	D	4	0	6	0	0
7	E	8	0	12	2	0
7	F	8	0	12	1	0
7	G	16	0	24	3	0
7	H	12	0	18	3	0
7	I	8	0	12	3	0
7	J	4	0	6	0	0
7	K	8	0	12	0	0
7	L	8	0	12	0	0
8	A	6	0	8	1	0
8	E	6	0	8	1	0
9	B	7	0	0	0	0
9	D	7	0	0	0	0
9	F	7	0	0	0	0
9	H	7	0	0	0	0
9	J	7	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	L	7	0	0	0	0
10	A	399	0	0	19	0
10	B	179	0	0	23	0
10	C	417	0	0	25	0
10	D	176	0	0	5	0
10	E	384	0	0	39	0
10	F	148	0	0	13	0
10	G	348	0	0	23	0
10	H	116	0	0	13	0
10	I	266	0	0	41	0
10	J	127	0	0	18	0
10	K	287	0	0	24	0
10	L	131	0	0	13	0
All	All	62374	0	57812	1396	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 1396 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:294:ASP:HB3	1:K:364:LEU:HD12	1.48	0.94
1:I:53:ARG:NH2	1:I:55:GLU:OE1	2.04	0.90
1:A:628:MET:SD	1:A:632:ARG:NH1	2.45	0.90
2:J:245:PRO:HB2	2:J:254:PRO:HG2	1.54	0.87
1:A:830:ARG:NH1	10:A:1101:HOH:O	2.08	0.87

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	896/899 (100%)	852 (95%)	40 (4%)	4 (0%)	39	56
1	C	896/899 (100%)	849 (95%)	42 (5%)	5 (1%)	30	43
1	E	896/899 (100%)	845 (94%)	47 (5%)	4 (0%)	39	56
1	G	896/899 (100%)	841 (94%)	49 (6%)	6 (1%)	26	38
1	I	896/899 (100%)	815 (91%)	71 (8%)	10 (1%)	17	25
1	K	896/899 (100%)	822 (92%)	64 (7%)	10 (1%)	17	25
2	B	327/333 (98%)	314 (96%)	11 (3%)	2 (1%)	30	43
2	D	327/333 (98%)	311 (95%)	15 (5%)	1 (0%)	46	63
2	F	327/333 (98%)	312 (95%)	15 (5%)	0	100	100
2	H	327/333 (98%)	306 (94%)	16 (5%)	5 (2%)	13	17
2	J	327/333 (98%)	313 (96%)	13 (4%)	1 (0%)	46	63
2	L	327/333 (98%)	311 (95%)	16 (5%)	0	100	100
All	All	7338/7392 (99%)	6891 (94%)	399 (5%)	48 (1%)	26	38

5 of 48 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	70	ASN
1	G	6	SER
2	H	141	THR
2	H	241	LYS
1	I	317	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	769/768 (100%)	761 (99%)	8 (1%)	82	93
1	C	769/768 (100%)	759 (99%)	10 (1%)	76	89
1	E	769/768 (100%)	762 (99%)	7 (1%)	84	93
1	G	769/768 (100%)	759 (99%)	10 (1%)	76	89

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	769/768 (100%)	752 (98%)	17 (2%)	60	79
1	K	769/768 (100%)	754 (98%)	15 (2%)	63	81
2	B	278/281 (99%)	269 (97%)	9 (3%)	46	68
2	D	278/281 (99%)	273 (98%)	5 (2%)	66	84
2	F	278/281 (99%)	271 (98%)	7 (2%)	55	76
2	H	278/281 (99%)	269 (97%)	9 (3%)	46	68
2	J	278/281 (99%)	270 (97%)	8 (3%)	50	71
2	L	278/281 (99%)	272 (98%)	6 (2%)	60	79
All	All	6282/6294 (100%)	6171 (98%)	111 (2%)	66	84

5 of 111 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	198	ILE
2	H	216	CYS
1	K	465	PHE
1	G	205	THR
2	H	33	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 24 such sidechains are listed below:

Mol	Chain	Res	Type
2	H	195	ASN
1	I	363	GLN
2	L	74	GLN
1	I	16	ASN
1	I	21	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 79 ligands modelled in this entry, 6 are monoatomic - leaving 73 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SF4	A	1001	1	0,12,12	0.00	-	0,24,24	0.00	-
5	MGD	A	1003	4	41,52,52	6.28	26 (63%)	39,81,81	2.58	13 (33%)
6	MD1	A	1004	4	40,51,51	4.46	15 (37%)	34,78,78	1.41	5 (14%)
7	EDO	A	1005	-	3,3,3	0.45	0	2,2,2	0.42	0
7	EDO	A	1006	-	3,3,3	0.44	0	2,2,2	0.40	0
7	EDO	A	1007	-	3,3,3	0.44	0	2,2,2	0.42	0
8	GOL	A	1008	-	5,5,5	0.35	0	5,5,5	0.23	0
7	EDO	A	1009	-	3,3,3	0.44	0	2,2,2	0.40	0
7	EDO	A	1010	-	3,3,3	0.45	0	2,2,2	0.42	0
7	EDO	B	401	-	3,3,3	0.45	0	2,2,2	0.38	0
9	F3S	B	402	-	0,9,9	0.00	-	0,15,15	0.00	-
3	SF4	B	403	2	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	B	404	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	B	405	2	0,12,12	0.00	-	0,24,24	0.00	-
7	EDO	B	406	-	3,3,3	0.44	0	2,2,2	0.44	0
3	SF4	C	1001	1	0,12,12	0.00	-	0,24,24	0.00	-
5	MGD	C	1003	4	41,52,52	6.28	26 (63%)	39,81,81	2.52	12 (30%)
6	MD1	C	1004	4	40,51,51	4.46	15 (37%)	34,78,78	1.41	5 (14%)
7	EDO	C	1005	-	3,3,3	0.44	0	2,2,2	0.42	0
7	EDO	C	1006	-	3,3,3	0.43	0	2,2,2	0.41	0
7	EDO	C	1007	-	3,3,3	0.43	0	2,2,2	0.39	0
9	F3S	D	401	-	0,9,9	0.00	-	0,15,15	0.00	-
3	SF4	D	402	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	D	403	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	D	404	2	0,12,12	0.00	-	0,24,24	0.00	-
7	EDO	D	405	-	3,3,3	0.44	0	2,2,2	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SF4	E	1001	1	0,12,12	0.00	-	0,24,24	0.00	-
5	MGD	E	1003	4	41,52,52	6.30	26 (63%)	39,81,81	2.51	12 (30%)
6	MD1	E	1004	4	40,51,51	4.45	15 (37%)	34,78,78	1.42	5 (14%)
7	EDO	E	1005	-	3,3,3	0.43	0	2,2,2	0.40	0
8	GOL	E	1006	-	5,5,5	0.36	0	5,5,5	0.27	0
7	EDO	E	1007	-	3,3,3	0.45	0	2,2,2	0.37	0
7	EDO	F	401	-	3,3,3	0.44	0	2,2,2	0.39	0
9	F3S	F	402	-	0,9,9	0.00	-	0,15,15	0.00	-
3	SF4	F	403	2	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	F	404	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	F	405	-	0,12,12	0.00	-	0,24,24	0.00	-
7	EDO	F	406	-	3,3,3	0.44	0	2,2,2	0.41	0
3	SF4	G	1001	1	0,12,12	0.00	-	0,24,24	0.00	-
5	MGD	G	1003	4	41,52,52	6.31	26 (63%)	39,81,81	2.54	13 (33%)
6	MD1	G	1004	4	40,51,51	4.46	15 (37%)	34,78,78	1.43	5 (14%)
7	EDO	G	1005	-	3,3,3	0.44	0	2,2,2	0.39	0
7	EDO	G	1006	-	3,3,3	0.45	0	2,2,2	0.39	0
7	EDO	G	1007	-	3,3,3	0.44	0	2,2,2	0.39	0
7	EDO	G	1008	-	3,3,3	0.45	0	2,2,2	0.40	0
9	F3S	H	401	-	0,9,9	0.00	-	0,15,15	0.00	-
3	SF4	H	402	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	H	403	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	H	404	-	0,12,12	0.00	-	0,24,24	0.00	-
7	EDO	H	405	-	3,3,3	0.44	0	2,2,2	0.38	0
7	EDO	H	406	-	3,3,3	0.45	0	2,2,2	0.38	0
7	EDO	H	407	-	3,3,3	0.43	0	2,2,2	0.46	0
3	SF4	I	1001	1	0,12,12	0.00	-	0,24,24	0.00	-
5	MGD	I	1003	4	41,52,52	6.32	26 (63%)	39,81,81	2.41	12 (30%)
6	MD1	I	1004	4	40,51,51	4.41	15 (37%)	34,78,78	1.43	5 (14%)
7	EDO	I	1005	-	3,3,3	0.45	0	2,2,2	0.41	0
7	EDO	I	1006	-	3,3,3	0.44	0	2,2,2	0.44	0
9	F3S	J	401	-	0,9,9	0.00	-	0,15,15	0.00	-
3	SF4	J	402	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	J	403	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	J	404	-	0,12,12	0.00	-	0,24,24	0.00	-
7	EDO	J	405	-	3,3,3	0.44	0	2,2,2	0.43	0
3	SF4	K	1001	1	0,12,12	0.00	-	0,24,24	0.00	-
5	MGD	K	1003	4	41,52,52	6.29	26 (63%)	39,81,81	2.60	14 (35%)
6	MD1	K	1004	4	40,51,51	4.42	15 (37%)	34,78,78	1.44	5 (14%)
7	EDO	K	1005	-	3,3,3	0.44	0	2,2,2	0.36	0
7	EDO	K	1006	-	3,3,3	0.44	0	2,2,2	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	F3S	L	401	-	0,9,9	0.00	-	0,15,15	0.00	-
3	SF4	L	402	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	L	403	-	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	L	404	2	0,12,12	0.00	-	0,24,24	0.00	-
7	EDO	L	405	-	3,3,3	0.45	0	2,2,2	0.37	0
7	EDO	L	406	-	3,3,3	0.45	0	2,2,2	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SF4	A	1001	1	-	0/0/48/48	0/6/5/5
5	MGD	A	1003	4	-	0/18/66/66	0/6/6/6
6	MD1	A	1004	4	-	0/21/59/59	0/5/5/5
7	EDO	A	1005	-	-	0/1/1/1	0/0/0/0
7	EDO	A	1006	-	-	0/1/1/1	0/0/0/0
7	EDO	A	1007	-	-	0/1/1/1	0/0/0/0
8	GOL	A	1008	-	-	0/4/4/4	0/0/0/0
7	EDO	A	1009	-	-	0/1/1/1	0/0/0/0
7	EDO	A	1010	-	-	0/1/1/1	0/0/0/0
7	EDO	B	401	-	-	0/1/1/1	0/0/0/0
9	F3S	B	402	-	-	0/0/24/24	0/0/3/3
3	SF4	B	403	2	-	0/0/48/48	0/6/5/5
3	SF4	B	404	-	-	0/0/48/48	0/6/5/5
3	SF4	B	405	2	-	0/0/48/48	0/6/5/5
7	EDO	B	406	-	-	0/1/1/1	0/0/0/0
3	SF4	C	1001	1	-	0/0/48/48	0/6/5/5
5	MGD	C	1003	4	-	0/18/66/66	0/6/6/6
6	MD1	C	1004	4	-	0/21/59/59	0/5/5/5
7	EDO	C	1005	-	-	0/1/1/1	0/0/0/0
7	EDO	C	1006	-	-	0/1/1/1	0/0/0/0
7	EDO	C	1007	-	-	0/1/1/1	0/0/0/0
9	F3S	D	401	-	-	0/0/24/24	0/0/3/3
3	SF4	D	402	-	-	0/0/48/48	0/6/5/5
3	SF4	D	403	-	-	0/0/48/48	0/6/5/5
3	SF4	D	404	2	-	0/0/48/48	0/6/5/5
7	EDO	D	405	-	-	0/1/1/1	0/0/0/0
3	SF4	E	1001	1	-	0/0/48/48	0/6/5/5
5	MGD	E	1003	4	-	0/18/66/66	0/6/6/6
6	MD1	E	1004	4	-	0/21/59/59	0/5/5/5
7	EDO	E	1005	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	E	1006	-	-	0/4/4/4	0/0/0/0
7	EDO	E	1007	-	-	0/1/1/1	0/0/0/0
7	EDO	F	401	-	-	0/1/1/1	0/0/0/0
9	F3S	F	402	-	-	0/0/24/24	0/0/3/3
3	SF4	F	403	2	-	0/0/48/48	0/6/5/5
3	SF4	F	404	-	-	0/0/48/48	0/6/5/5
3	SF4	F	405	-	-	0/0/48/48	0/6/5/5
7	EDO	F	406	-	-	0/1/1/1	0/0/0/0
3	SF4	G	1001	1	-	0/0/48/48	0/6/5/5
5	MGD	G	1003	4	-	0/18/66/66	0/6/6/6
6	MD1	G	1004	4	-	0/21/59/59	0/5/5/5
7	EDO	G	1005	-	-	0/1/1/1	0/0/0/0
7	EDO	G	1006	-	-	0/1/1/1	0/0/0/0
7	EDO	G	1007	-	-	0/1/1/1	0/0/0/0
7	EDO	G	1008	-	-	0/1/1/1	0/0/0/0
9	F3S	H	401	-	-	0/0/24/24	0/0/3/3
3	SF4	H	402	-	-	0/0/48/48	0/6/5/5
3	SF4	H	403	-	-	0/0/48/48	0/6/5/5
3	SF4	H	404	-	-	0/0/48/48	0/6/5/5
7	EDO	H	405	-	-	0/1/1/1	0/0/0/0
7	EDO	H	406	-	-	0/1/1/1	0/0/0/0
7	EDO	H	407	-	-	0/1/1/1	0/0/0/0
3	SF4	I	1001	1	-	0/0/48/48	0/6/5/5
5	MGD	I	1003	4	-	0/18/66/66	0/6/6/6
6	MD1	I	1004	4	-	0/21/59/59	0/5/5/5
7	EDO	I	1005	-	-	0/1/1/1	0/0/0/0
7	EDO	I	1006	-	-	0/1/1/1	0/0/0/0
9	F3S	J	401	-	-	0/0/24/24	0/0/3/3
3	SF4	J	402	-	-	0/0/48/48	0/6/5/5
3	SF4	J	403	-	-	0/0/48/48	0/6/5/5
3	SF4	J	404	-	-	0/0/48/48	0/6/5/5
7	EDO	J	405	-	-	0/1/1/1	0/0/0/0
3	SF4	K	1001	1	-	0/0/48/48	0/6/5/5
5	MGD	K	1003	4	-	0/18/66/66	0/6/6/6
6	MD1	K	1004	4	-	0/21/59/59	0/5/5/5
7	EDO	K	1005	-	-	0/1/1/1	0/0/0/0
7	EDO	K	1006	-	-	0/1/1/1	0/0/0/0
9	F3S	L	401	-	-	0/0/24/24	0/0/3/3
3	SF4	L	402	-	-	0/0/48/48	0/6/5/5
3	SF4	L	403	-	-	0/0/48/48	0/6/5/5
3	SF4	L	404	2	-	0/0/48/48	0/6/5/5
7	EDO	L	405	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EDO	L	406	-	-	0/1/1/1	0/0/0/0

The worst 5 of 246 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	1003	MGD	C2'-C1'	-16.35	1.27	1.53
5	G	1003	MGD	C2'-C1'	-16.35	1.27	1.53
5	C	1003	MGD	C2'-C1'	-16.33	1.27	1.53
5	K	1003	MGD	C2'-C1'	-16.30	1.27	1.53
5	A	1003	MGD	C2'-C1'	-16.29	1.27	1.53

The worst 5 of 106 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	1003	MGD	C1'-N9-C4	-7.04	118.95	126.81
5	C	1003	MGD	C1'-N9-C4	-6.68	119.34	126.81
5	I	1003	MGD	C1'-N9-C4	-6.66	119.37	126.81
5	A	1003	MGD	C1'-N9-C4	-6.36	119.71	126.81
5	E	1003	MGD	C1'-N9-C4	-6.31	119.77	126.81

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

32 monomers are involved in 58 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1003	MGD	2	0
6	A	1004	MD1	1	0
7	A	1005	EDO	1	0
8	A	1008	GOL	1	0
3	B	405	SF4	1	0
5	C	1003	MGD	1	0
6	C	1004	MD1	2	0
7	C	1007	EDO	2	0
3	D	404	SF4	1	0
5	E	1003	MGD	4	0
6	E	1004	MD1	1	0
7	E	1005	EDO	1	0
8	E	1006	GOL	1	0
7	E	1007	EDO	1	0
7	F	401	EDO	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	405	SF4	1	0
5	G	1003	MGD	3	0
6	G	1004	MD1	6	0
7	G	1005	EDO	1	0
7	G	1007	EDO	1	0
7	G	1008	EDO	1	0
7	H	405	EDO	2	0
7	H	406	EDO	1	0
3	I	1001	SF4	2	0
5	I	1003	MGD	7	0
6	I	1004	MD1	2	0
7	I	1005	EDO	1	0
7	I	1006	EDO	2	0
3	K	1001	SF4	2	0
5	K	1003	MGD	1	0
6	K	1004	MD1	3	0
3	L	404	SF4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	895/899 (99%)	-0.58	4 (0%) 93 93	20, 32, 47, 80	0
1	C	895/899 (99%)	-0.62	4 (0%) 93 93	20, 30, 41, 76	0
1	E	895/899 (99%)	-0.57	4 (0%) 93 93	22, 32, 44, 81	0
1	G	895/899 (99%)	-0.44	5 (0%) 90 90	20, 37, 53, 76	0
1	I	895/899 (99%)	-0.15	15 (1%) 73 72	25, 46, 66, 90	0
1	K	895/899 (99%)	-0.28	13 (1%) 76 75	25, 43, 62, 91	0
2	B	329/333 (98%)	-0.51	0 100 100	21, 34, 47, 66	0
2	D	329/333 (98%)	-0.58	3 (0%) 85 85	22, 33, 44, 72	0
2	F	329/333 (98%)	-0.55	2 (0%) 90 90	23, 35, 49, 62	0
2	H	329/333 (98%)	-0.13	2 (0%) 90 90	27, 46, 63, 78	0
2	J	329/333 (98%)	0.02	7 (2%) 67 66	26, 53, 65, 79	0
2	L	329/333 (98%)	-0.33	3 (0%) 85 85	27, 44, 55, 72	0
All	All	7344/7392 (99%)	-0.41	62 (0%) 87 87	20, 36, 58, 91	0

The worst 5 of 62 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	6	SER	7.9
1	E	5	ILE	7.7
1	I	7	GLY	6.6
1	K	367	GLY	6.6
1	A	5	ILE	6.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	EDO	C	1005	4/4	0.82	0.24	12.47	34,38,39,39	0
7	EDO	F	401	4/4	0.78	0.50	9.54	47,50,55,56	0
7	EDO	H	405	4/4	0.89	0.22	7.13	30,33,34,37	0
7	EDO	G	1008	4/4	0.94	0.27	5.65	32,32,36,41	0
7	EDO	G	1006	4/4	0.84	0.28	5.18	50,51,51,53	0
7	EDO	K	1006	4/4	0.93	0.20	5.17	33,33,36,38	0
7	EDO	K	1005	4/4	0.78	0.25	4.84	36,41,42,45	0
8	GOL	E	1006	6/6	0.85	0.22	3.80	35,36,41,41	0
7	EDO	F	406	4/4	0.95	0.15	3.67	24,26,27,29	0
7	EDO	E	1005	4/4	0.90	0.16	3.15	36,36,36,39	0
7	EDO	L	406	4/4	0.88	0.17	3.06	30,32,33,36	0
7	EDO	G	1005	4/4	0.89	0.15	2.62	28,32,34,40	0
7	EDO	G	1007	4/4	0.93	0.15	2.35	25,26,34,36	0
3	SF4	B	404	8/8	0.98	0.15	2.14	29,37,40,43	0
3	SF4	F	405	8/8	0.92	0.15	2.13	20,38,44,44	0
7	EDO	A	1005	4/4	0.92	0.14	2.04	23,29,31,33	0
7	EDO	I	1005	4/4	0.84	0.24	1.98	46,50,60,60	0
8	GOL	A	1008	6/6	0.93	0.14	1.96	29,35,36,36	0
7	EDO	H	406	4/4	0.81	0.31	1.89	56,57,59,67	0
7	EDO	E	1007	4/4	0.93	0.24	1.57	42,46,46,47	0
3	SF4	F	404	8/8	0.97	0.14	1.51	26,39,44,47	0
3	SF4	D	403	8/8	0.97	0.14	1.48	24,31,35,47	0
7	EDO	H	407	4/4	0.89	0.14	1.30	23,26,27,30	0
3	SF4	C	1001	8/8	0.96	0.14	1.28	28,36,50,59	0
3	SF4	B	405	8/8	0.94	0.14	1.18	25,33,37,38	0
3	SF4	A	1001	8/8	0.95	0.14	0.94	24,32,42,44	0
3	SF4	G	1001	8/8	0.94	0.14	0.83	39,43,48,51	0
7	EDO	B	406	4/4	0.95	0.13	0.79	23,24,24,27	0
7	EDO	J	405	4/4	0.96	0.13	0.79	32,39,40,44	0
3	SF4	F	403	8/8	0.96	0.13	0.77	25,34,41,46	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	EDO	B	401	4/4	0.96	0.12	0.73	25,28,28,31	0
3	SF4	D	404	8/8	0.96	0.13	0.69	23,33,41,41	0
3	SF4	H	403	8/8	0.97	0.15	0.54	39,45,47,53	0
7	EDO	D	405	4/4	0.93	0.17	0.44	35,43,48,49	0
3	SF4	D	402	8/8	0.97	0.13	0.33	26,30,38,40	0
3	SF4	L	404	8/8	0.94	0.14	0.25	43,48,57,60	0
7	EDO	I	1006	4/4	0.93	0.13	0.15	38,40,41,43	0
5	MGD	E	1003	47/47	0.97	0.13	0.13	23,29,35,37	0
5	MGD	A	1003	47/47	0.96	0.12	0.11	23,28,33,36	0
7	EDO	A	1009	4/4	0.95	0.11	0.07	27,28,30,32	0
7	EDO	C	1006	4/4	0.96	0.11	0.07	21,25,26,28	0
3	SF4	K	1001	8/8	0.93	0.13	0.06	39,45,53,58	0
3	SF4	E	1001	8/8	0.97	0.12	0.02	31,33,42,49	0
7	EDO	C	1007	4/4	0.95	0.12	-0.02	28,29,30,30	0
5	MGD	C	1003	47/47	0.96	0.11	-0.04	22,29,35,37	0
3	SF4	B	403	8/8	0.97	0.14	-0.06	24,35,40,41	0
6	MD1	A	1004	47/47	0.96	0.12	-0.07	19,28,35,37	0
5	MGD	K	1003	47/47	0.96	0.12	-0.07	27,37,41,42	0
5	MGD	G	1003	47/47	0.96	0.12	-0.08	23,30,34,37	0
3	SF4	I	1001	8/8	0.95	0.13	-0.13	42,53,54,66	0
6	MD1	G	1004	47/47	0.96	0.12	-0.13	20,32,36,38	0
3	SF4	H	404	8/8	0.96	0.14	-0.18	40,47,58,58	0
3	SF4	J	403	8/8	0.94	0.14	-0.26	38,51,56,65	0
6	MD1	C	1004	47/47	0.98	0.11	-0.34	18,27,32,33	0
3	SF4	L	402	8/8	0.96	0.11	-0.39	36,44,55,58	0
5	MGD	I	1003	47/47	0.93	0.14	-0.40	37,44,49,54	0
3	SF4	H	402	8/8	0.87	0.14	-0.55	47,55,63,69	0
6	MD1	I	1004	47/47	0.96	0.12	-0.57	25,37,47,49	0
7	EDO	L	405	4/4	0.98	0.10	-0.70	30,32,32,35	0
6	MD1	K	1004	47/47	0.96	0.11	-0.74	27,34,43,46	0
6	MD1	E	1004	47/47	0.97	0.10	-0.77	20,26,33,37	0
3	SF4	L	403	8/8	0.95	0.11	-0.82	38,45,51,55	0
9	F3S	F	402	7/7	0.97	0.11	-0.88	37,44,50,54	0
9	F3S	B	402	7/7	0.98	0.12	-0.91	31,39,45,48	0
7	EDO	A	1010	4/4	0.95	0.09	-0.98	28,28,30,31	0
3	SF4	J	402	8/8	0.93	0.11	-1.15	52,58,65,65	0
9	F3S	D	401	7/7	0.97	0.10	-1.22	31,34,39,42	0
3	SF4	J	404	8/8	0.96	0.12	-1.22	47,53,60,63	0
4	MO	K	1002	1/1	0.99	0.08	-1.24	53,53,53,53	0
4	MO	G	1002	1/1	0.98	0.06	-1.46	50,50,50,50	0
7	EDO	A	1006	4/4	0.95	0.10	-1.64	32,33,34,39	0
9	F3S	J	401	7/7	0.95	0.10	-1.76	47,52,56,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
9	F3S	H	401	7/7	0.96	0.08	-1.78	53,54,62,72	0
4	MO	A	1002	1/1	0.98	0.07	-1.82	49,49,49,49	0
4	MO	E	1002	1/1	0.99	0.06	-1.90	51,51,51,51	0
4	MO	I	1002	1/1	0.95	0.09	-1.98	73,73,73,73	0
9	F3S	L	401	7/7	0.94	0.08	-1.99	45,50,52,59	0
4	MO	C	1002	1/1	0.98	0.07	-2.12	52,52,52,52	0
7	EDO	A	1007	4/4	0.94	0.17	-	40,40,44,47	0

6.5 Other polymers [i](#)

There are no such residues in this entry.