



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:18 PM GMT

PDB ID : 4EC4  
Title : XIAP-BIR3 in complex with a potent divalent Smac mimetic  
Authors : Mastrangelo, E.; Cossu, F.; Bolognesi, M.; Milani, M.  
Deposited on : 2012-03-26  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2060 (3.40-3.20)
Clashscore	102246	1058 (3.38-3.22)
Ramachandran outliers	100387	1038 (3.38-3.22)
Sidechain outliers	100360	1037 (3.38-3.22)
RSRZ outliers	91569	2070 (3.40-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	122	<div> <div>70%</div> <div>16%</div> <div>•</div> <div>11%</div> </div>
1	B	122	<div> <div>57%</div> <div>27%</div> <div>•</div> <div>13%</div> </div>
1	C	122	<div> <div>66%</div> <div>18%</div> <div>•</div> <div>14%</div> </div>
1	D	122	<div> <div>53%</div> <div>29%</div> <div>•</div> <div>14%</div> </div>
1	E	122	<div> <div>58%</div> <div>27%</div> <div>•</div> <div>11%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	122	<div><div></div><div>61%23%•14%</div></div>
1	G	122	<div>%<div><div></div><div>50%32%6%12%</div></div></div>
1	J	122	<div><div></div><div>59%25%•11%</div></div>
1	K	122	<div><div></div><div>63%20%•12%</div></div>
1	L	122	<div>%<div><div></div><div>54%31%•12%</div></div></div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9357 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Baculoviral IAP repeat-containing protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	109	Total	C	N	O	S	0	0	0
			890	566	154	165	5			
1	B	106	Total	C	N	O	S	0	0	0
			865	553	148	159	5			
1	C	105	Total	C	N	O	S	0	0	0
			854	547	144	158	5			
1	D	105	Total	C	N	O	S	0	1	0
			862	552	147	158	5			
1	E	108	Total	C	N	O	S	0	0	0
			879	560	150	164	5			
1	J	108	Total	C	N	O	S	0	0	0
			879	560	150	164	5			
1	F	105	Total	C	N	O	S	0	0	0
			858	548	147	158	5			
1	G	107	Total	C	N	O	S	0	0	0
			870	556	149	160	5			
1	K	107	Total	C	N	O	S	0	0	0
			872	555	149	163	5			
1	L	107	Total	C	N	O	S	0	0	0
			870	556	149	160	5			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	357	HIS	-	EXPRESSION TAG	UNP P98170
A	358	HIS	-	EXPRESSION TAG	UNP P98170
A	359	HIS	-	EXPRESSION TAG	UNP P98170
A	360	HIS	-	EXPRESSION TAG	UNP P98170
A	361	HIS	-	EXPRESSION TAG	UNP P98170
A	362	HIS	-	EXPRESSION TAG	UNP P98170
B	357	HIS	-	EXPRESSION TAG	UNP P98170
B	358	HIS	-	EXPRESSION TAG	UNP P98170
B	359	HIS	-	EXPRESSION TAG	UNP P98170

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	360	HIS	-	EXPRESSION TAG	UNP P98170
B	361	HIS	-	EXPRESSION TAG	UNP P98170
B	362	HIS	-	EXPRESSION TAG	UNP P98170
C	357	HIS	-	EXPRESSION TAG	UNP P98170
C	358	HIS	-	EXPRESSION TAG	UNP P98170
C	359	HIS	-	EXPRESSION TAG	UNP P98170
C	360	HIS	-	EXPRESSION TAG	UNP P98170
C	361	HIS	-	EXPRESSION TAG	UNP P98170
C	362	HIS	-	EXPRESSION TAG	UNP P98170
D	357	HIS	-	EXPRESSION TAG	UNP P98170
D	358	HIS	-	EXPRESSION TAG	UNP P98170
D	359	HIS	-	EXPRESSION TAG	UNP P98170
D	360	HIS	-	EXPRESSION TAG	UNP P98170
D	361	HIS	-	EXPRESSION TAG	UNP P98170
D	362	HIS	-	EXPRESSION TAG	UNP P98170
E	357	HIS	-	EXPRESSION TAG	UNP P98170
E	358	HIS	-	EXPRESSION TAG	UNP P98170
E	359	HIS	-	EXPRESSION TAG	UNP P98170
E	360	HIS	-	EXPRESSION TAG	UNP P98170
E	361	HIS	-	EXPRESSION TAG	UNP P98170
E	362	HIS	-	EXPRESSION TAG	UNP P98170
J	357	HIS	-	EXPRESSION TAG	UNP P98170
J	358	HIS	-	EXPRESSION TAG	UNP P98170
J	359	HIS	-	EXPRESSION TAG	UNP P98170
J	360	HIS	-	EXPRESSION TAG	UNP P98170
J	361	HIS	-	EXPRESSION TAG	UNP P98170
J	362	HIS	-	EXPRESSION TAG	UNP P98170
F	357	HIS	-	EXPRESSION TAG	UNP P98170
F	358	HIS	-	EXPRESSION TAG	UNP P98170
F	359	HIS	-	EXPRESSION TAG	UNP P98170
F	360	HIS	-	EXPRESSION TAG	UNP P98170
F	361	HIS	-	EXPRESSION TAG	UNP P98170
F	362	HIS	-	EXPRESSION TAG	UNP P98170
G	357	HIS	-	EXPRESSION TAG	UNP P98170
G	358	HIS	-	EXPRESSION TAG	UNP P98170
G	359	HIS	-	EXPRESSION TAG	UNP P98170
G	360	HIS	-	EXPRESSION TAG	UNP P98170
G	361	HIS	-	EXPRESSION TAG	UNP P98170
G	362	HIS	-	EXPRESSION TAG	UNP P98170
K	357	HIS	-	EXPRESSION TAG	UNP P98170
K	358	HIS	-	EXPRESSION TAG	UNP P98170
K	359	HIS	-	EXPRESSION TAG	UNP P98170

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	360	HIS	-	EXPRESSION TAG	UNP P98170
K	361	HIS	-	EXPRESSION TAG	UNP P98170
K	362	HIS	-	EXPRESSION TAG	UNP P98170
L	357	HIS	-	EXPRESSION TAG	UNP P98170
L	358	HIS	-	EXPRESSION TAG	UNP P98170
L	359	HIS	-	EXPRESSION TAG	UNP P98170
L	360	HIS	-	EXPRESSION TAG	UNP P98170
L	361	HIS	-	EXPRESSION TAG	UNP P98170
L	362	HIS	-	EXPRESSION TAG	UNP P98170

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Zn 1 1	0	0
2	J	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	K	1	Total Zn 1 1	0	0
2	E	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0
2	A	1	Total Zn 1 1	0	0
2	L	1	Total Zn 1 1	0	0
2	F	1	Total Zn 1 1	0	0

- Molecule 3 is (3S,6S,7S,9AS,3'S,6'S,7'S,9A'S)-N,N'-(BENZENE-1,4-DIYLBIS{BUTANE-4,1-DIYL-1H-1,2,3-TRIAZOLE-1,4-DIYL[(S)-PHENYLMETHANEDIYL]})BIS[7-(HYDROXYMETHYL)-6-{[(2S)-2-(METHYLAMINO)BUTANOYL]AMINO}-5-OXOOCTAHYDRO-1H-PYRROLO[1,2-A]AZEPINE-3-CARBOXAMIDE] (three-letter code: 0O6) (formula: C<sub>64</sub>H<sub>88</sub>N<sub>14</sub>O<sub>8</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			86	64	14	8		
3	B	1	Total	C	N	O	0	0
			86	64	14	8		
3	D	1	Total	C	N	O	0	0
			86	64	14	8		
3	E	1	Total	C	N	O	0	0
			86	64	14	8		
3	J	1	Total	C	N	O	0	0
			86	64	14	8		

- Molecule 4 is 3,6,9,12,15,18-HEXAIOXAICOSANE-1,20-DIOL (three-letter code: P33) (formula: C<sub>14</sub>H<sub>30</sub>O<sub>8</sub>).





*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	G	1	Total	C	O	0	0
			28	18	10		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	16	Total	O	0	0
			16	16		
6	B	6	Total	O	0	0
			6	6		
6	C	9	Total	O	0	0
			9	9		
6	D	15	Total	O	0	0
			15	15		
6	E	10	Total	O	0	0
			10	10		
6	J	8	Total	O	0	0
			8	8		
6	F	11	Total	O	0	0
			11	11		
6	G	8	Total	O	0	0
			8	8		
6	K	5	Total	O	0	0
			5	5		
6	L	8	Total	O	0	0
			8	8		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain A: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain B: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain C: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain D: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain E: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain J: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain F: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain G: 




- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain K: 



- Molecule 1: Baculoviral IAP repeat-containing protein 4

Chain L: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.42Å 130.49Å 215.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	51.41 – 3.30 51.41 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (51.41-3.30) 99.8 (51.41-3.30)	Depositor EDS
$R_{merge}$	0.26	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.40 (at 3.33Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.210 , 0.276 0.209 , 0.274	Depositor DCC
$R_{free}$ test set	1446 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	40.5	Xtriage
Anisotropy	0.118	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 45.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.40$ , $\langle L^2 \rangle = 0.22$	Xtriage
Outliers	2 of 28566 reflections (0.007%)	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	9357	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 0O6, P33, ZN, 2PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/918	0.61	0/1244
1	B	0.45	0/893	0.59	0/1211
1	C	0.44	0/882	0.56	0/1197
1	D	0.45	0/893	0.56	0/1211
1	E	0.44	0/907	0.61	1/1230 (0.1%)
1	F	0.44	0/886	0.59	0/1201
1	G	0.46	0/898	0.56	0/1218
1	J	0.46	0/907	0.57	0/1230
1	K	0.41	0/900	0.57	0/1220
1	L	0.47	0/898	0.59	0/1218
All	All	0.45	0/8982	0.58	1/12180 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	352	LEU	CA-CB-CG	5.59	128.15	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	890	0	829	12	0
1	B	865	0	808	35	0
1	C	854	0	795	15	0
1	D	862	0	808	37	0
1	E	879	0	816	21	0
1	F	858	0	799	30	0
1	G	870	0	809	28	0
1	J	879	0	816	20	0
1	K	872	0	808	21	0
1	L	870	0	810	23	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
3	A	86	0	88	4	0
3	B	86	0	88	7	0
3	D	86	0	88	10	0
3	E	86	0	88	11	0
3	J	86	0	88	1	0
4	A	22	0	30	0	0
4	D	22	0	30	1	0
4	J	22	0	30	1	0
5	E	28	0	38	0	0
5	G	28	0	38	2	0
6	A	16	0	0	0	0
6	B	6	0	0	1	0
6	C	9	0	0	0	0
6	D	15	0	0	0	0
6	E	10	0	0	1	0
6	F	11	0	0	0	0
6	G	8	0	0	0	0
6	J	8	0	0	0	0
6	K	5	0	0	0	0
6	L	8	0	0	0	0
All	All	9357	0	8704	245	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (245) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:286[B]:ARG:HG3	1:D:286[B]:ARG:HH11	0.97	1.12
1:G:297:LYS:HG2	1:G:308:THR:HG23	1.34	1.08
1:F:248:ARG:HB3	1:F:249:ASN:HB3	1.37	1.06
1:F:248:ARG:HB3	1:F:249:ASN:CB	1.89	1.02
1:F:248:ARG:HB3	1:F:249:ASN:CA	1.91	1.00
1:D:286[B]:ARG:HH11	1:D:286[B]:ARG:CG	1.75	0.98
1:D:286[B]:ARG:HG3	1:D:286[B]:ARG:NH1	1.71	0.95
1:F:248:ARG:HB3	1:F:249:ASN:HA	1.50	0.93
1:C:280:ASN:HD22	1:C:283:GLN:HB2	1.33	0.93
1:F:248:ARG:HG2	1:F:248:ARG:HH21	1.32	0.92
3:D:402:0O6:HBV	1:K:249:ASN:HB3	1.56	0.86
3:E:402:0O6:CBA	3:E:402:0O6:HAT	2.11	0.79
1:G:252:ASN:HB3	1:G:303:CYS:HA	1.65	0.79
1:F:248:ARG:CB	1:F:249:ASN:HB3	2.13	0.78
1:E:291:ALA:HA	1:E:298:VAL:HG12	1.66	0.77
1:B:311:LYS:HB3	1:B:312:PRO:HD2	1.67	0.76
1:F:249:ASN:HD22	1:F:249:ASN:N	1.82	0.76
1:D:252:ASN:HB3	1:D:303:CYS:HA	1.68	0.76
3:B:402:0O6:HBQ	3:B:402:0O6:HAZ	1.66	0.75
1:B:312:PRO:O	1:B:313:SER:HB2	1.87	0.74
3:B:402:0O6:HBH	1:G:249:ASN:O	1.87	0.74
1:B:248:ARG:HB3	1:B:248:ARG:HH11	1.52	0.74
1:B:248:ARG:CB	1:B:248:ARG:HH11	2.00	0.73
1:B:283:GLN:NE2	1:B:315:ASP:OD2	2.22	0.72
1:F:248:ARG:CG	1:F:248:ARG:HH21	2.04	0.70
1:L:321:ALA:HB3	1:L:342:ILE:HD12	1.72	0.70
1:F:249:ASN:H	1:F:249:ASN:HD22	1.40	0.70
1:G:292:LEU:HD21	1:G:299:LYS:HB2	1.73	0.69
3:A:402:0O6:NBX	3:A:402:0O6:HAV	2.05	0.69
1:E:283:GLN:HB3	1:E:316:PRO:HG2	1.74	0.69
1:B:291:ALA:HA	1:B:298:VAL:HG12	1.74	0.68
1:G:254:THR:HG23	1:G:256:LEU:H	1.59	0.67
1:G:331:LEU:HD21	1:G:336:GLN:HG2	1.77	0.67
1:F:280:ASN:HB3	1:F:283:GLN:HB2	1.77	0.66
3:E:402:0O6:CAT	3:E:402:0O6:CBA	2.71	0.66
1:B:337:GLU:HA	1:B:337:GLU:OE2	1.96	0.66
1:B:252:ASN:HB3	1:B:303:CYS:HA	1.78	0.65
1:B:248:ARG:CG	1:B:248:ARG:HH11	2.09	0.65
1:J:306:GLY:HA3	3:J:401:0O6:CAR	2.27	0.65
1:J:297:LYS:HG2	1:J:308:THR:CG2	2.27	0.65

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318:GLU:HG3	1:B:342:ILE:HD12	1.79	0.64
1:D:350:GLU:CD	1:K:248:ARG:HH21	2.00	0.64
3:B:402:0O6:HBFA	1:G:324:TYR:HE2	1.62	0.64
1:F:248:ARG:CB	1:F:249:ASN:CA	2.70	0.63
1:C:302:HIS:CD2	1:C:329:TYR:HB2	2.33	0.63
1:F:248:ARG:CB	1:F:249:ASN:HA	2.17	0.63
1:K:255:ASN:ND2	1:K:328:LYS:HG2	2.14	0.62
1:E:331:LEU:HD13	1:E:336:GLN:HG2	1.81	0.62
1:L:252:ASN:HB3	1:L:303:CYS:HA	1.81	0.62
1:D:350:GLU:HG2	1:K:252:ASN:OD1	2.01	0.61
1:F:284:LEU:HD23	1:F:316:PRO:HB3	1.82	0.60
1:A:353:VAL:O	1:A:354:ARG:HG3	2.01	0.60
1:B:325:PRO:HG3	5:G:402:2PE:H62	1.84	0.60
1:B:252:ASN:HD21	1:B:254:THR:HG22	1.67	0.60
1:F:252:ASN:ND2	1:F:254:THR:HG22	2.16	0.60
3:E:402:0O6:CAT	3:E:402:0O6:HBAA	2.32	0.60
1:B:297:LYS:HD2	1:B:308:THR:HG21	1.84	0.60
3:E:402:0O6:HAU	3:E:402:0O6:HCZ	1.82	0.60
1:B:311:LYS:HB3	1:B:312:PRO:CD	2.31	0.59
1:L:305:GLY:HA3	1:L:324:TYR:CE2	2.38	0.59
1:A:344:LEU:HD21	1:J:345:THR:HG23	1.84	0.59
6:B:505:HOH:O	1:G:353:VAL:HG11	2.03	0.58
1:G:287:ALA:HA	1:G:317:TRP:CZ2	2.38	0.58
1:E:280:ASN:HB3	1:E:283:GLN:HB2	1.84	0.58
1:F:279:VAL:HG21	1:F:310:TRP:HB3	1.86	0.58
1:C:325:PRO:HG3	1:C:343:HIS:CE1	2.38	0.58
1:C:340:ASN:O	1:C:344:LEU:HD12	2.04	0.58
1:D:306:GLY:C	3:D:402:0O6:HAS	2.24	0.57
1:B:248:ARG:HB3	1:B:248:ARG:NH1	2.17	0.57
1:K:282:GLU:O	1:K:286:ARG:HB2	2.04	0.57
1:G:259:ASN:ND2	1:G:290:TYR:OH	2.38	0.57
1:D:297:LYS:HG2	1:D:308:THR:HB	1.86	0.57
1:F:252:ASN:CG	1:F:254:THR:HG22	2.25	0.57
1:L:280:ASN:HD22	1:L:283:GLN:HB2	1.69	0.57
1:E:249:ASN:ND2	3:E:402:0O6:HBU	2.20	0.57
1:G:266:GLU:HA	1:G:269:ILE:HD11	1.87	0.57
1:C:291:ALA:HA	1:C:298:VAL:HG12	1.87	0.56
1:B:351:CYS:SG	1:D:351:CYS:HB3	2.45	0.56
1:B:252:ASN:ND2	1:B:254:THR:HG22	2.21	0.55
3:E:402:0O6:HBT	3:E:402:0O6:CBB	2.36	0.55
1:A:331:LEU:HD21	1:A:336:GLN:HG2	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:315:ASP:HB3	1:C:318:GLU:HB3	1.89	0.55
1:G:340:ASN:O	1:G:344:LEU:HG	2.07	0.55
1:B:310:TRP:HA	3:B:402:0O6:HAAB	1.89	0.55
1:F:249:ASN:ND2	1:F:249:ASN:N	2.55	0.54
1:A:348:LEU:HD13	1:J:348:LEU:HA	1.88	0.54
1:F:271:THR:HB	1:F:291:ALA:HB3	1.90	0.54
1:D:303:CYS:HB3	1:D:327:CYS:SG	2.47	0.54
3:D:402:0O6:HADB	1:K:309:ASP:O	2.08	0.54
1:B:248:ARG:O	1:B:248:ARG:HG2	2.07	0.54
1:J:278:SER:HB3	1:J:312:PRO:HA	1.90	0.53
1:D:266:GLU:HA	1:D:269:ILE:HD11	1.90	0.53
1:J:343:HIS:O	1:J:347:SER:HB2	2.08	0.53
1:D:335:GLY:O	1:D:339:ILE:HD12	2.08	0.53
3:B:402:0O6:HBFA	1:G:324:TYR:CE2	2.43	0.52
1:J:279:VAL:HG21	1:J:310:TRP:CE3	2.43	0.52
1:D:296:ASP:OD2	1:D:309:ASP:HA	2.10	0.52
1:L:321:ALA:CB	1:L:342:ILE:HD12	2.38	0.52
1:B:297:LYS:HD2	1:B:308:THR:CG2	2.38	0.52
1:D:336:GLN:OE1	1:D:340:ASN:ND2	2.42	0.52
1:E:350:GLU:HG2	1:L:252:ASN:HD21	1.75	0.52
1:F:321:ALA:HA	1:F:330:LEU:HD21	1.91	0.52
1:E:308:THR:HG22	1:E:309:ASP:H	1.75	0.51
1:D:306:GLY:HA3	3:D:402:0O6:HAS	1.93	0.51
1:G:297:LYS:HG2	1:G:308:THR:CG2	2.23	0.51
1:F:248:ARG:NH2	1:F:248:ARG:HG2	2.12	0.51
1:L:280:ASN:ND2	1:L:283:GLN:HB2	2.25	0.51
1:D:352:LEU:HD23	1:D:352:LEU:N	2.25	0.51
1:E:263:ALA:HA	1:E:301:PHE:CE1	2.46	0.51
1:J:263:ALA:HA	1:J:301:PHE:CD1	2.45	0.51
1:L:275:TRP:CH2	1:L:296:ASP:HB2	2.46	0.51
1:E:279:VAL:HG23	1:E:284:LEU:HD11	1.93	0.50
1:L:281:LYS:HG3	1:L:282:GLU:OE1	2.11	0.50
1:B:312:PRO:O	1:B:313:SER:CB	2.59	0.50
3:A:402:0O6:HBD	1:F:310:TRP:HA	1.94	0.50
1:B:310:TRP:CE3	3:B:402:0O6:HAA	2.47	0.50
1:C:321:ALA:O	1:C:343:HIS:HE1	1.95	0.50
1:G:311:LYS:HB3	1:G:312:PRO:HD2	1.94	0.50
1:E:315:ASP:HB3	1:E:318:GLU:HB3	1.94	0.50
1:G:280:ASN:O	1:G:284:LEU:HD12	2.11	0.49
1:A:294:GLU:HG3	1:A:294:GLU:O	2.11	0.49
3:D:402:0O6:HAN	1:K:292:LEU:HD13	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:292:LEU:HD11	1:C:299:LYS:HG3	1.94	0.49
1:A:279:VAL:HG23	1:A:284:LEU:HD11	1.94	0.49
1:B:315:ASP:OD1	1:B:317:TRP:HB2	2.14	0.48
1:C:271:THR:HB	1:C:291:ALA:HB3	1.95	0.48
3:E:402:0O6:HCZ	1:L:306:GLY:O	2.13	0.48
1:D:306:GLY:HA3	3:D:402:0O6:CAS	2.43	0.48
1:E:252:ASN:HB3	1:E:303:CYS:HA	1.94	0.48
1:L:325:PRO:HG3	1:L:343:HIS:CE1	2.48	0.48
1:E:286:ARG:NH1	6:E:507:HOH:O	2.46	0.48
3:E:402:0O6:HBAA	3:E:402:0O6:HAT	1.86	0.48
1:E:350:GLU:HG2	1:L:252:ASN:ND2	2.27	0.47
1:J:252:ASN:OD1	1:J:254:THR:HG22	2.14	0.47
1:J:291:ALA:HA	1:J:298:VAL:HG12	1.96	0.47
1:L:269:ILE:HA	1:L:272:PHE:HB2	1.96	0.47
1:D:350:GLU:CD	1:K:248:ARG:NH2	2.67	0.47
1:D:252:ASN:OD1	1:D:253:SER:N	2.48	0.47
1:C:250:PHE:O	1:C:258:ARG:NH2	2.48	0.47
1:G:262:MET:HB2	1:G:301:PHE:HB2	1.97	0.47
3:D:402:0O6:HBR	3:D:402:0O6:HAW	1.97	0.47
1:F:252:ASN:O	1:F:252:ASN:OD1	2.32	0.47
1:D:299:LYS:HA	1:D:305:GLY:O	2.15	0.46
3:E:402:0O6:HBNA	3:E:402:0O6:OAH	2.15	0.46
3:B:402:0O6:HAN	1:G:292:LEU:HD11	1.96	0.46
1:K:321:ALA:HA	1:K:330:LEU:HD21	1.97	0.46
3:E:402:0O6:HAW	1:L:323:TRP:CE3	2.51	0.46
1:D:351:CYS:HB3	1:D:352:LEU:HD23	1.98	0.46
1:D:311:LYS:O	1:D:314:GLU:HB2	2.15	0.46
1:D:286[B]:ARG:CG	1:D:286[B]:ARG:NH1	2.47	0.46
1:D:306:GLY:CA	3:D:402:0O6:HAS	2.46	0.45
1:A:252:ASN:ND2	1:A:256:LEU:O	2.49	0.45
1:G:287:ALA:HA	1:G:317:TRP:CH2	2.51	0.45
1:E:280:ASN:HB3	1:E:283:GLN:HG3	1.98	0.45
1:A:348:LEU:C	1:A:350:GLU:H	2.19	0.45
1:B:351:CYS:SG	1:D:352:LEU:CD2	3.05	0.45
1:D:311:LYS:HB2	1:D:314:GLU:OE2	2.17	0.45
1:J:264:ASP:N	1:J:264:ASP:OD1	2.49	0.45
1:D:315:ASP:HA	1:D:316:PRO:HD2	1.85	0.45
1:D:277:TYR:OH	1:D:295:GLY:HA2	2.17	0.45
1:C:294:GLU:O	1:C:297:LYS:HB2	2.17	0.45
1:L:344:LEU:HD12	1:L:344:LEU:HA	1.78	0.45
1:K:292:LEU:HD12	1:K:299:LYS:HB2	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:402:0O6:HBT	3:E:402:0O6:CCR	2.47	0.45
1:A:315:ASP:HB3	1:A:318:GLU:HB3	1.99	0.45
3:A:402:0O6:NBX	3:A:402:0O6:CAV	2.77	0.44
1:K:315:ASP:HB3	1:K:318:GLU:HB2	1.99	0.44
1:B:262:MET:O	1:B:268:ARG:NH1	2.50	0.44
1:C:252:ASN:C	1:C:252:ASN:OD1	2.56	0.44
1:D:254:THR:O	1:D:302:HIS:HE1	2.00	0.44
1:K:351:CYS:HA	1:K:352:LEU:HA	1.74	0.44
1:K:263:ALA:HA	1:K:301:PHE:CD1	2.53	0.44
1:L:256:LEU:HA	1:L:257:PRO:HD3	1.85	0.44
1:K:278:SER:OG	1:K:312:PRO:HA	2.18	0.44
1:B:248:ARG:HG2	1:B:248:ARG:HH11	1.80	0.44
1:G:269:ILE:HG13	1:G:269:ILE:H	1.56	0.44
1:L:269:ILE:H	1:L:269:ILE:HG13	1.55	0.44
1:C:252:ASN:HD22	1:C:258:ARG:HG3	1.83	0.44
1:K:290:TYR:HE2	1:K:301:PHE:HA	1.82	0.44
1:B:290:TYR:HE2	1:B:301:PHE:HA	1.82	0.44
1:L:280:ASN:HB3	1:L:283:GLN:HB2	2.00	0.44
1:G:344:LEU:HA	1:G:347:SER:HB3	2.00	0.44
1:K:295:GLY:C	1:K:297:LYS:H	2.21	0.44
1:L:311:LYS:N	1:L:314:GLU:OE1	2.51	0.43
1:B:311:LYS:CB	1:B:312:PRO:CD	2.95	0.43
1:J:352:LEU:HA	1:J:353:VAL:HA	1.77	0.43
1:J:297:LYS:HE2	1:J:308:THR:HG21	1.99	0.43
1:E:258:ARG:O	1:E:258:ARG:HG2	2.18	0.43
1:G:256:LEU:HA	1:G:257:PRO:HD3	1.79	0.43
1:D:351:CYS:O	1:D:353:VAL:HA	2.19	0.43
1:D:309:ASP:O	3:D:402:0O6:HA	2.19	0.43
1:C:302:HIS:HD2	1:C:329:TYR:HB2	1.82	0.43
1:J:326:GLY:O	1:J:328:LYS:HD2	2.18	0.43
1:J:262:MET:HG3	1:J:290:TYR:CD2	2.54	0.43
1:F:305:GLY:HA3	1:F:324:TYR:CE1	2.53	0.42
1:G:290:TYR:HE2	1:G:301:PHE:HA	1.83	0.42
1:B:281:LYS:HG3	1:B:281:LYS:H	1.57	0.42
1:J:297:LYS:HG2	1:J:308:THR:HG21	2.00	0.42
1:L:322:LYS:HD3	1:L:323:TRP:NE1	2.34	0.42
1:K:255:ASN:HD21	1:K:328:LYS:HG2	1.81	0.42
1:L:352:LEU:HA	1:L:353:VAL:HA	1.84	0.42
1:G:250:PHE:HA	1:G:251:PRO:HD3	1.83	0.42
1:D:269:ILE:H	1:D:269:ILE:HG13	1.64	0.42
1:B:249:ASN:HA	1:B:249:ASN:HD22	1.53	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:252:ASN:HB3	1:J:303:CYS:HA	2.02	0.42
1:L:315:ASP:HB3	1:L:318:GLU:HB3	2.01	0.42
1:E:337:GLU:O	1:E:341:ASN:ND2	2.53	0.42
1:B:315:ASP:OD2	1:B:316:PRO:HD2	2.20	0.42
1:G:271:THR:HG21	1:G:291:ALA:O	2.19	0.42
4:D:403:P33:H111	1:K:325:PRO:HG3	2.02	0.42
1:F:252:ASN:ND2	1:F:254:THR:CG2	2.81	0.42
1:E:250:PHE:HA	1:E:251:PRO:HD3	1.91	0.42
1:K:249:ASN:ND2	1:K:249:ASN:H	2.18	0.42
1:B:311:LYS:HB2	1:B:314:GLU:CD	2.40	0.42
1:D:266:GLU:HA	1:D:269:ILE:CD1	2.49	0.42
1:K:322:LYS:HE3	1:K:346:HIS:CE1	2.55	0.42
1:F:257:PRO:HG3	1:F:302:HIS:CD2	2.55	0.42
1:G:257:PRO:HG3	1:G:302:HIS:CD2	2.55	0.42
3:A:402:O06:HBFA	1:F:324:TYR:HE2	1.84	0.41
1:E:280:ASN:HB3	1:E:283:GLN:CG	2.50	0.41
1:B:343:HIS:CE1	5:G:402:2PE:H81	2.54	0.41
1:C:292:LEU:HD12	1:C:297:LYS:HB3	2.02	0.41
1:D:272:PHE:CE2	1:D:291:ALA:HB2	2.55	0.41
1:F:283:GLN:HB3	1:F:316:PRO:HG2	2.01	0.41
1:F:311:LYS:HB2	1:F:314:GLU:OE1	2.20	0.41
1:A:252:ASN:HD22	1:A:258:ARG:HG2	1.84	0.41
1:J:325:PRO:HG2	4:J:403:P33:H81	2.02	0.41
1:F:248:ARG:NH2	1:F:248:ARG:CG	2.72	0.41
1:G:254:THR:HG23	1:G:256:LEU:N	2.31	0.41
1:E:346:HIS:O	1:E:349:GLU:HG2	2.21	0.41
1:K:332:GLU:HG2	1:K:332:GLU:O	2.20	0.41
1:J:265:TYR:O	1:J:269:ILE:HG13	2.20	0.41
1:B:341:ASN:HA	1:D:341:ASN:OD1	2.21	0.41
1:G:252:ASN:CB	1:G:303:CYS:HA	2.44	0.41
1:A:272:PHE:CE2	1:A:284:LEU:HD13	2.55	0.41
1:E:269:ILE:H	1:E:269:ILE:HG13	1.79	0.41
1:D:250:PHE:HA	1:D:251:PRO:HD3	1.94	0.41
1:F:256:LEU:HA	1:F:257:PRO:HD3	1.83	0.40
3:D:402:O06:HBF	3:D:402:O06:HAX	1.94	0.40
1:D:265:TYR:CZ	1:D:269:ILE:HG12	2.56	0.40
1:B:349:GLU:HA	1:B:352:LEU:HD12	2.03	0.40
1:E:287:ALA:HA	1:E:317:TRP:CZ2	2.56	0.40
1:A:348:LEU:C	1:A:350:GLU:N	2.75	0.40
1:J:269:ILE:H	1:J:269:ILE:HG13	1.54	0.40
1:L:279:VAL:HG23	1:L:284:LEU:HD11	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	107/122 (88%)	98 (92%)	9 (8%)	0	100	100
1	B	104/122 (85%)	100 (96%)	4 (4%)	0	100	100
1	C	103/122 (84%)	98 (95%)	4 (4%)	1 (1%)	19	58
1	D	104/122 (85%)	93 (89%)	11 (11%)	0	100	100
1	E	106/122 (87%)	95 (90%)	10 (9%)	1 (1%)	21	60
1	F	103/122 (84%)	95 (92%)	8 (8%)	0	100	100
1	G	105/122 (86%)	98 (93%)	5 (5%)	2 (2%)	10	45
1	J	106/122 (87%)	102 (96%)	4 (4%)	0	100	100
1	K	105/122 (86%)	96 (91%)	8 (8%)	1 (1%)	19	58
1	L	105/122 (86%)	97 (92%)	6 (6%)	2 (2%)	10	45
All	All	1048/1220 (86%)	972 (93%)	69 (7%)	7 (1%)	26	66

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	312	PRO
1	K	322	LYS
1	L	312	PRO
1	G	313	SER
1	L	275	TRP
1	E	295	GLY
1	G	295	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	94/106 (89%)	84 (89%)	10 (11%)	8	33
1	B	91/106 (86%)	82 (90%)	9 (10%)	10	37
1	C	90/106 (85%)	84 (93%)	6 (7%)	20	58
1	D	91/106 (86%)	82 (90%)	9 (10%)	10	37
1	E	93/106 (88%)	84 (90%)	9 (10%)	10	38
1	F	90/106 (85%)	77 (86%)	13 (14%)	4	19
1	G	91/106 (86%)	74 (81%)	17 (19%)	2	9
1	J	93/106 (88%)	80 (86%)	13 (14%)	4	20
1	K	92/106 (87%)	85 (92%)	7 (8%)	16	51
1	L	91/106 (86%)	79 (87%)	12 (13%)	5	22
All	All	916/1060 (86%)	811 (88%)	105 (12%)	7	29

All (105) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	248	ARG
1	A	258	ARG
1	A	278	SER
1	A	286	ARG
1	A	294	GLU
1	A	308	THR
1	A	314	GLU
1	A	331	LEU
1	A	337	GLU
1	A	352	LEU
1	B	248	ARG
1	B	249	ASN
1	B	256	LEU
1	B	266	GLU
1	B	281	LYS
1	B	297	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	328	LYS
1	B	331	LEU
1	B	340	ASN
1	C	252	ASN
1	C	256	LEU
1	C	258	ARG
1	C	328	LYS
1	C	344	LEU
1	C	352	LEU
1	D	249	ASN
1	D	269	ILE
1	D	279	VAL
1	D	314	GLU
1	D	331	LEU
1	D	345	THR
1	D	350	GLU
1	D	351	CYS
1	D	352	LEU
1	E	249	ASN
1	E	255	ASN
1	E	261	SER
1	E	266	GLU
1	E	294	GLU
1	E	308	THR
1	E	318	GLU
1	E	348	LEU
1	E	352	LEU
1	J	248	ARG
1	J	253	SER
1	J	264	ASP
1	J	269	ILE
1	J	279	VAL
1	J	283	GLN
1	J	308	THR
1	J	309	ASP
1	J	322	LYS
1	J	336	GLN
1	J	337	GLU
1	J	344	LEU
1	J	345	THR
1	F	248	ARG
1	F	249	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	F	253	SER
1	F	255	ASN
1	F	258	ARG
1	F	266	GLU
1	F	282	GLU
1	F	286	ARG
1	F	314	GLU
1	F	322	LYS
1	F	328	LYS
1	F	331	LEU
1	F	352	LEU
1	G	253	SER
1	G	254	THR
1	G	255	ASN
1	G	256	LEU
1	G	266	GLU
1	G	269	ILE
1	G	271	THR
1	G	274	THR
1	G	279	VAL
1	G	282	GLU
1	G	308	THR
1	G	328	LYS
1	G	331	LEU
1	G	342	ILE
1	G	345	THR
1	G	351	CYS
1	G	352	LEU
1	K	246	SER
1	K	249	ASN
1	K	292	LEU
1	K	309	ASP
1	K	347	SER
1	K	349	GLU
1	K	351	CYS
1	L	248	ARG
1	L	249	ASN
1	L	261	SER
1	L	269	ILE
1	L	270	PHE
1	L	298	VAL
1	L	307	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	309	ASP
1	L	328	LYS
1	L	337	GLU
1	L	344	LEU
1	L	348	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	249	ASN
1	B	249	ASN
1	C	280	ASN
1	C	343	HIS
1	D	249	ASN
1	D	280	ASN
1	D	302	HIS
1	E	249	ASN
1	J	336	GLN
1	J	346	HIS
1	F	249	ASN
1	F	333	GLN
1	G	259	ASN
1	G	283	GLN
1	G	346	HIS
1	K	249	ASN
1	K	255	ASN
1	K	346	HIS
1	L	252	ASN
1	L	255	ASN
1	L	280	ASN
1	L	283	GLN
1	L	346	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	0O6	A	402	-	86,94,94	1.56	7 (8%)	94,130,130	1.36	12 (12%)
4	P33	A	403	-	21,21,21	0.51	0	20,20,20	0.33	0
3	0O6	B	402	-	86,94,94	1.55	8 (9%)	94,130,130	1.43	14 (14%)
3	0O6	D	402	-	86,94,94	1.53	7 (8%)	94,130,130	1.41	13 (13%)
4	P33	D	403	-	21,21,21	0.63	0	20,20,20	0.30	0
3	0O6	E	402	-	86,94,94	1.51	8 (9%)	94,130,130	1.75	17 (18%)
5	2PE	E	403	-	27,27,27	0.76	0	26,26,26	0.34	0
5	2PE	G	402	-	27,27,27	0.69	0	26,26,26	0.47	0
3	0O6	J	401	-	86,94,94	1.53	6 (6%)	94,130,130	1.41	10 (10%)
4	P33	J	403	-	21,21,21	0.55	0	20,20,20	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	0O6	A	402	-	-	0/66/134/134	0/9/9/9
4	P33	A	403	-	-	0/19/19/19	0/0/0/0
3	0O6	B	402	-	-	0/66/134/134	0/9/9/9
3	0O6	D	402	-	-	0/66/134/134	0/9/9/9
4	P33	D	403	-	-	0/19/19/19	0/0/0/0
3	0O6	E	402	-	-	0/66/134/134	0/9/9/9
5	2PE	E	403	-	-	0/25/25/25	0/0/0/0
5	2PE	G	402	-	-	0/25/25/25	0/0/0/0
3	0O6	J	401	-	-	0/66/134/134	0/9/9/9

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	P33	J	403	-	-	0/19/19/19	0/0/0/0

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	J	401	006	NBX-NBZ	-7.16	1.23	1.34
3	B	402	006	NBW-NBY	-7.07	1.23	1.34
3	A	402	006	NBW-NBY	-7.06	1.23	1.34
3	A	402	006	NBX-NBZ	-7.02	1.24	1.34
3	D	402	006	NBX-NBZ	-6.99	1.24	1.34
3	E	402	006	NBX-NBZ	-6.97	1.24	1.34
3	B	402	006	NBX-NBZ	-6.80	1.24	1.34
3	E	402	006	NBW-NBY	-6.76	1.24	1.34
3	D	402	006	NBW-NBY	-6.75	1.24	1.34
3	J	401	006	NBW-NBY	-6.52	1.24	1.34
3	J	401	006	NBZ-NDH	-5.72	1.23	1.34
3	A	402	006	NBY-NDG	-5.59	1.23	1.34
3	D	402	006	NBY-NDG	-5.51	1.23	1.34
3	A	402	006	NBZ-NDH	-5.44	1.23	1.34
3	B	402	006	NBZ-NDH	-5.33	1.24	1.34
3	D	402	006	NBZ-NDH	-5.31	1.24	1.34
3	B	402	006	NBY-NDG	-5.27	1.24	1.34
3	E	402	006	NBZ-NDH	-5.16	1.24	1.34
3	J	401	006	NBY-NDG	-5.05	1.24	1.34
3	E	402	006	NBY-NDG	-5.02	1.24	1.34
3	A	402	006	CBB-CCR	-2.76	1.32	1.36
3	J	401	006	CBB-CCR	-2.73	1.32	1.36
3	B	402	006	CBB-CCR	-2.73	1.32	1.36
3	E	402	006	CBB-NDH	-2.57	1.32	1.35
3	B	402	006	CBA-NDG	-2.52	1.32	1.35
3	E	402	006	CBA-CCQ	-2.41	1.32	1.36
3	J	401	006	CBB-NDH	-2.40	1.32	1.35
3	D	402	006	CBB-CCR	-2.39	1.32	1.36
3	A	402	006	CBB-NDH	-2.23	1.33	1.35
3	A	402	006	CBA-CCQ	-2.12	1.33	1.36
3	E	402	006	CBB-CCR	-2.12	1.33	1.36
3	D	402	006	CBB-NDH	-2.11	1.33	1.35
3	E	402	006	CBA-NDG	-2.11	1.33	1.35
3	B	402	006	CCK-NDE	-2.10	1.32	1.35
3	B	402	006	CBA-CCQ	-2.10	1.33	1.36
3	D	402	006	CCW-NDE	2.20	1.50	1.47

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	006	CB-CA-C	-3.64	103.25	110.44
3	J	401	006	OAI-CCK-NDE	-3.57	117.23	121.67
3	E	402	006	CCJ-CCZ-NDF	-3.21	106.24	111.84
3	E	402	006	CCQ-CDA-NCC	-3.17	103.66	110.15
3	B	402	006	OAJ-CCL-NDF	-3.06	117.87	121.67
3	A	402	006	CBS-CCY-CCI	-2.87	106.00	111.26
3	B	402	006	CCO-CDA-CCQ	-2.86	106.50	112.24
3	D	402	006	CCQ-CDA-NCC	-2.75	104.51	110.15
3	A	402	006	CBS-CBQ-CCW	-2.69	100.17	104.02
3	A	402	006	OAI-CCK-NDE	-2.63	118.40	121.67
3	A	402	006	CCQ-CDA-NCC	-2.62	104.79	110.15
3	E	402	006	OAH-CCJ-NCD	-2.59	117.86	122.93
3	D	402	006	CBS-CBQ-CCW	-2.58	100.32	104.02
3	A	402	006	CBB-CCR-NBX	-2.56	106.57	110.16
3	A	402	006	OAJ-CCL-NDF	-2.52	118.54	121.67
3	E	402	006	CAV-CCP-CDB	-2.51	116.50	120.77
3	B	402	006	CCP-CDB-CCR	-2.42	107.39	112.24
3	B	402	006	CBS-CCY-CCI	-2.26	107.11	111.26
3	D	402	006	OAJ-CCL-NDF	-2.23	118.90	121.67
3	E	402	006	OAI-CCK-NDE	-2.20	118.94	121.67
3	B	402	006	CBT-CBR-CCX	-2.18	100.89	104.02
3	E	402	006	CBG-CBU-NDG	-2.18	108.13	112.34
3	D	402	006	CBT-CCZ-CCJ	-2.10	107.41	111.26
3	B	402	006	CCQ-CDA-NCC	-2.04	105.97	110.15
3	B	402	006	CBG-CBU-NDG	-2.03	108.42	112.34
3	J	401	006	OAL-CBJ-CCT	-2.01	107.03	111.45
3	B	402	006	CCS-CDC-NCE	2.04	113.29	110.70
3	E	402	006	CCI-CCY-NDE	2.13	115.55	111.84
3	B	402	006	CBQ-CCW-NDE	2.16	104.22	101.93
3	D	402	006	CCS-CDC-NCE	2.54	113.92	110.70
3	D	402	006	CBQ-CCW-NDE	2.64	104.72	101.93
3	D	402	006	CCO-CDA-NCC	2.72	116.27	111.18
3	A	402	006	CB-CA-C	2.81	115.99	110.44
3	E	402	006	CBR-CCX-NDF	2.83	104.92	101.93
3	A	402	006	CBR-CCX-NDF	2.88	104.98	101.93
3	E	402	006	NBW-NBY-NDG	2.95	109.53	107.31
3	E	402	006	CCY-NDE-CCK	2.95	121.98	118.27
3	D	402	006	CCY-NDE-CCK	2.99	122.04	118.27
3	J	401	006	CCS-CDC-NCE	3.23	114.79	110.70
3	D	402	006	CBR-CCX-NDF	3.26	105.37	101.93
3	E	402	006	CCP-CDB-NCD	3.32	117.38	111.18
3	E	402	006	CBQ-CCW-NDE	3.32	105.44	101.93

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	401	0O6	CBR-CCX-NDF	3.37	105.49	101.93
3	B	402	0O6	CCY-NDE-CCK	3.39	122.54	118.27
3	A	402	0O6	CCZ-NDF-CCL	3.40	122.55	118.27
3	J	401	0O6	CBQ-CCW-NDE	3.44	105.57	101.93
3	E	402	0O6	CCZ-CCJ-NCD	3.45	124.39	116.64
3	D	402	0O6	CCT-CDD-NCF	3.52	115.16	110.70
3	A	402	0O6	NBX-NBZ-NDH	3.58	110.02	107.31
3	J	401	0O6	CCZ-NDF-CCL	3.65	122.86	118.27
3	E	402	0O6	NBX-NBZ-NDH	3.68	110.09	107.31
3	A	402	0O6	CCY-NDE-CCK	3.70	122.93	118.27
3	D	402	0O6	NBX-NBZ-NDH	3.79	110.17	107.31
3	J	401	0O6	NBX-NBZ-NDH	3.79	110.17	107.31
3	J	401	0O6	CCY-NDE-CCK	3.80	123.06	118.27
3	D	402	0O6	CCZ-NDF-CCL	3.84	123.10	118.27
3	B	402	0O6	NBX-NBZ-NDH	3.85	110.22	107.31
3	J	401	0O6	CCT-CDD-NCF	3.94	115.69	110.70
3	E	402	0O6	CCZ-NDF-CCL	4.27	123.65	118.27
3	A	402	0O6	NBW-NBY-NDG	4.52	110.72	107.31
3	E	402	0O6	CCS-CDC-NCE	4.53	116.44	110.70
3	B	402	0O6	CCZ-NDF-CCL	4.55	124.00	118.27
3	B	402	0O6	NBW-NBY-NDG	4.56	110.75	107.31
3	D	402	0O6	NBW-NBY-NDG	4.58	110.77	107.31
3	J	401	0O6	NBW-NBY-NDG	4.65	110.82	107.31
3	E	402	0O6	CDB-NCD-CCJ	7.60	137.24	121.18

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 37 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	0O6	4	0
3	B	402	0O6	7	0
3	D	402	0O6	10	0
4	D	403	P33	1	0
3	E	402	0O6	11	0
5	G	402	2PE	2	0
3	J	401	0O6	1	0
4	J	403	P33	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	109/122 (89%)	-0.16	0 100 100	8, 16, 54, 75	0
1	B	106/122 (86%)	0.12	1 (0%) 85 82	22, 35, 52, 59	0
1	C	105/122 (86%)	-0.07	1 (0%) 84 80	19, 36, 56, 63	0
1	D	105/122 (86%)	-0.29	0 100 100	10, 20, 33, 59	0
1	E	108/122 (88%)	-0.30	0 100 100	12, 23, 40, 67	0
1	F	105/122 (86%)	-0.28	0 100 100	12, 28, 48, 59	0
1	G	107/122 (87%)	-0.09	1 (0%) 85 82	14, 31, 49, 80	0
1	J	108/122 (88%)	-0.26	0 100 100	9, 19, 38, 57	0
1	K	107/122 (87%)	0.18	0 100 100	19, 35, 56, 64	0
1	L	107/122 (87%)	0.27	1 (0%) 85 82	16, 37, 71, 79	0
All	All	1067/1220 (87%)	-0.09	4 (0%) 93 92	8, 27, 55, 80	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	292	LEU	2.3
1	B	270	PHE	2.2
1	C	276	ILE	2.1
1	G	260	PRO	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	P33	D	403	22/22	0.85	0.24	1.15	24,29,45,47	0
3	0O6	J	401	86/86	0.96	0.28	0.99	17,25,32,39	0
3	0O6	D	402	86/86	0.96	0.28	0.86	12,18,34,40	0
4	P33	J	403	22/22	0.91	0.20	0.52	24,24,28,29	0
4	P33	A	403	22/22	0.93	0.19	0.51	24,24,30,32	0
5	2PE	E	403	28/28	0.91	0.21	0.50	24,24,28,29	0
3	0O6	E	402	86/86	0.95	0.25	0.33	15,21,35,40	0
3	0O6	B	402	86/86	0.95	0.24	0.21	23,29,38,44	0
3	0O6	A	402	86/86	0.97	0.21	-0.03	11,15,33,36	0
5	2PE	G	402	28/28	0.94	0.17	-0.32	24,24,27,29	0
2	ZN	G	401	1/1	1.00	0.08	-1.64	16,16,16,16	0
2	ZN	C	401	1/1	0.99	0.12	-1.76	23,23,23,23	0
2	ZN	J	402	1/1	1.00	0.13	-1.77	9,9,9,9	0
2	ZN	F	401	1/1	0.99	0.10	-1.84	14,14,14,14	0
2	ZN	D	401	1/1	0.99	0.09	-2.27	11,11,11,11	0
2	ZN	L	401	1/1	0.99	0.05	-2.27	21,21,21,21	0
2	ZN	E	401	1/1	1.00	0.11	-2.40	13,13,13,13	0
2	ZN	B	401	1/1	0.96	0.09	-3.60	25,25,25,25	0
2	ZN	K	401	1/1	1.00	0.06	-6.39	22,22,22,22	0
2	ZN	A	401	1/1	0.99	0.08	-	8,8,8,8	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.