



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 01:54 AM GMT

PDB ID : 2EIN
Title : Zinc ion binding structure of bovine heart cytochrome C oxidase in the fully oxidized state
Authors : Muramoto, K.; Hirata, K.; Shinzawa-Itoh, K.; Yoko-o, S.; Yamashita, E.; Aoyama, H.; Tsukihara, T.; Yoshikawa, S.
Deposited on : 2007-03-13
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)




















The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	514	 68% 31% .
1	N	514	 66% 33% .
2	B	227	 56% 39% .
2	O	227	 51% 45% .
3	C	261	 70% 28% ..
3	P	261	 67% 32% .
4	D	147	 69% 27% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	Q	147	
5	E	109	
5	R	109	
6	F	98	
6	S	98	
7	G	85	
7	T	85	
8	H	85	
8	U	85	
9	I	73	
9	V	73	
10	J	59	
10	W	59	
11	K	56	
11	X	56	
12	L	47	
12	Y	47	
13	M	46	
13	Z	46	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
17	HEA	A	515	X	-	-	-
17	HEA	A	516	X	-	-	-
17	HEA	N	515	X	-	-	-
17	HEA	N	516	X	-	-	-
22	PSC	B	230	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
23	CHD	C	271	X	-	-	-
23	CHD	J	60	X	-	-	-
23	CHD	P	1271	X	-	-	-
23	CHD	W	1060	X	-	-	-
24	DMU	C	272	X	-	-	-
24	DMU	M	526	X	-	-	-
24	DMU	P	1272	X	-	-	-
24	DMU	Z	1526	X	-	-	-
26	CDL	G	269	-	-	X	-
26	CDL	T	1269	-	-	X	-

2 Entry composition [i](#)

There are 27 unique types of molecules in this entry. The entry contains 31815 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			
1	N	514	Total	C	N	O	S	0	0	0
			4027	2691	623	678	35			

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			
2	O	227	Total	C	N	O	S	0	0	0
			1824	1185	281	340	18			

- Molecule 3 is a protein called Cytochrome c oxidase subunit 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			
3	P	259	Total	C	N	O	S	0	0	0
			2110	1412	336	350	12			

- Molecule 4 is a protein called Cytochrome c oxidase subunit 4 isoform 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			
4	Q	144	Total	C	N	O	S	0	0	0
			1195	777	196	218	4			

- Molecule 5 is a protein called Cytochrome c oxidase polypeptide Va.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	105	Total	C	N	O	S	0	0	0
			852	544	144	162	2			
5	R	105	Total	C	N	O	S	0	0	0
			852	544	144	162	2			

- Molecule 6 is a protein called Cytochrome c oxidase polypeptide Vb.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	98	Total	C	N	O	S	0	0	0
			748	464	134	145	5			
6	S	98	Total	C	N	O	S	0	0	0
			748	464	134	145	5			

- Molecule 7 is a protein called Cytochrome c oxidase polypeptide VIa-heart.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	84	Total	C	N	O	P	S	0	0
			675	431	129	113	1	1		
7	T	84	Total	C	N	O	P	S	0	0
			675	431	129	113	1	1		

- Molecule 8 is a protein called Cytochrome c oxidase subunit VIb isoform 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			
8	U	79	Total	C	N	O	S	0	0	0
			662	417	121	119	5			

- Molecule 9 is a protein called Cytochrome c oxidase polypeptide VIc.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	73	Total	C	N	O	S	0	0	0
			601	390	107	100	4			
9	V	73	Total	C	N	O	S	0	0	0
			601	390	107	100	4			

- Molecule 10 is a protein called Cytochrome c oxidase polypeptide VIIa-heart.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	58	Total	C	N	O	S	0	0	0
			460	297	78	82	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	W	58	Total	C	N	O	S	0	0	0
			460	297	78	82	3			

- Molecule 11 is a protein called Cytochrome c oxidase polypeptide VIIb.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			
11	X	49	Total	C	N	O	S	0	0	0
			384	250	65	67	2			

- Molecule 12 is a protein called Cytochrome c oxidase polypeptide VIIc.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			
12	Y	46	Total	C	N	O	S	0	0	0
			380	254	64	60	2			

- Molecule 13 is a protein called Cytochrome c oxidase polypeptide VIII-heart.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	M	43	Total	C	N	O	0	0	0
			335	223	53	59			
13	Z	43	Total	C	N	O	0	0	0
			335	223	53	59			

- Molecule 14 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	1	Total	Cu	0	0
			1	1		
14	N	1	Total	Cu	0	0
			1	1		


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		

- Molecule 16 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	A	1	Total	Na	0	0
			1	1		
16	N	1	Total	Na	0	0
			1	1		

- Molecule 17 is HEME-A (three-letter code: HEA) (formula: C₄₉H₅₆FeN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
17	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
17	N	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
17	N	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		

- Molecule 18 is TRISTEAROYLGLYCEROL (three-letter code: TGL) (formula: C₅₇H₁₁₀O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	A	1	Total	C	O	0	0
			63	57	6		
18	A	1	Total	C	O	0	0
			63	57	6		
18	L	1	Total	C	O	0	0
			63	57	6		
18	N	1	Total	C	O	0	0
			63	57	6		
18	O	1	Total	C	O	0	0
			63	57	6		
18	Y	1	Total	C	O	0	0
			63	57	6		

- Molecule 19 is (1R)-2-{{{[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHORYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (three-letter code: PGV) (formula: C₄₀H₇₇O₁₀P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
19	A	1	Total	C	O	P	0	0
			51	40	10	1		
19	A	1	Total	C	O	P	0	0
			51	40	10	1		
19	C	1	Total	C	O	P	0	0
			51	40	10	1		
19	C	1	Total	C	O	P	0	0
			51	40	10	1		
19	N	1	Total	C	O	P	0	0
			51	40	10	1		
19	N	1	Total	C	O	P	0	0
			51	40	10	1		
19	P	1	Total	C	O	P	0	0
			51	40	10	1		
19	P	1	Total	C	O	P	0	0
			51	40	10	1		

- Molecule 20 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	P	2	Total	Zn	0	0
			2	2		
20	G	1	Total	Zn	0	0
			1	1		
20	D	1	Total	Zn	0	0
			1	1		
20	B	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	C	1	Total 1	Zn 1	0	0
20	T	1	Total 1	Zn 1	0	0
20	N	2	Total 2	Zn 2	0	0
20	O	1	Total 1	Zn 1	0	0
20	L	1	Total 1	Zn 1	0	0
20	S	1	Total 1	Zn 1	0	0
20	F	2	Total 2	Zn 2	0	0

- Molecule 21 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
21	B	1	Total 2	Cu 2	0	0
21	O	1	Total 2	Cu 2	0	0

- Molecule 22 is (7R,17E,20E)-4-HYDROXY-N,N,N-TRIMETHYL-9-OXO-7-[(PALMITOYLOXY)METHYL]-3,5,8-TRIOXA-4-PHOSPHAHEXACOSA-17,20-DIEN-1-AMINIUM 4-OXIDE (three-letter code: PSC) (formula: C₄₂H₈₁NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
22	B	1	Total	C	N	O	P	0	0
			52	42	1	8	1		
22	O	1	Total	C	N	O	P	0	0
			52	42	1	8	1		

- Molecule 23 is CHOLIC ACID (three-letter code: CHD) (formula: C₂₄H₄₀O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
23	B	1	Total	C	O	0	0
			29	24	5		
23	C	1	Total	C	O	0	0
			29	24	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
23	C	1	Total	C	O	0	0
			29	24	5		
23	G	1	Total	C	O	0	0
			29	24	5		
23	J	1	Total	C	O	0	0
			29	24	5		
23	P	1	Total	C	O	0	0
			29	24	5		
23	P	1	Total	C	O	0	0
			29	24	5		
23	W	1	Total	C	O	0	0
			29	24	5		


- Molecule 24 is SUGAR (DECYL-BETA-D-MALTOPYRANOSIDE) (three-letter code: DMU) (formula: C₂₂H₄₂O₁₁).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
24	C	1	Total	C	O	0	0
			33	22	11		
24	M	1	Total	C	O	0	0
			33	22	11		
24	P	1	Total	C	O	0	0
			33	22	11		
24	Z	1	Total	C	O	0	0
			33	22	11		


- Molecule 25 is (1S)-2-{[(2-AMINOETHOXY)(HYDROXY)PHOSPHORYL]OXY}-1-[(ST

EAROYLOXY)METHYL]ETHYL (5E,8E,11E,14E)-ICOSA-5,8,11,14-TETRAENOATE
(three-letter code: PEK) (formula: C₄₃H₇₈NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
25	C	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
25	C	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
25	G	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
25	P	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
25	T	1	Total	C	N	O	P	0	0
			53	43	1	8	1		
25	T	1	Total	C	N	O	P	0	0
			53	43	1	8	1		

- Molecule 26 is CARDIOLIPIN (three-letter code: CDL) (formula: C₈₁H₁₅₆O₁₇P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
26	C	1	Total	C	O	P	0	0
			100	81	17	2		
26	G	1	Total	C	O	P	0	0
			100	81	17	2		
26	P	1	Total	C	O	P	0	0
			100	81	17	2		
26	T	1	Total	C	O	P	0	0
			100	81	17	2		

- Molecule 27 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
27	A	160	Total	O	0	0
			160	160		
27	B	86	Total	O	0	0
			86	86		
27	C	73	Total	O	0	0
			73	73		
27	D	38	Total	O	0	0
			38	38		
27	E	23	Total	O	0	0
			23	23		
27	F	37	Total	O	0	0
			37	37		
27	G	29	Total	O	0	0
			29	29		
27	H	31	Total	O	0	0
			31	31		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
27	I	18	Total 18	O 18	0	0
27	J	9	Total 9	O 9	0	0
27	K	20	Total 20	O 20	0	0
27	L	12	Total 12	O 12	0	0
27	M	11	Total 11	O 11	0	0
27	N	161	Total 161	O 161	0	0
27	O	77	Total 77	O 77	0	0
27	P	72	Total 72	O 72	0	0
27	Q	42	Total 42	O 42	0	0
27	R	22	Total 22	O 22	0	0
27	S	39	Total 39	O 39	0	0
27	T	26	Total 26	O 26	0	0
27	U	28	Total 28	O 28	0	0
27	V	17	Total 17	O 17	0	0
27	W	13	Total 13	O 13	0	0
27	X	13	Total 13	O 13	0	0
27	Y	11	Total 11	O 11	0	0
27	Z	5	Total 5	O 5	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Cytochrome c oxidase subunit 1




• Molecule 1: Cytochrome c oxidase subunit 1




- Molecule 2: Cytochrome c oxidase subunit 2




- Molecule 2: Cytochrome c oxidase subunit 2




- Molecule 3: Cytochrome c oxidase subunit 3




- Molecule 3: Cytochrome c oxidase subunit 3




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




- Molecule 4: Cytochrome c oxidase subunit 4 isoform 1




- Molecule 5: Cytochrome c oxidase polypeptide Va




- Molecule 5: Cytochrome c oxidase polypeptide Va




- Molecule 6: Cytochrome c oxidase polypeptide Vb




- Molecule 6: Cytochrome c oxidase polypeptide Vb




- Molecule 7: Cytochrome c oxidase polypeptide VIa-heart




- Molecule 7: Cytochrome c oxidase polypeptide VIa-heart




- Molecule 8: Cytochrome c oxidase subunit VIb isoform 1




- Molecule 8: Cytochrome c oxidase subunit VIb isoform 1




- Molecule 9: Cytochrome c oxidase polypeptide VIc



- Molecule 9: Cytochrome c oxidase polypeptide VIc




- Molecule 10: Cytochrome c oxidase polypeptide VIIa-heart



- Molecule 10: Cytochrome c oxidase polypeptide VIIa-heart






- Molecule 11: Cytochrome c oxidase polypeptide VIIb



- Molecule 11: Cytochrome c oxidase polypeptide VIIb



- Molecule 12: Cytochrome c oxidase polypeptide VIIc




- Molecule 12: Cytochrome c oxidase polypeptide VIIc



- Molecule 13: Cytochrome c oxidase polypeptide VIII-heart



- Molecule 13: Cytochrome c oxidase polypeptide VIII-heart



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	187.81Å 203.58Å 177.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.70	Depositor
% Data completeness (in resolution range)	(Not available) (40.00-2.70)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.208 , 0.258	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	31815	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, TPO, CHD, TGL, CDL, PSC, PEK, MG, PGV, SAC, DMU, CUA, NA, FME, CU, HEA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/4156	0.79	0/5678
1	N	0.58	0/4156	0.73	0/5678
2	B	0.68	0/1860	0.87	0/2534
2	O	0.66	0/1860	0.84	1/2534 (0.0%)
3	C	0.69	1/2197 (0.0%)	0.69	0/3005
3	P	0.62	0/2197	0.69	0/3005
4	D	0.63	0/1229	0.74	1/1658 (0.1%)
4	Q	0.66	0/1229	0.71	1/1658 (0.1%)
5	E	0.62	0/871	0.71	0/1182
5	R	0.52	0/871	0.68	0/1182
6	F	0.70	0/765	0.94	3/1038 (0.3%)
6	S	0.67	0/765	0.89	3/1038 (0.3%)
7	G	0.67	1/690 (0.1%)	0.80	1/937 (0.1%)
7	T	0.71	0/690	0.78	1/937 (0.1%)
8	H	0.65	0/682	0.72	0/921
8	U	0.62	0/682	0.74	0/921
9	I	0.69	0/605	0.69	0/802
9	V	0.63	0/605	0.64	0/802
10	J	0.60	0/471	0.71	0/636
10	W	0.62	0/471	0.74	0/636
11	K	0.63	0/398	0.75	0/546
11	X	0.61	0/398	0.76	0/546
12	L	0.80	0/393	0.72	0/526
12	Y	0.64	0/393	0.68	0/526
13	M	0.64	0/345	0.76	0/470
13	Z	0.60	0/345	0.76	0/470
All	All	0.65	2/29324 (0.0%)	0.76	11/39866 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms

of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	N	0	1
2	B	0	1
2	O	0	1
All	All	0	6

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	116	TRP	CB-CG	5.36	1.59	1.50
7	G	36	TRP	CB-CG	5.02	1.59	1.50

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	S	94	HIS	N-CA-C	6.42	128.32	111.00
6	S	9	ASP	CB-CG-OD2	6.35	124.02	118.30
6	F	94	HIS	N-CA-C	6.19	127.72	111.00
6	F	9	ASP	CB-CG-OD2	6.15	123.84	118.30
7	G	6	GLY	N-CA-C	5.79	127.59	113.10

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	240	HIS	Sidechain
1	A	372	TYR	Sidechain
1	A	502	TYR	Sidechain
2	B	85	TYR	Sidechain
1	N	240	HIS	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4027	0	4001	162	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	N	4027	0	4001	165	0
2	B	1824	0	1833	91	0
2	O	1824	0	1833	101	0
3	C	2110	0	2027	79	0
3	P	2110	0	2027	83	0
4	D	1195	0	1183	38	0
4	Q	1195	0	1183	39	0
5	E	852	0	845	16	0
5	R	852	0	845	22	0
6	F	748	0	728	18	0
6	S	748	0	728	26	0
7	G	675	0	643	38	0
7	T	675	0	643	46	0
8	H	662	0	623	18	0
8	U	662	0	623	15	0
9	I	601	0	613	15	0
9	V	601	0	613	20	0
10	J	460	0	459	11	0
10	W	460	0	459	11	0
11	K	384	0	366	11	0
11	X	384	0	366	13	0
12	L	380	0	380	17	0
12	Y	380	0	380	17	0
13	M	335	0	352	17	0
13	Z	335	0	352	12	0
14	A	1	0	0	0	0
14	N	1	0	0	0	0
15	A	1	0	0	0	0
15	N	1	0	0	0	0
16	A	1	0	0	0	0
16	N	1	0	0	0	0
17	A	120	0	108	15	0
17	N	120	0	108	18	0
18	A	126	0	220	11	0
18	L	63	0	110	20	0
18	N	63	0	110	8	0
18	O	63	0	110	8	0
18	Y	63	0	110	16	0
19	A	102	0	152	9	0
19	C	102	0	152	7	0
19	N	102	0	152	9	0
19	P	102	0	152	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	B	1	0	0	0	0
20	C	1	0	0	0	0
20	D	1	0	0	0	0
20	F	2	0	0	0	0
20	G	1	0	0	0	0
20	L	1	0	0	0	0
20	N	2	0	0	0	0
20	O	1	0	0	0	0
20	P	2	0	0	0	0
20	S	1	0	0	0	0
20	T	1	0	0	0	0
21	B	2	0	0	0	0
21	O	2	0	0	0	0
22	B	52	0	80	21	0
22	O	52	0	80	20	0
23	B	29	0	39	5	0
23	C	58	0	78	5	0
23	G	29	0	39	1	0
23	J	29	0	39	4	0
23	P	58	0	78	6	0
23	W	29	0	39	3	0
24	C	33	0	36	3	0
24	M	33	0	38	1	0
24	P	33	0	38	4	0
24	Z	33	0	38	0	0
25	C	106	0	154	20	0
25	G	53	0	77	10	0
25	P	53	0	77	10	0
25	T	106	0	154	23	0
26	C	100	0	156	17	0
26	G	100	0	156	23	0
26	P	100	0	156	17	0
26	T	100	0	156	32	0
27	A	160	0	0	8	0
27	B	86	0	0	3	0
27	C	73	0	0	5	0
27	D	38	0	0	3	0
27	E	23	0	0	2	0
27	F	37	0	0	1	0
27	G	29	0	0	5	0
27	H	31	0	0	2	0
27	I	18	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
27	J	9	0	0	0	0
27	K	20	0	0	0	0
27	L	12	0	0	0	0
27	M	11	0	0	1	0
27	N	161	0	0	9	0
27	O	77	0	0	5	0
27	P	72	0	0	7	0
27	Q	42	0	0	2	0
27	R	22	0	0	1	0
27	S	39	0	0	1	0
27	T	26	0	0	3	0
27	U	28	0	0	1	0
27	V	17	0	0	3	0
27	W	13	0	0	1	0
27	X	13	0	0	1	0
27	Y	11	0	0	2	0
27	Z	5	0	0	1	0
All	All	31815	0	31298	1087	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 1087 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:63:ARG:HE	26:C:270:CDL:HA22	1.12	1.11
25:C:264:PEK:H161	25:C:264:PEK:H102	1.38	1.04
7:T:31:CYS:SG	26:T:1269:CDL:H532	1.98	1.04
4:Q:34:SER:H	4:Q:37:GLN:HE21	1.08	1.01
22:O:1230:PSC:H142	22:O:1230:PSC:H343	1.45	0.99

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	512/514 (100%)	466 (91%)	42 (8%)	4 (1%)	24	51
1	N	512/514 (100%)	469 (92%)	40 (8%)	3 (1%)	30	59
2	B	225/227 (99%)	202 (90%)	20 (9%)	3 (1%)	15	37
2	O	225/227 (99%)	198 (88%)	21 (9%)	6 (3%)	6	16
3	C	257/261 (98%)	247 (96%)	9 (4%)	1 (0%)	39	69
3	P	257/261 (98%)	246 (96%)	10 (4%)	1 (0%)	39	69
4	D	142/147 (97%)	135 (95%)	7 (5%)	0	100	100
4	Q	142/147 (97%)	134 (94%)	8 (6%)	0	100	100
5	E	103/109 (94%)	102 (99%)	1 (1%)	0	100	100
5	R	103/109 (94%)	101 (98%)	2 (2%)	0	100	100
6	F	96/98 (98%)	80 (83%)	12 (12%)	4 (4%)	3	7
6	S	96/98 (98%)	83 (86%)	9 (9%)	4 (4%)	3	7
7	G	81/85 (95%)	60 (74%)	13 (16%)	8 (10%)	1	0
7	T	81/85 (95%)	61 (75%)	12 (15%)	8 (10%)	1	0
8	H	77/85 (91%)	66 (86%)	8 (10%)	3 (4%)	4	8
8	U	77/85 (91%)	66 (86%)	8 (10%)	3 (4%)	4	8
9	I	71/73 (97%)	67 (94%)	4 (6%)	0	100	100
9	V	71/73 (97%)	68 (96%)	3 (4%)	0	100	100
10	J	56/59 (95%)	53 (95%)	2 (4%)	1 (2%)	11	27
10	W	56/59 (95%)	53 (95%)	2 (4%)	1 (2%)	11	27
11	K	47/56 (84%)	45 (96%)	2 (4%)	0	100	100
11	X	47/56 (84%)	45 (96%)	2 (4%)	0	100	100
12	L	44/47 (94%)	43 (98%)	1 (2%)	0	100	100
12	Y	44/47 (94%)	42 (96%)	1 (2%)	1 (2%)	8	20
13	M	41/46 (89%)	36 (88%)	5 (12%)	0	100	100
13	Z	41/46 (89%)	36 (88%)	5 (12%)	0	100	100
All	All	3504/3614 (97%)	3204 (91%)	249 (7%)	51 (2%)	13	32

5 of 51 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	60	GLU
6	F	93	PRO
6	F	94	HIS
7	G	4	ALA
7	G	7	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/426 (100%)	415 (97%)	11 (3%)	54	83
1	N	426/426 (100%)	412 (97%)	14 (3%)	45	76
2	B	210/210 (100%)	192 (91%)	18 (9%)	13	29
2	O	210/210 (100%)	190 (90%)	20 (10%)	11	24
3	C	224/226 (99%)	213 (95%)	11 (5%)	31	61
3	P	224/226 (99%)	220 (98%)	4 (2%)	66	89
4	D	128/129 (99%)	123 (96%)	5 (4%)	39	70
4	Q	128/129 (99%)	123 (96%)	5 (4%)	39	70
5	E	92/95 (97%)	89 (97%)	3 (3%)	45	76
5	R	92/95 (97%)	88 (96%)	4 (4%)	35	66
6	F	81/81 (100%)	80 (99%)	1 (1%)	78	93
6	S	81/81 (100%)	74 (91%)	7 (9%)	13	29
7	G	67/68 (98%)	61 (91%)	6 (9%)	12	27
7	T	67/68 (98%)	61 (91%)	6 (9%)	12	27
8	H	71/75 (95%)	66 (93%)	5 (7%)	19	42
8	U	71/75 (95%)	66 (93%)	5 (7%)	19	42
9	I	57/57 (100%)	53 (93%)	4 (7%)	19	42
9	V	57/57 (100%)	55 (96%)	2 (4%)	43	74
10	J	49/50 (98%)	48 (98%)	1 (2%)	63	87
10	W	49/50 (98%)	48 (98%)	1 (2%)	63	87

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	K	39/46 (85%)	37 (95%)	2 (5%)	29	59
11	X	39/46 (85%)	37 (95%)	2 (5%)	29	59
12	L	39/40 (98%)	37 (95%)	2 (5%)	29	59
12	Y	39/40 (98%)	37 (95%)	2 (5%)	29	59
13	M	37/38 (97%)	29 (78%)	8 (22%)	1	3
13	Z	37/38 (97%)	30 (81%)	7 (19%)	2	5
All	All	3040/3082 (99%)	2884 (95%)	156 (5%)	29	59

5 of 156 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
13	M	13	LYS
1	N	369	ASP
10	W	50	LEU
13	M	37	LEU
1	N	138	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 46 such sidechains are listed below:

Mol	Chain	Res	Type
11	K	35	GLN
1	N	180	GLN
10	W	9	GLN
11	K	41	ASN
1	N	151	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	FME	A	1	1	8,9,10	0.66	0	6,9,11	1.22	0
2	FME	B	1	2	8,9,10	0.68	0	6,9,11	1.57	1 (16%)
7	TPO	G	11	7	8,10,11	1.85	2 (25%)	7,14,16	1.01	0
9	SAC	I	1	9	7,8,9	2.76	2 (28%)	7,9,11	1.96	3 (42%)
1	FME	N	1	1	8,9,10	0.91	0	6,9,11	1.00	0
2	FME	O	1	2	8,9,10	0.55	0	6,9,11	1.16	1 (16%)
7	TPO	T	11	7	8,10,11	1.80	3 (37%)	7,14,16	0.97	0
9	SAC	V	1	9	7,8,9	3.04	2 (28%)	7,9,11	2.21	4 (57%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	A	1	1	-	1/6/9/11	0/0/0/0
2	FME	B	1	2	-	1/6/9/11	0/0/0/0
7	TPO	G	11	7	-	0/8/11/13	0/0/0/0
9	SAC	I	1	9	-	0/6/8/10	0/0/0/0
1	FME	N	1	1	-	1/6/9/11	0/0/0/0
2	FME	O	1	2	-	1/6/9/11	0/0/0/0
7	TPO	T	11	7	-	0/8/11/13	0/0/0/0
9	SAC	V	1	9	-	0/6/8/10	0/0/0/0

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	T	11	TPO	P-O1P	2.45	1.59	1.51
7	G	11	TPO	CG2-CB	2.74	1.58	1.51
7	T	11	TPO	CG2-CB	2.75	1.58	1.51
7	T	11	TPO	CB-CA	2.91	1.59	1.54
7	G	11	TPO	CB-CA	3.67	1.60	1.54

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	FME	CA-N-CN	-3.26	117.80	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	V	1	SAC	CA-N-C1A	-3.10	110.85	121.37
9	I	1	SAC	CA-N-C1A	-3.04	111.06	121.37
9	V	1	SAC	OAC-C1A-C2A	-2.47	117.52	122.06
2	O	1	FME	CA-N-CN	-2.35	119.21	122.82

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1	FME	O1-CN-N-CA
1	A	1	FME	O1-CN-N-CA
2	O	1	FME	O1-CN-N-CA
1	N	1	FME	O1-CN-N-CA

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	FME	2	0
7	G	11	TPO	2	0
1	N	1	FME	1	0
7	T	11	TPO	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 64 ligands modelled in this entry, 20 are monoatomic - leaving 44 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	HEA	A	515	1	40,67,67	1.38	5 (12%)	41,103,103	2.15	12 (29%)
17	HEA	A	516	1	40,67,67	1.54	9 (22%)	41,103,103	1.70	8 (19%)
18	TGL	A	521	-	62,62,62	0.97	3 (4%)	65,65,65	1.56	10 (15%)
18	TGL	A	523	-	62,62,62	1.11	5 (8%)	65,65,65	1.49	10 (15%)
19	PGV	A	524	-	50,50,50	1.49	8 (16%)	51,56,56	1.08	4 (7%)
19	PGV	A	525	-	50,50,50	1.12	5 (10%)	51,56,56	0.99	2 (3%)
23	CHD	B	1086	-	29,32,32	0.86	0	48,51,51	2.47	20 (41%)
21	CUA	B	228	2	0,1,1	0.00	-	0,0,0	0.00	-
22	PSC	B	230	-	51,51,51	1.56	11 (21%)	55,59,59	1.15	4 (7%)
25	PEK	C	264	-	51,52,52	2.05	13 (25%)	52,57,57	1.65	12 (23%)
25	PEK	C	265	-	51,52,52	1.90	12 (23%)	52,57,57	1.14	4 (7%)
19	PGV	C	267	-	50,50,50	1.05	3 (6%)	51,56,56	1.07	5 (9%)
19	PGV	C	268	-	50,50,50	1.56	9 (18%)	51,56,56	0.92	2 (3%)
26	CDL	C	270	-	99,99,99	1.20	10 (10%)	101,111,111	0.99	6 (5%)
23	CHD	C	271	-	29,32,32	1.25	4 (13%)	48,51,51	3.76	23 (47%)
24	DMU	C	272	-	34,34,34	2.68	14 (41%)	45,45,45	4.10	18 (40%)
23	CHD	C	525	-	29,32,32	1.22	2 (6%)	48,51,51	2.12	15 (31%)
25	PEK	G	1263	-	51,52,52	2.38	15 (29%)	52,57,57	1.36	7 (13%)
26	CDL	G	269	-	99,99,99	1.50	14 (14%)	101,111,111	1.02	9 (8%)
23	CHD	G	86	-	29,32,32	1.13	3 (10%)	48,51,51	2.61	21 (43%)
23	CHD	J	60	-	29,32,32	1.49	3 (10%)	48,51,51	3.74	25 (52%)
18	TGL	L	522	-	62,62,62	1.32	5 (8%)	65,65,65	1.71	12 (18%)
24	DMU	M	526	-	34,34,34	3.30	9 (26%)	45,45,45	3.57	21 (46%)
19	PGV	N	1266	-	50,50,50	1.24	6 (12%)	51,56,56	0.93	2 (3%)
18	TGL	N	1523	-	62,62,62	1.12	4 (6%)	65,65,65	1.51	9 (13%)
19	PGV	N	1524	-	50,50,50	1.50	8 (16%)	51,56,56	1.04	5 (9%)
17	HEA	N	515	1	40,67,67	1.55	7 (17%)	41,103,103	2.15	14 (34%)
17	HEA	N	516	1	40,67,67	1.35	8 (20%)	41,103,103	1.71	8 (19%)
22	PSC	O	1230	-	51,51,51	1.62	12 (23%)	55,59,59	1.10	4 (7%)
18	TGL	O	1521	-	62,62,62	1.02	5 (8%)	65,65,65	1.58	10 (15%)
21	CUA	O	228	2	0,1,1	0.00	-	0,0,0	0.00	-
25	PEK	P	1265	-	51,52,52	1.86	12 (23%)	52,57,57	1.13	4 (7%)
19	PGV	P	1267	-	50,50,50	1.10	4 (8%)	51,56,56	0.89	1 (1%)
19	PGV	P	1268	-	50,50,50	1.58	9 (18%)	51,56,56	0.90	2 (3%)
26	CDL	P	1270	-	99,99,99	1.24	12 (12%)	101,111,111	1.03	6 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
23	CHD	P	1271	-	29,32,32	1.30	6 (20%)	48,51,51	3.83	25 (52%)
24	DMU	P	1272	-	34,34,34	2.75	14 (41%)	45,45,45	3.96	20 (44%)
23	CHD	P	1525	-	29,32,32	1.44	4 (13%)	48,51,51	2.05	14 (29%)
25	PEK	T	1264	-	51,52,52	2.15	13 (25%)	52,57,57	1.62	10 (19%)
26	CDL	T	1269	-	99,99,99	1.41	14 (14%)	101,111,111	1.02	8 (7%)
25	PEK	T	263	-	51,52,52	2.40	15 (29%)	52,57,57	1.33	8 (15%)
23	CHD	W	1060	-	29,32,32	1.77	5 (17%)	48,51,51	3.67	25 (52%)
18	TGL	Y	1522	-	62,62,62	1.37	5 (8%)	65,65,65	1.65	9 (13%)
24	DMU	Z	1526	-	34,34,34	3.29	8 (23%)	45,45,45	3.49	21 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	HEA	A	515	1	3/3/7/16	0/24/76/76	0/0/8/8
17	HEA	A	516	1	3/3/7/16	0/24/76/76	0/0/8/8
18	TGL	A	521	-	-	0/65/65/65	0/0/0/0
18	TGL	A	523	-	-	0/65/65/65	0/0/0/0
19	PGV	A	524	-	-	2/55/55/55	0/0/0/0
19	PGV	A	525	-	-	0/55/55/55	0/0/0/0
23	CHD	B	1086	-	-	0/7/74/74	0/4/4/4
21	CUA	B	228	2	-	0/0/0/0	0/0/0/0
22	PSC	B	230	-	-	0/55/55/55	0/0/0/0
25	PEK	C	264	-	-	0/56/56/56	0/0/0/0
25	PEK	C	265	-	-	0/56/56/56	0/0/0/0
19	PGV	C	267	-	-	0/55/55/55	0/0/0/0
19	PGV	C	268	-	-	0/55/55/55	0/0/0/0
26	CDL	C	270	-	-	0/110/110/110	0/0/0/0
23	CHD	C	271	-	5/5/12/12	0/7/74/74	0/4/4/4
24	DMU	C	272	-	6/6/10/10	0/19/59/59	0/2/2/2
23	CHD	C	525	-	-	0/7/74/74	0/4/4/4
25	PEK	G	1263	-	-	0/56/56/56	0/0/0/0
26	CDL	G	269	-	-	0/110/110/110	0/0/0/0
23	CHD	G	86	-	-	0/7/74/74	0/4/4/4
23	CHD	J	60	-	5/5/12/12	0/7/74/74	0/4/4/4
18	TGL	L	522	-	-	0/65/65/65	0/0/0/0
24	DMU	M	526	-	5/5/10/10	0/19/59/59	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	PGV	N	1266	-	-	0/55/55/55	0/0/0/0
18	TGL	N	1523	-	-	0/65/65/65	0/0/0/0
19	PGV	N	1524	-	-	2/55/55/55	0/0/0/0
17	HEA	N	515	1	3/3/7/16	0/24/76/76	0/0/8/8
17	HEA	N	516	1	3/3/7/16	0/24/76/76	0/0/8/8
22	PSC	O	1230	-	-	0/55/55/55	0/0/0/0
18	TGL	O	1521	-	-	0/65/65/65	0/0/0/0
21	CUA	O	228	2	-	0/0/0/0	0/0/0/0
25	PEK	P	1265	-	-	0/56/56/56	0/0/0/0
19	PGV	P	1267	-	-	0/55/55/55	0/0/0/0
19	PGV	P	1268	-	-	0/55/55/55	0/0/0/0
26	CDL	P	1270	-	-	0/110/110/110	0/0/0/0
23	CHD	P	1271	-	5/5/12/12	0/7/74/74	0/4/4/4
24	DMU	P	1272	-	6/6/10/10	0/19/59/59	0/2/2/2
23	CHD	P	1525	-	-	0/7/74/74	0/4/4/4
25	PEK	T	1264	-	-	0/56/56/56	0/0/0/0
26	CDL	T	1269	-	-	0/110/110/110	0/0/0/0
25	PEK	T	263	-	-	0/56/56/56	0/0/0/0
23	CHD	W	1060	-	5/5/12/12	0/7/74/74	0/4/4/4
18	TGL	Y	1522	-	-	0/65/65/65	0/0/0/0
24	DMU	Z	1526	-	5/5/10/10	0/19/59/59	0/2/2/2

The worst 5 of 333 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	M	526	DMU	O7-C3	-8.02	1.23	1.43
24	Z	1526	DMU	O16-C6	-7.92	1.25	1.40
24	Z	1526	DMU	O7-C3	-7.75	1.24	1.43
24	M	526	DMU	O16-C6	-7.68	1.26	1.40
24	Z	1526	DMU	O5-C4	-7.24	1.26	1.44

The worst 5 of 455 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	P	1271	CHD	C17-C13-C12	-7.70	110.86	117.68
23	C	271	CHD	C19-C10-C9	-7.10	100.53	111.18
23	P	1271	CHD	C19-C10-C9	-6.97	100.74	111.18
23	J	60	CHD	C18-C13-C14	-6.72	100.61	111.22
23	W	1060	CHD	C18-C13-C14	-6.56	100.86	111.22

5 of 54 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
23	P	1271	CHD	C12
23	P	1271	CHD	C8
23	P	1271	CHD	C3
23	P	1271	CHD	C9
23	P	1271	CHD	C14

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	N	1524	PGV	C02-O01-C1-C2
19	A	524	PGV	C02-O01-C1-C2
19	N	1524	PGV	P-O11-C03-C02
19	A	524	PGV	P-O11-C03-C02

There are no ring outliers.

41 monomers are involved in 339 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	A	515	HEA	12	0
17	A	516	HEA	3	0
18	A	521	TGL	8	0
18	A	523	TGL	3	0
19	A	524	PGV	5	0
19	A	525	PGV	4	0
23	B	1086	CHD	5	0
22	B	230	PSC	21	0
25	C	264	PEK	9	0
25	C	265	PEK	11	0
19	C	267	PGV	6	0
19	C	268	PGV	1	0
26	C	270	CDL	17	0
23	C	271	CHD	4	0
24	C	272	DMU	3	0
23	C	525	CHD	1	0
25	G	1263	PEK	10	0
26	G	269	CDL	23	0
23	G	86	CHD	1	0
23	J	60	CHD	4	0
18	L	522	TGL	20	0
24	M	526	DMU	1	0
19	N	1266	PGV	2	0
18	N	1523	TGL	8	0
19	N	1524	PGV	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	N	515	HEA	9	0
17	N	516	HEA	9	0
22	O	1230	PSC	20	0
18	O	1521	TGL	8	0
25	P	1265	PEK	10	0
19	P	1267	PGV	9	0
19	P	1268	PGV	2	0
26	P	1270	CDL	17	0
23	P	1271	CHD	5	0
24	P	1272	DMU	4	0
23	P	1525	CHD	1	0
25	T	1264	PEK	12	0
26	T	1269	CDL	32	0
25	T	263	PEK	11	0
23	W	1060	CHD	3	0
18	Y	1522	TGL	16	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.