



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:16 PM GMT

PDB ID : 1ETS  
Title : REFINED 2.3 ANGSTROMS X-RAY CRYSTAL STRUCTURE OF BOVINE THROMBIN COMPLEXES FORMED WITH THE BENZAMIDINE AND ARGININE-BASED THROMBIN INHIBITORS NAPAP, 4-TAPAP AND MQPA: A STARTING POINT FOR IMPROVING ANTITHROMBOTICS  
Authors : Bode, W.; Brandstetter, H.  
Deposited on : 1992-07-06  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	49	 43% 27% • 27%
2	H	259	 56% 36% 7% •

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3664 atoms, of which 1015 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EPSILON-THROMBIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	L	36	Total	C	H	N	O	S	149	0	0
			353	181	63	48	60	1			

- Molecule 2 is a protein called EPSILON-THROMBIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	H	259	Total	C	H	N	O	S	647	0	0
			2584	1337	490	376	369	12			

- Molecule 3 is 1-[N-(NAPHTHALEN-2-YLSULFONYL)GLYCYL-4-CARBAMIMIDOYL-D-PHENYLALANYL]PIPERIDINE (three-letter code: MID) (formula: C<sub>27</sub>H<sub>31</sub>N<sub>5</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	H	1	Total	C	H	N	O	S	6	0
			43	27	6	5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	L	30	Total 90	H 60	O 30	60	0
4	H	198	Total 594	H 396	O 198	396	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: EPSILON-THROMBIN

Chain L: 



#### • Molecule 2: EPSILON-THROMBIN

Chain H: 



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.73 Å 88.73 Å 102.90 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (8.00-2.30)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.178 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3664	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MID

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	L	0.78	0/294	1.64	6/390 (1.5%)
2	H	0.92	0/2148	1.75	56/2905 (1.9%)
All	All	0.90	0/2442	1.74	62/3295 (1.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	H	0	5

There are no bond length outliers.

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	H	145	ARG	NE-CZ-NH2	-9.41	115.59	120.30
2	H	207	TRP	CD1-CG-CD2	8.90	113.42	106.30
2	H	225	TYR	CB-CG-CD2	-8.69	115.78	121.00
2	H	237	TRP	CD1-CG-CD2	8.69	113.25	106.30
2	H	141	TRP	CD1-CG-CD2	8.26	112.91	106.30
2	H	51	TRP	CD1-CG-CD2	8.22	112.88	106.30
2	H	96	TRP	CE2-CD2-CG	-8.09	100.83	107.30
2	H	61	VAL	CG1-CB-CG2	-8.07	97.98	110.90
2	H	60(D)	TRP	CD1-CG-CD2	7.93	112.64	106.30
2	H	175	ARG	NE-CZ-NH1	7.92	124.26	120.30
1	L	4	ARG	NE-CZ-NH1	7.77	124.18	120.30
2	H	96	TRP	CD1-CG-CD2	7.55	112.34	106.30
2	H	141	TRP	CE2-CD2-CG	-7.51	101.29	107.30
2	H	148	TRP	CG-CD2-CE3	7.37	140.54	133.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	51	TRP	CE2-CD2-CG	-7.31	101.45	107.30
1	L	4	ARG	NE-CZ-NH2	-7.27	116.67	120.30
2	H	214	SER	CA-C-N	7.23	133.11	117.20
2	H	105	LEU	CB-CG-CD2	-7.19	98.78	111.00
1	L	14(B)	THR	CA-CB-CG2	-7.06	102.51	112.40
2	H	237	TRP	CE2-CD2-CG	-7.04	101.67	107.30
2	H	144	ARG	NE-CZ-NH2	-7.03	116.79	120.30
2	H	207	TRP	CE2-CD2-CG	-6.96	101.73	107.30
2	H	60(D)	TRP	CE2-CD2-CG	-6.91	101.77	107.30
2	H	215	TRP	CD1-CG-CD2	6.86	111.79	106.30
2	H	215	TRP	CE2-CD2-CG	-6.78	101.88	107.30
2	H	89	TYR	CB-CG-CD1	-6.72	116.97	121.00
2	H	148	TRP	CD1-CG-CD2	6.72	111.68	106.30
2	H	187	ARG	NE-CZ-NH2	-6.60	117.00	120.30
2	H	96	TRP	CB-CG-CD1	-6.54	118.50	127.00
2	H	148	TRP	CB-CG-CD1	-6.36	118.73	127.00
2	H	237	TRP	CG-CD1-NE1	-6.24	103.86	110.10
2	H	148	TRP	CE2-CD2-CG	-6.17	102.36	107.30
1	L	14(J)	TYR	CB-CG-CD2	-6.16	117.30	121.00
2	H	206	ARG	NE-CZ-NH2	-6.15	117.22	120.30
2	H	225	TYR	CB-CG-CD1	6.11	124.67	121.00
2	H	141	TRP	CB-CG-CD1	-5.94	119.27	127.00
2	H	186(D)	LYS	N-CA-CB	-5.93	99.92	110.60
2	H	96	TRP	CG-CD2-CE3	5.75	139.07	133.90
2	H	141	TRP	CG-CD2-CE3	5.71	139.04	133.90
2	H	117	TYR	CB-CG-CD1	-5.67	117.60	121.00
2	H	35	ARG	CB-CG-CD	-5.64	96.95	111.60
2	H	207	TRP	CG-CD1-NE1	-5.56	104.54	110.10
2	H	206	ARG	NE-CZ-NH1	5.54	123.07	120.30
2	H	154	VAL	CA-CB-CG2	-5.53	102.60	110.90
1	L	10	LYS	CB-CG-CD	-5.53	97.22	111.60
2	H	233	ARG	NE-CZ-NH1	5.53	123.06	120.30
1	L	14(F)	LEU	CA-CB-CG	5.41	127.74	115.30
2	H	33	LEU	CA-CB-CG	5.35	127.61	115.30
2	H	165	ARG	NE-CZ-NH2	-5.35	117.63	120.30
2	H	32	MET	CA-CB-CG	5.31	122.33	113.30
2	H	163	VAL	CA-CB-CG2	5.29	118.83	110.90
2	H	158	VAL	CG1-CB-CG2	5.28	119.35	110.90
2	H	60(D)	TRP	CG-CD1-NE1	-5.26	104.84	110.10
2	H	51	TRP	CG-CD1-NE1	-5.23	104.87	110.10
2	H	29	TRP	CE2-CD2-CG	-5.18	103.16	107.30
2	H	50	ARG	NE-CZ-NH1	5.12	122.86	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	144	ARG	NE-CZ-NH1	5.12	122.86	120.30
2	H	141	TRP	CG-CD1-NE1	-5.08	105.02	110.10
2	H	214	SER	O-C-N	-5.04	114.63	122.70
2	H	51	TRP	CG-CD2-CE3	5.03	138.43	133.90
2	H	35	ARG	NE-CZ-NH1	5.03	122.81	120.30
2	H	165	ARG	NE-CZ-NH1	5.01	122.81	120.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	H	187	ARG	Sidechain
2	H	198	PRO	Peptide
2	H	225	TYR	Sidechain
2	H	245	LEU	Peptide
2	H	79	VAL	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	290	63	276	9	0
2	H	2094	490	2097	56	0
3	H	37	6	30	2	0
4	H	198	396	0	4	0
4	L	30	60	0	0	0
All	All	2649	1015	2403	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:60(H):PHE:HB3	2:H:64:LEU:HD11	1.62	0.78

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:172:THR:HG23	2:H:176:ILE:HD11	1.70	0.73
2:H:137:ARG:HE	2:H:159:ASN:HD21	1.45	0.64
2:H:77(A):ARG:HD2	2:H:78:LYS:HG3	1.81	0.62
2:H:93:ARG:HB2	2:H:101:ARG:HD2	1.81	0.62
2:H:169:LYS:HA	2:H:176:ILE:HD13	1.81	0.61
2:H:50:ARG:HG2	2:H:51:TRP:CD1	2.38	0.59
2:H:163:VAL:HG22	2:H:182:CYS:SG	2.44	0.58
2:H:35:ARG:HE	2:H:37:PRO:HD2	1.69	0.57
2:H:59:LEU:HD13	2:H:88:ILE:HG23	1.87	0.56
2:H:211:GLY:HA2	2:H:229:THR:O	2.06	0.55
2:H:172:THR:CG2	2:H:176:ILE:HD11	2.37	0.55
2:H:53:LEU:HD11	2:H:103:ILE:HD11	1.89	0.54
1:L:7:PHE:HA	1:L:12:VAL:HG12	1.90	0.54
2:H:81:LYS:HE3	2:H:110:ARG:NH1	2.23	0.53
2:H:83:SER:HB2	2:H:112:ILE:HD11	1.89	0.53
1:L:4:ARG:HH21	2:H:26:LEU:HD12	1.73	0.53
2:H:155:LEU:HD21	4:H:548:HOH:O	2.09	0.52
1:L:4:ARG:HD3	1:L:8:GLU:OE1	2.11	0.51
1:L:14(G):PHE:HZ	2:H:202:LYS:HZ2	1.57	0.51
2:H:29:TRP:O	2:H:45:SER:HA	2.10	0.51
2:H:108:LEU:HD13	2:H:112:ILE:HD13	1.93	0.50
2:H:23:GLU:O	2:H:26:LEU:HB2	2.12	0.50
2:H:45:SER:HB3	2:H:198:PRO:HG3	1.95	0.49
2:H:60(D):TRP:CH2	3:H:1:MID:H32	2.48	0.49
2:H:163:VAL:HG22	2:H:168:CYS:SG	2.53	0.49
2:H:206:ARG:HG3	2:H:208:TYR:CE1	2.49	0.48
2:H:51:TRP:CE3	2:H:105:LEU:HG	2.49	0.48
2:H:99:LEU:HD11	3:H:1:MID:H62	1.97	0.47
2:H:124:PRO:HG2	2:H:232:PHE:HD1	1.79	0.47
2:H:44:ALA:HB1	2:H:53:LEU:O	2.16	0.46
2:H:201:MET:SD	2:H:210:MET:HG3	2.56	0.45
2:H:81:LYS:HG2	2:H:112:ILE:HG13	1.98	0.45
2:H:55:ALA:HB1	2:H:102:ASP:OD2	2.16	0.45
2:H:59:LEU:HD11	2:H:106:LEU:HD11	1.99	0.44
2:H:57:HIS:NE2	2:H:195:SER:HB3	2.33	0.44
2:H:224:LYS:HD3	2:H:224:LYS:HA	1.78	0.43
1:L:6:LEU:HD21	2:H:116:ASP:HB3	1.99	0.43
2:H:185:LYS:HD3	4:H:729:HOH:O	2.18	0.43
1:L:14(G):PHE:HE1	2:H:204:PRO:HB3	1.84	0.43
2:H:32:MET:SD	2:H:34:PHE:HE1	2.42	0.43
2:H:27:SER:HB2	4:H:548:HOH:O	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:181:PHE:HE1	2:H:230:HIS:HA	1.84	0.42
1:L:3:LEU:HD23	2:H:206:ARG:HB3	2.01	0.42
2:H:93:ARG:HH11	2:H:93:ARG:HD3	1.76	0.42
1:L:4:ARG:NH2	2:H:26:LEU:HD12	2.34	0.42
2:H:165:ARG:HG2	2:H:169:LYS:HE2	2.02	0.42
1:L:4:ARG:HA	1:L:5:PRO:HD3	1.88	0.42
2:H:66:VAL:HG11	2:H:108:LEU:HD21	2.01	0.41
2:H:181:PHE:HZ	2:H:211:GLY:HA3	1.85	0.41
2:H:47:ILE:HD12	2:H:123:LEU:HD11	2.03	0.41
2:H:47:ILE:HG12	2:H:51:TRP:O	2.20	0.41
2:H:199:PHE:HD1	2:H:210:MET:HB2	1.85	0.41
2:H:75:ARG:HG2	4:H:644:HOH:O	2.21	0.41
2:H:29:TRP:HA	2:H:46:LEU:HB3	2.02	0.41
2:H:185:LYS:HB2	2:H:186(B):GLU:HG3	2.02	0.41
2:H:119:HIS:ND1	2:H:120:PRO:HD2	2.36	0.41
2:H:91:HIS:NE2	2:H:101:ARG:HD3	2.37	0.40
2:H:17:VAL:HG11	2:H:221(A):ASP:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	34/49 (69%)	28 (82%)	5 (15%)	1 (3%)	6	3
2	H	257/259 (99%)	227 (88%)	23 (9%)	7 (3%)	6	4
All	All	291/308 (94%)	255 (88%)	28 (10%)	8 (3%)	6	4

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	29	TRP

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	14(A)	GLN
2	H	116	ASP
2	H	60(E)	ASP
2	H	97(A)	GLU
2	H	150	VAL
2	H	143	ASN
2	H	246	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	30/43 (70%)	27 (90%)	3 (10%)	9	11
2	H	226/226 (100%)	204 (90%)	22 (10%)	10	12
All	All	256/269 (95%)	231 (90%)	25 (10%)	10	11

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1(C)	GLU
1	L	12	VAL
1	L	15	ARG
2	H	36	LYS
2	H	38	GLN
2	H	50	ARG
2	H	60(C)	PRO
2	H	66	VAL
2	H	74	THR
2	H	97(A)	GLU
2	H	106	LEU
2	H	114	LEU
2	H	120	PRO
2	H	121	VAL
2	H	130	LEU
2	H	147	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	H	149(B)	SER
2	H	151	GLN
2	H	163	VAL
2	H	179	ASN
2	H	182	CYS
2	H	185	LYS
2	H	205	ASN
2	H	210	MET
2	H	244	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	131	HIS
2	H	151	GLN
2	H	159	ASN
2	H	205	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	MID	H	1	-	40,40,40	2.24	5 (12%)	54,56,56	2.18	12 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MID	H	1	-	-	0/32/40/40	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	1	MID	CZ-CF	-4.94	1.39	1.47
3	H	1	MID	CA-N	-2.49	1.43	1.46
3	H	1	MID	C8-C9	-2.24	1.36	1.41
3	H	1	MID	O1S-S	7.83	1.52	1.43
3	H	1	MID	O2S-S	8.91	1.53	1.43

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	1	MID	O2S-S-O1S	-7.26	109.91	119.54
3	H	1	MID	C3-C2-S	-3.36	115.90	119.78
3	H	1	MID	CA-C-N1	-3.12	108.27	116.12
3	H	1	MID	O2S-S-C2	-3.06	104.08	107.96
3	H	1	MID	C51-C41-C31	-2.93	101.86	111.27
3	H	1	MID	C5-C10-C4	-2.90	116.37	123.22
3	H	1	MID	C31-C21-N11	-2.27	105.97	110.65
3	H	1	MID	C-CA-N	-2.16	107.25	113.25
3	H	1	MID	C41-C31-C21	2.05	115.31	111.26
3	H	1	MID	O-C-N1	2.56	127.35	123.01
3	H	1	MID	C1-C2-S	3.35	123.01	120.10
3	H	1	MID	C2-S-N	8.54	118.26	107.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	1	MID	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.