



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:31 AM GMT

PDB ID : 3EZ2  
Title : Partition protein-ADP complex  
Authors : Schumacher, M.A.; Dunham, T.D.; Xu, W.; Funnell, B.  
Deposited on : 2008-10-22  
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1192 (2.04-2.04)
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)
RSRZ outliers	91569	1194 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	
1	B	398	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ADP	B	507	-	-	-	X
3	MG	A	399	-	-	-	X
3	MG	B	399	-	-	-	X
4	EPE	B	3022	-	-	-	X
5	GOL	B	445	-	-	-	X

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6799 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Plasmid partition protein A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			3034	1930	517	571	16			
1	B	394	Total	C	N	O	S	0	0	0
			3082	1958	526	582	16			

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	245	Total	O	0	0
			245	245		
6	B	301	Total	O	0	0
			301	301		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Plasmid partition protein A



- Molecule 1: Plasmid partition protein A



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	60.10Å 125.90Å 148.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.94 – 2.05 50.94 – 2.05	Depositor EDS
% Data completeness (in resolution range)	98.7 (50.94-2.05) 98.8 (50.94-2.05)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.14 (at 2.05Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.191 , 0.232 0.192 , 0.231	Depositor DCC
$R_{free}$ test set	7162 reflections (10.14%)	DCC
Wilson B-factor (Å <sup>2</sup> )	29.6	Xtriage
Anisotropy	0.259	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 57.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 70634 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6799	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, EPE, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.58	0/3094	0.75	3/4186 (0.1%)
1	B	0.64	0/3144	0.75	5/4256 (0.1%)
All	All	0.61	0/6238	0.75	8/8442 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	134	ARG	NE-CZ-NH1	10.25	125.42	120.30
1	A	134	ARG	NE-CZ-NH2	-8.46	116.07	120.30
1	B	102	ARG	NE-CZ-NH2	-6.97	116.81	120.30
1	B	102	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	B	396	ARG	NE-CZ-NH2	-6.41	117.10	120.30
1	B	396	ARG	NE-CZ-NH1	5.95	123.28	120.30
1	B	203	MET	N-CA-C	-5.34	96.57	111.00
1	A	203	MET	N-CA-C	-5.21	96.95	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3034	0	3028	71	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3082	0	3068	72	0
2	A	54	0	24	0	0
2	B	54	0	24	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	B	15	0	18	4	0
5	B	12	0	16	0	0
6	A	245	0	0	7	0
6	B	301	0	0	8	0
All	All	6799	0	6178	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:THR:HG22	1:A:361:SER:H	1.16	1.10
1:B:228:ASN:HD21	1:B:302:GLY:HA3	1.18	1.04
1:B:358:THR:HG22	1:B:361:SER:H	1.27	1.00
1:A:228:ASN:HD21	1:A:302:GLY:HA3	1.32	0.92
1:A:131:HIS:ND1	1:A:358:THR:HG21	1.89	0.87
1:B:131:HIS:ND1	1:B:358:THR:HG21	1.93	0.83
1:B:73:LYS:NZ	4:B:3022:EPE:H51	1.92	0.83
1:B:228:ASN:ND2	1:B:302:GLY:HA3	1.94	0.82
1:B:396:ARG:HD2	6:B:626:HOH:O	1.84	0.77
1:B:296:LYS:HE2	1:B:300:ASP:OD1	1.89	0.73
1:A:43:LYS:HE2	1:A:58:ASP:OD2	1.89	0.71
1:A:134:ARG:HG3	1:A:200:VAL:HG23	1.73	0.71
1:A:228:ASN:HD21	1:A:302:GLY:CA	2.02	0.71
1:A:358:THR:CG2	1:A:361:SER:H	1.98	0.70
1:B:73:LYS:HZ2	4:B:3022:EPE:H51	1.54	0.70
1:B:227:GLN:HE22	1:B:236:ASN:HD21	1.39	0.69
1:B:334:PHE:HB2	1:B:338:MET:HG2	1.73	0.68
1:A:368:VAL:HG13	1:A:368:VAL:O	1.94	0.68
1:A:25:VAL:HG11	1:A:169:ILE:HG12	1.76	0.66
1:B:358:THR:HG23	1:B:360:ILE:H	1.60	0.65
1:B:320:LYS:HE2	1:B:322:ASP:HB3	1.78	0.65
1:B:26:GLN:HE22	1:B:169:ILE:H	1.44	0.63
1:A:358:THR:HG22	1:A:361:SER:N	2.01	0.63
1:B:269:ILE:HD11	1:B:311:ILE:HD13	1.80	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:26:GLN:NE2	1:B:169:ILE:H	1.96	0.62
1:A:329:LEU:HD13	1:B:17:MET:HE1	1.82	0.61
1:B:276:PRO:HB2	1:B:323:HIS:CD2	2.36	0.61
1:A:306:GLN:H	1:A:306:GLN:CD	2.05	0.60
1:B:73:LYS:HZ3	4:B:3022:EPE:H51	1.67	0.59
1:B:303:CYS:HB3	6:B:703:HOH:O	2.02	0.59
1:A:358:THR:HG23	1:A:360:ILE:H	1.66	0.58
1:B:227:GLN:HE22	1:B:236:ASN:ND2	2.00	0.58
1:A:255:HIS:HB2	6:B:404:HOH:O	2.03	0.58
1:A:163:HIS:HB3	1:A:166:SER:OG	2.04	0.57
1:B:363:ASN:HD22	1:B:364:PRO:CD	2.15	0.57
1:A:214:SER:OG	1:B:256:LEU:HD12	2.04	0.57
1:A:193:VAL:HG13	1:A:194:PRO:HD2	1.87	0.57
1:B:363:ASN:HD22	1:B:364:PRO:N	2.03	0.57
1:B:230:HIS:HE2	1:B:301:GLU:HG3	1.71	0.56
1:A:260:LEU:O	1:A:260:LEU:HD13	2.06	0.56
1:A:290:ARG:O	1:A:293:GLU:HB3	2.06	0.55
1:B:307:LEU:HB2	6:B:577:HOH:O	2.05	0.55
1:A:120:VAL:O	1:A:121:SER:CB	2.55	0.55
1:B:274:LEU:CD1	1:B:314:MET:HE1	2.37	0.55
1:A:167:ILE:HD12	1:A:168:GLY:O	2.07	0.55
1:B:228:ASN:ND2	1:B:302:GLY:CA	2.68	0.55
1:A:270:LEU:HG	1:A:307:LEU:HD11	1.90	0.54
1:A:236:ASN:HD22	1:A:236:ASN:N	2.04	0.54
1:B:228:ASN:HD21	1:B:302:GLY:CA	2.07	0.53
1:B:85:SER:H	1:B:88:ASN:HD22	1.57	0.53
1:B:363:ASN:ND2	1:B:365:ALA:H	2.07	0.53
1:A:217:ARG:NH1	1:A:229:ILE:HD13	2.24	0.53
1:A:396:ARG:HD2	6:A:403:HOH:O	2.08	0.53
1:A:170:VAL:HG11	1:A:204:PRO:HG2	1.91	0.52
1:A:169:ILE:HA	6:A:533:HOH:O	2.09	0.52
1:B:270:LEU:HG	1:B:307:LEU:HD22	1.91	0.52
1:A:50:PRO:O	1:A:51:LEU:HB2	2.09	0.51
1:A:319:ASN:ND2	1:A:324:LYS:CE	2.73	0.51
1:A:228:ASN:ND2	1:A:302:GLY:CA	2.73	0.51
1:A:182:VAL:O	1:A:240:LYS:NZ	2.42	0.51
1:B:286:LYS:O	1:B:290:ARG:HG2	2.11	0.51
1:A:319:ASN:HD22	1:A:324:LYS:HE3	1.75	0.51
1:B:274:LEU:HB2	1:B:314:MET:HE1	1.93	0.51
1:B:363:ASN:C	1:B:363:ASN:HD22	2.14	0.50
1:B:109:TYR:CE2	1:B:396:ARG:HD3	2.46	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:ARG:HG3	1:A:217:ARG:HH11	1.75	0.50
1:A:218:GLU:H	1:A:218:GLU:CD	2.14	0.49
1:B:350:GLU:HG3	2:B:502:ADP:C2	2.48	0.49
1:B:292:PRO:HG2	6:B:484:HOH:O	2.13	0.49
1:A:294:LEU:O	1:A:298:ILE:HG12	2.13	0.49
1:A:75:PRO:HA	1:A:80:MET:HG3	1.95	0.49
1:B:274:LEU:HD12	1:B:314:MET:HE1	1.94	0.48
1:B:363:ASN:HD22	1:B:364:PRO:HD2	1.78	0.48
1:A:47:ALA:O	6:A:400:HOH:O	2.20	0.48
1:B:26:GLN:O	1:B:29:LYS:HG2	2.14	0.47
1:B:120:VAL:O	1:B:121:SER:CB	2.62	0.47
1:A:317:LEU:HD13	1:A:318:SER:N	2.29	0.47
1:A:270:LEU:HG	1:A:307:LEU:HD21	1.96	0.47
1:B:85:SER:H	1:B:88:ASN:ND2	2.12	0.47
1:B:73:LYS:C	1:B:74:ARG:HG2	2.36	0.47
1:A:329:LEU:HD13	1:B:17:MET:CE	2.45	0.46
1:A:271:PHE:CD2	1:A:311:ILE:HB	2.50	0.46
1:A:386:LYS:HE2	1:A:390:ASP:OD1	2.15	0.46
1:B:82:TYR:CD1	4:B:3022:EPE:H101	2.51	0.46
1:A:109:TYR:CE2	1:A:396:ARG:HD3	2.50	0.46
1:B:340:ASP:HB2	6:B:687:HOH:O	2.15	0.46
1:A:319:ASN:HD22	1:A:324:LYS:CE	2.29	0.46
1:B:218:GLU:H	1:B:218:GLU:CD	2.20	0.46
1:A:167:ILE:HB	1:A:170:VAL:HG22	1.97	0.46
1:A:236:ASN:N	1:A:236:ASN:ND2	2.64	0.46
1:A:291:LEU:N	1:A:292:PRO:HD2	2.31	0.45
1:B:50:PRO:O	1:B:51:LEU:HB2	2.16	0.45
1:A:50:PRO:HB2	1:A:141:MET:HE1	1.97	0.45
1:B:314:MET:HE3	1:B:338:MET:CE	2.47	0.45
1:A:219:LEU:HA	1:A:219:LEU:HD12	1.85	0.45
1:B:350:GLU:HG3	2:B:502:ADP:H2	1.80	0.45
1:A:82:TYR:HD2	1:A:84:MET:HE3	1.82	0.45
1:B:274:LEU:HD12	1:B:314:MET:CE	2.46	0.45
1:B:297:LEU:O	1:B:301:GLU:HG2	2.17	0.45
1:A:167:ILE:HD12	1:A:168:GLY:N	2.32	0.44
1:A:292:PRO:HG2	6:A:484:HOH:O	2.16	0.44
1:A:25:VAL:HG11	1:A:169:ILE:CG1	2.44	0.44
1:A:273:PRO:HB3	1:A:313:PHE:CZ	2.52	0.44
1:A:276:PRO:HB2	1:A:323:HIS:CG	2.53	0.44
1:B:276:PRO:HB2	1:B:323:HIS:CG	2.53	0.44
1:B:230:HIS:NE2	1:B:301:GLU:HG3	2.32	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:325:TYR:CE2	1:B:329:LEU:HD11	2.53	0.44
1:A:181:ASN:ND2	1:A:240:LYS:HZ2	2.16	0.43
1:A:316:LYS:HD3	6:A:832:HOH:O	2.17	0.43
1:B:331:LYS:NZ	6:B:879:HOH:O	2.51	0.43
1:B:314:MET:N	1:B:314:MET:HE2	2.33	0.43
1:A:350:GLU:HG2	6:A:499:HOH:O	2.19	0.43
1:B:396:ARG:CD	6:B:626:HOH:O	2.55	0.43
1:A:84:MET:HA	1:A:88:ASN:HD22	1.83	0.43
1:A:170:VAL:HG11	1:A:204:PRO:CG	2.49	0.43
1:A:282:HIS:CE1	1:A:286:LYS:HE3	2.54	0.43
1:B:320:LYS:HG2	1:B:321:ALA:N	2.33	0.42
1:B:76:ALA:HB3	1:B:81:LYS:HG3	2.01	0.42
1:B:109:TYR:CD2	1:B:396:ARG:HD3	2.54	0.42
1:A:181:ASN:ND2	1:A:240:LYS:NZ	2.68	0.42
1:B:230:HIS:HE2	1:B:301:GLU:CG	2.30	0.42
1:B:260:LEU:HD23	1:B:260:LEU:O	2.19	0.42
1:A:134:ARG:HD2	1:A:198:PRO:O	2.19	0.42
1:B:297:LEU:HD12	1:B:297:LEU:O	2.20	0.42
1:A:388:VAL:O	1:A:392:ILE:HG13	2.20	0.42
1:A:184:ARG:HG3	1:A:240:LYS:O	2.19	0.42
1:A:132:ALA:O	1:A:136:HIS:HB2	2.20	0.42
1:B:358:THR:CG2	1:B:360:ILE:H	2.31	0.42
1:B:282:HIS:NE2	1:B:286:LYS:HE3	2.35	0.42
1:A:305:CYS:C	1:A:307:LEU:H	2.23	0.41
1:A:109:TYR:CD2	1:A:396:ARG:HD3	2.54	0.41
1:B:347:ASP:O	1:B:351:ARG:HG3	2.21	0.41
1:B:358:THR:CG2	1:B:361:SER:H	2.14	0.41
1:B:256:LEU:HD22	1:B:256:LEU:HA	1.88	0.41
1:B:285:LEU:HD23	1:B:285:LEU:HA	1.86	0.41
1:A:343:LEU:HD23	6:A:536:HOH:O	2.21	0.41
1:A:368:VAL:CG1	1:A:368:VAL:O	2.65	0.41
1:A:325:TYR:O	1:A:328:SER:HB2	2.21	0.41
1:B:123:THR:O	1:B:127:VAL:HB	2.21	0.41
1:B:24:GLN:O	1:B:28:GLN:HG3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/398 (96%)	364 (95%)	16 (4%)	4 (1%)	19	8
1	B	392/398 (98%)	375 (96%)	16 (4%)	1 (0%)	46	36
All	All	776/796 (98%)	739 (95%)	32 (4%)	5 (1%)	30	18

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	121	SER
1	A	121	SER
1	A	308	ALA
1	A	115	ASN
1	A	164	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	331/341 (97%)	309 (93%)	22 (7%)	21	11
1	B	336/341 (98%)	325 (97%)	11 (3%)	45	37
All	All	667/682 (98%)	634 (95%)	33 (5%)	31	21

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	43	LYS
1	A	51	LEU
1	A	67	LYS
1	A	134	ARG
1	A	142	GLU
1	A	144	LEU
1	A	151	LEU
1	A	181	ASN
1	A	217	ARG
1	A	219	LEU
1	A	260	LEU
1	A	291	LEU
1	A	304	GLU
1	A	307	LEU
1	A	319	ASN
1	A	320	LYS
1	A	327	HIS
1	A	339	LEU
1	A	351	ARG
1	A	358	THR
1	A	374	LEU
1	B	12	GLN
1	B	51	LEU
1	B	127	VAL
1	B	221	ASN
1	B	256	LEU
1	B	319	ASN
1	B	327	HIS
1	B	358	THR
1	B	363	ASN
1	B	370	SER
1	B	374	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	15	ASN
1	A	39	GLN
1	A	88	ASN
1	A	138	HIS
1	A	163	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	181	ASN
1	A	227	GLN
1	A	228	ASN
1	A	236	ASN
1	A	282	HIS
1	A	319	ASN
1	A	398	ASN
1	B	26	GLN
1	B	88	ASN
1	B	221	ASN
1	B	236	ASN
1	B	319	ASN
1	B	363	ASN
1	B	376	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ADP	A	501	3	22,29,29	2.20	8 (36%)	27,45,45	2.49	8 (29%)
2	ADP	A	509	-	22,29,29	2.06	6 (27%)	27,45,45	2.36	9 (33%)
4	EPE	B	3022	-	14,15,15	0.90	0	18,20,20	2.08	4 (22%)
5	GOL	B	445	-	5,5,5	0.31	0	5,5,5	0.38	0
2	ADP	B	502	3	22,29,29	1.92	6 (27%)	27,45,45	2.29	6 (22%)
2	ADP	B	507	-	22,29,29	2.08	5 (22%)	27,45,45	2.36	9 (33%)
5	GOL	B	545	-	5,5,5	0.36	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	501	3	-	0/12/32/32	0/3/3/3
2	ADP	A	509	-	-	0/12/32/32	0/3/3/3
4	EPE	B	3022	-	-	0/9/19/19	0/1/1/1
5	GOL	B	445	-	-	0/4/4/4	0/0/0/0
2	ADP	B	502	3	-	0/12/32/32	0/3/3/3
2	ADP	B	507	-	-	0/12/32/32	0/3/3/3
5	GOL	B	545	-	-	0/4/4/4	0/0/0/0

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	ADP	C8-N7	-2.74	1.29	1.34
2	A	501	ADP	PB-O2B	-2.66	1.45	1.54
2	A	509	ADP	PB-O2B	-2.36	1.46	1.54
2	B	507	ADP	PB-O2B	-2.35	1.46	1.54
2	A	501	ADP	PA-O2A	-2.17	1.45	1.54
2	B	502	ADP	C8-N7	-2.11	1.30	1.34
2	B	502	ADP	PB-O1B	-2.06	1.44	1.51
2	A	501	ADP	PB-O3B	2.00	1.61	1.54
2	A	509	ADP	C2-N1	2.19	1.38	1.33
2	A	509	ADP	O4'-C1'	2.61	1.44	1.41
2	A	501	ADP	C2-N1	2.62	1.38	1.33
2	B	507	ADP	O4'-C1'	2.68	1.44	1.41
2	B	502	ADP	PB-O3B	2.95	1.65	1.54
2	B	502	ADP	O4'-C1'	3.33	1.45	1.41
2	B	507	ADP	PB-O3B	3.42	1.67	1.54
2	A	509	ADP	PB-O3B	3.44	1.67	1.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	502	ADP	C2-N3	3.76	1.38	1.32
2	A	501	ADP	O4'-C1'	3.77	1.46	1.41
2	A	509	ADP	C2-N3	3.85	1.39	1.32
2	B	502	ADP	C4-N3	3.94	1.41	1.35
2	A	501	ADP	C2-N3	4.05	1.39	1.32
2	B	507	ADP	C2-N3	4.46	1.40	1.32
2	A	501	ADP	C4-N3	5.62	1.43	1.35
2	B	507	ADP	C4-N3	5.84	1.44	1.35
2	A	509	ADP	C4-N3	6.02	1.44	1.35

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	507	ADP	N3-C2-N1	-5.18	124.93	128.89
2	A	509	ADP	N3-C2-N1	-4.99	125.07	128.89
2	B	502	ADP	N3-C2-N1	-3.97	125.86	128.89
2	A	501	ADP	N3-C2-N1	-3.95	125.87	128.89
2	B	507	ADP	C1'-N9-C4	-3.42	121.78	126.94
2	A	509	ADP	C1'-N9-C4	-3.37	121.86	126.94
2	B	502	ADP	O2B-PB-O3A	-3.01	91.42	105.09
2	A	501	ADP	O2B-PB-O3A	-2.95	91.72	105.09
2	B	507	ADP	O2B-PB-O3A	-2.78	92.46	105.09
2	A	509	ADP	O2B-PB-O3A	-2.66	93.03	105.09
4	B	3022	EPE	O3S-S-O2S	-2.55	105.67	111.61
4	B	3022	EPE	O3S-S-O1S	-2.43	105.95	111.61
2	A	501	ADP	O3B-PB-O3A	-2.28	94.76	105.09
2	A	509	ADP	O3B-PB-O3A	-2.22	95.03	105.09
2	B	502	ADP	C1'-N9-C4	-2.14	123.71	126.94
2	B	507	ADP	O3B-PB-O3A	-2.09	95.62	105.09
2	A	501	ADP	O4'-C1'-N9	-2.01	103.88	108.10
4	B	3022	EPE	O2S-S-C10	2.00	108.61	106.91
2	B	502	ADP	C4-C5-N7	2.28	111.57	109.48
2	A	501	ADP	C4-C5-N7	2.37	111.66	109.48
2	A	509	ADP	C4-C5-N7	2.45	111.74	109.48
2	A	509	ADP	PA-O3A-PB	2.47	140.95	132.67
2	B	507	ADP	PA-O3A-PB	2.55	141.21	132.67
2	B	507	ADP	C4-C5-N7	2.77	112.03	109.48
2	B	507	ADP	C2'-C1'-N9	3.13	119.07	114.29
2	A	501	ADP	C2'-C1'-N9	3.19	119.16	114.29
2	A	509	ADP	C2'-C1'-N9	3.46	119.58	114.29
2	B	507	ADP	C4'-O4'-C1'	3.56	113.63	109.72
2	A	509	ADP	C4'-O4'-C1'	3.69	113.78	109.72

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	B	502	ADP	C4'-O4'-C1'	3.84	113.94	109.72
2	A	501	ADP	C4'-O4'-C1'	4.80	115.00	109.72
4	B	3022	EPE	O1S-S-C10	7.17	113.03	106.91
2	A	509	ADP	O2B-PB-O1B	7.22	133.82	110.58
2	B	507	ADP	O2B-PB-O1B	7.23	133.85	110.58
2	B	502	ADP	O2B-PB-O1B	8.00	136.33	110.58
2	A	501	ADP	O2B-PB-O1B	8.30	137.31	110.58

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	3022	EPE	4	0
2	B	502	ADP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	388/398 (97%)	-0.02	22 (5%) 27 31	17, 33, 76, 109	0
1	B	394/398 (98%)	-0.21	11 (2%) 56 63	15, 29, 62, 91	0
All	All	782/796 (98%)	-0.11	33 (4%) 40 46	15, 31, 68, 109	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	27	LEU	6.5
1	A	76	ALA	6.3
1	A	164	LYS	6.1
1	A	77	GLY	5.6
1	A	79	SER	5.3
1	B	321	ALA	5.0
1	A	28	GLN	4.3
1	A	165	HIS	4.3
1	B	325	TYR	3.7
1	A	167	ILE	3.6
1	A	78	SER	3.4
1	B	6	GLN	3.4
1	B	5	SER	3.4
1	B	324	LYS	3.3
1	A	168	GLY	3.2
1	A	368	VAL	3.1
1	A	163	HIS	3.0
1	A	25	VAL	2.9
1	A	166	SER	2.8
1	B	368	VAL	2.8
1	A	75	PRO	2.6
1	B	31	GLU	2.6
1	A	29	LYS	2.6
1	A	26	GLN	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	303	CYS	2.5
1	A	340	ASP	2.4
1	A	398	ASN	2.4
1	B	8	HIS	2.4
1	B	9	LYS	2.3
1	A	304	GLU	2.3
1	A	300	ASP	2.2
1	B	308	ALA	2.2
1	B	322	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	EPE	B	3022	15/15	0.88	0.28	14.53	30,80,89,93	0
5	GOL	B	445	6/6	0.86	0.18	4.72	44,51,54,65	0
3	MG	A	399	1/1	0.91	0.23	2.89	29,29,29,29	0
3	MG	B	399	1/1	0.99	0.18	2.76	26,26,26,26	0
2	ADP	B	507	27/27	0.70	0.22	2.27	36,53,116,119	0
2	ADP	A	509	27/27	0.62	0.37	1.30	36,73,131,131	0
2	ADP	B	502	27/27	0.97	0.11	0.03	20,26,32,33	0
2	ADP	A	501	27/27	0.96	0.13	-0.02	19,29,36,36	0
5	GOL	B	545	6/6	0.71	0.15	-	51,61,63,66	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.