



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:19 PM GMT

PDB ID : 1F14
Title : L-3-HYDROXYACYL-COA DEHYDROGENASE (APO)
Authors : Barycki, J.J.; O'Brien, L.K.; Strauss, A.W.; Banaszak, L.J.
Deposited on : 2000-05-18
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div> <div>2%</div> <div>79%</div> <div>15%</div> <div>6%</div> </div>
1	B	310	<div> <div>8%</div> <div>71%</div> <div>23%</div> <div>6%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-3-HYDROXYACYL-COA DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	291	Total	C	N	O	S	0	0	0
			2233	1427	375	422	9			
1	B	291	Total	C	N	O	S	0	0	0
			2229	1424	374	422	9			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	80	CYS	PHE	ENGINEERED	UNP Q16836
A	303	LEU	-	EXPRESSION TAG	UNP Q16836
A	304	GLU	-	EXPRESSION TAG	UNP Q16836
A	305	HIS	-	EXPRESSION TAG	UNP Q16836
A	306	HIS	-	EXPRESSION TAG	UNP Q16836
A	307	HIS	-	EXPRESSION TAG	UNP Q16836
A	308	HIS	-	EXPRESSION TAG	UNP Q16836
A	309	HIS	-	EXPRESSION TAG	UNP Q16836
A	310	HIS	-	EXPRESSION TAG	UNP Q16836
B	80	CYS	PHE	ENGINEERED	UNP Q16836
B	303	LEU	-	EXPRESSION TAG	UNP Q16836
B	304	GLU	-	EXPRESSION TAG	UNP Q16836
B	305	HIS	-	EXPRESSION TAG	UNP Q16836
B	306	HIS	-	EXPRESSION TAG	UNP Q16836
B	307	HIS	-	EXPRESSION TAG	UNP Q16836
B	308	HIS	-	EXPRESSION TAG	UNP Q16836
B	309	HIS	-	EXPRESSION TAG	UNP Q16836
B	310	HIS	-	EXPRESSION TAG	UNP Q16836

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	164	Total	O	0	0
			164	164		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	123	Total 123	O 123	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: L-3-HYDROXYACYL-COA DEHYDROGENASE



• Molecule 1: L-3-HYDROXYACYL-COA DEHYDROGENASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.44Å 86.97Å 168.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 19.97 – 2.29	Depositor EDS
% Data completeness (in resolution range)	96.5 (20.00-2.30) 96.1 (19.97-2.29)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	9.33 (at 2.30Å)	Xtriage
Refinement program	CNS 0.3	Depositor
R, R_{free}	0.213 , 0.267 0.209 , 0.262	Depositor DCC
R_{free} test set	1610 reflections (4.95%)	DCC
Wilson B-factor (Å ²)	35.5	Xtriage
Anisotropy	0.304	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 58.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 32626 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4749	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/2274	0.62	0/3072
1	B	0.33	0/2270	0.60	0/3068
All	All	0.34	0/4544	0.61	0/6140

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2233	0	2285	40	0
1	B	2229	0	2274	57	0
2	A	164	0	0	10	0
2	B	123	0	0	4	0
All	All	4749	0	4559	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:THR:HG22	1:A:49:ASP:H	1.29	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:259:LYS:HE2	1:B:282:ASN:OD1	1.69	0.92
1:A:173:LYS:HG3	1:A:177:THR:HB	1.60	0.83
1:A:259:LYS:HE2	1:A:282:ASN:OD1	1.83	0.78
1:A:47:THR:HG22	1:A:49:ASP:N	2.02	0.72
1:A:203:PRO:HG2	2:A:1011:HOH:O	1.92	0.69
1:B:95:ALA:HB2	1:B:121:ARG:NH1	2.07	0.69
1:A:109:VAL:HG23	2:A:845:HOH:O	1.93	0.68
1:B:95:ALA:HB2	1:B:121:ARG:HH12	1.59	0.67
1:A:273:PRO:HA	1:A:276:GLN:HG2	1.77	0.66
1:B:259:LYS:HD2	1:B:285:VAL:HG21	1.78	0.65
1:A:293:LYS:HG3	2:A:878:HOH:O	1.98	0.64
1:B:13:ILE:HG13	1:B:180:LYS:HE2	1.79	0.64
1:A:75:LYS:O	1:A:79:GLU:HG3	1.97	0.64
1:B:173:LYS:HG3	1:B:177:THR:HB	1.80	0.63
1:A:195:HIS:HB2	2:A:932:HOH:O	1.99	0.62
1:A:244:MET:HE3	1:A:249:LEU:HD13	1.81	0.62
1:A:162:PRO:HG2	1:A:165:VAL:HB	1.81	0.62
1:B:269:ASP:OD2	1:B:272:ASN:HB2	2.02	0.60
1:B:13:ILE:CG1	1:B:180:LYS:HE2	2.32	0.59
1:B:219:ILE:O	1:B:223:GLU:HG3	2.02	0.59
1:B:56:LYS:O	1:B:60:GLU:HG3	2.03	0.58
1:A:195:HIS:CD2	1:B:234:THR:HG21	2.38	0.58
1:B:49:ASP:O	1:B:53:LYS:HG3	2.05	0.57
1:A:179:GLN:HE21	1:A:183:GLU:HG3	1.70	0.55
1:B:150:ARG:HG2	1:B:153:ARG:HB2	1.88	0.55
1:B:87:THR:O	1:B:87:THR:HG22	2.06	0.55
1:B:174:THR:HB	1:B:175:PRO:HD2	1.89	0.54
1:B:289:LYS:HD3	1:B:296:GLU:OE2	2.08	0.53
1:A:228:SER:O	1:A:232:ILE:HG13	2.08	0.53
1:B:209:ARG:O	1:B:213:PRO:HG3	2.07	0.53
1:A:109:VAL:O	1:A:115:LYS:NZ	2.40	0.53
1:B:121:ARG:HH11	1:B:121:ARG:HG2	1.73	0.53
1:B:95:ALA:CB	1:B:121:ARG:HH12	2.21	0.53
1:B:249:LEU:O	1:B:253:VAL:HG22	2.09	0.53
1:B:168:LEU:HG	1:B:169:VAL:N	2.23	0.53
1:A:200:LYS:HE3	1:B:225:GLY:O	2.08	0.52
1:B:26:MET:CE	1:B:135:ASN:HD21	2.22	0.52
1:B:73:ASN:ND2	1:B:76:ALA:HB2	2.25	0.52
1:A:200:LYS:HD2	1:B:226:ASP:OD1	2.09	0.52
1:A:56:LYS:O	1:A:60:GLU:HG3	2.10	0.51
1:A:26:MET:O	1:A:30:ILE:HG13	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:244:MET:CE	1:A:249:LEU:HD13	2.40	0.51
1:B:150:ARG:HG2	1:B:150:ARG:O	2.11	0.50
1:A:67:LYS:HE2	2:A:967:HOH:O	2.12	0.50
1:A:133:ALA:HA	1:A:155:ALA:O	2.11	0.50
1:B:75:LYS:O	1:B:79:GLU:HG3	2.13	0.48
1:B:64:LYS:HE2	1:B:68:LYS:NZ	2.28	0.48
1:A:150:ARG:O	1:A:150:ARG:HG2	2.13	0.48
1:B:81:VAL:O	1:B:85:LEU:HD23	2.13	0.47
1:B:224:ARG:HG2	2:B:950:HOH:O	2.14	0.47
1:A:51:LEU:HD13	1:A:90:THR:HB	1.96	0.47
1:A:47:THR:HG22	1:A:48:GLU:N	2.30	0.46
1:B:157:LEU:HG	1:B:159:PHE:CE1	2.50	0.46
1:A:113:LYS:HG3	2:A:1062:HOH:O	2.14	0.46
1:B:292:LYS:C	1:B:294:THR:H	2.18	0.46
1:A:195:HIS:HD2	1:B:234:THR:HG21	1.78	0.46
1:A:47:THR:CG2	1:A:48:GLU:N	2.78	0.46
1:B:223:GLU:OE1	1:B:279:PRO:HD2	2.16	0.46
1:A:274:LEU:HD22	2:A:875:HOH:O	2.16	0.46
1:B:217:GLU:OE1	1:B:217:GLU:HA	2.15	0.45
1:B:256:ASP:HB3	1:B:290:PHE:CD1	2.52	0.45
1:B:256:ASP:OD1	1:B:290:PHE:HB3	2.17	0.45
1:A:66:ALA:C	1:A:68:LYS:H	2.20	0.44
1:A:47:THR:CG2	2:A:929:HOH:O	2.64	0.44
1:B:259:LYS:HE3	2:B:1048:HOH:O	2.17	0.44
1:B:26:MET:HE3	1:B:135:ASN:HD21	1.82	0.44
1:A:179:GLN:NE2	1:A:183:GLU:HG3	2.33	0.44
1:B:116:ASN:HD21	1:B:144:ILE:HA	1.83	0.44
1:B:294:THR:HG22	1:B:294:THR:O	2.17	0.44
1:B:150:ARG:HG3	1:B:153:ARG:CZ	2.47	0.44
1:B:112:LEU:HD11	1:B:143:SER:O	2.18	0.44
1:B:233:ASP:HA	1:B:246:PRO:HD2	1.98	0.44
1:B:62:LEU:HD12	1:B:85:LEU:CD2	2.48	0.43
1:B:13:ILE:HG21	2:B:993:HOH:O	2.18	0.43
1:A:47:THR:HG23	2:A:929:HOH:O	2.17	0.43
1:B:109:VAL:O	1:B:115:LYS:NZ	2.51	0.43
1:B:163:VAL:N	1:B:164:PRO:HD2	2.34	0.43
1:A:274:LEU:HD21	1:B:274:LEU:HG	2.01	0.42
1:B:259:LYS:CD	1:B:285:VAL:HG21	2.46	0.42
1:A:188:PHE:CE2	1:A:192:LEU:HD11	2.55	0.42
1:B:152:ASP:OD2	1:B:153:ARG:HD3	2.20	0.41
1:B:13:ILE:CG2	2:B:993:HOH:O	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:161:ASN:OD1	1:B:162:PRO:HA	2.20	0.41
1:A:220:ARG:O	1:A:224:ARG:HB2	2.21	0.41
1:A:243:PRO:HD2	2:A:837:HOH:O	2.21	0.41
1:B:283:LYS:O	1:B:287:GLU:HG2	2.21	0.40
1:B:152:ASP:OD2	1:B:153:ARG:CD	2.69	0.40
1:B:26:MET:HE2	1:B:135:ASN:HD21	1.86	0.40
1:A:173:LYS:CG	1:A:177:THR:HB	2.41	0.40
1:A:110:GLU:HA	1:A:115:LYS:HZ3	1.86	0.40
1:B:296:GLU:HG3	1:B:300:LYS:HG2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/310 (93%)	274 (95%)	15 (5%)	0	100	100
1	B	289/310 (93%)	274 (95%)	14 (5%)	1 (0%)	46	57
All	All	578/620 (93%)	548 (95%)	29 (5%)	1 (0%)	52	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	269	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/261 (94%)	243 (100%)	1 (0%)	93	97
1	B	243/261 (93%)	242 (100%)	1 (0%)	93	97
All	All	487/522 (93%)	485 (100%)	2 (0%)	93	97

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	214	TYR
1	B	214	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	GLN
1	A	179	GLN
1	A	288	ASN
1	B	32	GLN
1	B	73	ASN
1	B	116	ASN
1	B	135	ASN
1	B	195	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	291/310 (93%)	0.15	7 (2%) 62 71	21, 36, 61, 86	0
1	B	291/310 (93%)	0.44	25 (8%) 13 18	24, 41, 68, 94	0
All	All	582/620 (93%)	0.29	32 (5%) 29 37	21, 38, 66, 94	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	12	LYS	5.5
1	A	302	LYS	5.1
1	B	13	ILE	4.8
1	B	73	ASN	3.9
1	B	271	GLU	3.2
1	B	75	LYS	3.2
1	A	268	MET	3.2
1	A	271	GLU	3.1
1	B	267	GLU	2.9
1	B	124	LYS	2.8
1	B	250	LEU	2.8
1	A	72	GLU	2.8
1	A	68	LYS	2.7
1	B	69	LYS	2.7
1	B	302	LYS	2.6
1	B	294	THR	2.5
1	B	68	LYS	2.5
1	B	269	ASP	2.4
1	A	250	LEU	2.3
1	B	53	LYS	2.3
1	B	49	ASP	2.3
1	B	43	LEU	2.3
1	B	125	PHE	2.3
1	B	157	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	268	MET	2.2
1	A	12	LYS	2.1
1	B	165	VAL	2.1
1	B	247	PHE	2.1
1	B	131	ILE	2.1
1	B	56	LYS	2.0
1	B	288	ASN	2.0
1	B	255	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.