



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 3, 2016 – 10:51 PM EDT

PDB ID : 5F38
Title : X-ray crystal structure of a thiolase from Escherichia coli at 1.8 Å resolution
Authors : Ithayaraja, M.; Neelanjana, J.; Wierenga, R.; Savithri, H.S.; Murthy, M.R.N.
Deposited on : 2015-12-02
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027790
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027790


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	393	<div> <div>%</div> <div> <div></div> <div>91%</div> <div>8%</div> </div> </div>
2	A	394	<div> <div>3%</div> <div> <div></div> <div>84%</div> <div>10%</div> <div>5%</div> </div> </div>
3	D	394	<div> <div></div> <div> <div></div> <div>92%</div> <div>7%</div> </div> </div>
4	C	395	<div> <div></div> <div> <div></div> <div>90%</div> <div>9%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	MLY	B	86	-	-	X	-
2	MLY	A	86	-	-	X	-
3	MLY	D	86	-	-	X	-
4	MLY	C	86	-	-	X	-
6	EDO	A	401	-	-	-	X
6	EDO	A	402	-	-	-	X
6	EDO	A	404	-	-	-	X
6	EDO	A	407	-	-	X	X
6	EDO	B	402	-	-	-	X
6	EDO	B	406	-	-	-	X
6	EDO	B	407	-	-	X	X
6	EDO	C	402	-	-	-	X
6	EDO	C	403	-	-	-	X
6	EDO	C	405	-	-	-	X
6	EDO	D	403	-	-	-	X
6	EDO	D	406	-	-	-	X
6	EDO	D	410	-	-	-	X
6	EDO	D	411	-	-	-	X
7	5UG	C	401	-	-	-	X
7	5UG	D	401	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 12020 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	392	Total	C	N	O	S	0	2	1
			2714	1702	471	525	16			

- Molecule 2 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	375	Total	C	N	O	S	0	2	4
			2503	1563	441	485	14			

- Molecule 3 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	394	Total	C	N	O	S	0	3	0
			2755	1734	475	529	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	ALA	-	expression tag	UNP P76461
D	0	SER	-	expression tag	UNP P76461


- Molecule 4 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	C	392	Total	C	N	O	S	0	4	0
			2791	1747	491	535	18			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	ALA	-	expression tag	UNP P76461
C	0	SER	-	expression tag	UNP P76461

- Molecule 5 is COENZYME A (three-letter code: COZ) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
5	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	B	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	A	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0
6	D	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	D	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is [(3 {S})-2,2-dimethyl-3-oxidanyl-4-oxidanylidene-4-[[3-oxidanylidene-3-(2-sulfanylethylamino)propyl]amino]butyl] phosphono hydrogen phosphate (three-letter code: 5UG) (formula: C₁₁H₂₄N₂O₁₀P₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
7	D	1	Total	C	N	O	P	S	0	0
			26	11	2	10	2	1		
7	C	1	Total	C	N	O	P	S	0	0
			26	11	2	10	2	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	247	Total 247	O 247	0	0
8	A	175	Total 175	O 175	0	0
8	D	320	Total 320	O 320	0	0
8	C	291	Total 291	O 291	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Acetyl-CoA acetyltransferase




• Molecule 2: Acetyl-CoA acetyltransferase




• Molecule 3: Acetyl-CoA acetyltransferase



• Molecule 4: Acetyl-CoA acetyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.79Å 76.25Å 266.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.80 – 1.90 45.54 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.7 (36.80-1.90) 90.6 (45.54-1.90)	Depositor EDS
R_{merge}	0.01	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.03 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.197 , 0.235 0.203 , 0.240	Depositor DCC
R_{free} test set	5910 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	19.8	Xtriage
Anisotropy	0.861	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	0.089 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12020	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5UG, COZ, EDO, MLY, CSX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.74	1/2732 (0.0%)	0.83	5/3701 (0.1%)
2	A	0.67	0/2511	0.83	6/3384 (0.2%)
3	D	0.83	3/2777 (0.1%)	0.85	5/3760 (0.1%)
4	C	0.81	0/2811	0.85	3/3802 (0.1%)
All	All	0.76	4/10831 (0.0%)	0.84	19/14647 (0.1%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	4	CYS	CB-SG	-5.99	1.72	1.81
3	D	262	GLU	CD-OE2	-5.73	1.19	1.25
1	B	215	SER	CB-OG	-5.38	1.35	1.42
3	D	262	GLU	CD-OE1	-5.27	1.19	1.25

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	130	ARG	NE-CZ-NH2	-9.61	115.49	120.30
3	D	130	ARG	NE-CZ-NH2	-9.33	115.64	120.30
2	A	130	ARG	NE-CZ-NH2	-8.78	115.91	120.30
3	D	130	ARG	NE-CZ-NH1	8.56	124.58	120.30
1	B	130	ARG	NE-CZ-NH1	8.29	124.45	120.30
2	A	378	LEU	CA-CB-CG	8.05	133.83	115.30
2	A	130	ARG	NE-CZ-NH1	7.55	124.07	120.30
4	C	40	ARG	NE-CZ-NH2	-6.42	117.09	120.30
1	B	40	ARG	NE-CZ-NH2	-6.16	117.22	120.30
3	D	40	ARG	NE-CZ-NH2	-5.89	117.35	120.30
3	D	323	GLN	CA-CB-CG	5.86	126.29	113.40
2	A	40	ARG	NE-CZ-NH2	-5.61	117.50	120.30
2	A	323[A]	GLN	CA-CB-CG	5.50	125.51	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	323[B]	GLN	CA-CB-CG	5.50	125.51	113.40
1	B	323[A]	GLN	CA-CB-CG	5.44	125.37	113.40
1	B	323[B]	GLN	CA-CB-CG	5.44	125.37	113.40
4	C	354[A]	ARG	NE-CZ-NH2	-5.18	117.71	120.30
4	C	354[B]	ARG	NE-CZ-NH2	-5.18	117.71	120.30
3	D	11	ARG	NE-CZ-NH1	5.03	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2714	0	2672	45	0
2	A	2503	0	2380	55	0
3	D	2755	0	2752	34	0
4	C	2791	0	2814	35	0
5	B	48	0	32	3	0
6	A	40	0	60	17	0
6	B	28	0	42	7	0
6	C	16	0	24	4	0
6	D	40	0	60	2	0
7	C	26	0	0	0	0
7	D	26	0	0	0	0
8	A	175	0	0	3	0
8	B	247	0	0	10	1
8	C	291	0	0	6	1
8	D	320	0	0	9	0
All	All	12020	0	10836	142	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:LEU:CD2	2:A:124:LEU:HD23	1.74	1.16
2:A:213:VAL:N	6:A:408:EDO:HO2	1.44	1.16
1:B:124:LEU:HD23	2:A:124:LEU:CD2	1.72	1.16
1:B:124:LEU:CD2	2:A:124:LEU:CD2	2.25	1.14
3:D:50:GLU:OE2	4:C:86:MLY:HH21	1.56	1.04
1:B:50:GLU:OE2	2:A:86:MLY:HH21	1.63	0.96
3:D:86:MLY:HH21	4:C:50:GLU:OE2	1.64	0.96
1:B:124:LEU:HD23	2:A:124:LEU:HD23	0.95	0.95
1:B:86:MLY:HH21	2:A:50:GLU:OE2	1.67	0.95
1:B:124:LEU:HD21	2:A:124:LEU:HD21	1.45	0.94
2:A:177:ASP:OD2	6:A:403:EDO:H12	1.73	0.89
1:B:18:ASN:ND2	8:B:501:HOH:O	2.06	0.88
3:D:307:GLN:HG2	8:D:793:HOH:O	1.74	0.86
3:D:86:MLY:HH12	3:D:281:SER:OG	1.76	0.85
1:B:86:MLY:HH12	1:B:281:SER:OG	1.78	0.84
1:B:124:LEU:CD2	2:A:124:LEU:HD21	2.04	0.83
1:B:142:ASP:CG	2:A:130:ARG:HH22	1.84	0.81
2:A:370:ASP:OD1	2:A:392:ARG:NH2	2.13	0.81
2:A:86:MLY:HH12	2:A:281:SER:OG	1.82	0.80
1:B:86:MLY:HH23	2:A:80:CYS:HB3	1.63	0.80
1:B:124:LEU:HD21	2:A:124:LEU:CD2	2.05	0.79
4:C:4[B]:CYS:SG	4:C:103:GLN:HG3	2.22	0.79
1:B:80:CYS:HB3	2:A:86:MLY:HH23	1.65	0.78
3:D:86:MLY:HH23	4:C:80:CYS:HB3	1.66	0.76
4:C:146:ARG:HB2	6:C:403:EDO:H21	1.68	0.76
4:C:4[A]:CYS:SG	4:C:256:ILE:CG2	2.75	0.74
4:C:86:MLY:HH11	4:C:93:LYS:HZ3	1.53	0.73
3:D:86:MLY:HH11	3:D:93:LYS:HZ3	1.51	0.73
4:C:86:MLY:HH12	4:C:278:SER:OG	1.89	0.73
3:D:80:CYS:HB3	4:C:86:MLY:HH23	1.70	0.73
5:B:401:COZ:N1A	8:B:504:HOH:O	2.24	0.69
1:B:128:LYS:HA	8:B:509:HOH:O	1.93	0.68
3:D:4:CYS:SG	3:D:259[B]:ILE:CG2	2.81	0.68
4:C:14:ILE:HD11	4:C:354[B]:ARG:HD2	1.76	0.68
2:A:86:MLY:HH11	2:A:93:LYS:HZ3	1.59	0.67
2:A:4:CYS:SG	2:A:259:ILE:CG2	2.84	0.66
2:A:337:LYS:HD2	6:A:407:EDO:H12	1.77	0.66
1:B:4:CYS:SG	1:B:259:ILE:CG2	2.85	0.65
4:C:270:LEU:O	4:C:390:LEU:HA	1.97	0.64
2:A:61:LEU:HD11	6:A:402:EDO:H11	1.80	0.64
4:C:86:MLY:HH11	4:C:93:LYS:NZ	2.13	0.63
3:D:4:CYS:SG	3:D:259[A]:ILE:CG2	2.85	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:86:MLY:HH12	3:D:281:SER:CB	2.28	0.63
3:D:121:ALA:O	4:C:130:ARG:NH1	2.31	0.62
2:A:213:VAL:N	6:A:408:EDO:O2	2.25	0.61
2:A:86:MLY:HH12	2:A:281:SER:CB	2.31	0.61
6:B:407:EDO:H21	6:B:408:EDO:H12	1.83	0.60
2:A:120:LEU:HB2	6:A:402:EDO:H21	1.84	0.60
3:D:178:GLU:CD	8:D:744:HOH:O	2.39	0.60
2:A:358:ILE:HD11	2:A:378:LEU:HD22	1.83	0.59
2:A:337:LYS:HD2	6:A:407:EDO:C1	2.32	0.58
2:A:176:GLN:N	6:A:406:EDO:HO1	2.01	0.58
3:D:86:MLY:HH13	3:D:93:LYS:HD3	1.85	0.58
1:B:126:ASP:HB2	8:B:544:HOH:O	2.03	0.58
1:B:86:MLY:HH13	1:B:93:LYS:HD3	1.84	0.58
3:D:221:LYS:NZ	8:D:506:HOH:O	2.35	0.57
1:B:185:ARG:HG2	6:B:406:EDO:O1	2.04	0.57
4:C:86:MLY:HH13	4:C:93:LYS:HD3	1.85	0.56
2:A:177:ASP:OD2	6:A:403:EDO:C1	2.51	0.56
1:B:86:MLY:HH12	1:B:281:SER:CB	2.34	0.56
1:B:207:THR:O	1:B:210:LYS:N	2.39	0.55
1:B:120:LEU:HB3	6:B:407:EDO:C2	2.36	0.55
4:C:146:ARG:CB	6:C:403:EDO:H21	2.35	0.55
1:B:86:MLY:HH11	1:B:93:LYS:NZ	2.20	0.55
1:B:86:MLY:HH11	1:B:93:LYS:HZ3	1.72	0.55
3:D:221:LYS:HE3	8:D:609:HOH:O	2.06	0.55
2:A:86:MLY:HH11	2:A:93:LYS:NZ	2.22	0.54
3:D:307:GLN:CG	8:D:793:HOH:O	2.42	0.54
2:A:86:MLY:HH13	2:A:93:LYS:HD3	1.89	0.54
3:D:86:MLY:HH11	3:D:93:LYS:NZ	2.22	0.54
1:B:39:GLU:OE1	8:B:502:HOH:O	2.18	0.53
4:C:86:MLY:HH12	4:C:278:SER:CB	2.38	0.53
4:C:4[A]:CYS:SG	4:C:256:ILE:HG23	2.48	0.53
4:C:185:ARG:HD2	8:C:570:HOH:O	2.09	0.53
1:B:61:LEU:CD2	6:B:407:EDO:H11	2.38	0.53
4:C:27:ILE:HD12	8:C:652:HOH:O	2.09	0.53
1:B:173:ARG:HB3	6:B:402:EDO:H12	1.91	0.52
3:D:4:CYS:SG	3:D:259[B]:ILE:HG23	2.50	0.52
2:A:278:SER:HA	6:A:404:EDO:H12	1.91	0.52
3:D:130:ARG:HH22	4:C:142:ASP:CG	2.11	0.52
1:B:120:LEU:HB3	6:B:407:EDO:H22	1.91	0.52
1:B:81:GLY:C	2:A:86:MLY:HH22	2.31	0.52
4:C:269:PRO:HD2	8:C:751:HOH:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:MLY:CH1	1:B:281:SER:OG	2.56	0.51
1:B:320:PHE:H	1:B:323[B]:GLN:HE21	1.59	0.51
3:D:317:ASN:HB3	8:D:686:HOH:O	2.11	0.50
2:A:219:PHE:N	2:A:220:PRO:CD	2.74	0.50
2:A:173:ARG:C	6:A:406:EDO:H11	2.32	0.50
1:B:130:ARG:HH22	2:A:142:ASP:CG	2.15	0.49
1:B:221:LYS:HD3	5:B:401:COZ:C5A	2.43	0.49
1:B:277:LYS:NZ	8:B:516:HOH:O	2.46	0.49
4:C:231:PRO:HD3	8:C:530:HOH:O	2.12	0.49
2:A:86:MLY:CH1	2:A:281:SER:OG	2.57	0.49
1:B:81:GLY:CA	2:A:86:MLY:HH22	2.43	0.48
4:C:86:MLY:CH1	4:C:278:SER:OG	2.60	0.48
4:C:4[A]:CYS:SG	4:C:256:ILE:HG22	2.52	0.47
2:A:241:THR:CA	8:A:644:HOH:O	2.63	0.47
6:D:406:EDO:C2	8:D:508:HOH:O	2.62	0.46
3:D:86:MLY:CH1	3:D:281:SER:OG	2.56	0.46
1:B:146:ARG:NH1	8:B:517:HOH:O	2.47	0.46
3:D:221:LYS:CE	8:D:609:HOH:O	2.62	0.46
1:B:142:ASP:OD2	2:A:130:ARG:NH2	2.48	0.46
3:D:86:MLY:HH22	4:C:81:GLY:CA	2.46	0.46
3:D:146:ARG:O	4:C:62:GLY:HA2	2.16	0.46
2:A:250:ILE:HG13	6:A:401:EDO:H22	1.96	0.45
1:B:86:MLY:HH23	2:A:80:CYS:CB	2.43	0.45
2:A:4:CYS:SG	2:A:259:ILE:HG23	2.56	0.45
1:B:120:LEU:HB3	6:B:407:EDO:H21	1.99	0.45
3:D:81:GLY:C	4:C:86:MLY:HH22	2.37	0.45
2:A:308:LEU:HG	6:A:407:EDO:H22	1.99	0.44
4:C:146:ARG:HB2	6:C:403:EDO:C2	2.45	0.44
6:C:402:EDO:H11	8:C:727:HOH:O	2.17	0.44
3:D:210:LYS:CA	6:D:405:EDO:O1	2.65	0.44
1:B:4:CYS:SG	1:B:259:ILE:HG23	2.58	0.44
2:A:378:LEU:N	2:A:378:LEU:HD23	2.32	0.44
2:A:320:PHE:H	2:A:323[A]:GLN:NE2	2.16	0.44
1:B:86:MLY:HH22	2:A:81:GLY:CA	2.48	0.43
2:A:333:PHE:HA	6:A:407:EDO:O2	2.18	0.43
2:A:308:LEU:HG	6:A:407:EDO:C2	2.49	0.43
3:D:81:GLY:CA	4:C:86:MLY:HH22	2.49	0.43
2:A:31:ALA:HB2	2:A:72[A]:LYS:HB3	2.00	0.43
2:A:182:HIS:CE1	8:A:604:HOH:O	2.72	0.43
1:B:39:GLU:OE2	8:B:503:HOH:O	2.21	0.43
4:C:216:PHE:N	4:C:217:PRO:CD	2.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:278:SER:HA	6:A:404:EDO:C1	2.49	0.42
3:D:40:ARG:NH2	8:D:518:HOH:O	2.51	0.42
8:B:519:HOH:O	2:A:127:ALA:HB1	2.18	0.42
2:A:236:PHE:N	6:A:410:EDO:H22	2.34	0.42
3:D:4:CYS:SG	3:D:259[A]:ILE:HG23	2.58	0.42
2:A:31:ALA:HB2	2:A:72[B]:LYS:HB3	2.01	0.42
4:C:146:ARG:NH2	8:C:518:HOH:O	2.51	0.42
3:D:219:PHE:N	3:D:220:PRO:CD	2.83	0.42
3:D:86:MLY:HH22	4:C:81:GLY:C	2.41	0.42
1:B:221:LYS:HD3	5:B:401:COZ:C6A	2.49	0.41
3:D:31:ALA:HB2	3:D:72:LYS:HB3	2.01	0.41
4:C:124:LEU:HD23	4:C:124:LEU:C	2.41	0.41
4:C:9:ALA:O	4:C:361:HIS:HE1	2.03	0.41
1:B:86:MLY:HH22	2:A:81:GLY:C	2.41	0.41
3:D:380:ILE:HB	3:D:384:GLN:HB2	2.02	0.41
3:D:-1:ALA:O	4:C:1:MET:HG2	2.20	0.41
1:B:146:ARG:CZ	8:B:517:HOH:O	2.69	0.40
2:A:216:GLN:HB2	8:A:625:HOH:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:723:HOH:O	8:C:719:HOH:O[1_445]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	388/393 (99%)	379 (98%)	8 (2%)	1 (0%)	46 35
2	A	359/394 (91%)	346 (96%)	12 (3%)	1 (0%)	46 35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	D	393/394 (100%)	381 (97%)	11 (3%)	1 (0%)	46	35
4	C	390/395 (99%)	380 (97%)	9 (2%)	1 (0%)	46	35
All	All	1530/1576 (97%)	1486 (97%)	40 (3%)	4 (0%)	46	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	C	87	VAL
1	B	87	VAL
2	A	87	VAL
3	D	87	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	253/280 (90%)	247 (98%)	6 (2%)	57	49
2	A	218/281 (78%)	210 (96%)	8 (4%)	41	29
3	D	260/280 (93%)	254 (98%)	6 (2%)	58	51
4	C	269/281 (96%)	263 (98%)	6 (2%)	60	53
All	All	1000/1122 (89%)	974 (97%)	26 (3%)	57	45

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	70	LEU
1	B	149	LEU
1	B	156	TYR
1	B	289	MET
1	B	323[A]	GLN
1	B	323[B]	GLN
2	A	70	LEU
2	A	140	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	149	LEU
2	A	156	TYR
2	A	289	MET
2	A	323[A]	GLN
2	A	323[B]	GLN
2	A	378	LEU
3	D	70	LEU
3	D	149	LEU
3	D	156	TYR
3	D	289	MET
3	D	302	GLN
3	D	323	GLN
4	C	70	LEU
4	C	72	LYS
4	C	149	LEU
4	C	156	TYR
4	C	286	MET
4	C	320	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	216	GLN
1	B	364	HIS
2	A	364	HIS
3	D	100	GLN
3	D	364	HIS
4	C	103	GLN
4	C	361	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MLY	A	86	2	8,10,11	1.75	2 (25%)	9,11,13	1.99	2 (22%)
2	CSX	A	88	2	2,6,7	0.64	0	2,6,8	2.08	1 (50%)
1	MLY	B	86	1	8,10,11	1.27	0	9,11,13	1.90	3 (33%)
1	CSX	B	88	1	2,6,7	0.64	0	2,6,8	1.79	1 (50%)
4	MLY	C	86	4	8,10,11	1.90	2 (25%)	9,11,13	1.91	3 (33%)
4	CSX	C	88	4	2,6,7	1.01	0	2,6,8	1.64	1 (50%)
3	MLY	D	86	3	8,10,11	1.19	0	9,11,13	1.98	2 (22%)
3	CSX	D	88	3	2,6,7	0.89	0	2,6,8	1.70	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MLY	A	86	2	-	0/7/9/11	0/0/0/0
2	CSX	A	88	2	-	0/1/5/7	0/0/0/0
1	MLY	B	86	1	-	0/7/9/11	0/0/0/0
1	CSX	B	88	1	-	0/1/5/7	0/0/0/0
4	MLY	C	86	4	-	0/7/9/11	0/0/0/0
4	CSX	C	88	4	-	0/1/5/7	0/0/0/0
3	MLY	D	86	3	-	0/7/9/11	0/0/0/0
3	CSX	D	88	3	-	0/1/5/7	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	86	MLY	CH1-NZ	-2.67	1.37	1.46
2	A	86	MLY	CD-CE	2.50	1.62	1.51
2	A	86	MLY	CB-CA	3.27	1.58	1.53
4	C	86	MLY	CD-CE	3.68	1.67	1.51

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	88	CSX	O-C-CA	-2.51	118.98	125.72
4	C	86	MLY	O-C-CA	-2.44	119.17	125.72
1	B	88	CSX	O-C-CA	-2.31	119.54	125.72
4	C	88	CSX	O-C-CA	-2.21	119.80	125.72
3	D	88	CSX	O-C-CA	-2.18	119.86	125.72
1	B	86	MLY	CB-CA-N	2.04	116.28	110.54
4	C	86	MLY	CH2-NZ-CE	2.53	120.82	110.77
1	B	86	MLY	CD-CG-CB	2.91	123.98	113.67
2	A	86	MLY	CD-CG-CB	2.97	124.19	113.67
3	D	86	MLY	CD-CG-CB	3.07	124.55	113.67
1	B	86	MLY	CH2-NZ-CE	3.59	125.05	110.77
4	C	86	MLY	CD-CG-CB	3.75	126.94	113.67
2	A	86	MLY	CH2-NZ-CE	4.17	127.34	110.77
3	D	86	MLY	CH2-NZ-CE	4.23	127.60	110.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 41 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	86	MLY	10	0
1	B	86	MLY	11	0
4	C	86	MLY	10	0
3	D	86	MLY	10	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

34 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	EDO	A	401	-	3,3,3	0.46	0	2,2,2	0.62	0
6	EDO	A	402	-	3,3,3	0.49	0	2,2,2	0.61	0
6	EDO	A	403	-	3,3,3	0.47	0	2,2,2	0.57	0
6	EDO	A	404	-	3,3,3	0.49	0	2,2,2	0.35	0
6	EDO	A	405	-	3,3,3	0.51	0	2,2,2	0.27	0
6	EDO	A	406	-	3,3,3	0.60	0	2,2,2	0.47	0
6	EDO	A	407	-	3,3,3	0.23	0	2,2,2	0.55	0
6	EDO	A	408	-	3,3,3	0.52	0	2,2,2	0.51	0
6	EDO	A	409	-	3,3,3	0.48	0	2,2,2	0.43	0
6	EDO	A	410	-	3,3,3	0.58	0	2,2,2	0.16	0
5	COZ	B	401	-	41,50,50	1.07	2 (4%)	49,75,75	1.99	11 (22%)
6	EDO	B	402	-	3,3,3	0.57	0	2,2,2	0.46	0
6	EDO	B	403	-	3,3,3	0.23	0	2,2,2	0.76	0
6	EDO	B	404	-	3,3,3	0.65	0	2,2,2	0.16	0
6	EDO	B	405	-	3,3,3	0.45	0	2,2,2	0.22	0
6	EDO	B	406	-	3,3,3	0.34	0	2,2,2	0.57	0
6	EDO	B	407	-	3,3,3	0.57	0	2,2,2	0.24	0
6	EDO	B	408	-	3,3,3	0.53	0	2,2,2	0.52	0
7	5UG	C	401	-	20,25,25	1.08	1 (5%)	24,36,36	2.09	7 (29%)
6	EDO	C	402	-	3,3,3	0.62	0	2,2,2	0.42	0
6	EDO	C	403	-	3,3,3	0.56	0	2,2,2	0.40	0
6	EDO	C	404	-	3,3,3	0.45	0	2,2,2	0.64	0
6	EDO	C	405	-	3,3,3	0.49	0	2,2,2	0.30	0
7	5UG	D	401	-	20,25,25	1.11	1 (5%)	24,36,36	1.70	8 (33%)
6	EDO	D	402	-	3,3,3	0.40	0	2,2,2	0.81	0
6	EDO	D	403	-	3,3,3	0.61	0	2,2,2	0.16	0
6	EDO	D	404	-	3,3,3	0.59	0	2,2,2	0.39	0
6	EDO	D	405	-	3,3,3	0.53	0	2,2,2	0.28	0
6	EDO	D	406	-	3,3,3	0.36	0	2,2,2	0.48	0
6	EDO	D	407	-	3,3,3	0.44	0	2,2,2	0.42	0
6	EDO	D	408	-	3,3,3	0.40	0	2,2,2	0.20	0
6	EDO	D	409	-	3,3,3	0.43	0	2,2,2	0.40	0
6	EDO	D	410	-	3,3,3	0.90	0	2,2,2	0.43	0
6	EDO	D	411	-	3,3,3	0.35	0	2,2,2	1.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	401	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	402	-	-	0/1/1/1	0/0/0/0
6	EDO	A	403	-	-	0/1/1/1	0/0/0/0
6	EDO	A	404	-	-	0/1/1/1	0/0/0/0
6	EDO	A	405	-	-	0/1/1/1	0/0/0/0
6	EDO	A	406	-	-	0/1/1/1	0/0/0/0
6	EDO	A	407	-	-	0/1/1/1	0/0/0/0
6	EDO	A	408	-	-	0/1/1/1	0/0/0/0
6	EDO	A	409	-	-	0/1/1/1	0/0/0/0
6	EDO	A	410	-	-	0/1/1/1	0/0/0/0
5	COZ	B	401	-	-	0/44/64/64	0/3/3/3
6	EDO	B	402	-	-	0/1/1/1	0/0/0/0
6	EDO	B	403	-	-	0/1/1/1	0/0/0/0
6	EDO	B	404	-	-	0/1/1/1	0/0/0/0
6	EDO	B	405	-	-	0/1/1/1	0/0/0/0
6	EDO	B	406	-	-	0/1/1/1	0/0/0/0
6	EDO	B	407	-	-	0/1/1/1	0/0/0/0
6	EDO	B	408	-	-	0/1/1/1	0/0/0/0
7	5UG	C	401	-	-	0/33/33/33	0/0/0/0
6	EDO	C	402	-	-	0/1/1/1	0/0/0/0
6	EDO	C	403	-	-	0/1/1/1	0/0/0/0
6	EDO	C	404	-	-	0/1/1/1	0/0/0/0
6	EDO	C	405	-	-	0/1/1/1	0/0/0/0
7	5UG	D	401	-	-	0/33/33/33	0/0/0/0
6	EDO	D	402	-	-	0/1/1/1	0/0/0/0
6	EDO	D	403	-	-	0/1/1/1	0/0/0/0
6	EDO	D	404	-	-	0/1/1/1	0/0/0/0
6	EDO	D	405	-	-	0/1/1/1	0/0/0/0
6	EDO	D	406	-	-	0/1/1/1	0/0/0/0
6	EDO	D	407	-	-	0/1/1/1	0/0/0/0
6	EDO	D	408	-	-	0/1/1/1	0/0/0/0
6	EDO	D	409	-	-	0/1/1/1	0/0/0/0
6	EDO	D	410	-	-	0/1/1/1	0/0/0/0
6	EDO	D	411	-	-	0/1/1/1	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	401	COZ	C5A-C4A	3.19	1.47	1.40
7	C	401	5UG	P1A-O5B	3.56	1.62	1.50
5	B	401	COZ	C2A-N3A	3.63	1.38	1.32
7	D	401	5UG	P1A-O5B	3.85	1.63	1.50

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	401	COZ	N3A-C2A-N1A	-6.16	124.04	128.87
5	B	401	COZ	CDP-CBP-CAP	-4.75	100.50	109.17
7	C	401	5UG	C7P-C6P-C5P	-3.49	106.24	112.22
5	B	401	COZ	C7P-C6P-C5P	-3.46	106.29	112.22
7	C	401	5UG	CDP-CBP-CAP	-3.32	103.11	109.17
7	D	401	5UG	C2P-C3P-N4P	-3.13	106.24	112.44
5	B	401	COZ	C2P-C3P-N4P	-2.89	106.72	112.44
7	C	401	5UG	O5P-C5P-C6P	-2.67	117.33	121.97
7	D	401	5UG	CDP-CBP-CCP	-2.48	105.28	108.50
5	B	401	COZ	C1B-N9A-C4A	-2.47	124.05	126.81
7	D	401	5UG	CDP-CBP-CAP	-2.47	104.67	109.17
7	D	401	5UG	C7P-C6P-C5P	-2.30	108.28	112.22
7	D	401	5UG	CAP-C9P-N8P	-2.26	110.98	116.31
5	B	401	COZ	O5B-C5B-C4B	-2.25	100.97	109.09
7	D	401	5UG	O5P-C5P-C6P	-2.18	118.18	121.97
5	B	401	COZ	O5P-C5P-C6P	-2.07	118.38	121.97
5	B	401	COZ	C4B-O4B-C1B	-2.06	107.46	109.64
5	B	401	COZ	O9A-P3B-O8A	2.15	115.32	107.44
7	D	401	5UG	O2A-P1A-O1A	2.56	116.85	107.44
5	B	401	COZ	O4B-C1B-N9A	2.57	112.96	108.11
7	C	401	5UG	CDP-CBP-CCP	2.57	111.83	108.50
7	C	401	5UG	O5P-C5P-N4P	2.99	128.89	122.96
7	D	401	5UG	CEP-CBP-CAP	3.01	114.67	109.17
7	C	401	5UG	O2A-P1A-O1A	3.52	120.38	107.44
7	C	401	5UG	CEP-CBP-CAP	5.36	118.95	109.17
5	B	401	COZ	CEP-CBP-CAP	6.76	121.50	109.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

17 monomers are involved in 33 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	401	EDO	1	0
6	A	402	EDO	2	0
6	A	403	EDO	2	0
6	A	404	EDO	2	0
6	A	406	EDO	2	0
6	A	407	EDO	5	0
6	A	408	EDO	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	410	EDO	1	0
5	B	401	COZ	3	0
6	B	402	EDO	1	0
6	B	406	EDO	1	0
6	B	407	EDO	5	0
6	B	408	EDO	1	0
6	C	402	EDO	1	0
6	C	403	EDO	3	0
6	D	405	EDO	1	0
6	D	406	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	390/393 (99%)	0.04	4 (1%) 84 86	13, 29, 51, 66	0
2	A	373/394 (94%)	0.25	11 (2%) 55 59	16, 37, 65, 82	0
3	D	392/394 (99%)	-0.19	1 (0%) 94 94	10, 21, 44, 61	0
4	C	390/395 (98%)	-0.13	0 100 100	11, 23, 45, 54	0
All	All	1545/1576 (98%)	-0.01	16 (1%) 84 86	10, 27, 51, 82	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	43	ILE	4.2
2	A	269	GLY	3.4
1	B	135	LEU	3.4
3	D	231	ALA	2.9
2	A	222	ALA	2.9
2	A	237	ASP	2.8
2	A	265	ALA	2.8
2	A	242	VAL	2.5
1	B	169	TYR	2.3
1	B	127	ALA	2.3
2	A	229	LEU	2.2
2	A	267	ALA	2.1
2	A	322	ALA	2.1
2	A	241	THR	2.1
1	B	222	ALA	2.0
2	A	234	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	MLY	B	86	11/12	0.94	0.10	-	15,17,17,18	0
2	MLY	A	86	11/12	0.90	0.14	-	17,18,19,19	0
4	CSX	C	88	7/8	0.97	0.07	-	15,17,24,29	0
3	MLY	D	86	11/12	0.92	0.12	-	11,12,14,15	0
1	CSX	B	88	7/8	0.96	0.09	-	18,19,30,34	0
3	CSX	D	88	7/8	0.96	0.10	-	16,17,29,30	0
2	CSX	A	88	7/8	0.93	0.11	-	23,24,32,33	0
4	MLY	C	86	11/12	0.96	0.11	-	10,11,13,13	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	EDO	C	402	4/4	0.75	0.21	8.88	35,42,42,48	0
7	5UG	C	401	26/26	0.85	0.24	7.61	26,30,40,41	0
6	EDO	B	402	4/4	0.78	0.28	6.54	34,37,38,38	0
6	EDO	A	402	4/4	0.93	0.26	6.45	20,23,24,26	0
6	EDO	B	407	4/4	0.95	0.24	5.83	19,20,20,25	0
6	EDO	D	410	4/4	0.87	0.17	5.73	25,26,31,33	0
6	EDO	A	401	4/4	0.80	0.21	5.57	47,48,49,49	0
6	EDO	D	411	4/4	0.83	0.17	5.10	33,38,39,40	0
6	EDO	D	403	4/4	0.81	0.23	5.00	39,42,44,53	0
7	5UG	D	401	26/26	0.91	0.22	3.66	14,19,39,47	0
6	EDO	C	403	4/4	0.93	0.27	3.65	28,31,33,39	0
6	EDO	D	406	4/4	0.74	0.16	3.51	54,55,56,57	0
6	EDO	B	406	4/4	0.83	0.20	3.01	45,50,52,53	0
6	EDO	A	407	4/4	0.93	0.18	2.80	33,33,34,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
6	EDO	A	404	4/4	0.90	0.16	2.47	34,40,42,44	0
6	EDO	C	405	4/4	0.85	0.16	2.45	44,47,47,52	0
5	COZ	B	401	48/48	0.86	0.18	1.95	24,39,83,89	0
6	EDO	B	403	4/4	0.86	0.15	1.14	37,39,43,47	0
6	EDO	A	410	4/4	0.75	0.15	0.13	46,47,48,49	0
6	EDO	A	408	4/4	0.71	0.14	0.13	48,48,50,51	0
6	EDO	A	403	4/4	0.84	0.15	-0.69	37,38,41,45	0
6	EDO	C	404	4/4	0.81	0.24	-	46,48,49,52	0
6	EDO	B	404	4/4	0.75	0.22	-	40,43,45,45	0
6	EDO	D	407	4/4	0.88	0.14	-	33,35,36,36	0
6	EDO	D	408	4/4	0.90	0.19	-	32,39,39,46	0
6	EDO	D	404	4/4	0.75	0.14	-	48,49,51,52	0
6	EDO	D	405	4/4	0.83	0.14	-	47,49,51,52	0
6	EDO	D	402	4/4	0.89	0.28	-	42,43,43,44	0
6	EDO	A	409	4/4	0.68	0.19	-	51,51,51,52	0
6	EDO	D	409	4/4	0.81	0.13	-	49,50,51,56	0
6	EDO	A	405	4/4	0.85	0.24	-	42,43,43,44	0
6	EDO	B	405	4/4	0.81	0.14	-	44,46,47,49	0
6	EDO	B	408	4/4	0.83	0.25	-	30,40,43,57	0
6	EDO	A	406	4/4	0.76	0.18	-	38,40,41,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.