



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:20 PM GMT

PDB ID : 1F5Z  
Title : CRYSTAL STRUCTURE ANALYSIS OF N-ACETYLNEURAMINATE  
LYASE FROM HAEMOPHILUS INFLUENZAE: CRYSTAL FORM I  
Authors : Barbosa, J.A.R.G.; Smith, B.J.; DeGori, R.; Lawrence, M.C.  
Deposited on : 2000-06-18  
Resolution : 1.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	7778 (1.90-1.86)
Ramachandran outliers	100387	7691 (1.90-1.86)
Sidechain outliers	100360	7692 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	293	
1	B	293	
1	C	293	
1	D	293	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 9946 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-ACETYLNEURAMINATE LYASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	293	Total	C	N	O	S	0	1	0
			2294	1478	373	433	10			
1	B	293	Total	C	N	O	S	0	0	0
			2290	1476	373	431	10			
1	C	293	Total	C	N	O	S	0	0	0
			2290	1476	373	431	10			
1	D	293	Total	C	N	O	S	0	0	0
			2290	1476	373	431	10			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	131	SER	ASN	VARIANT	UNP P44539
A	229	LYS	ALA	VARIANT	UNP P44539
A	278	ALA	GLU	VARIANT	UNP P44539
A	281	VAL	LEU	VARIANT	UNP P44539
B	131	SER	ASN	VARIANT	UNP P44539
B	229	LYS	ALA	VARIANT	UNP P44539
B	278	ALA	GLU	VARIANT	UNP P44539
B	281	VAL	LEU	VARIANT	UNP P44539
C	131	SER	ASN	VARIANT	UNP P44539
C	229	LYS	ALA	VARIANT	UNP P44539
C	278	ALA	GLU	VARIANT	UNP P44539
C	281	VAL	LEU	VARIANT	UNP P44539
D	131	SER	ASN	VARIANT	UNP P44539
D	229	LYS	ALA	VARIANT	UNP P44539
D	278	ALA	GLU	VARIANT	UNP P44539
D	281	VAL	LEU	VARIANT	UNP P44539

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	196	Total 196	O 196	0	0
2	B	193	Total 193	O 193	0	0
2	C	187	Total 187	O 187	0	0
2	D	206	Total 206	O 206	0	0

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: N-ACETYLNEURAMINATE LYASE




#### • Molecule 1: N-ACETYLNEURAMINATE LYASE




#### • Molecule 1: N-ACETYLNEURAMINATE LYASE



#### • Molecule 1: N-ACETYLNEURAMINATE LYASE





## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.75Å 109.78Å 133.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.88	Depositor
% Data completeness (in resolution range)	74.0 (20.00-1.88)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.198 , 0.246	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	9946	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/2339	1.33	24/3147 (0.8%)
1	B	0.60	0/2330	1.31	11/3135 (0.4%)
1	C	0.59	0/2330	1.35	20/3135 (0.6%)
1	D	0.57	0/2330	1.23	15/3135 (0.5%)
All	All	0.58	0/9329	1.30	70/12552 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
1	D	0	2
All	All	0	8

There are no bond length outliers.

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	64	ARG	NE-CZ-NH1	12.01	126.31	120.30
1	C	3	ASP	CB-CG-OD2	9.93	127.24	118.30
1	B	221	GLU	OE1-CD-OE2	-9.68	111.69	123.30
1	A	271	PRO	N-CA-CB	9.36	114.53	103.30
1	A	175	ARG	NE-CZ-NH1	9.27	124.93	120.30
1	A	271	PRO	CA-N-CD	-8.77	99.22	111.50
1	A	64	ARG	NE-CZ-NH1	8.72	124.66	120.30
1	C	27	ARG	NE-CZ-NH1	8.41	124.51	120.30
1	D	270	GLU	CA-C-O	-8.36	102.55	120.10
1	B	270	GLU	CA-C-O	-8.32	102.62	120.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	270	GLU	CA-C-O	-8.32	102.64	120.10
1	A	190	ASP	CB-CG-OD1	7.95	125.46	118.30
1	C	270	GLU	CA-C-O	-7.68	103.98	120.10
1	C	271	PRO	CA-N-CD	-7.61	100.85	111.50
1	C	137	SER	C-N-CA	7.56	140.60	121.70
1	A	215	ARG	NE-CZ-NH1	7.53	124.07	120.30
1	A	18	ASP	CB-CG-OD2	-7.52	111.53	118.30
1	B	64	ARG	NE-CZ-NH2	-7.51	116.55	120.30
1	D	102	CYS	CA-CB-SG	7.43	127.38	114.00
1	C	269	ARG	NE-CZ-NH1	7.39	124.00	120.30
1	C	2	ARG	NE-CZ-NH2	-7.35	116.63	120.30
1	A	64	ARG	CD-NE-CZ	7.34	133.88	123.60
1	A	40	ASP	CB-CG-OD1	-7.30	111.73	118.30
1	C	271	PRO	N-CD-CG	7.27	114.11	103.20
1	D	82	SER	N-CA-CB	-6.99	100.02	110.50
1	B	136	TYR	CB-CG-CD2	-6.96	116.82	121.00
1	C	27	ARG	CD-NE-CZ	6.87	133.22	123.60
1	A	224	LYS	CA-CB-CG	6.82	128.41	113.40
1	A	109	PHE	CB-CG-CD2	-6.79	116.05	120.80
1	C	271	PRO	N-CA-CB	6.48	111.08	103.30
1	A	56	THR	CA-CB-CG2	-6.41	103.42	112.40
1	B	31	ARG	CD-NE-CZ	6.33	132.47	123.60
1	C	97	GLU	CA-CB-CG	6.31	127.28	113.40
1	B	271	PRO	N-CA-CB	6.29	110.84	103.30
1	D	271	PRO	CA-N-CD	-6.11	102.94	111.50
1	A	2	ARG	NE-CZ-NH1	-6.04	117.28	120.30
1	C	64	ARG	NE-CZ-NH2	-6.03	117.28	120.30
1	C	155	TYR	CB-CG-CD1	6.03	124.62	121.00
1	A	109	PHE	CB-CG-CD1	5.98	124.98	120.80
1	B	215	ARG	CD-NE-CZ	5.95	131.93	123.60
1	D	269	ARG	NE-CZ-NH1	5.87	123.23	120.30
1	C	121	TYR	CA-CB-CG	5.80	124.43	113.40
1	A	82	SER	N-CA-CB	-5.80	101.80	110.50
1	B	271	PRO	CA-N-CD	-5.79	103.39	111.50
1	B	217	ARG	NE-CZ-NH2	5.71	123.15	120.30
1	D	97	GLU	OE1-CD-OE2	5.70	130.14	123.30
1	D	269	ARG	CD-NE-CZ	5.65	131.50	123.60
1	B	97	GLU	OE1-CD-OE2	-5.62	116.56	123.30
1	A	121	TYR	CB-CG-CD1	5.55	124.33	121.00
1	A	240	ASP	CB-CG-OD1	5.51	123.26	118.30
1	D	64	ARG	CD-NE-CZ	5.51	131.32	123.60
1	A	155	TYR	CB-CG-CD1	5.49	124.29	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	110	TYR	CB-CG-CD2	5.35	124.21	121.00
1	C	2	ARG	NH1-CZ-NH2	5.35	125.28	119.40
1	C	173	LEU	CA-CB-CG	5.29	127.47	115.30
1	C	217	ARG	CD-NE-CZ	5.26	130.97	123.60
1	A	18	ASP	CB-CG-OD1	5.26	123.03	118.30
1	D	270	GLU	CB-CA-C	5.25	120.89	110.40
1	D	269	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	A	94	TYR	CB-CG-CD1	-5.24	117.86	121.00
1	D	90	GLU	OE1-CD-OE2	-5.19	117.07	123.30
1	D	40	ASP	CB-CG-OD1	-5.17	113.64	118.30
1	A	270	GLU	O-C-N	5.17	130.93	121.10
1	A	110	TYR	CB-CG-CD1	-5.15	117.91	121.00
1	A	94	TYR	CB-CG-CD2	5.13	124.08	121.00
1	D	3	ASP	CB-CG-OD1	5.13	122.92	118.30
1	C	138	ILE	N-CA-C	5.12	124.83	111.00
1	D	279	GLU	CG-CD-OE1	5.12	128.55	118.30
1	C	136	TYR	CB-CA-C	-5.09	100.23	110.40
1	B	121	TYR	CA-CB-CG	5.01	122.92	113.40

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	270	GLU	Mainchain,Peptide
1	B	270	GLU	Mainchain,Peptide
1	C	270	GLU	Mainchain,Peptide
1	D	270	GLU	Mainchain,Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2294	0	2334	24	0
1	B	2290	0	2332	23	0
1	C	2290	0	2332	19	0
1	D	2290	0	2332	18	0
2	A	196	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	193	0	0	1	0
2	C	187	0	0	2	0
2	D	206	0	0	2	0
All	All	9946	0	9330	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:139:PRO:HD2	1:C:167:ALA:HB2	1.60	0.83
1:A:248:ASN:HD21	1:A:280:GLN:HA	1.48	0.77
1:A:248:ASN:HB2	1:A:283:LYS:HD3	1.69	0.74
1:C:248:ASN:HB2	1:C:283:LYS:HD3	1.75	0.68
1:D:248:ASN:HD21	1:D:280:GLN:HA	1.61	0.66
1:A:173:LEU:HD11	1:A:185:ILE:HG21	1.80	0.64
1:B:120:HIS:HD2	2:B:395:HOH:O	1.80	0.64
1:C:248:ASN:HD21	1:C:280:GLN:HA	1.63	0.63
1:B:173:LEU:HD11	1:B:185:ILE:HG21	1.81	0.62
1:D:194:LEU:HD13	1:D:223:THR:OG1	2.00	0.60
1:C:93:LYS:O	1:C:97:GLU:HG3	2.05	0.56
1:C:138:ILE:O	1:C:138:ILE:HG23	2.03	0.56
1:A:93:LYS:O	1:A:97:GLU:HG3	2.05	0.55
1:B:138:ILE:HG23	1:B:138:ILE:O	2.07	0.54
1:C:24:LYS:HD2	2:C:371:HOH:O	2.08	0.54
1:B:267:TYR:CD2	1:B:275:LYS:HG2	2.43	0.53
1:A:261:GLU:OE2	1:A:288:LYS:HE2	2.07	0.53
1:D:173:LEU:HD12	1:D:185:ILE:HD13	1.91	0.53
1:D:177:LYS:HE2	1:D:185:ILE:HD12	1.89	0.53
1:B:51:ASN:ND2	1:B:59:LYS:HG2	2.24	0.52
1:B:177:LYS:HD3	1:B:185:ILE:HD12	1.91	0.52
1:A:106:VAL:HA	1:A:136:TYR:HB3	1.91	0.51
1:A:189:PHE:HD2	1:A:192:MET:CE	2.24	0.51
1:A:136:TYR:CD1	1:A:164:LYS:HD3	2.46	0.51
1:D:21:ILE:HD12	1:D:61:GLU:OE1	2.12	0.50
1:A:112:LYS:HE2	2:A:455:HOH:O	2.11	0.50
1:C:23:GLU:HG3	1:C:65:ILE:HD13	1.95	0.49
1:C:120:HIS:HD2	2:C:457:HOH:O	1.96	0.49
1:A:271:PRO:HG2	1:D:113:PHE:CE1	2.48	0.48
1:B:41:GLY:HA2	1:B:74:ILE:HB	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:108:PRO:HD3	1:D:121:TYR:CE1	2.49	0.48
1:A:255:LYS:O	1:A:259:LYS:HG3	2.13	0.48
1:C:94:TYR:CE2	1:C:98:LEU:HD11	2.49	0.47
1:D:106:VAL:HA	1:D:136:TYR:HB3	1.96	0.47
1:A:177:LYS:HE2	1:A:185:ILE:HD12	1.96	0.47
1:A:113:PHE:CE1	1:D:271:PRO:HG2	2.50	0.47
1:B:136:TYR:CD2	1:B:138:ILE:HG22	2.50	0.47
1:A:164:LYS:HE2	1:A:205:ILE:HB	1.96	0.47
1:B:248:ASN:HD21	1:B:280:GLN:HA	1.80	0.47
1:B:173:LEU:HD12	1:B:185:ILE:HD13	1.95	0.46
1:B:173:LEU:CD1	1:B:185:ILE:HG21	2.46	0.46
1:B:12:LEU:HG	1:B:48:THR:HG22	1.96	0.46
1:B:115:PHE:N	1:B:116:PRO:CD	2.80	0.45
1:D:177:LYS:HA	1:D:177:LYS:HD3	1.75	0.45
1:A:56:THR:HG23	1:A:91:LEU:HD21	1.98	0.45
1:B:178:LYS:HE3	1:D:240:ASP:OD2	2.16	0.45
1:B:139:PRO:CD	1:B:167:ALA:HB2	2.47	0.45
1:A:165:PHE:CD2	1:A:173:LEU:HD13	2.52	0.44
1:C:30:ILE:HD13	1:C:66:ALA:HA	1.98	0.44
1:A:30:ILE:HD13	1:A:66:ALA:HA	1.99	0.44
1:C:224:LYS:HA	1:C:224:LYS:HD2	1.78	0.44
1:B:136:TYR:HD2	1:B:138:ILE:HG22	1.81	0.44
1:B:135:VAL:HG11	1:B:154:LEU:HD13	2.00	0.44
1:B:140:PHE:CE2	1:C:112:LYS:HE2	2.52	0.44
1:C:1:MET:CE	1:C:132:ASN:HD21	2.32	0.42
1:C:166:THR:HG22	1:C:166:THR:O	2.19	0.42
1:D:119:LYS:HE2	1:D:153:GLU:O	2.19	0.42
1:C:136:TYR:HD2	1:C:138:ILE:HB	1.85	0.42
1:D:24:LYS:O	1:D:28:GLN:HG3	2.19	0.42
1:D:177:LYS:HD2	2:D:397:HOH:O	2.19	0.42
1:B:16:ASN:OD1	1:B:22:ASN:HB2	2.20	0.41
1:C:139:PRO:HB3	1:C:145:ASN:ND2	2.35	0.41
1:A:118:ILE:O	1:A:121:TYR:HB3	2.21	0.41
1:A:189:PHE:CD2	1:A:192:MET:CE	3.04	0.41
1:C:12:LEU:HG	1:C:48:THR:HG22	2.03	0.41
1:A:113:PHE:CZ	1:D:271:PRO:HG2	2.56	0.41
1:D:23:GLU:HG3	1:D:65:ILE:HD13	2.03	0.41
1:D:17:GLU:OE2	1:D:275:LYS:HE2	2.21	0.41
1:A:114:SER:OG	1:A:116:PRO:HD2	2.20	0.41
1:A:199:LEU:HD23	1:C:232:LEU:HD13	2.02	0.41
1:B:271:PRO:HD3	1:C:85:LEU:HB2	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1:MET:HG2	2:D:436:HOH:O	2.21	0.41
1:A:286:ASP:OD2	1:A:290:LYS:HE2	2.21	0.41
1:B:177:LYS:HA	1:B:177:LYS:HD2	1.93	0.40
1:B:267:TYR:HD2	1:B:275:LYS:HG2	1.84	0.40
1:B:108:PRO:HB2	1:B:113:PHE:CE2	2.56	0.40
1:A:173:LEU:CD1	1:A:185:ILE:HG21	2.49	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/293 (100%)	284 (97%)	7 (2%)	1 (0%)	46	33
1	B	291/293 (99%)	282 (97%)	7 (2%)	2 (1%)	26	13
1	C	291/293 (99%)	283 (97%)	6 (2%)	2 (1%)	26	13
1	D	291/293 (99%)	283 (97%)	6 (2%)	2 (1%)	26	13
All	All	1165/1172 (99%)	1132 (97%)	26 (2%)	7 (1%)	30	16

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	271	PRO
1	C	271	PRO
1	D	271	PRO
1	B	138	ILE
1	D	110	TYR
1	A	110	TYR
1	C	138	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/242 (100%)	240 (99%)	3 (1%)	78	74
1	B	242/242 (100%)	235 (97%)	7 (3%)	50	37
1	C	242/242 (100%)	234 (97%)	8 (3%)	45	31
1	D	242/242 (100%)	237 (98%)	5 (2%)	61	52
All	All	969/968 (100%)	946 (98%)	23 (2%)	57	46

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	79	GLN
1	A	159	LYS
1	A	224	LYS
1	B	1	MET
1	B	79	GLN
1	B	137	SER
1	B	146	MET
1	B	177	LYS
1	B	189	PHE
1	B	229	LYS
1	C	47	SER
1	C	104	SER
1	C	146	MET
1	C	159	LYS
1	C	173	LEU
1	C	178	LYS
1	C	189	PHE
1	C	274	SER
1	D	1	MET
1	D	194	LEU
1	D	224	LYS
1	D	288	LYS
1	D	290	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	120	HIS
1	A	248	ASN
1	B	51	ASN
1	B	120	HIS
1	B	248	ASN
1	C	120	HIS
1	C	132	ASN
1	C	248	ASN
1	D	248	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.