



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 11:13 PM GMT

PDB ID : 5FM6  
Title : Double-heterohexameric rings of full-length Rvb1(ADP)Rvb2(apo)  
Authors : Silva-Martin, N.; Dauden, M.I.; Glatt, S.; Hoffmann, N.A.; Mueller, C.W.  
Deposited on : 2015-11-02  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026982  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20026982


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1578 (3.00-3.00)
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	<div> <div>12%</div> <div>67%</div> <div>24%</div> <div>8%</div> </div>
2	B	490	<div> <div>5%</div> <div>58%</div> <div>27%</div> <div>14%</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6573 atoms, of which 15 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RVB1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	426	Total	C	N	O	S	Se	133	0	0
			3280	2057	587	622	5	9			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP G0RYI5
A	0	ALA	-	EXPRESSION TAG	UNP G0RYI5

- Molecule 2 is a protein called RVB2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	419	Total	C	N	O	S	Se	115	0	0
			3241	2029	569	629	2	12			

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	EXPRESSION TAG	UNP G0RYC2
B	0	ALA	-	EXPRESSION TAG	UNP G0RYC2

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
3	A	1	Total	C	H	N	O	P	0	0
			42	10	15	5	10	2		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		



- Molecule 1: RVB1





## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	209.61Å 209.61Å 137.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.63 – 3.00 48.63 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.63-3.00) 99.9 (48.63-3.00)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 3.01Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, $R_{free}$	0.230 , 0.256 0.252 , 0.279	Depositor DCC
$R_{free}$ test set	1170 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	106.2	Xtriage
Anisotropy	0.187	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 76.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 23402 reflections (0.009%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6573	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	104.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.21	0/3313	0.39	0/4460
2	B	0.22	0/3266	0.41	0/4373
All	All	0.21	0/6579	0.40	0/8833

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3280	0	3372	104	0
2	B	3241	0	3324	115	0
3	A	27	15	12	1	0
4	B	10	0	0	1	0
All	All	6558	15	6708	215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:415:ARG:HD2	2:B:417:ALA:HB2	1.29	1.11
2:B:81:THR:HG21	2:B:358:THR:HB	1.40	0.99
1:A:127:GLU:HB2	1:A:292:VAL:HG13	1.49	0.95
2:B:103:LEU:HD21	2:B:108:ILE:HD11	1.50	0.93
2:B:247:ASP:HB3	2:B:267:ILE:HD13	1.51	0.92
2:B:81:THR:HG22	2:B:82:GLY:H	1.34	0.91
1:A:402:ILE:HG22	1:A:403:SER:H	1.43	0.84
1:A:345:LEU:HD21	2:B:329:ARG:HH22	1.44	0.81
2:B:13:LYS:HD2	2:B:200:LYS:HE3	1.62	0.80
2:B:63:ILE:HD13	2:B:68:ILE:HG21	1.65	0.79
2:B:31:GLY:H	2:B:44:GLN:HG3	1.48	0.78
2:B:81:THR:HG21	2:B:358:THR:CB	2.14	0.78
2:B:31:GLY:N	2:B:44:GLN:HG3	2.01	0.76
2:B:162:ILE:HD11	2:B:192:ILE:HD11	1.69	0.75
2:B:44:GLN:N	2:B:45:GLY:HA2	2.01	0.75
1:A:171:LEU:HD23	1:A:173:LEU:HD11	1.69	0.75
2:B:193:SER:HB2	2:B:204:LEU:HD21	1.69	0.75
1:A:126:ARG:NH2	1:A:238:ASP:OD1	2.20	0.75
1:A:261:MSE:HE2	1:A:265:MSE:HA	1.68	0.75
2:B:13:LYS:CD	2:B:200:LYS:HE3	2.17	0.74
1:A:412:ALA:HB3	1:A:413:PRO:HD3	1.67	0.73
2:B:137:ILE:HD11	2:B:235:LYS:HD2	1.70	0.72
1:A:288:ILE:HD11	1:A:295:LEU:HD23	1.72	0.71
2:B:63:ILE:CD1	2:B:68:ILE:HG12	2.23	0.69
1:A:6:GLU:HG2	1:A:237:GLN:HE22	1.58	0.68
2:B:341:SER:HB2	2:B:342:PRO:HD2	1.76	0.68
1:A:234:GLU:OE1	1:A:234:GLU:N	2.27	0.68
1:A:134:GLY:HA2	1:A:225:PRO:HG2	1.77	0.66
2:B:32:VAL:CG1	2:B:37:LEU:HA	2.26	0.65
1:A:422:GLY:HA2	1:A:423:ARG:HB3	1.79	0.64
1:A:127:GLU:CB	1:A:292:VAL:HG13	2.24	0.64
1:A:261:MSE:HE2	1:A:265:MSE:CA	2.26	0.64
1:A:33:ALA:HB3	1:A:44:CYS:HB3	1.80	0.64
2:B:59:VAL:O	2:B:63:ILE:HG12	1.98	0.63
1:A:423:ARG:HH21	1:A:427:ASP:HB2	1.63	0.63
2:B:268:ARG:NH2	2:B:270:GLU:HG3	2.13	0.63
2:B:138:MSE:HE2	2:B:231:LEU:HG	1.81	0.63
1:A:195:GLU:HB3	1:A:198:THR:HG23	1.80	0.63
2:B:42:SER:HA	2:B:46:LEU:O	1.99	0.62
1:A:383:GLU:N	1:A:384:GLY:HA2	2.14	0.62
2:B:81:THR:CG2	2:B:358:THR:HB	2.24	0.62
1:A:295:LEU:HD11	1:A:324:ILE:HG22	1.81	0.61

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:160:LEU:HD21	2:B:162:ILE:CD1	2.30	0.61
1:A:295:LEU:HD11	1:A:324:ILE:CG2	2.32	0.60
1:A:417:LEU:O	1:A:420:VAL:HG12	2.01	0.60
1:A:418:ALA:O	1:A:422:GLY:N	2.35	0.60
1:A:217:GLU:HA	1:A:218:ALA:C	2.21	0.60
2:B:160:LEU:HD21	2:B:162:ILE:HD12	1.82	0.60
1:A:208:ASP:HB2	1:A:223:PRO:HA	1.83	0.60
1:A:379:ARG:O	1:A:383:GLU:HG2	2.03	0.59
1:A:369:PRO:O	1:A:373:ARG:HG3	2.02	0.59
2:B:325:MSE:HE1	2:B:349:PHE:HE1	1.67	0.59
2:B:55:ALA:O	2:B:59:VAL:HG23	2.03	0.59
2:B:27:ILE:O	2:B:92:GLN:HG3	2.02	0.58
1:A:131:VAL:HG23	1:A:194:ILE:H	1.68	0.58
1:A:98:THR:HG22	1:A:303:ASP:HB3	1.84	0.58
1:A:299:VAL:HG22	1:A:327:ILE:CG2	2.33	0.58
2:B:165:THR:OG1	2:B:228:GLU:HG2	2.03	0.58
1:A:401:ARG:HB3	1:A:402:ILE:HD12	1.85	0.57
2:B:63:ILE:HD13	2:B:68:ILE:HG12	1.86	0.57
1:A:443:ARG:O	1:A:447:ILE:HG12	2.04	0.57
1:A:422:GLY:HA2	1:A:423:ARG:C	2.23	0.57
2:B:81:THR:HG22	2:B:82:GLY:N	2.12	0.57
2:B:206:ARG:HH22	2:B:210:ARG:HB3	1.70	0.56
1:A:36:GLN:HA	1:A:40:PHE:O	2.06	0.56
2:B:206:ARG:NH2	2:B:210:ARG:HB3	2.20	0.56
1:A:432:ALA:O	1:A:435:GLU:HG2	2.05	0.55
1:A:208:ASP:CB	1:A:223:PRO:HA	2.36	0.55
1:A:357:GLN:HG3	2:B:399:ARG:HG2	1.88	0.55
2:B:173:MSE:HB2	2:B:177:MSE:HG2	1.87	0.55
1:A:217:GLU:HB2	1:A:218:ALA:HA	1.88	0.55
1:A:139:MSE:SE	1:A:188:VAL:HG23	2.56	0.55
1:A:130:ASP:HB3	1:A:196:THR:OG1	2.05	0.55
1:A:53:VAL:HG13	1:A:62:MSE:HE2	1.89	0.54
1:A:345:LEU:CD2	2:B:329:ARG:HH22	2.15	0.54
2:B:174:GLY:O	2:B:178:ILE:HG13	2.07	0.54
1:A:75:THR:HB	1:A:364:THR:HB	1.89	0.54
1:A:402:ILE:HG22	1:A:403:SER:N	2.17	0.54
2:B:63:ILE:HD11	2:B:68:ILE:HG12	1.90	0.54
2:B:181:MSE:HE3	2:B:186:VAL:HG11	1.89	0.54
2:B:83:LYS:NZ	2:B:327:SER:O	2.41	0.53
2:B:256:PHE:CE2	2:B:257:LEU:HG	2.44	0.53
2:B:164:THR:HG23	2:B:231:LEU:HD13	1.89	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:415:ARG:O	2:B:416:ARG:HB2	2.09	0.53
1:A:288:ILE:CD1	1:A:295:LEU:HD23	2.38	0.53
2:B:382:THR:HG23	2:B:383:PRO:HD2	1.90	0.53
1:A:402:ILE:HD12	1:A:402:ILE:H	1.74	0.53
1:A:171:LEU:HD23	1:A:173:LEU:CD1	2.37	0.53
1:A:53:VAL:HG13	1:A:62:MSE:CE	2.40	0.52
1:A:136:VAL:CG1	1:A:188:VAL:HG22	2.40	0.52
1:A:402:ILE:N	1:A:402:ILE:HD12	2.25	0.51
1:A:107:VAL:HG12	1:A:111:GLU:HB2	1.93	0.51
1:A:131:VAL:HG13	1:A:231:LYS:HB3	1.92	0.51
1:A:64:GLY:HA2	1:A:320:LEU:O	2.12	0.50
2:B:31:GLY:HA2	2:B:44:GLN:HG2	1.94	0.50
2:B:86:ILE:O	2:B:90:MSE:HG3	2.10	0.50
2:B:173:MSE:CB	2:B:177:MSE:HG2	2.42	0.50
1:A:295:LEU:O	1:A:295:LEU:HD12	2.11	0.50
1:A:383:GLU:HB2	1:A:384:GLY:HA2	1.92	0.50
2:B:30:LEU:O	2:B:53:ARG:HD2	2.12	0.50
1:A:208:ASP:N	1:A:222:VAL:O	2.45	0.49
2:B:60:LEU:O	2:B:64:LYS:HG3	2.13	0.49
2:B:379:VAL:HG13	2:B:420:VAL:HG21	1.93	0.49
2:B:82:GLY:O	2:B:86:ILE:HG13	2.12	0.49
2:B:181:MSE:HG2	2:B:201:ILE:HG12	1.94	0.49
1:A:134:GLY:CA	1:A:225:PRO:HG2	2.43	0.49
1:A:448:LEU:HD12	1:A:448:LEU:O	2.12	0.49
2:B:101:THR:HG22	2:B:126:SER:HB3	1.94	0.49
1:A:99:GLY:O	1:A:102:ILE:HG12	2.13	0.49
2:B:101:THR:CG2	2:B:126:SER:HB3	2.42	0.49
2:B:117:GLU:OE2	2:B:272:ARG:NH2	2.46	0.49
1:A:177:ILE:O	1:A:181:ILE:HG12	2.13	0.48
2:B:121:GLN:O	2:B:125:LYS:HG3	2.12	0.48
1:A:78:THR:HB	3:A:501:ADP:O2A	2.12	0.48
1:A:195:GLU:HB3	1:A:198:THR:CG2	2.44	0.48
2:B:32:VAL:HA	2:B:39:PRO:HA	1.93	0.48
2:B:54:LYS:O	2:B:58:VAL:HG23	2.13	0.48
1:A:186:VAL:O	1:A:187:GLN:HG3	2.13	0.48
2:B:450:ILE:HG23	2:B:451:GLY:N	2.29	0.48
2:B:434:ASP:HB2	2:B:435:PRO:HD2	1.96	0.48
2:B:170:ILE:HD12	2:B:170:ILE:N	2.29	0.47
2:B:9:VAL:HG23	2:B:10:THR:N	2.27	0.47
2:B:158:GLY:O	2:B:159:LYS:HG3	2.13	0.47
2:B:44:GLN:N	2:B:45:GLY:CA	2.74	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:LEU:HD21	1:A:192:ILE:HD11	1.96	0.47
2:B:256:PHE:CD2	2:B:257:LEU:HG	2.50	0.47
2:B:388:LEU:HD21	2:B:426:GLN:HG2	1.95	0.47
1:A:134:GLY:HA2	1:A:225:PRO:CG	2.45	0.47
2:B:41:PRO:HA	2:B:53:ARG:HH22	1.80	0.47
2:B:366:LEU:HD23	2:B:398:LEU:HD13	1.97	0.47
2:B:247:ASP:CB	2:B:267:ILE:HD13	2.34	0.47
1:A:387:LEU:HD23	1:A:387:LEU:H	1.79	0.47
1:A:127:GLU:HG3	1:A:292:VAL:HG22	1.97	0.46
2:B:382:THR:CG2	2:B:383:PRO:HD2	2.45	0.46
2:B:8:SER:HB2	2:B:9:VAL:H	1.53	0.46
1:A:276:LEU:O	1:A:280:ILE:HG12	2.14	0.46
2:B:271:ILE:O	2:B:275:ILE:HG12	2.14	0.46
1:A:131:VAL:HA	1:A:194:ILE:O	2.15	0.46
1:A:77:LYS:HD2	1:A:331:ALA:HB1	1.97	0.46
2:B:27:ILE:H	2:B:88:MSE:CE	2.27	0.46
2:B:264:THR:OG1	2:B:266:GLU:OE1	2.29	0.46
2:B:407:THR:O	2:B:411:ILE:HG13	2.16	0.46
2:B:245:GLU:O	2:B:249:ILE:HG13	2.15	0.46
1:A:25:LEU:O	1:A:47:ARG:HD2	2.16	0.46
1:A:70:ALA:O	1:A:363:PRO:HA	2.16	0.46
1:A:412:ALA:O	1:A:416:ILE:HG12	2.16	0.45
1:A:36:GLN:HG2	1:A:41:VAL:HG22	1.97	0.45
2:B:325:MSE:HE1	2:B:349:PHE:CE1	2.50	0.45
2:B:193:SER:CB	2:B:204:LEU:HD21	2.43	0.45
1:A:262:GLY:O	1:A:265:MSE:HG2	2.17	0.45
2:B:32:VAL:HG13	2:B:37:LEU:HA	1.99	0.45
1:A:423:ARG:HH21	1:A:427:ASP:CB	2.30	0.45
1:A:188:VAL:HA	1:A:189:GLY:HA2	1.55	0.45
1:A:52:VAL:HB	2:B:432:PHE:HZ	1.82	0.45
2:B:63:ILE:HD13	2:B:68:ILE:CG2	2.43	0.45
1:A:134:GLY:HA2	1:A:225:PRO:HD2	1.99	0.45
1:A:280:ILE:O	1:A:284:VAL:HG23	2.17	0.45
1:A:66:GLY:O	1:A:359:LEU:HA	2.17	0.45
1:A:322:SER:OG	1:A:324:ILE:HD12	2.17	0.45
1:A:130:ASP:HA	1:A:232:LYS:HA	1.97	0.45
1:A:136:VAL:HG12	1:A:188:VAL:HG22	1.99	0.45
2:B:63:ILE:CD1	2:B:68:ILE:HG21	2.42	0.44
2:B:26:HIS:HB3	2:B:88:MSE:HE1	1.99	0.44
2:B:322:ILE:HD12	2:B:322:ILE:N	2.32	0.44
2:B:369:ILE:HG21	2:B:398:LEU:HD21	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:388:THR:HG23	1:A:426:VAL:O	2.18	0.44
2:B:202:THR:O	2:B:204:LEU:HD22	2.17	0.43
2:B:72:ALA:HB1	2:B:325:MSE:HE2	2.00	0.43
1:A:130:ASP:HB3	1:A:196:THR:HG1	1.81	0.43
2:B:434:ASP:HB2	2:B:435:PRO:CD	2.48	0.43
2:B:422:VAL:O	2:B:426:GLN:HG3	2.18	0.43
2:B:37:LEU:HD22	2:B:57:ALA:HB1	2.00	0.43
2:B:173:MSE:SE	2:B:177:MSE:HG2	2.68	0.43
2:B:296:PHE:HA	2:B:324:ILE:O	2.18	0.43
2:B:32:VAL:HG13	2:B:37:LEU:C	2.37	0.43
2:B:275:ILE:O	2:B:279:VAL:HG23	2.18	0.43
1:A:126:ARG:HA	1:A:126:ARG:HD3	1.74	0.43
2:B:388:LEU:O	2:B:392:ILE:HG13	2.18	0.43
2:B:300:VAL:HG21	2:B:325:MSE:SE	2.68	0.43
1:A:231:LYS:HE3	1:A:233:LYS:HD2	1.99	0.43
2:B:75:ILE:CG2	2:B:83:LYS:HB3	2.49	0.43
1:A:422:GLY:CA	1:A:423:ARG:C	2.88	0.43
2:B:75:ILE:O	2:B:326:ALA:HA	2.19	0.43
2:B:242:SER:O	2:B:246:ILE:HG13	2.19	0.43
1:A:136:VAL:O	1:A:188:VAL:HG13	2.19	0.42
1:A:118:ARG:HH21	1:A:245:ASP:CG	2.22	0.42
2:B:130:ARG:HG3	2:B:238:VAL:HG13	1.99	0.42
1:A:7:VAL:HG21	1:A:244:LEU:HD23	2.02	0.42
2:B:226:CYS:HA	2:B:227:PRO:HD3	1.88	0.42
2:B:68:ILE:HG23	2:B:69:ALA:N	2.34	0.42
1:A:21:HIS:CE1	1:A:379:ARG:HD3	2.55	0.42
2:B:450:ILE:HG23	2:B:451:GLY:H	1.85	0.42
1:A:118:ARG:NH2	1:A:245:ASP:OD1	2.48	0.42
2:B:363:PRO:HA	2:B:366:LEU:HD12	2.02	0.42
1:A:387:LEU:HD23	1:A:387:LEU:N	2.34	0.42
1:A:395:VAL:O	1:A:407:CYS:HB2	2.20	0.42
2:B:273:ASP:O	2:B:277:THR:HG23	2.20	0.42
1:A:158:LEU:CD1	1:A:160:ILE:HG13	2.50	0.41
1:A:136:VAL:HG23	1:A:190:ASP:O	2.20	0.41
2:B:103:LEU:HD21	2:B:108:ILE:CD1	2.35	0.41
1:A:6:GLU:HG2	1:A:237:GLN:NE2	2.30	0.41
2:B:427:ARG:O	2:B:431:LEU:HG	2.20	0.41
2:B:27:ILE:H	2:B:88:MSE:HE2	1.85	0.41
1:A:160:ILE:HB	1:A:173:LEU:HD13	2.01	0.41
1:A:231:LYS:CE	1:A:233:LYS:HD2	2.51	0.41
1:A:255:GLN:HG3	1:A:256:ASP:H	1.85	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:199:GLY:O	2:B:201:ILE:HD12	2.20	0.41
2:B:84:THR:OG1	4:B:501:PO4:O2	2.38	0.41
2:B:36:THR:O	2:B:37:LEU:HB2	2.20	0.41
2:B:75:ILE:HG21	2:B:83:LYS:CB	2.51	0.41
2:B:58:VAL:O	2:B:62:MSE:HG3	2.21	0.41
1:A:7:VAL:HG23	1:A:239:VAL:HG11	2.03	0.41
1:A:383:GLU:HB2	1:A:384:GLY:CA	2.51	0.41
1:A:22:ILE:HD12	1:A:40:PHE:CE2	2.57	0.40
2:B:368:GLN:O	2:B:372:ILE:HG13	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	420/464 (90%)	400 (95%)	20 (5%)	0	100	100
2	B	411/490 (84%)	400 (97%)	11 (3%)	0	100	100
All	All	831/954 (87%)	800 (96%)	31 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/367 (96%)	347 (99%)	4 (1%)	80	94
2	B	354/386 (92%)	353 (100%)	1 (0%)	94	98
All	All	705/753 (94%)	700 (99%)	5 (1%)	88	96

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	MSE
1	A	423	ARG
1	A	427	ASP
1	A	450	SER
2	B	8	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ADP	A	501	-	24,29,29	0.61	0	23,45,45	0.47	0
4	PO4	B	501	-	4,4,4	0.69	0	6,6,6	0.23	0
4	PO4	B	502	-	4,4,4	0.65	0	6,6,6	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	501	-	-	0/12/32/32	0/3/3/3
4	PO4	B	501	-	-	0/0/0/0	0/0/0/0
4	PO4	B	502	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	ADP	1	0
4	B	501	PO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	417/464 (89%)	0.80	56 (13%)	4 1	72, 101, 169, 198	33 (7%)
2	B	407/490 (83%)	0.59	25 (6%)	25 9	68, 97, 131, 154	28 (6%)
All	All	824/954 (86%)	0.70	81 (9%)	10 4	68, 99, 154, 198	61 (7%)

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	157	THR	9.6
1	A	181	ILE	6.7
1	A	231	LYS	6.6
1	A	159	LEU	6.6
1	A	137	THR	5.6
1	A	175	PRO	5.5
1	A	182	GLN	5.4
1	A	192	ILE	5.3
1	A	194	ILE	5.2
1	A	186	VAL	5.0
1	A	140	THR	4.9
1	A	131	VAL	4.9
1	A	178	TYR	4.9
1	A	158	LEU	4.5
2	B	145	ILE	4.4
1	A	173	LEU	4.0
1	A	230	HIS	4.0
1	A	171	LEU	3.9
1	A	221	TYR	3.9
1	A	176	SER	3.8
1	A	165	ALA	3.8
2	B	204	LEU	3.8
2	B	162	ILE	3.7
1	A	183	LYS	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	134	GLY	3.6
1	A	195	GLU	3.5
1	A	292	VAL	3.4
2	B	147	ILE	3.3
1	A	189	GLY	3.3
1	A	336	ILE	3.2
1	A	128	THR	3.1
1	A	235	ILE	3.1
2	B	160	LEU	3.1
1	A	3	GLN	3.1
1	A	228	GLU	3.0
1	A	172	ARG	3.0
1	A	174	ASP	3.0
1	A	236	VAL	3.0
1	A	232	LYS	3.0
1	A	177	ILE	3.0
1	A	254	GLY	2.9
1	A	193	TYR	2.9
2	B	171	TYR	2.9
2	B	170	ILE	2.9
2	B	40	ARG	2.9
2	B	417	ALA	2.8
1	A	344	ASP	2.8
1	A	423	ARG	2.7
1	A	234	GLU	2.7
1	A	185	ARG	2.7
1	A	284	VAL	2.7
1	A	4	ILE	2.6
1	A	218	ALA	2.6
1	A	162	LEU	2.5
2	B	221	THR	2.5
1	A	24	GLY	2.5
1	A	135	GLU	2.4
2	B	202	THR	2.4
2	B	381	LEU	2.4
1	A	132	TYR	2.4
2	B	367	ARG	2.4
1	A	233	LYS	2.4
2	B	30	LEU	2.3
2	B	149	ARG	2.3
2	B	329	ARG	2.3
1	A	136	VAL	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	142	VAL	2.3
2	B	161	THR	2.3
1	A	293	ALA	2.2
2	B	9	VAL	2.2
2	B	8	SER	2.2
2	B	184	GLU	2.2
2	B	201	ILE	2.1
2	B	186	VAL	2.1
1	A	161	GLY	2.1
1	A	130	ASP	2.1
2	B	159	LYS	2.1
1	A	187	GLN	2.1
1	A	253	GLY	2.0
2	B	205	GLY	2.0
1	A	385	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	PO4	B	501	5/5	0.93	0.23	0.38	87,91,94,95	0
3	ADP	A	501	27/27	0.97	0.20	-0.41	72,93,113,119	0
4	PO4	B	502	5/5	0.90	0.21	-0.69	99,101,103,104	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.