



wwPDB X-ray Structure Validation Summary Report ⓘ

Jul 28, 2016 – 02:09 PM EDT

PDB ID : 5FYJ
Title : Crystal Structure at 3.4 Å Resolution of Fully Glycosylated HIV-1 Clade G X1193.c1 SOSIP.664 Prefusion Env Trimer in Complex with Broadly Neutralizing Antibodies PGT122, 35O22 and VRC01
Authors : Stewart-Jones, G.B.E.; Zhou, T.; Thomas, P.V.; Kwong, P.D.
Deposited on : 2016-03-08
Resolution : 3.11 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20027939
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027939


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1112 (3.16-3.08)
Clashscore	102246	1218 (3.16-3.08)
Ramachandran outliers	100387	1175 (3.16-3.08)
Sidechain outliers	100360	1175 (3.16-3.08)
RSRZ outliers	91569	1114 (3.16-3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	161	<div> <div>16%</div> <div>83% 12% .</div> </div>
2	D	243	<div> <div>9%</div> <div>85% 14% .</div> </div>
3	E	216	<div> <div>4%</div> <div>81% 17% .</div> </div>
4	G	484	<div> <div>5%</div> <div>77% 19% ..</div> </div>
5	H	244	<div> <div>4%</div> <div>82% 10% . 7%</div> </div>
6	L	213	<div> <div>4%</div> <div>79% 17% ..</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	U	240	
7	V	240	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	NAG	B	6251	-	-	-	X
10	NAG	B	6252	-	-	-	X
14	MAN	G	1569(A)	X	-	-	-
14	MAN	G	1569(B)	X	-	-	-
14	MAN	G	2629	X	-	-	-
14	MAN	G	2629(A)	X	-	-	-
14	MAN	G	2629(B)	X	-	-	-
15	MAN	G	1609	X	-	-	-
15	MAN	G	1609(A)	X	-	-	-
15	MAN	G	3329(A)	X	-	-	-
16	BMA	G	2343	-	-	X	-
16	MAN	G	2344	-	-	X	-
18	MAN	G	3869(A)	X	-	-	-
18	MAN	G	3869(B)	X	-	-	-
8	CIT	G	1511	-	-	-	X

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 15476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GP41 ENV ECTODOMAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	154	Total	C	N	O	S	0	0	0
			1220	770	215	230	5			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	PRO	ILE	ENGINEERED MUTATION	UNP C6ZIG9
B	605	CYS	THR	ENGINEERED MUTATION	UNP C6ZIG9
B	666	GLY	-	EXPRESSION TAG	UNP C6ZIG9
B	667	GLY	-	EXPRESSION TAG	UNP C6ZIG9
B	668	GLY	-	EXPRESSION TAG	UNP C6ZIG9
B	669	LEU	-	EXPRESSION TAG	UNP C6ZIG9
B	670	VAL	-	EXPRESSION TAG	UNP C6ZIG9
B	671	PRO	-	EXPRESSION TAG	UNP C6ZIG9
B	672	ARG	-	EXPRESSION TAG	UNP C6ZIG9

- Molecule 2 is a protein called 35O22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	243	Total	C	N	O	S	0	0	1
			1833	1165	307	353	8			

- Molecule 3 is a protein called 35O22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	213	Total	C	N	O	S	0	0	0
			1615	1012	267	328	8			

- Molecule 4 is a protein called GP120 ENV ECTODOMAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	479	Total	C	N	O	S	0	0	0
			3769	2351	674	716	28			

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	29	ALA	-	EXPRESSION TAG	UNP C6ZIG9
G	30	LEU	-	EXPRESSION TAG	UNP C6ZIG9
G	31	ALA	-	EXPRESSION TAG	UNP C6ZIG9
G	32	GLY	-	EXPRESSION TAG	UNP C6ZIG9
G	459	CYS	GLY	ENGINEERED MUTATION	UNP C6ZIG9
G	501	CYS	ALA	ENGINEERED MUTATION	UNP C6ZIG9
G	509	ARG	-	EXPRESSION TAG	UNP C6ZIG9
G	510	ARG	-	EXPRESSION TAG	UNP C6ZIG9
G	511	ARG	-	EXPRESSION TAG	UNP C6ZIG9
G	512	ARG	-	EXPRESSION TAG	UNP C6ZIG9
G	513	ARG	-	EXPRESSION TAG	UNP C6ZIG9

- Molecule 5 is a protein called PGT122.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	H	228	Total	C	N	O	S	0	0	0
			1742	1109	295	333	5			


- Molecule 6 is a protein called PGT122.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	L	210	Total	C	N	O	S	0	0	0
			1589	998	267	320	4			

- Molecule 7 is a protein called VRC01.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	U	119	Total	C	N	O	S	0	0	0
			956	603	173	171	9			
7	V	98	Total	C	N	O	S	0	0	0
			758	479	130	147	2			

- Molecule 8 is CITRIC ACID (three-letter code: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			13	6	7		
8	G	1	Total	C	O	0	0
			13	6	7		
8	G	1	Total	C	O	0	0
			13	6	7		

- Molecule 9 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	2	Total	C	N	O	0	0
			28	16	2	10		
9	B	2	Total	C	N	O	0	0
			28	16	2	10		
9	B	2	Total	C	N	O	0	0
			28	16	2	10		
9	G	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 10 is a polymer of unknown type called SUGAR (3-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	B	3	Total	C	N	O	0	0
			39	22	2	15		
10	G	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	G	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 11 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	D	1	Total	C	O	0	0
			4	2	2		
11	G	1	Total	C	O	0	0
			4	2	2		

- Molecule 12 is a polymer of unknown type called SUGAR (8-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	G	8	Total	C	N	O	0	0
			94	52	2	40		

- Molecule 13 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	G	1	Total	C	N	O	0	0
			14	8	1	5		
13	G	1	Total	C	N	O	0	0
			14	8	1	5		
13	G	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 14 is a polymer of unknown type called SUGAR (11-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	G	11	Total	C	N	O	0	0
			127	70	2	55		
14	G	11	Total	C	N	O	0	0
			127	70	2	55		

- Molecule 15 is a polymer of unknown type called SUGAR (10-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
15	G	10	Total	C	N	O	0	0
			116	64	2	50		
15	G	10	Total	C	N	O	0	0
			116	64	2	50		
15	G	10	Total	C	N	O	0	0
			116	64	2	50		
15	G	10	Total	C	N	O	0	0
			116	64	2	50		

- Molecule 16 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
16	G	6	Total	C	N	O	0	0
			72	40	2	30		
16	G	6	Total	C	N	O	0	0
			72	40	2	30		
16	H	6	Total	C	N	O	0	0
			72	40	2	30		
16	V	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 17 is a polymer of unknown type called SUGAR (7-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	G	7	Total	C	N	O	0	0
			83	46	2	35		
17	G	7	Total	C	N	O	0	0
			83	46	2	35		
17	G	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 18 is a polymer of unknown type called SUGAR (9-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
18	G	9	Total	C	N	O	0	0
			105	58	2	45		
18	G	9	Total	C	N	O	0	0
			105	58	2	45		
18	G	9	Total	C	N	O	0	0
			105	58	2	45		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	B	4	Total	O	0	0
			4	4		
19	D	2	Total	O	0	0
			2	2		
19	E	1	Total	O	0	0
			1	1		
19	G	3	Total	O	0	0
			3	3		
19	H	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	L	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GP41 ENV ECTODOMAIN




- Molecule 2: 35O22



- Molecule 3: 35O22



- Molecule 4: GP120 ENV ECTODOMAIN



GLY	ARG	VAL	THR	MET	THR	ARG	ASP	VAL	TYR	SER	ASP	THR	ALA	PHE	LEU	GLU	LEU	ARG	SER	LEU	THR	VAL	ASP	ASP	THR	ALA	VAL	TYR	PHE	CYS	THR	ARG	GLY	LYS	ASN	CYS	ASP	TYR	ASN	TRP	ASP	PHE	GLU	HIS	TRP	GLY	ARG	GLY	THR	PRO	VAL	ILE	VAL	GLY	GLY	LEU	VAL	PRO	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	127.16Å 127.16Å 313.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.65 – 3.11 44.65 – 3.11	Depositor EDS
% Data completeness (in resolution range)	83.3 (44.65-3.11) 83.3 (44.65-3.11)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.63 (at 3.12Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.9_1692)	Depositor
R, R_{free}	0.214 , 0.273 0.274 , 0.309	Depositor DCC
R_{free} test set	2003 reflections (4.92%)	DCC
Wilson B-factor (Å ²)	74.9	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 69.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.114 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	15476	wwPDB-VP
Average B, all atoms (Å ²)	123.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, CIT, NAG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.38	1/1242 (0.1%)	0.46	0/1689
2	D	0.27	0/1881	0.44	0/2562
3	E	0.23	0/1659	0.44	0/2269
4	G	0.26	0/3843	0.47	0/5213
5	H	0.22	0/1789	0.43	0/2443
6	L	0.23	0/1632	0.44	0/2236
7	U	0.24	0/981	0.44	0/1328
7	V	0.23	0/778	0.44	0/1058
All	All	0.26	1/13805 (0.0%)	0.45	0/18798

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
14	G	6	0
15	G	3	0
18	G	2	0
All	All	11	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	644	ASN	C-N	8.99	1.54	1.34

There are no bond angle outliers.

5 of 11 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
14	G	1569(A)	MAN	C1
14	G	1569(B)	MAN	C1
15	G	1609	MAN	C1
15	G	1609(A)	MAN	C1
14	G	2629	MAN	C1

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1220	0	1202	7	0
2	D	1833	0	1806	15	1
3	E	1615	0	1542	17	0
4	G	3769	0	3705	45	0
5	H	1742	0	1715	11	0
6	L	1589	0	1530	15	0
7	U	956	0	928	8	0
7	V	758	0	719	5	0
8	B	13	0	5	1	0
8	G	26	0	10	2	0
9	B	84	0	75	1	0
9	G	28	0	25	0	0
10	B	39	0	34	0	0
10	G	78	0	68	0	0
11	D	4	0	6	0	0
11	G	4	0	6	0	0
12	G	94	0	79	1	0
13	G	42	0	39	1	0
14	G	254	0	212	4	0
15	G	464	0	388	5	1
16	G	144	0	122	6	0
16	H	72	0	61	0	0
16	V	72	0	61	0	0
17	G	249	0	210	4	0
18	G	315	0	264	0	0
19	B	4	0	0	0	0
19	D	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	E	1	0	0	0	0
19	G	3	0	0	0	0
19	H	1	0	0	1	0
19	L	1	0	0	0	0
All	All	15476	0	14812	134	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 134 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:G:3445:MAN:H3	17:G:3447:MAN:H5	1.19	1.13
16:G:2343:BMA:H3	16:G:2344:MAN:H5	1.44	0.96
4:G:459:CYS:HB2	7:U:61:ARG:HG2	1.47	0.93
17:G:3445:MAN:H3	17:G:3447:MAN:C5	2.02	0.89
15:G:1883:BMA:H3	15:G:1884:MAN:H3	1.56	0.86

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:65:ASP:OD1	2:D:113:SER:OG[2_555]	2.14	0.06
15:G:1606:MAN:O6	15:G:1607:MAN:O3[2_655]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	152/161 (94%)	141 (93%)	11 (7%)	0	100	100
2	D	241/243 (99%)	213 (88%)	26 (11%)	2 (1%)	24	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	E	211/216 (98%)	187 (89%)	24 (11%)	0	100	100
4	G	477/484 (99%)	434 (91%)	40 (8%)	3 (1%)	30	70
5	H	224/244 (92%)	210 (94%)	14 (6%)	0	100	100
6	L	208/213 (98%)	185 (89%)	21 (10%)	2 (1%)	19	59
7	U	117/240 (49%)	108 (92%)	8 (7%)	1 (1%)	21	62
7	V	96/240 (40%)	87 (91%)	8 (8%)	1 (1%)	19	59
All	All	1726/2041 (85%)	1565 (91%)	152 (9%)	9 (0%)	34	73

5 of 9 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	G	393	THR
2	D	85	ASP
4	G	509	ARG
2	D	167	PRO
6	L	152	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	131/135 (97%)	122 (93%)	9 (7%)	19	55
2	D	205/206 (100%)	193 (94%)	12 (6%)	24	60
3	E	186/189 (98%)	173 (93%)	13 (7%)	19	54
4	G	428/432 (99%)	385 (90%)	43 (10%)	9	34
5	H	198/213 (93%)	185 (93%)	13 (7%)	21	57
6	L	178/181 (98%)	157 (88%)	21 (12%)	6	26
7	U	102/192 (53%)	95 (93%)	7 (7%)	19	55
7	V	81/192 (42%)	80 (99%)	1 (1%)	78	92
All	All	1509/1740 (87%)	1390 (92%)	119 (8%)	15	49

5 of 119 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	G	296	CYS
4	G	388	SER
6	L	180	SER
4	G	317	PHE
4	G	337	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

159 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NAG	B	6111	1,9	14,14,15	0.47	0	15,19,21	0.64	0
9	NAG	B	6112	9	14,14,15	0.40	0	15,19,21	0.23	0
9	NAG	B	6161	1,9	14,14,15	0.74	1 (7%)	15,19,21	1.03	1 (6%)
9	NAG	B	6162	9	14,14,15	0.59	0	15,19,21	0.40	0
10	NAG	B	6251	1,10	14,14,15	0.22	0	15,19,21	0.33	0
10	NAG	B	6252	10	14,14,15	0.27	0	15,19,21	1.07	2 (13%)
10	BMA	B	6253	10	11,11,12	0.44	0	15,15,17	1.02	1 (6%)
9	NAG	B	6371	1,9	14,14,15	0.46	0	15,19,21	0.34	0
9	NAG	B	6372	9	14,14,15	0.62	0	15,19,21	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	G	1561	4,14	14,14,15	0.28	0	15,19,21	0.35	0
14	NAG	G	1562	14	14,14,15	0.40	0	15,19,21	0.92	1 (6%)
14	BMA	G	1563	14	11,11,12	0.78	0	15,15,17	1.23	1 (6%)
14	MAN	G	1564	14	11,11,12	0.68	0	15,15,17	0.90	1 (6%)
14	MAN	G	1565	14	11,11,12	0.80	0	15,15,17	1.36	2 (13%)
14	MAN	G	1566	14	11,11,12	0.74	0	15,15,17	1.36	2 (13%)
14	MAN	G	1567	14	11,11,12	0.62	0	15,15,17	1.15	2 (13%)
14	MAN	G	1568	14	11,11,12	0.77	0	15,15,17	0.98	1 (6%)
14	MAN	G	1569	14	11,11,12	0.24	0	15,15,17	0.52	0
14	MAN	G	1569(A)	14	11,11,12	0.61	0	15,15,17	0.91	2 (13%)
14	MAN	G	1569(B)	14	11,11,12	0.61	0	15,15,17	0.93	2 (13%)
15	NAG	G	1601	15,4	14,14,15	0.29	0	15,19,21	0.62	0
15	NAG	G	1602	15	14,14,15	0.34	0	15,19,21	0.36	0
15	BMA	G	1603	15	11,11,12	0.85	1 (9%)	15,15,17	1.08	0
15	MAN	G	1604	15	11,11,12	0.91	0	15,15,17	1.12	1 (6%)
15	MAN	G	1605	15	11,11,12	0.82	0	15,15,17	1.17	3 (20%)
15	MAN	G	1606	15	11,11,12	0.82	0	15,15,17	1.30	2 (13%)
15	MAN	G	1607	15	11,11,12	0.53	0	15,15,17	1.04	1 (6%)
15	MAN	G	1608	15	11,11,12	0.63	0	15,15,17	1.03	2 (13%)
15	MAN	G	1609	15	11,11,12	0.68	0	15,15,17	1.00	2 (13%)
15	MAN	G	1609(A)	15	11,11,12	0.63	0	15,15,17	0.99	2 (13%)
15	NAG	G	1881	15,4	14,14,15	0.19	0	15,19,21	0.48	0
15	NAG	G	1882	15	14,14,15	0.23	0	15,19,21	0.34	0
15	BMA	G	1883	15	11,11,12	0.89	1 (9%)	15,15,17	1.21	1 (6%)
15	MAN	G	1884	15	11,11,12	0.67	0	15,15,17	1.21	1 (6%)
15	MAN	G	1885	15	11,11,12	0.66	0	15,15,17	1.13	2 (13%)
15	MAN	G	1886	15	11,11,12	0.57	0	15,15,17	1.27	2 (13%)
15	MAN	G	1887	15	11,11,12	0.54	0	15,15,17	1.09	2 (13%)
15	MAN	G	1888	15	11,11,12	0.76	0	15,15,17	1.02	2 (13%)
15	MAN	G	1889	15	11,11,12	0.65	0	15,15,17	1.01	2 (13%)
15	MAN	G	1889(A)	15	11,11,12	0.72	0	15,15,17	0.88	1 (6%)
10	NAG	G	1971	10,4	14,14,15	1.39	1 (7%)	15,19,21	0.83	1 (6%)
10	NAG	G	1972	10	14,14,15	0.24	0	15,19,21	0.44	0
10	BMA	G	1973	10	11,11,12	0.85	1 (9%)	15,15,17	0.83	0
16	NAG	G	2341	4,16	14,14,15	0.26	0	15,19,21	0.44	0
16	NAG	G	2342	16	14,14,15	0.44	0	15,19,21	0.28	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	BMA	G	2343	16	11,11,12	0.43	0	15,15,17	1.20	1 (6%)
16	MAN	G	2344	16	11,11,12	0.29	0	15,15,17	0.94	1 (6%)
16	MAN	G	2345	16	11,11,12	0.71	0	15,15,17	1.15	2 (13%)
16	MAN	G	2346	16	11,11,12	0.79	0	15,15,17	0.78	1 (6%)
17	NAG	G	2411	4,17	14,14,15	0.39	0	15,19,21	0.47	0
17	NAG	G	2412	17	14,14,15	0.44	0	15,19,21	0.67	0
17	BMA	G	2413	17	11,11,12	0.97	0	15,15,17	1.01	1 (6%)
17	MAN	G	2414	17	11,11,12	0.70	0	15,15,17	1.08	1 (6%)
17	MAN	G	2415	17	11,11,12	0.67	0	15,15,17	0.97	2 (13%)
17	MAN	G	2416	17	11,11,12	0.77	0	15,15,17	0.89	1 (6%)
17	MAN	G	2417	17	11,11,12	0.70	0	15,15,17	0.94	1 (6%)
14	NAG	G	2621	4,14	14,14,15	0.41	0	15,19,21	0.36	0
14	NAG	G	2622	14	14,14,15	0.29	0	15,19,21	0.29	0
14	BMA	G	2623	14	11,11,12	0.64	0	15,15,17	0.85	0
14	MAN	G	2624	14	11,11,12	0.78	0	15,15,17	1.24	2 (13%)
14	MAN	G	2625	14	11,11,12	0.66	0	15,15,17	1.06	2 (13%)
14	MAN	G	2626	14	11,11,12	0.67	0	15,15,17	1.39	2 (13%)
14	MAN	G	2627	14	11,11,12	0.66	0	15,15,17	1.26	3 (20%)
14	MAN	G	2628	14	11,11,12	0.60	0	15,15,17	1.05	2 (13%)
14	MAN	G	2629	14	11,11,12	0.86	1 (9%)	15,15,17	0.87	1 (6%)
14	MAN	G	2629(A)	14	11,11,12	0.75	0	15,15,17	0.88	1 (6%)
14	MAN	G	2629(B)	14	11,11,12	0.65	0	15,15,17	0.90	1 (6%)
18	NAG	G	2761	18,4	14,14,15	0.56	0	15,19,21	0.56	0
18	NAG	G	2762	18	14,14,15	0.25	0	15,19,21	0.65	0
18	BMA	G	2763	18	11,11,12	0.69	0	15,15,17	0.78	0
18	MAN	G	2764	18	11,11,12	0.61	0	15,15,17	0.92	2 (13%)
18	MAN	G	2765	18	11,11,12	0.97	0	15,15,17	1.07	2 (13%)
18	MAN	G	2766	18	11,11,12	0.59	0	15,15,17	1.35	3 (20%)
18	MAN	G	2767	18	11,11,12	0.63	0	15,15,17	1.41	2 (13%)
18	MAN	G	2769	18	11,11,12	0.49	0	15,15,17	1.06	2 (13%)
18	MAN	G	2769(A)	18	11,11,12	0.57	0	15,15,17	1.13	2 (13%)
18	NAG	G	2931	18,4	14,14,15	0.27	0	15,19,21	0.44	0
18	NAG	G	2932	18	14,14,15	0.56	0	15,19,21	1.26	2 (13%)
18	BMA	G	2933	18	11,11,12	0.60	0	15,15,17	1.39	2 (13%)
18	MAN	G	2934	18	11,11,12	1.38	3 (27%)	15,15,17	1.33	2 (13%)
18	MAN	G	2935	18	11,11,12	1.18	2 (18%)	15,15,17	1.53	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	MAN	G	2936	18	11,11,12	0.70	0	15,15,17	1.03	2 (13%)
18	MAN	G	2937	18	11,11,12	0.64	0	15,15,17	1.00	2 (13%)
18	MAN	G	2938	18	11,11,12	0.69	0	15,15,17	1.23	3 (20%)
18	MAN	G	2939(A)	18	11,11,12	0.64	0	15,15,17	0.88	1 (6%)
16	NAG	G	3011	4,16	14,14,15	0.48	0	15,19,21	0.61	0
16	NAG	G	3012	16	14,14,15	0.38	0	15,19,21	0.62	0
16	BMA	G	3013	16	11,11,12	1.07	2 (18%)	15,15,17	1.14	1 (6%)
16	MAN	G	3014	16	11,11,12	0.72	1 (9%)	15,15,17	1.24	2 (13%)
16	MAN	G	3015	16	11,11,12	0.81	1 (9%)	15,15,17	1.31	2 (13%)
16	MAN	G	3018	16	11,11,12	0.75	0	15,15,17	0.93	1 (6%)
15	NAG	G	3321	15,4	14,14,15	0.49	0	15,19,21	0.33	0
15	NAG	G	3322	15	14,14,15	0.26	0	15,19,21	0.63	0
15	BMA	G	3323	15	11,11,12	1.19	2 (18%)	15,15,17	1.41	2 (13%)
15	MAN	G	3324	15	11,11,12	0.77	1 (9%)	15,15,17	1.39	2 (13%)
15	MAN	G	3325	15	11,11,12	0.62	0	15,15,17	1.08	2 (13%)
15	MAN	G	3326	15	11,11,12	0.84	0	15,15,17	1.36	3 (20%)
15	MAN	G	3327	15	11,11,12	0.81	1 (9%)	15,15,17	1.14	1 (6%)
15	MAN	G	3328	15	11,11,12	0.75	0	15,15,17	0.88	1 (6%)
15	MAN	G	3329	15	11,11,12	0.99	1 (9%)	15,15,17	1.60	4 (26%)
15	MAN	G	3329(A)	15	11,11,12	0.77	0	15,15,17	1.02	2 (13%)
17	NAG	G	3441	4,17	14,14,15	0.28	0	15,19,21	0.35	0
17	NAG	G	3442	17	14,14,15	0.19	0	15,19,21	0.31	0
17	BMA	G	3443	17	11,11,12	0.93	1 (9%)	15,15,17	0.87	1 (6%)
17	MAN	G	3444	17	11,11,12	0.60	0	15,15,17	0.97	2 (13%)
17	MAN	G	3445	17	11,11,12	0.69	0	15,15,17	1.06	2 (13%)
17	MAN	G	3447	17	11,11,12	1.04	1 (9%)	15,15,17	1.67	2 (13%)
17	MAN	G	3449(A)	17	11,11,12	0.62	0	15,15,17	1.15	2 (13%)
10	NAG	G	3551	10,4	14,14,15	0.26	0	15,19,21	0.38	0
10	NAG	G	3552	10	14,14,15	0.22	0	15,19,21	0.33	0
10	BMA	G	3553	10	11,11,12	0.54	0	15,15,17	0.98	1 (6%)
18	NAG	G	3861	18,4	14,14,15	0.35	0	15,19,21	0.57	0
18	NAG	G	3862	18	14,14,15	0.29	0	15,19,21	0.39	0
18	BMA	G	3863	18	11,11,12	1.07	2 (18%)	15,15,17	1.20	1 (6%)
18	MAN	G	3864	18	11,11,12	0.84	1 (9%)	15,15,17	1.20	2 (13%)
18	MAN	G	3865	18	11,11,12	0.89	0	15,15,17	0.85	1 (6%)
18	MAN	G	3867	18	11,11,12	0.58	0	15,15,17	1.13	2 (13%)
18	MAN	G	3868	18	11,11,12	0.63	0	15,15,17	1.20	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	MAN	G	3869(A)	18	11,11,12	0.61	0	15,15,17	0.96	2 (13%)
18	MAN	G	3869(B)	18	11,11,12	0.63	0	15,15,17	0.91	2 (13%)
15	NAG	G	4131	15,4	14,14,15	0.32	0	15,19,21	0.33	0
15	NAG	G	4132	15	14,14,15	0.19	0	15,19,21	0.42	0
15	BMA	G	4133	15	11,11,12	0.67	0	15,15,17	0.98	1 (6%)
15	MAN	G	4134	15	11,11,12	1.10	2 (18%)	15,15,17	1.32	2 (13%)
15	MAN	G	4135	15	11,11,12	0.83	0	15,15,17	1.64	3 (20%)
15	MAN	G	4136	15	11,11,12	0.68	0	15,15,17	1.11	2 (13%)
15	MAN	G	4137	15	11,11,12	0.74	0	15,15,17	0.89	0
15	MAN	G	4138	15	11,11,12	0.71	0	15,15,17	0.94	1 (6%)
15	MAN	G	4139(A)	15	11,11,12	0.71	0	15,15,17	1.23	2 (13%)
15	MAN	G	4140(B)	15	11,11,12	0.70	0	15,15,17	1.03	2 (13%)
17	NAG	G	4421	4,17	14,14,15	0.28	0	15,19,21	0.41	0
17	NAG	G	4422	17	14,14,15	0.25	0	15,19,21	0.60	0
17	BMA	G	4423	17	11,11,12	0.73	0	15,15,17	1.50	3 (20%)
17	MAN	G	4424	17	11,11,12	1.88	4 (36%)	15,15,17	1.40	3 (20%)
17	MAN	G	4425	17	11,11,12	0.66	0	15,15,17	1.02	2 (13%)
17	MAN	G	4426	17	11,11,12	0.94	1 (9%)	15,15,17	0.86	0
17	MAN	G	4429	17	11,11,12	0.68	1 (9%)	15,15,17	1.19	2 (13%)
9	NAG	G	4641(A)	9,4	14,14,15	0.21	0	15,19,21	0.29	0
9	NAG	G	4642(A)	9	14,14,15	0.43	0	15,19,21	0.23	0
12	NAG	G	881	12,4	14,14,15	0.35	0	15,19,21	0.64	0
12	NAG	G	882	12	14,14,15	0.35	0	15,19,21	0.37	0
12	BMA	G	883	12	11,11,12	0.67	0	15,15,17	0.85	0
12	MAN	G	884	12	11,11,12	0.84	1 (9%)	15,15,17	1.32	2 (13%)
12	MAN	G	885	12	11,11,12	1.04	0	15,15,17	1.35	2 (13%)
12	MAN	G	886	12	11,11,12	0.75	0	15,15,17	0.94	1 (6%)
12	MAN	G	887	12	11,11,12	0.96	1 (9%)	15,15,17	0.86	1 (6%)
12	MAN	G	888	12	11,11,12	0.64	0	15,15,17	1.03	1 (6%)
16	NAG	H	231	5,16	14,14,15	0.54	0	15,19,21	0.61	0
16	NAG	H	232	16	14,14,15	0.40	0	15,19,21	0.66	1 (6%)
16	BMA	H	233	16	11,11,12	1.07	1 (9%)	15,15,17	0.90	0
16	MAN	H	234	16	11,11,12	0.72	0	15,15,17	1.04	2 (13%)
16	MAN	H	235	16	11,11,12	0.73	0	15,15,17	0.86	1 (6%)
16	MAN	H	238	16	11,11,12	0.91	1 (9%)	15,15,17	1.36	3 (20%)
16	NAG	V	721	7,16	14,14,15	0.38	0	15,19,21	0.49	0
16	NAG	V	722	16	14,14,15	0.39	0	15,19,21	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	BMA	V	723	16	11,11,12	0.90	1 (9%)	15,15,17	0.85	1 (6%)
16	MAN	V	724	16	11,11,12	0.64	0	15,15,17	1.07	2 (13%)
16	MAN	V	725	16	11,11,12	0.86	1 (9%)	15,15,17	1.30	2 (13%)
16	MAN	V	728	16	11,11,12	0.70	0	15,15,17	1.07	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	B	6111	1,9	-	0/6/23/26	0/1/1/1
9	NAG	B	6112	9	-	0/6/23/26	0/1/1/1
9	NAG	B	6161	1,9	-	0/6/23/26	0/1/1/1
9	NAG	B	6162	9	-	0/6/23/26	0/1/1/1
10	NAG	B	6251	1,10	-	0/6/23/26	0/1/1/1
10	NAG	B	6252	10	-	0/6/23/26	0/1/1/1
10	BMA	B	6253	10	-	0/2/19/22	0/1/1/1
9	NAG	B	6371	1,9	-	0/6/23/26	0/1/1/1
9	NAG	B	6372	9	-	0/6/23/26	0/1/1/1
14	NAG	G	1561	4,14	-	0/6/23/26	0/1/1/1
14	NAG	G	1562	14	-	0/6/23/26	0/1/1/1
14	BMA	G	1563	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1564	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1565	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1566	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1567	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1568	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1569	14	-	0/2/19/22	0/1/1/1
14	MAN	G	1569(A)	14	1/1/4/5	0/2/19/22	0/1/1/1
14	MAN	G	1569(B)	14	1/1/4/5	0/2/19/22	0/1/1/1
15	NAG	G	1601	15,4	-	0/6/23/26	0/1/1/1
15	NAG	G	1602	15	-	0/6/23/26	0/1/1/1
15	BMA	G	1603	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1604	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1605	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1606	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1607	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1608	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1609	15	1/1/4/5	0/2/19/22	0/1/1/1
15	MAN	G	1609(A)	15	1/1/4/5	0/2/19/22	0/1/1/1
15	NAG	G	1881	15,4	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	NAG	G	1882	15	-	0/6/23/26	0/1/1/1
15	BMA	G	1883	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1884	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1885	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1886	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1887	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1888	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1889	15	-	0/2/19/22	0/1/1/1
15	MAN	G	1889(A)	15	-	0/2/19/22	0/1/1/1
10	NAG	G	1971	10,4	-	0/6/23/26	0/1/1/1
10	NAG	G	1972	10	-	0/6/23/26	0/1/1/1
10	BMA	G	1973	10	-	0/2/19/22	0/1/1/1
16	NAG	G	2341	4,16	-	0/6/23/26	0/1/1/1
16	NAG	G	2342	16	-	0/6/23/26	0/1/1/1
16	BMA	G	2343	16	-	0/2/19/22	0/1/1/1
16	MAN	G	2344	16	-	0/2/19/22	0/1/1/1
16	MAN	G	2345	16	-	0/2/19/22	0/1/1/1
16	MAN	G	2346	16	-	0/2/19/22	0/1/1/1
17	NAG	G	2411	4,17	-	0/6/23/26	0/1/1/1
17	NAG	G	2412	17	-	0/6/23/26	0/1/1/1
17	BMA	G	2413	17	-	0/2/19/22	0/1/1/1
17	MAN	G	2414	17	-	0/2/19/22	0/1/1/1
17	MAN	G	2415	17	-	0/2/19/22	0/1/1/1
17	MAN	G	2416	17	-	0/2/19/22	0/1/1/1
17	MAN	G	2417	17	-	0/2/19/22	0/1/1/1
14	NAG	G	2621	4,14	-	0/6/23/26	0/1/1/1
14	NAG	G	2622	14	-	0/6/23/26	0/1/1/1
14	BMA	G	2623	14	-	0/2/19/22	0/1/1/1
14	MAN	G	2624	14	-	0/2/19/22	0/1/1/1
14	MAN	G	2625	14	-	0/2/19/22	0/1/1/1
14	MAN	G	2626	14	-	0/2/19/22	0/1/1/1
14	MAN	G	2627	14	-	0/2/19/22	0/1/1/1
14	MAN	G	2628	14	-	0/2/19/22	0/1/1/1
14	MAN	G	2629	14	1/1/4/5	0/2/19/22	0/1/1/1
14	MAN	G	2629(A)	14	2/2/4/5	0/2/19/22	0/1/1/1
14	MAN	G	2629(B)	14	1/1/4/5	0/2/19/22	0/1/1/1
18	NAG	G	2761	18,4	-	0/6/23/26	0/1/1/1
18	NAG	G	2762	18	-	0/6/23/26	0/1/1/1
18	BMA	G	2763	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2764	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2765	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2766	18	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MAN	G	2767	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2769	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2769(A)	18	-	0/2/19/22	0/1/1/1
18	NAG	G	2931	18,4	-	0/6/23/26	0/1/1/1
18	NAG	G	2932	18	-	0/6/23/26	0/1/1/1
18	BMA	G	2933	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2934	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2935	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2936	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2937	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2938	18	-	0/2/19/22	0/1/1/1
18	MAN	G	2939(A)	18	-	0/2/19/22	0/1/1/1
16	NAG	G	3011	4,16	-	0/6/23/26	0/1/1/1
16	NAG	G	3012	16	-	0/6/23/26	0/1/1/1
16	BMA	G	3013	16	-	0/2/19/22	0/1/1/1
16	MAN	G	3014	16	-	0/2/19/22	0/1/1/1
16	MAN	G	3015	16	-	0/2/19/22	0/1/1/1
16	MAN	G	3018	16	-	0/2/19/22	0/1/1/1
15	NAG	G	3321	15,4	-	0/6/23/26	0/1/1/1
15	NAG	G	3322	15	-	0/6/23/26	0/1/1/1
15	BMA	G	3323	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3324	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3325	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3326	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3327	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3328	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3329	15	-	0/2/19/22	0/1/1/1
15	MAN	G	3329(A)	15	1/1/4/5	0/2/19/22	0/1/1/1
17	NAG	G	3441	4,17	-	0/6/23/26	0/1/1/1
17	NAG	G	3442	17	-	0/6/23/26	0/1/1/1
17	BMA	G	3443	17	-	0/2/19/22	0/1/1/1
17	MAN	G	3444	17	-	0/2/19/22	0/1/1/1
17	MAN	G	3445	17	-	0/2/19/22	0/1/1/1
17	MAN	G	3447	17	-	0/2/19/22	0/1/1/1
17	MAN	G	3449(A)	17	-	0/2/19/22	0/1/1/1
10	NAG	G	3551	10,4	-	0/6/23/26	0/1/1/1
10	NAG	G	3552	10	-	0/6/23/26	0/1/1/1
10	BMA	G	3553	10	-	0/2/19/22	0/1/1/1
18	NAG	G	3861	18,4	-	0/6/23/26	0/1/1/1
18	NAG	G	3862	18	-	0/6/23/26	0/1/1/1
18	BMA	G	3863	18	-	0/2/19/22	0/1/1/1
18	MAN	G	3864	18	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MAN	G	3865	18	-	0/2/19/22	0/1/1/1
18	MAN	G	3867	18	-	0/2/19/22	0/1/1/1
18	MAN	G	3868	18	-	0/2/19/22	0/1/1/1
18	MAN	G	3869(A)	18	1/1/4/5	0/2/19/22	0/1/1/1
18	MAN	G	3869(B)	18	1/1/4/5	0/2/19/22	0/1/1/1
15	NAG	G	4131	15,4	-	0/6/23/26	0/1/1/1
15	NAG	G	4132	15	-	0/6/23/26	0/1/1/1
15	BMA	G	4133	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4134	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4135	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4136	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4137	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4138	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4139(A)	15	-	0/2/19/22	0/1/1/1
15	MAN	G	4140(B)	15	-	0/2/19/22	0/1/1/1
17	NAG	G	4421	4,17	-	0/6/23/26	0/1/1/1
17	NAG	G	4422	17	-	0/6/23/26	0/1/1/1
17	BMA	G	4423	17	-	0/2/19/22	0/1/1/1
17	MAN	G	4424	17	-	0/2/19/22	0/1/1/1
17	MAN	G	4425	17	-	0/2/19/22	0/1/1/1
17	MAN	G	4426	17	-	0/2/19/22	0/1/1/1
17	MAN	G	4429	17	-	0/2/19/22	0/1/1/1
9	NAG	G	4641(A)	9,4	-	0/6/23/26	0/1/1/1
9	NAG	G	4642(A)	9	-	0/6/23/26	0/1/1/1
12	NAG	G	881	12,4	-	0/6/23/26	0/1/1/1
12	NAG	G	882	12	-	0/6/23/26	0/1/1/1
12	BMA	G	883	12	-	0/2/19/22	0/1/1/1
12	MAN	G	884	12	-	0/2/19/22	0/1/1/1
12	MAN	G	885	12	-	0/2/19/22	0/1/1/1
12	MAN	G	886	12	-	0/2/19/22	0/1/1/1
12	MAN	G	887	12	-	0/2/19/22	0/1/1/1
12	MAN	G	888	12	-	0/2/19/22	0/1/1/1
16	NAG	H	231	5,16	-	0/6/23/26	0/1/1/1
16	NAG	H	232	16	-	0/6/23/26	0/1/1/1
16	BMA	H	233	16	-	0/2/19/22	0/1/1/1
16	MAN	H	234	16	-	0/2/19/22	0/1/1/1
16	MAN	H	235	16	-	0/2/19/22	0/1/1/1
16	MAN	H	238	16	-	0/2/19/22	0/1/1/1
16	NAG	V	721	7,16	-	0/6/23/26	0/1/1/1
16	NAG	V	722	16	-	0/6/23/26	0/1/1/1
16	BMA	V	723	16	-	0/2/19/22	0/1/1/1
16	MAN	V	724	16	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	MAN	V	725	16	-	0/2/19/22	0/1/1/1
16	MAN	V	728	16	-	0/2/19/22	0/1/1/1

The worst 5 of 39 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	G	1971	NAG	O5-C1	-4.89	1.35	1.43
17	G	3447	MAN	O2-C2	-3.25	1.36	1.43
12	G	887	MAN	O5-C1	-2.47	1.39	1.43
12	G	884	MAN	O5-C1	-2.26	1.40	1.43
17	G	4426	MAN	O5-C1	-2.20	1.40	1.43

The worst 5 of 189 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	G	3447	MAN	O2-C2-C3	-4.70	100.71	110.19
14	G	2626	MAN	O2-C2-C3	-3.88	102.37	110.19
15	G	1604	MAN	O2-C2-C3	-3.69	102.75	110.19
12	G	884	MAN	O2-C2-C3	-3.59	102.95	110.19
14	G	2624	MAN	O2-C2-C3	-3.33	103.48	110.19

5 of 11 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
18	G	3869(B)	MAN	C1
14	G	1569(B)	MAN	C1
14	G	2629	MAN	C1
14	G	2629(B)	MAN	C1
14	G	1569(A)	MAN	C1

There are no torsion outliers.

There are no ring outliers.

18 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	6161	NAG	1	0
9	B	6162	NAG	1	0
14	G	1565	MAN	1	0
14	G	1566	MAN	1	0
14	G	1568	MAN	1	0
14	G	1569	MAN	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	G	1606	MAN	0	1
15	G	1607	MAN	0	1
15	G	1883	BMA	4	0
15	G	1884	MAN	4	0
16	G	2343	BMA	6	0
16	G	2344	MAN	6	0
14	G	2623	BMA	2	0
17	G	3445	MAN	4	0
17	G	3447	MAN	4	0
15	G	4132	NAG	1	0
12	G	884	MAN	1	0
12	G	886	MAN	1	0

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	CIT	B	1666	-	3,12,12	1.09	0	3,17,17	1.71	1 (33%)
11	EDO	D	1225	-	3,3,3	0.46	0	2,2,2	0.43	0
13	NAG	G	1331	4	14,14,15	0.36	0	15,19,21	0.27	0
13	NAG	G	1421	4	14,14,15	0.24	0	15,19,21	0.35	0
8	CIT	G	1511	-	3,12,12	1.15	0	3,17,17	1.18	0
11	EDO	G	1512	-	3,3,3	0.46	0	2,2,2	0.37	0
8	CIT	G	1513	-	3,12,12	1.21	0	3,17,17	1.17	0
13	NAG	G	3921	4	14,14,15	0.33	0	15,19,21	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	CIT	B	1666	-	-	0/6/16/16	0/0/0/0
11	EDO	D	1225	-	-	0/1/1/1	0/0/0/0
13	NAG	G	1331	4	-	0/6/23/26	0/1/1/1
13	NAG	G	1421	4	-	0/6/23/26	0/1/1/1
8	CIT	G	1511	-	-	0/6/16/16	0/0/0/0
11	EDO	G	1512	-	-	0/1/1/1	0/0/0/0
8	CIT	G	1513	-	-	0/6/16/16	0/0/0/0
13	NAG	G	3921	4	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	1666	CIT	C3-C4-C5	-2.86	110.48	114.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	1666	CIT	1	0
13	G	1331	NAG	1	0
8	G	1513	CIT	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	154/161 (95%)	0.15	1 (0%) 90 81	24, 57, 163, 187	0
2	D	243/243 (100%)	0.71	40 (16%) 2 1	54, 108, 222, 242	0
3	E	213/216 (98%)	0.50	19 (8%) 12 4	70, 134, 195, 262	0
4	G	479/484 (98%)	0.18	20 (4%) 40 19	25, 86, 171, 260	0
5	H	228/244 (93%)	0.47	12 (5%) 30 12	88, 140, 189, 225	0
6	L	210/213 (98%)	0.27	9 (4%) 39 18	82, 137, 183, 216	0
7	U	119/240 (49%)	0.35	7 (5%) 26 10	84, 130, 179, 215	0
7	V	98/240 (40%)	0.74	15 (15%) 3 1	112, 158, 225, 247	0
All	All	1744/2041 (85%)	0.38	123 (7%) 19 7	24, 118, 195, 262	0

The worst 5 of 123 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	209	THR	9.7
2	D	184	VAL	8.5
7	V	9	GLY	7.1
2	D	222	VAL	6.9
3	E	185	TRP	6.8

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
10	NAG	B	6251	14/15	0.78	0.51	5.95	148,159,164,166	0
10	NAG	B	6252	14/15	0.79	0.35	2.16	146,159,167,179	0
15	NAG	G	3321	14/15	0.92	0.24	0.07	56,80,89,96	0
15	NAG	G	1601	14/15	0.85	0.24	-0.03	120,140,157,171	0
12	NAG	G	881	14/15	0.96	0.21	-0.18	11,43,63,82	0
9	NAG	B	6111	14/15	0.72	0.37	-0.25	107,130,146,147	0
10	NAG	G	1971	14/15	0.86	0.22	-0.35	90,112,117,127	0
18	NAG	G	2761	14/15	0.92	0.20	-0.42	86,106,119,126	0
15	MAN	G	3324	11/12	0.87	0.20	-0.60	77,81,93,94	0
14	NAG	G	2621	14/15	0.97	0.19	-0.72	20,38,69,70	0
15	MAN	G	3326	11/12	0.90	0.16	-0.75	66,68,86,98	0
18	NAG	G	3861	14/15	0.90	0.19	-0.84	75,97,107,111	0
14	NAG	G	1561	14/15	0.89	0.20	-0.89	66,82,119,126	0
12	BMA	G	883	11/12	0.93	0.15	-0.96	71,89,112,125	0
15	NAG	G	3322	14/15	0.84	0.23	-1.03	79,87,90,90	0
17	NAG	G	3441	14/15	0.88	0.20	-1.06	110,138,156,158	0
14	NAG	G	2622	14/15	0.93	0.17	-1.07	46,55,63,69	0
12	NAG	G	882	14/15	0.93	0.19	-1.13	43,53,61,72	0
9	NAG	B	6112	14/15	0.86	0.16	-1.73	125,153,161,166	0
14	MAN	G	2626	11/12	0.92	0.16	-2.32	98,107,107,108	0
14	BMA	G	1563	11/12	0.63	0.28	-	168,183,193,196	0
14	MAN	G	2624	11/12	0.93	0.12	-	86,92,95,104	0
15	MAN	G	4139(A)	11/12	0.49	0.42	-	178,182,188,191	0
18	MAN	G	2934	11/12	0.84	0.12	-	174,179,184,184	0
18	BMA	G	3863	11/12	0.64	0.32	-	163,172,179,184	0
14	MAN	G	2627	11/12	0.84	0.16	-	119,130,135,146	0
18	MAN	G	3869(B)	11/12	0.90	0.24	-	183,186,187,188	0
14	MAN	G	1569(B)	11/12	0.81	0.36	-	200,204,206,206	0
16	NAG	G	2342	14/15	0.84	0.23	-	170,176,182,182	0
9	NAG	B	6162	14/15	0.68	0.28	-	167,180,189,191	0
17	MAN	G	4425	11/12	0.75	0.21	-	168,181,192,194	0
16	BMA	G	3013	11/12	0.55	0.33	-	153,164,169,172	0
9	NAG	B	6372	14/15	0.75	0.28	-	135,140,148,149	0
16	NAG	V	721	14/15	0.62	0.42	-	196,213,219,221	0
16	BMA	G	2343	11/12	0.71	0.14	-	171,174,183,192	0
18	MAN	G	2767	11/12	0.81	0.14	-	143,145,146,146	0
10	NAG	G	1972	14/15	0.85	0.24	-	124,133,139,140	0
15	MAN	G	3329	11/12	0.89	0.21	-	113,136,141,149	0
14	MAN	G	2629	11/12	0.91	0.17	-	95,109,116,120	0
18	MAN	G	2764	11/12	0.90	0.16	-	124,132,134,137	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
17	MAN	G	2414	11/12	0.69	0.23	-	137,150,167,174	0
15	MAN	G	1889(A)	11/12	0.18	0.43	-	193,195,196,197	0
18	BMA	G	2763	11/12	0.74	0.21	-	120,131,143,151	0
14	BMA	G	2623	11/12	0.92	0.14	-	66,70,80,83	0
14	MAN	G	2629(B)	11/12	0.77	0.31	-	151,154,157,157	0
16	MAN	G	3018	11/12	0.69	0.29	-	152,158,167,169	0
10	BMA	G	1973	11/12	0.85	0.17	-	118,122,134,138	0
17	NAG	G	4422	14/15	0.72	0.25	-	158,176,183,189	0
15	MAN	G	1886	11/12	0.53	0.30	-	163,175,181,187	0
14	MAN	G	1568	11/12	0.76	0.29	-	199,203,206,206	0
18	NAG	G	2762	14/15	0.85	0.18	-	92,131,140,142	0
17	MAN	G	2417	11/12	0.65	0.54	-	186,191,194,194	0
18	MAN	G	3864	11/12	0.74	0.43	-	162,167,171,172	0
17	MAN	G	3447	11/12	0.38	0.47	-	171,184,195,195	0
16	MAN	G	2346	11/12	0.84	0.13	-	148,150,152,152	0
14	MAN	G	1569(A)	11/12	0.52	0.32	-	204,207,212,212	0
18	MAN	G	3865	11/12	0.55	0.21	-	186,192,207,209	0
18	MAN	G	2938	11/12	0.53	0.39	-	190,196,202,203	0
17	MAN	G	3445	11/12	0.75	0.31	-	183,185,188,188	0
17	MAN	G	2415	11/12	0.45	0.42	-	172,177,182,186	0
16	MAN	H	238	11/12	0.60	0.49	-	188,191,199,201	0
17	MAN	G	4426	11/12	0.69	0.21	-	191,193,199,202	0
16	MAN	G	2345	11/12	0.76	0.39	-	201,225,228,228	0
15	NAG	G	1881	14/15	0.82	0.27	-	141,156,167,179	0
18	NAG	G	2932	14/15	0.89	0.15	-	123,137,149,156	0
9	NAG	G	4641(A)	14/15	0.73	0.34	-	149,174,185,196	0
16	NAG	G	3011	14/15	0.92	0.14	-	76,100,120,125	0
14	MAN	G	2628	11/12	0.89	0.24	-	121,125,139,146	0
18	MAN	G	3868	11/12	0.88	0.19	-	175,183,185,187	0
16	BMA	H	233	11/12	0.55	0.25	-	183,185,188,190	0
17	NAG	G	3442	14/15	0.82	0.17	-	150,157,171,172	0
16	NAG	G	3012	14/15	0.80	0.20	-	128,139,142,147	0
14	MAN	G	1564	11/12	0.51	0.32	-	182,184,187,188	0
18	MAN	G	2765	11/12	0.66	0.19	-	127,130,142,150	0
15	NAG	G	4131	14/15	0.89	0.21	-	53,73,96,99	0
16	MAN	V	728	11/12	0.69	0.32	-	181,186,191,193	0
15	MAN	G	1609(A)	11/12	0.74	0.16	-	167,173,175,178	0
18	MAN	G	2935	11/12	0.62	0.22	-	181,192,203,205	0
12	MAN	G	887	11/12	0.80	0.22	-	137,142,146,147	0
16	MAN	G	3015	11/12	0.70	0.20	-	160,172,174,174	0
15	NAG	G	1882	14/15	0.68	0.23	-	188,198,201,202	0
12	MAN	G	885	11/12	0.77	0.18	-	119,126,161,163	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
17	NAG	G	4421	14/15	0.89	0.26	-	115,130,148,154	0
16	NAG	G	2341	14/15	0.81	0.24	-	119,147,158,167	0
15	MAN	G	4138	11/12	0.37	0.22	-	202,207,213,215	0
10	NAG	G	3551	14/15	0.59	0.23	-	147,167,177,188	0
16	NAG	H	232	14/15	0.70	0.35	-	170,185,192,193	0
12	MAN	G	884	11/12	0.89	0.18	-	77,91,104,109	0
16	BMA	V	723	11/12	0.10	0.29	-	199,204,233,235	0
17	NAG	G	2412	14/15	0.91	0.18	-	105,120,131,135	0
16	MAN	H	234	11/12	0.42	0.63	-	189,191,193,193	0
16	MAN	H	235	11/12	0.53	0.31	-	190,191,198,201	0
16	MAN	V	724	11/12	0.60	0.20	-	204,211,214,220	0
9	NAG	B	6161	14/15	0.84	0.19	-	111,139,152,165	0
18	MAN	G	2937	11/12	0.62	0.21	-	168,174,177,178	0
17	MAN	G	3444	11/12	0.69	0.36	-	189,194,196,196	0
17	BMA	G	4423	11/12	0.57	0.18	-	181,183,193,196	0
18	MAN	G	2766	11/12	0.85	0.19	-	137,139,143,144	0
15	MAN	G	4134	11/12	0.65	0.34	-	169,173,174,176	0
15	BMA	G	4133	11/12	0.61	0.19	-	147,160,172,178	0
15	MAN	G	4135	11/12	0.62	0.20	-	183,196,198,202	0
18	MAN	G	2939(A)	11/12	0.72	0.27	-	192,192,195,195	0
16	NAG	H	231	14/15	0.64	0.27	-	145,155,161,174	0
15	MAN	G	1889	11/12	0.47	0.49	-	189,191,197,198	0
15	MAN	G	4137	11/12	0.70	0.28	-	181,188,192,193	0
9	NAG	B	6371	14/15	0.89	0.14	-	92,101,115,126	0
15	MAN	G	3325	11/12	0.72	0.18	-	148,150,151,153	0
15	MAN	G	4136	11/12	0.64	0.56	-	170,173,176,176	0
14	MAN	G	2625	11/12	0.84	0.15	-	92,115,123,124	0
9	NAG	G	4642(A)	14/15	0.50	0.26	-	187,194,196,196	0
15	MAN	G	1604	11/12	0.39	0.35	-	196,205,210,215	0
15	MAN	G	1608	11/12	0.68	0.55	-	195,199,203,206	0
18	BMA	G	2933	11/12	0.68	0.15	-	163,167,178,185	0
15	BMA	G	1603	11/12	0.51	0.38	-	205,211,211,211	0
15	BMA	G	3323	11/12	0.88	0.23	-	74,108,134,144	0
15	MAN	G	3328	11/12	0.80	0.20	-	146,151,152,153	0
18	MAN	G	3869(A)	11/12	0.42	0.39	-	168,181,187,188	0
17	MAN	G	4429	11/12	0.82	0.35	-	205,211,220,220	0
17	BMA	G	2413	11/12	0.70	0.20	-	144,152,173,175	0
10	BMA	G	3553	11/12	0.38	0.46	-	186,192,199,201	0
15	NAG	G	4132	14/15	0.89	0.21	-	103,118,123,135	0
10	NAG	G	3552	14/15	0.54	0.47	-	193,201,203,204	0
15	MAN	G	4140(B)	11/12	0.55	0.24	-	163,174,195,203	0
18	NAG	G	3862	14/15	0.64	0.33	-	123,130,142,155	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
16	NAG	V	722	14/15	0.67	0.33	-	191,206,210,210	0
15	MAN	G	1609	11/12	0.65	0.30	-	196,198,205,210	0
17	NAG	G	2411	14/15	0.93	0.20	-	64,74,82,93	0
16	MAN	V	725	11/12	0.75	0.18	-	188,191,195,197	0
18	MAN	G	2769(A)	11/12	0.82	0.27	-	131,139,144,144	0
14	MAN	G	1567	11/12	0.69	0.25	-	176,189,200,200	0
16	MAN	G	2344	11/12	0.75	0.21	-	154,158,167,169	0
18	MAN	G	3867	11/12	0.78	0.23	-	184,190,194,198	0
14	MAN	G	1566	11/12	0.80	0.23	-	152,159,169,177	0
15	MAN	G	1887	11/12	0.76	0.43	-	194,200,201,202	0
14	MAN	G	1569	11/12	0.77	0.25	-	163,167,185,188	0
17	MAN	G	3449(A)	11/12	0.53	0.50	-	193,197,207,209	0
14	MAN	G	2629(A)	11/12	0.45	0.39	-	144,154,158,158	0
15	MAN	G	3329(A)	11/12	0.80	0.28	-	135,151,162,163	0
18	MAN	G	2769	11/12	0.70	0.24	-	134,138,141,147	0
15	MAN	G	1884	11/12	0.72	0.25	-	181,184,194,198	0
15	MAN	G	1605	11/12	0.65	0.27	-	201,211,212,212	0
17	MAN	G	2416	11/12	0.49	0.25	-	181,185,188,191	0
17	BMA	G	3443	11/12	0.42	0.35	-	178,187,191,192	0
14	NAG	G	1562	14/15	0.86	0.20	-	104,117,128,150	0
15	MAN	G	1606	11/12	0.73	0.34	-	213,216,217,217	0
15	NAG	G	1602	14/15	0.78	0.30	-	155,182,190,200	0
15	MAN	G	1888	11/12	0.62	0.34	-	163,173,182,184	0
15	MAN	G	1607	11/12	0.81	0.31	-	183,191,193,194	0
10	BMA	B	6253	11/12	0.36	0.46	-	189,194,199,199	0
12	MAN	G	888	11/12	0.82	0.19	-	96,105,113,118	0
18	MAN	G	2936	11/12	0.63	0.30	-	152,160,174,180	0
17	MAN	G	4424	11/12	0.72	0.21	-	200,207,210,212	0
15	MAN	G	1885	11/12	0.79	0.18	-	177,182,189,189	0
15	MAN	G	3327	11/12	0.84	0.16	-	144,151,165,167	0
12	MAN	G	886	11/12	0.88	0.15	-	113,128,134,134	0
14	MAN	G	1565	11/12	0.54	0.46	-	198,206,211,212	0
15	BMA	G	1883	11/12	0.66	0.19	-	192,197,202,203	0
16	MAN	G	3014	11/12	0.77	0.24	-	164,166,171,173	0
18	NAG	G	2931	14/15	0.92	0.16	-	67,88,96,114	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
8	CIT	G	1511	13/13	0.48	0.58	5.81	178,185,196,196	0
13	NAG	G	1331	14/15	0.63	0.24	0.60	114,138,145,148	0
11	EDO	G	1512	4/4	0.84	0.20	-0.01	82,84,87,90	0
8	CIT	G	1513	13/13	0.81	0.22	-0.27	113,123,129,129	0
8	CIT	B	1666	13/13	0.91	0.21	-0.66	77,93,97,101	0
11	EDO	D	1225	4/4	0.86	0.25	-	70,76,83,89	0
13	NAG	G	3921	14/15	0.67	0.55	-	144,164,170,172	0
13	NAG	G	1421	14/15	0.46	0.76	-	164,183,186,188	0

6.5 Other polymers [i](#)

There are no such residues in this entry.