



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:13 AM GMT

PDB ID : 2G6O
Title : Structure of bovine eNOS heme domain (BH4-free) complexed with CO
Authors : Li, H.; Igarashi, J.; Jamal, J.; Yang, W.; Poulos, T.L.
Deposited on : 2006-02-24
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	416	<div> <div>11%</div> <div>83%</div> <div>16%</div> </div>
1	B	416	<div> <div>7%</div> <div>81%</div> <div>17%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CAC	A	950	-	-	-	X
6	ARG	A	700	-	-	X	X
7	CMO	A	920	-	-	X	-
7	CMO	B	920	-	-	X	-
8	GOL	A	880	-	-	-	X
8	GOL	B	881	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 7353 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric-oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	1	0
			3305	2101	584	603	17			
1	B	414	Total	C	N	O	S	0	1	0
			3294	2094	582	601	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	ARG	CYS	SEE REMARK 999	UNP P29473
B	100	ARG	CYS	SEE REMARK 999	UNP P29473

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: $\text{C}_2\text{H}_3\text{O}_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: $C_2H_6AsO_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	As	C	0	0
			3	1	2		
3	B	1	Total	As	C	0	0
			3	1	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is ARGinine (three-letter code: ARG) (formula: C₆H₁₅N₄O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			11	6	3	2		
6	B	1	Total	C	N	O	0	0
			12	6	4	2		

- Molecule 7 is CARBON MONOXIDE (three-letter code: CMO) (formula: CO).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			2	1	1		
7	B	1	Total	C	O	0	0
			2	1	1		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	315	Total	O	0	0
			315	315		
9	B	293	Total	O	0	0
			293	293		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric-oxide synthase, endothelial



- Molecule 1: Nitric-oxide synthase, endothelial



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.70Å 106.38Å 155.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.96 – 1.90 34.96 – 1.84	Depositor EDS
% Data completeness (in resolution range)	93.1 (34.96-1.90) 91.9 (34.96-1.84)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 1.84Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.208 , 0.240 0.205 , 0.238	Depositor DCC
R_{free} test set	3562 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	27.9	Xtriage
Anisotropy	0.378	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 77121 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7353	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CMO, GOL, ZN, ACT, CAC, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/3405	0.60	2/4641 (0.0%)
1	B	0.32	0/3393	0.60	2/4624 (0.0%)
All	All	0.32	0/6798	0.60	4/9265 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	360[A]	MET	N-CA-C	-5.89	95.10	111.00
1	A	360[B]	MET	N-CA-C	-5.89	95.10	111.00
1	B	360[A]	MET	N-CA-C	-5.73	95.53	111.00
1	B	360[B]	MET	N-CA-C	-5.73	95.53	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3305	0	3220	58	0
1	B	3294	0	3210	65	0
2	A	4	0	3	0	0
2	B	4	0	3	1	0
3	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	3	0	0	0	0
4	A	1	0	0	0	0
5	A	43	0	30	0	0
5	B	43	0	30	1	0
6	A	11	0	10	9	0
6	B	12	0	12	2	0
7	A	2	0	0	3	0
7	B	2	0	0	2	0
8	A	12	0	16	0	0
8	B	6	0	8	0	0
9	A	315	0	0	3	0
9	B	293	0	0	2	0
All	All	7353	0	6542	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:99:ARG:HB2	1:B:99:ARG:HH11	1.19	1.06
1:B:114:ARG:HH11	1:B:114:ARG:HA	1.21	1.04
1:A:99:ARG:HH11	1:A:99:ARG:HB2	1.20	1.04
1:B:259:GLN:HG2	1:B:260:ASP:H	1.21	1.02
6:A:700:ARG:CZ	6:A:700:ARG:NH2	2.28	0.96
1:B:112:GLN:HG3	1:B:113:THR:H	1.28	0.96
6:A:700:ARG:NE	6:A:700:ARG:CZ	2.35	0.89
1:B:108:PRO:HB3	1:B:111:LEU:HB2	1.60	0.84
1:A:126:LEU:HD11	1:A:156:GLU:HG2	1.62	0.81
1:B:259:GLN:HG2	1:B:260:ASP:N	1.96	0.81
6:A:700:ARG:NE	6:A:700:ARG:NH2	2.30	0.78
1:B:114:ARG:NH1	1:B:114:ARG:HA	1.99	0.78
1:A:111:LEU:H	1:A:111:LEU:HD12	1.48	0.77
1:B:99:ARG:HB2	1:B:99:ARG:NH1	1.99	0.77
1:A:119:PRO:HG3	1:A:238:PRO:HB3	1.67	0.76
1:B:258:GLN:NE2	1:B:264:ARG:HB2	2.02	0.75
1:A:99:ARG:NH1	1:A:99:ARG:HB2	1.98	0.74
1:A:115:PRO:O	1:A:117:PRO:HD3	1.87	0.74
1:A:115:PRO:HD3	1:A:479:PRO:HG2	1.68	0.74
5:B:500:HEM:HBC2	5:B:500:HEM:HMC2	1.71	0.71
1:B:99:ARG:HH11	1:B:99:ARG:CB	2.02	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:GLN:O	1:A:150:GLU:HG3	1.91	0.71
1:A:259:GLN:H	1:A:259:GLN:CD	1.95	0.70
6:A:700:ARG:CZ	7:A:920:CMO:O	2.42	0.68
1:B:146:GLN:HG2	1:B:150:GLU:OE2	1.97	0.65
1:A:378:LEU:HB2	9:A:953:HOH:O	1.98	0.64
6:B:701:ARG:HD3	7:B:920:CMO:O	1.97	0.63
1:A:99:ARG:CB	1:A:99:ARG:HH11	2.06	0.61
1:B:455:SER:HB3	1:B:458:LEU:HD12	1.80	0.61
1:A:126:LEU:O	1:A:130:ARG:HG3	1.99	0.61
1:A:92:GLN:HE22	1:A:472:SER:HB2	1.65	0.61
1:A:114:ARG:HG3	1:A:115:PRO:HD2	1.81	0.61
6:A:700:ARG:NE	6:A:700:ARG:HH21	1.99	0.60
1:A:94:GLY:O	1:A:110:LYS:HE2	2.03	0.59
1:B:140:ILE:HD12	1:B:142:ARG:HD2	1.83	0.59
6:A:700:ARG:HD3	7:A:920:CMO:O	2.03	0.59
1:A:122:ALA:O	1:A:126:LEU:HB2	2.04	0.58
1:A:152:LEU:O	1:A:156:GLU:HG3	2.04	0.57
1:B:112:GLN:HG3	1:B:113:THR:N	2.08	0.57
1:B:149:GLU:O	1:B:153:GLN:HG3	2.04	0.57
1:B:378:LEU:HB2	9:B:970:HOH:O	2.04	0.57
1:A:194:LYS:O	1:A:194:LYS:HG2	2.04	0.57
1:A:109:ARG:O	1:A:110:LYS:HD2	2.05	0.56
1:A:108:PRO:HD2	9:A:1236:HOH:O	2.06	0.56
1:B:89:GLN:HA	1:B:89:GLN:HE21	1.69	0.56
1:B:117:PRO:HA	1:B:239:GLY:HA2	1.89	0.55
1:B:150:GLU:O	1:B:154:GLU:HG3	2.07	0.55
1:B:340:ASN:HD22	1:B:340:ASN:H	1.54	0.55
1:A:115:PRO:CD	1:A:479:PRO:HG2	2.36	0.54
1:B:89:GLN:HA	1:B:89:GLN:NE2	2.23	0.54
1:A:281:TRP:HB2	1:A:304:LEU:HD21	1.90	0.54
6:B:701:ARG:NH1	7:B:920:CMO:O	2.42	0.53
1:A:149:GLU:O	1:A:153:GLN:HG3	2.09	0.53
1:A:370:CYS:SG	1:A:378:LEU:HD13	2.49	0.52
1:B:366:THR:O	1:B:370:CYS:HB2	2.09	0.52
1:B:113:THR:HG21	1:B:342:LEU:HD13	1.92	0.52
1:B:391:THR:HG22	1:B:393:SER:H	1.73	0.52
1:B:167:LEU:HG	1:B:348:LEU:HD12	1.92	0.52
1:A:322:LEU:HD13	1:A:324:TRP:CZ2	2.45	0.52
6:A:700:ARG:HE	6:A:700:ARG:HH21	1.59	0.51
1:A:274:GLU:O	1:A:278:GLN:HG3	2.09	0.51
1:A:111:LEU:CD1	1:A:111:LEU:H	2.22	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:PRO:O	1:A:110:LYS:N	2.43	0.51
1:B:110:LYS:C	1:B:112:GLN:H	2.15	0.50
1:A:110:LYS:HB2	1:A:111:LEU:HD12	1.93	0.50
1:B:435:ASN:HA	1:B:438:LYS:NZ	2.27	0.50
1:B:370:CYS:SG	1:B:378:LEU:HD13	2.52	0.49
1:A:111:LEU:N	1:A:111:LEU:HD12	2.22	0.49
1:A:223:ARG:HH11	1:A:223:ARG:HG3	1.77	0.49
1:A:259:GLN:N	1:A:259:GLN:CD	2.63	0.49
1:A:126:LEU:HD21	1:A:156:GLU:HA	1.93	0.49
1:B:89:GLN:CA	1:B:89:GLN:HE21	2.25	0.49
1:A:340:ASN:H	1:A:340:ASN:HD22	1.60	0.49
1:B:231:THR:O	1:B:353:ALA:HA	2.13	0.48
1:A:472:SER:HA	1:A:473:PRO:C	2.34	0.48
1:B:70:PHE:HD2	1:B:85:THR:HA	1.79	0.48
1:B:235:GLN:HB3	1:B:350:PHE:CE1	2.49	0.48
1:B:72:ARG:HG3	1:B:83:TYR:CE2	2.49	0.47
1:A:270:VAL:O	1:A:274:GLU:HG3	2.14	0.47
1:B:259:GLN:CG	1:B:260:ASP:N	2.70	0.47
1:A:92:GLN:OE1	1:A:476:ARG:NH2	2.47	0.47
1:B:114:ARG:HD3	1:B:115:PRO:CD	2.44	0.47
1:B:340:ASN:HD22	1:B:340:ASN:N	2.10	0.47
1:B:438:LYS:NZ	1:B:438:LYS:HB2	2.30	0.47
1:B:116:SER:N	1:B:117:PRO:CD	2.77	0.47
1:A:68:PRO:HA	9:A:1100:HOH:O	2.15	0.46
1:A:111:LEU:HG	1:A:470:ILE:HD13	1.98	0.46
1:B:126:LEU:O	1:B:130:ARG:HG3	2.15	0.46
1:B:319:HIS:CG	1:B:320:PRO:HD2	2.50	0.46
1:B:180:TRP:CE3	1:B:192:TRP:HA	2.51	0.46
1:B:114:ARG:HD3	1:B:115:PRO:HD2	1.98	0.45
6:A:700:ARG:CZ	7:A:920:CMO:C	2.95	0.45
1:B:340:ASN:ND2	1:B:340:ASN:H	2.14	0.45
1:B:116:SER:O	1:B:238:PRO:HA	2.16	0.45
1:A:158:GLU:HG2	1:A:164:THR:O	2.16	0.45
1:B:94:GLY:HA2	1:B:111:LEU:HD21	1.99	0.45
1:A:423:HIS:HB2	1:B:392:THR:HB	1.99	0.45
1:B:244:ARG:NH2	1:B:481:PRO:HD3	2.31	0.45
1:B:391:THR:HG22	1:B:392:THR:N	2.32	0.45
1:A:234:PRO:HB2	1:A:243:PHE:CE1	2.52	0.45
1:A:340:ASN:HD22	1:A:340:ASN:N	2.15	0.44
1:B:322:LEU:HD13	1:B:324:TRP:CZ2	2.52	0.44
1:B:265:GLY:O	1:B:267:PRO:HD3	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:472:SER:HA	1:B:473:PRO:C	2.38	0.44
1:B:281:TRP:HB2	1:B:304:LEU:HD21	1.99	0.44
1:B:435:ASN:HA	1:B:438:LYS:HZ2	1.83	0.43
1:A:319:HIS:CG	1:A:320:PRO:HD2	2.53	0.43
6:A:700:ARG:CZ	6:A:700:ARG:CD	2.96	0.43
1:B:117:PRO:HA	1:B:239:GLY:H	1.84	0.43
1:B:188:GLY:HA2	2:B:861:ACT:H2	2.01	0.43
1:A:455:SER:HB3	1:A:458:LEU:HD12	2.00	0.43
1:B:194:LYS:HB3	1:B:194:LYS:NZ	2.34	0.43
1:B:72:ARG:NH2	9:B:1214:HOH:O	2.50	0.42
1:A:70:PHE:CD2	1:A:85:THR:HA	2.54	0.42
1:A:92:GLN:NE2	1:A:472:SER:HB2	2.34	0.42
1:A:112:GLN:HA	1:A:112:GLN:NE2	2.34	0.42
1:A:317:LEU:HG	1:A:331:ARG:HA	2.01	0.42
1:A:249:GLN:HB2	1:A:252:ARG:HG2	2.01	0.42
1:B:336:PRO:HB3	1:B:359:TYR:CZ	2.55	0.42
1:A:107:LEU:HD23	1:A:477:TYR:CE2	2.54	0.42
1:A:158:GLU:HG2	1:A:165:TYR:HA	2.02	0.42
1:B:102:LEU:HB3	1:B:105:LEU:HD22	2.02	0.42
1:A:340:ASN:ND2	1:A:340:ASN:H	2.17	0.42
1:B:196:GLN:HG2	1:B:219:TYR:CZ	2.54	0.41
1:A:129:ALA:O	1:A:133:ILE:HG12	2.20	0.41
1:A:392:THR:HB	1:B:423:HIS:HB2	2.02	0.41
1:B:214:CYS:O	1:B:218:LYS:HG3	2.20	0.41
1:A:77:GLU:HG3	1:B:372:PRO:HG2	2.03	0.41
1:B:114:ARG:HH11	1:B:115:PRO:HD3	1.86	0.41
1:A:218:LYS:HG2	1:A:311:LEU:HD22	2.03	0.40
1:A:194:LYS:O	1:A:194:LYS:CG	2.68	0.40
1:B:70:PHE:CD2	1:B:85:THR:HA	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/416 (100%)	396 (95%)	17 (4%)	2 (0%)	34	21
1	B	413/416 (99%)	388 (94%)	21 (5%)	4 (1%)	19	7
All	All	828/832 (100%)	784 (95%)	38 (5%)	6 (1%)	26	14

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	109	ARG
1	B	111	LEU
1	B	259	GLN
1	A	112	GLN
1	B	112	GLN
1	B	115	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	355/354 (100%)	345 (97%)	10 (3%)	51	41
1	B	354/354 (100%)	348 (98%)	6 (2%)	68	64
All	All	709/708 (100%)	693 (98%)	16 (2%)	58	51

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	ARG
1	A	100	ARG
1	A	126	LEU
1	A	285	ASN
1	A	328	LEU
1	A	340	ASN
1	A	378	LEU
1	A	390	ARG
1	A	414	LEU
1	A	468	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	99	ARG
1	B	100	ARG
1	B	114	ARG
1	B	257	ARG
1	B	259	GLN
1	B	340	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	GLN
1	A	191	GLN
1	A	278	GLN
1	A	279	HIS
1	A	285	ASN
1	A	340	ASN
1	A	376	ASN
1	A	413	GLN
1	A	468	ASN
1	B	89	GLN
1	B	112	GLN
1	B	191	GLN
1	B	222	ASN
1	B	225	ASN
1	B	258	GLN
1	B	278	GLN
1	B	279	HIS
1	B	340	ASN
1	B	405	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 1 is monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HEM	A	500	1,7	30,50,50	2.82	9 (30%)	24,82,82	2.22	8 (33%)
6	ARG	A	700	-	5,10,11	0.39	0	3,11,13	0.53	0
2	ACT	A	860	-	1,3,3	2.36	1 (100%)	0,3,3	0.00	-
8	GOL	A	880	-	5,5,5	0.18	0	5,5,5	0.25	0
8	GOL	A	890	-	5,5,5	0.24	0	5,5,5	0.27	0
7	CMO	A	920	5	0,1,1	0.00	-	0,0,0	0.00	-
3	CAC	A	950	1	0,2,4	0.00	-	0,1,6	0.00	-
5	HEM	B	500	1,7	30,50,50	2.64	10 (33%)	24,82,82	2.35	9 (37%)
6	ARG	B	701	-	5,11,11	0.38	0	3,13,13	0.28	0
2	ACT	B	861	-	1,3,3	3.32	1 (100%)	0,3,3	0.00	-
8	GOL	B	881	-	5,5,5	0.17	0	5,5,5	0.23	0
7	CMO	B	920	5	0,1,1	0.00	-	0,0,0	0.00	-
3	CAC	B	950	1	0,2,4	0.00	-	0,1,6	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEM	A	500	1,7	-	0/10/54/54	0/0/8/8
6	ARG	A	700	-	-	0/5/10/11	0/0/0/0
2	ACT	A	860	-	-	0/0/0/0	0/0/0/0
8	GOL	A	880	-	-	0/4/4/4	0/0/0/0
8	GOL	A	890	-	-	0/4/4/4	0/0/0/0
7	CMO	A	920	5	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CAC	A	950	1	-	0/0/0/0	0/0/0/0
5	HEM	B	500	1,7	-	0/10/54/54	0/0/8/8
6	ARG	B	701	-	-	0/5/11/11	0/0/0/0
2	ACT	B	861	-	-	0/0/0/0	0/0/0/0
8	GOL	B	881	-	-	0/4/4/4	0/0/0/0
7	CMO	B	920	5	-	0/0/0/0	0/0/0/0
3	CAC	B	950	1	-	0/0/0/0	0/0/0/0

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	500	HEM	C3B-CAB	-6.01	1.40	1.51
5	A	500	HEM	C2D-C3D	-5.86	1.36	1.54
5	B	500	HEM	C3B-C4B	-5.70	1.46	1.51
5	B	500	HEM	C2D-C3D	-5.68	1.37	1.54
5	A	500	HEM	C3B-C4B	-5.62	1.46	1.51
5	B	500	HEM	C3B-CAB	-5.19	1.41	1.51
5	A	500	HEM	C3C-CAC	-5.18	1.41	1.51
5	B	500	HEM	C3D-C4D	-5.01	1.45	1.51
5	A	500	HEM	C3D-C4D	-4.74	1.45	1.51
5	B	500	HEM	C3C-CAC	-4.67	1.42	1.51
5	A	500	HEM	C2C-C1C	-3.49	1.46	1.52
5	B	500	HEM	C2C-C1C	-3.35	1.46	1.52
5	B	500	HEM	C2D-C1D	-2.05	1.45	1.51
5	B	500	HEM	CHC-C1C	2.20	1.41	1.36
2	A	860	ACT	CH3-C	2.36	1.52	1.48
5	A	500	HEM	CHC-C1C	2.50	1.42	1.36
5	A	500	HEM	C1C-NC	3.18	1.39	1.36
2	B	861	ACT	CH3-C	3.32	1.53	1.48
5	B	500	HEM	C1C-NC	3.64	1.40	1.36
5	B	500	HEM	C4C-NC	3.87	1.40	1.36
5	A	500	HEM	C4C-NC	5.89	1.43	1.36

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	500	HEM	CBA-CAA-C2A	-4.75	104.02	112.53
5	A	500	HEM	CBA-CAA-C2A	-3.41	106.42	112.53
5	A	500	HEM	CMD-C2D-C3D	2.42	125.06	114.35
5	B	500	HEM	CMD-C2D-C3D	2.71	126.36	114.35
5	B	500	HEM	C3C-CAC-CBC	2.79	128.74	124.46
5	A	500	HEM	C3C-CAC-CBC	2.88	128.88	124.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	500	HEM	C3B-CAB-CBB	3.08	129.19	124.46
5	A	500	HEM	C2D-C3D-C4D	3.31	107.12	101.50
5	B	500	HEM	CMB-C2B-C3B	3.44	125.11	116.53
5	B	500	HEM	CAD-C3D-C4D	3.46	124.67	112.47
5	A	500	HEM	CAD-C3D-C4D	3.66	125.37	112.47
5	B	500	HEM	C2D-C3D-C4D	3.84	108.02	101.50
5	B	500	HEM	CMC-C2C-C3C	3.89	126.25	116.53
5	A	500	HEM	CMC-C2C-C3C	4.09	126.73	116.53
5	A	500	HEM	CMB-C2B-C3B	4.23	127.09	116.53
5	B	500	HEM	CAD-C3D-C2D	4.89	127.28	113.22
5	A	500	HEM	CAD-C3D-C2D	4.97	127.50	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	700	ARG	9	0
7	A	920	CMO	3	0
5	B	500	HEM	1	0
6	B	701	ARG	2	0
2	B	861	ACT	1	0
7	B	920	CMO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/416 (100%)	0.63	44 (10%) 8 8	23, 31, 52, 83	0
1	B	414/416 (99%)	0.58	31 (7%) 17 19	24, 35, 57, 83	0
All	All	830/832 (99%)	0.61	75 (9%) 12 13	23, 33, 56, 83	0

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	119	PRO	16.3
1	B	113	THR	14.4
1	B	117	PRO	13.2
1	B	111	LEU	12.2
1	A	117	PRO	12.1
1	A	113	THR	11.6
1	B	114	ARG	10.1
1	A	118	GLY	9.2
1	A	115	PRO	9.1
1	A	111	LEU	9.1
1	B	115	PRO	8.7
1	B	118	GLY	8.5
1	B	119	PRO	8.4
1	B	110	LYS	8.4
1	A	116	SER	8.3
1	A	121	PRO	7.4
1	A	114	ARG	7.0
1	B	116	SER	6.7
1	A	239	GLY	6.1
1	B	120	PRO	6.0
1	A	110	LYS	5.9
1	A	109	ARG	5.3
1	B	112	GLN	5.2
1	A	122	ALA	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	112	GLN	5.0
1	B	259	GLN	5.0
1	A	123	GLU	4.9
1	A	120	PRO	4.8
1	A	259	GLN	4.7
1	B	146	GLN	4.4
1	B	261	GLY	4.4
1	B	142	ARG	4.1
1	A	69	LYS	3.6
1	A	390	ARG	3.5
1	A	260	ASP	3.4
1	B	323	GLU	3.4
1	B	121	PRO	3.3
1	B	239	GLY	3.3
1	B	223	ARG	3.3
1	B	123	GLU	3.3
1	B	147	ALA	3.2
1	A	146	GLN	3.1
1	A	338	VAL	3.1
1	A	91	GLN	3.1
1	A	99	ARG	3.0
1	B	145	SER	3.0
1	A	108	PRO	3.0
1	B	260	ASP	3.0
1	B	144	GLY	2.9
1	A	153	GLN	2.9
1	A	261	GLY	2.9
1	A	126	LEU	2.9
1	B	258	GLN	2.8
1	B	140	ILE	2.7
1	A	232	VAL	2.6
1	B	390	ARG	2.6
1	A	200	ALA	2.6
1	A	230	ILE	2.5
1	A	124	GLN	2.5
1	A	337	ALA	2.4
1	B	141	LYS	2.4
1	A	160	ALA	2.4
1	A	67	GLY	2.4
1	A	223	ARG	2.3
1	A	92	GLN	2.3
1	A	233	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	231	THR	2.3
1	A	107	LEU	2.2
1	A	167	LEU	2.2
1	B	482	TRP	2.1
1	B	278	GLN	2.1
1	A	257	ARG	2.1
1	B	257	ARG	2.1
1	A	355	PHE	2.1
1	A	130	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	GOL	A	880	6/6	0.90	0.19	5.73	50,51,51,52	0
8	GOL	B	881	6/6	0.85	0.21	4.55	49,49,50,50	0
6	ARG	A	700	11/12	0.81	0.24	2.65	37,39,39,40	0
3	CAC	A	950	3/5	0.93	0.16	2.02	43,43,45,51	0
8	GOL	A	890	6/6	0.89	0.14	1.46	48,48,49,49	0
6	ARG	B	701	12/12	0.90	0.16	0.86	38,39,40,40	0
2	ACT	A	860	4/4	0.92	0.10	0.56	41,43,43,43	0
5	HEM	B	500	43/43	0.97	0.14	0.44	24,27,37,39	0
2	ACT	B	861	4/4	0.89	0.10	0.43	45,45,45,46	0
5	HEM	A	500	43/43	0.97	0.14	0.36	22,26,36,38	0
3	CAC	B	950	3/5	0.99	0.12	0.20	46,46,46,48	0
4	ZN	A	900	1/1	1.00	0.04	-4.76	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	CMO	A	920	2/2	0.81	0.20	-	33,33,33,35	0
7	CMO	B	920	2/2	0.88	0.18	-	34,34,34,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.