



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 08:50 AM GMT

PDB ID : 3G8R  
Title : Crystal structure of putative spore coat polysaccharide biosynthesis protein E from *Chromobacterium violaceum* ATCC 12472  
Authors : Malashkevich, V.N.; Toro, R.; Morano, C.; Sauder, J.M.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2009-02-12  
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	350	<div> <div>63%</div> <div>26%</div> <div>6%</div> <div>• •</div> </div>
1	B	350	<div> <div>2%</div> <div>67%</div> <div>22%</div> <div>6%</div> <div>• •</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5420 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable spore coat polysaccharide biosynthesis protein E.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	Se	0	0	0
			2646	1671	464	497	4	10			
1	B	336	Total	C	N	O	S	Se	0	1	0
			2647	1671	466	496	4	10			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	-	EXPRESSION TAG	UNP Q7NR94
A	2	SER	-	EXPRESSION TAG	UNP Q7NR94
A	3	LEU	-	EXPRESSION TAG	UNP Q7NR94
A	343	GLU	-	EXPRESSION TAG	UNP Q7NR94
A	344	GLY	-	EXPRESSION TAG	UNP Q7NR94
A	345	HIS	-	EXPRESSION TAG	UNP Q7NR94
A	346	HIS	-	EXPRESSION TAG	UNP Q7NR94
A	347	HIS	-	EXPRESSION TAG	UNP Q7NR94
A	348	HIS	-	EXPRESSION TAG	UNP Q7NR94
A	349	HIS	-	EXPRESSION TAG	UNP Q7NR94
A	350	HIS	-	EXPRESSION TAG	UNP Q7NR94
B	1	MSE	-	EXPRESSION TAG	UNP Q7NR94
B	2	SER	-	EXPRESSION TAG	UNP Q7NR94
B	3	LEU	-	EXPRESSION TAG	UNP Q7NR94
B	343	GLU	-	EXPRESSION TAG	UNP Q7NR94
B	344	GLY	-	EXPRESSION TAG	UNP Q7NR94
B	345	HIS	-	EXPRESSION TAG	UNP Q7NR94
B	346	HIS	-	EXPRESSION TAG	UNP Q7NR94
B	347	HIS	-	EXPRESSION TAG	UNP Q7NR94
B	348	HIS	-	EXPRESSION TAG	UNP Q7NR94
B	349	HIS	-	EXPRESSION TAG	UNP Q7NR94
B	350	HIS	-	EXPRESSION TAG	UNP Q7NR94

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 1	Zn 1	0	0
2	A	1	Total 1	Zn 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	125	Total 125	O 125	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable spore coat polysaccharide biosynthesis protein E



- Molecule 1: Probable spore coat polysaccharide biosynthesis protein E



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	107.67Å 107.67Å 164.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.49 19.88 – 2.49	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.49) 90.4 (19.88-2.49)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.94 (at 2.50Å)	Xtriage
Refinement program	REFMAC 5.5.0070	Depositor
R, $R_{free}$	0.208 , 0.278 0.212 , 0.272	Depositor DCC
$R_{free}$ test set	1575 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	56.1	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 30.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 31264 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5420	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.83	1/2694 (0.0%)	0.85	4/3633 (0.1%)
1	B	0.86	3/2698 (0.1%)	0.86	4/3637 (0.1%)
All	All	0.84	4/5392 (0.1%)	0.86	8/7270 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	2
All	All	0	6

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	258	MSE	CG-SE	-5.61	1.76	1.95
1	B	212	MSE	CG-SE	-5.33	1.77	1.95
1	A	212	MSE	CG-SE	-5.21	1.77	1.95
1	B	17	MSE	CG-SE	-5.04	1.78	1.95

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	204	ASP	C-N-CD	6.37	141.78	128.40
1	B	63	ASP	N-CA-CB	-5.62	100.48	110.60
1	A	308	GLY	N-CA-C	-5.54	99.25	113.10
1	A	205	PRO	N-CA-C	-5.31	98.30	112.10
1	B	50	LEU	CA-CB-CG	5.28	127.45	115.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	MSE	CG-SE-CE	-5.21	87.43	98.90
1	B	311	THR	N-CA-C	5.13	124.84	111.00
1	A	163	ASP	CB-CG-OD1	5.06	122.86	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	160	ARG	Peptide
1	A	203	GLU	Peptide
1	A	204	ASP	Peptide
1	A	307	GLU	Peptide
1	B	203	GLU	Peptide
1	B	204	ASP	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2646	0	2599	91	0
1	B	2647	0	2603	92	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	B	125	0	0	6	0
All	All	5420	0	5202	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:142:THR:HG22	1:B:184:ARG:NH2	1.62	1.14
1:A:189:ARG:HG3	1:A:189:ARG:HH11	1.05	1.08
1:B:142:THR:HG22	1:B:184:ARG:HH22	1.14	1.06

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:MSE:HE1	1:A:247:ARG:C	1.77	1.04
1:B:208:MSE:HE1	1:B:247:ARG:C	1.89	0.92
1:A:208:MSE:HE1	1:A:247:ARG:O	1.67	0.91
1:A:204:ASP:OD1	1:A:206:ASP:HA	1.70	0.91
1:B:142:THR:CG2	1:B:184:ARG:HH22	1.83	0.90
1:B:52:THR:HG22	3:B:381:HOH:O	1.73	0.88
1:A:189:ARG:HG3	1:A:189:ARG:NH1	1.84	0.84
1:A:209:GLU:HG2	1:A:210:PRO:HD3	1.61	0.82
1:A:189:ARG:HH11	1:A:189:ARG:CG	1.91	0.82
1:A:156:PHE:HE1	1:A:157:MSE:HE2	1.44	0.82
1:B:236:ASN:HD22	1:B:236:ASN:C	1.88	0.76
1:B:208:MSE:HE1	1:B:248:TRP:N	2.00	0.76
1:A:44:LYS:HG3	1:A:95:ILE:HG22	1.68	0.75
1:B:142:THR:CG2	1:B:184:ARG:NH2	2.42	0.74
1:B:142:THR:HB	1:B:167:MSE:O	1.88	0.73
1:B:208:MSE:HE1	1:B:248:TRP:HA	1.71	0.73
1:B:208:MSE:HE1	1:B:248:TRP:CA	2.19	0.72
1:B:325:THR:HB	1:B:326:PRO:HD2	1.70	0.72
1:A:206:ASP:HB3	1:A:244:GLN:NE2	2.04	0.72
1:A:203:GLU:O	1:A:205:PRO:CD	2.39	0.70
1:A:16:HIS:HD2	1:A:18:GLY:H	1.40	0.70
1:B:209:GLU:HG2	1:B:210:PRO:HD3	1.74	0.70
1:A:316:SER:O	1:A:317:LYS:HB3	1.91	0.69
1:A:208:MSE:HE2	1:A:247:ARG:HB3	1.74	0.69
1:B:311:THR:O	1:B:312:ALA:HB3	1.91	0.69
1:A:178:ASP:HB3	1:A:179:HIS:CD2	2.28	0.68
1:A:12:MSE:HE2	1:A:45:LEU:CD1	2.24	0.68
1:A:19:ASN:O	1:A:22:HIS:O	2.13	0.66
1:A:20:VAL:HG21	1:A:79:GLN:HB3	1.76	0.66
1:B:125:TRP:CE3	1:B:128:LEU:HD12	2.31	0.66
1:A:208:MSE:CE	1:A:247:ARG:HB3	2.26	0.65
1:B:208:MSE:CE	1:B:247:ARG:C	2.63	0.65
1:A:269:GLU:OE2	1:A:269:GLU:HA	1.96	0.65
1:A:203:GLU:O	1:A:205:PRO:HD2	1.98	0.64
1:A:12:MSE:HE3	1:A:16:HIS:ND1	2.14	0.63
1:A:142:THR:HG22	1:A:167:MSE:O	1.98	0.62
1:B:148:GLU:H	1:B:148:GLU:CD	2.03	0.62
1:A:24:VAL:HG22	1:A:86:GLU:HG3	1.82	0.62
1:A:11:GLU:OE1	1:A:44:LYS:HE2	2.01	0.61
1:B:205:PRO:HD2	1:B:207:LEU:HD22	1.82	0.60
1:A:206:ASP:HB3	1:A:244:GLN:HE21	1.64	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:GLU:CD	1:A:44:LYS:HE2	2.21	0.60
1:B:96:CYS:HB2	1:B:112:ILE:HD12	1.82	0.60
1:B:208:MSE:HE1	1:B:247:ARG:O	2.00	0.60
1:A:146:ARG:O	1:A:150:ILE:HG13	2.01	0.60
1:A:12:MSE:HE1	1:A:83:LEU:HD13	1.82	0.59
1:B:24:VAL:HG22	1:B:86:GLU:HG3	1.85	0.59
1:B:279:ARG:O	1:B:305:PRO:HD3	2.04	0.58
1:A:146:ARG:NH1	1:A:148:GLU:HG3	2.18	0.57
1:A:16:HIS:CD2	1:A:18:GLY:H	2.20	0.57
1:A:12:MSE:HE2	1:A:45:LEU:HD12	1.86	0.57
1:A:148:GLU:CD	1:A:148:GLU:H	2.08	0.57
1:A:200:SER:HB2	1:A:223:GLU:HB3	1.87	0.57
1:A:47:TYR:HB3	1:A:103:SER:HB3	1.85	0.57
1:B:236:ASN:C	1:B:236:ASN:ND2	2.54	0.56
1:B:208:MSE:CE	1:B:247:ARG:O	2.53	0.56
1:B:279:ARG:HD3	1:B:313:ASN:ND2	2.20	0.56
1:B:225:HIS:CB	1:B:239:SER:HB3	2.35	0.56
1:B:61:ARG:NH1	1:B:63:ASP:OD2	2.40	0.55
1:A:125:TRP:HB2	1:A:126:PRO:HD3	1.88	0.55
1:B:268:SER:OG	1:B:271:GLU:HB2	2.07	0.55
1:B:231:ASP:OD1	1:B:232:GLN:N	2.40	0.54
1:B:204:ASP:OD2	1:B:204:ASP:O	2.25	0.54
1:A:211:ILE:HD11	1:A:222:PHE:CD1	2.42	0.54
1:A:289:ALA:HB3	1:A:292:GLU:HG3	1.90	0.53
1:A:112:ILE:O	1:A:136:LYS:NZ	2.37	0.53
1:B:206:ASP:OD2	1:B:247:ARG:NH1	2.39	0.53
1:A:156:PHE:CE1	1:A:157:MSE:HE2	2.34	0.53
1:A:86:GLU:O	1:A:87:MSE:C	2.45	0.53
1:B:204:ASP:HB2	1:B:207:LEU:H	1.74	0.52
1:A:204:ASP:OD1	1:A:206:ASP:CA	2.51	0.52
1:B:201:THR:OG1	1:B:203:GLU:OE1	2.20	0.52
1:A:159:HIS:O	1:A:160:ARG:CB	2.57	0.52
1:B:225:HIS:HB2	1:B:239:SER:HB3	1.92	0.52
1:A:142:THR:CG2	1:A:167:MSE:O	2.58	0.52
1:B:156:PHE:O	1:B:160:ARG:HG2	2.10	0.52
1:A:12:MSE:HE2	1:A:45:LEU:HD11	1.91	0.52
1:B:230:THR:CG2	1:B:232:GLN:HB3	2.40	0.52
1:B:204:ASP:CG	1:B:206:ASP:H	2.14	0.51
1:A:11:GLU:OE1	1:A:44:LYS:CE	2.59	0.51
1:A:171:ALA:HB3	1:B:271:GLU:HG3	1.92	0.51
1:A:303:PHE:C	1:A:303:PHE:CD2	2.83	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:ARG:NH1	1:A:189:ARG:CG	2.60	0.51
1:B:178:ASP:HB3	1:B:179:HIS:CD2	2.46	0.51
1:A:101:GLU:OE2	1:B:280:ARG:NH1	2.44	0.51
1:A:20:VAL:CG2	1:A:79:GLN:HB3	2.41	0.51
1:A:204:ASP:OD2	1:A:204:ASP:O	2.29	0.50
1:A:240:ALA:HB1	1:A:244:GLN:HG3	1.94	0.50
1:A:31:ARG:HD3	1:A:90:ASN:HB3	1.93	0.50
1:A:204:ASP:HA	1:A:205:PRO:O	2.11	0.49
1:B:236:ASN:ND2	1:B:239:SER:OG	2.46	0.49
1:A:191:GLN:HB3	1:A:192:TYR:CD2	2.47	0.49
1:A:208:MSE:CE	1:A:247:ARG:O	2.53	0.49
1:A:44:LYS:HA	1:A:95:ILE:O	2.12	0.49
1:A:258:MSE:HG2	1:B:180:LEU:HD12	1.94	0.49
1:A:44:LYS:HG3	1:A:95:ILE:CG2	2.40	0.49
1:B:169:CYS:HB3	1:B:200:SER:O	2.13	0.49
1:A:101:GLU:HB3	1:A:130:ARG:HG3	1.95	0.48
1:B:11:GLU:OE2	1:B:44:LYS:NZ	2.45	0.48
1:B:204:ASP:HB2	1:B:207:LEU:N	2.28	0.48
1:A:204:ASP:CA	1:A:205:PRO:O	2.61	0.48
1:B:52:THR:CG2	3:B:381:HOH:O	2.47	0.48
1:B:200:SER:CB	1:B:223:GLU:HB3	2.44	0.48
1:A:12:MSE:CE	1:A:45:LEU:HD11	2.44	0.48
1:B:311:THR:O	1:B:312:ALA:CB	2.54	0.48
1:B:225:HIS:HB3	1:B:239:SER:HB3	1.96	0.48
1:B:147:ARG:NH2	1:B:191:GLN:HG2	2.29	0.47
1:A:82:LYS:O	1:A:85:ALA:HB3	2.14	0.47
1:A:107:ILE:HG23	1:A:112:ILE:HB	1.95	0.47
1:B:56:SER:O	1:B:58:PHE:N	2.47	0.47
1:B:200:SER:HB2	1:B:223:GLU:HB3	1.95	0.47
1:B:204:ASP:OD1	1:B:206:ASP:HA	2.14	0.47
1:B:230:THR:HG22	1:B:232:GLN:HB3	1.95	0.47
1:B:208:MSE:HE2	1:B:247:ARG:HB3	1.97	0.46
1:A:270:THR:O	1:A:271:GLU:C	2.53	0.46
1:B:12:MSE:CE	1:B:45:LEU:HD21	2.46	0.46
1:A:230:THR:HB	1:A:233:TYR:HB2	1.97	0.46
1:A:324:LYS:HG2	1:A:339:GLU:HB2	1.98	0.46
1:A:295:THR:O	1:A:299:VAL:HG22	2.16	0.46
1:A:146:ARG:NH1	1:A:148:GLU:CG	2.79	0.46
1:B:231:ASP:OD1	1:B:231:ASP:C	2.54	0.46
1:B:45:LEU:HD21	1:B:87:MSE:HE1	1.96	0.46
1:B:208:MSE:HE3	1:B:251:ALA:HB2	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:LEU:O	1:A:279:ARG:HG3	2.16	0.46
1:A:164:LEU:HD12	1:A:165:THR:H	1.81	0.46
1:B:208:MSE:CE	1:B:248:TRP:HA	2.45	0.45
1:A:159:HIS:O	1:A:160:ARG:HB3	2.16	0.45
1:A:84:VAL:HG12	1:A:88:LYS:HD2	1.98	0.45
1:B:142:THR:CG2	1:B:142:THR:O	2.64	0.45
1:B:241:ASN:HB2	1:B:242:PRO:CD	2.46	0.45
1:B:236:ASN:HD22	1:B:238:TYR:H	1.65	0.45
1:B:203:GLU:CG	1:B:204:ASP:N	2.81	0.44
1:A:207:LEU:O	1:A:208:MSE:HB2	2.18	0.44
1:B:313:ASN:H	1:B:313:ASN:HD22	1.65	0.44
1:B:45:LEU:HG	1:B:87:MSE:HE1	1.99	0.44
1:A:185:ILE:HG21	1:A:219:ALA:HB2	1.99	0.44
1:B:45:LEU:CG	1:B:87:MSE:HE1	2.48	0.44
1:B:31:ARG:HG3	1:B:90:ASN:HB3	1.99	0.44
1:B:236:ASN:ND2	1:B:238:TYR:H	2.16	0.44
1:B:5:LYS:HA	3:B:358:HOH:O	2.18	0.44
1:B:142:THR:HG23	1:B:142:THR:O	2.18	0.43
1:B:69:ARG:NH2	3:B:352:HOH:O	2.51	0.43
1:A:279:ARG:O	1:A:305:PRO:HD3	2.18	0.43
1:B:182:LEU:HD11	1:B:210:PRO:HB3	2.00	0.43
1:B:148:GLU:N	1:B:148:GLU:CD	2.71	0.43
1:A:339:GLU:HA	1:A:340:PRO:HD3	1.75	0.43
1:B:5:LYS:HE3	1:B:5:LYS:HB3	1.72	0.43
1:A:211:ILE:HD12	1:A:211:ILE:HA	1.79	0.43
1:B:305:PRO:HA	1:B:309:GLN:OE1	2.19	0.43
1:B:205:PRO:O	1:B:206:ASP:HB2	2.18	0.42
1:B:209:GLU:N	1:B:210:PRO:CD	2.82	0.42
1:A:95:ILE:HG12	1:A:114:ILE:HB	2.02	0.42
1:B:184:ARG:HD2	3:B:471:HOH:O	2.20	0.42
1:A:11:GLU:HB3	1:A:225:HIS:HA	2.01	0.42
1:A:207:LEU:HA	1:A:207:LEU:HD23	1.73	0.41
1:A:45:LEU:HD12	1:A:45:LEU:HA	1.88	0.41
1:B:216:ALA:HA	1:B:259:LEU:HD11	2.01	0.41
1:B:23:GLY:O	1:B:26:LEU:HB3	2.19	0.41
1:B:333:VAL:CG1	1:B:338:LEU:HD21	2.50	0.41
1:A:204:ASP:HB2	1:A:224:LYS:NZ	2.35	0.41
1:B:276:ARG:HA	1:B:279:ARG:HG3	2.02	0.41
1:B:203:GLU:O	1:B:205:PRO:CD	2.68	0.41
1:A:244:GLN:HE21	1:A:244:GLN:HB3	1.65	0.41
1:B:45:LEU:CD2	1:B:87:MSE:HE1	2.51	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:THR:HG22	1:A:231:ASP:O	2.20	0.41
1:A:209:GLU:N	1:A:210:PRO:CD	2.84	0.41
1:B:17:MSE:SE	1:B:69:ARG:HH12	2.54	0.41
1:A:182:LEU:HA	1:A:182:LEU:HD23	1.87	0.41
1:A:220:THR:CG2	1:A:220:THR:O	2.68	0.41
1:A:309:GLN:HG2	1:A:310:LEU:O	2.21	0.41
1:A:113:GLU:HG2	3:B:410:HOH:O	2.20	0.41
1:B:230:THR:HG22	1:B:233:TYR:H	1.86	0.40
1:B:56:SER:O	1:B:57:SER:C	2.60	0.40
1:B:207:LEU:HD12	1:B:207:LEU:HA	1.79	0.40
1:B:12:MSE:HE1	1:B:83:LEU:HD13	2.02	0.40
1:B:11:GLU:HB3	1:B:225:HIS:HA	2.02	0.40
1:B:56:SER:C	1:B:58:PHE:N	2.75	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/350 (96%)	309 (92%)	20 (6%)	6 (2%)	11	18
1	B	335/350 (96%)	315 (94%)	18 (5%)	2 (1%)	30	50
All	All	670/700 (96%)	624 (93%)	38 (6%)	8 (1%)	16	29

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	178	ASP
1	B	178	ASP
1	A	206	ASP
1	A	298	ASN
1	A	208	MSE

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	204	ASP
1	A	313	ASN
1	B	57	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/279 (100%)	243 (87%)	35 (13%)	5	10
1	B	278/279 (100%)	242 (87%)	36 (13%)	5	10
All	All	556/558 (100%)	485 (87%)	71 (13%)	5	10

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LYS
1	A	35	GLN
1	A	43	PHE
1	A	45	LEU
1	A	64	VAL
1	A	82	LYS
1	A	93	LYS
1	A	106	LEU
1	A	116	LYS
1	A	119	SER
1	A	121	SER
1	A	130	ARG
1	A	136	LYS
1	A	142	THR
1	A	156	PHE
1	A	160	ARG
1	A	162	LYS
1	A	166	ILE
1	A	178	ASP
1	A	189	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	191	GLN
1	A	200	SER
1	A	209	GLU
1	A	230	THR
1	A	231	ASP
1	A	237	ASN
1	A	244	GLN
1	A	263	GLU
1	A	280	ARG
1	A	294	LEU
1	A	297	ASP
1	A	298	ASN
1	A	303	PHE
1	A	316	SER
1	A	327	ILE
1	B	5	LYS
1	B	31	ARG
1	B	43	PHE
1	B	52	THR
1	B	78	GLU
1	B	102	GLU
1	B	112	ILE
1	B	116	LYS
1	B	129	GLU
1	B	141	SER
1	B	142	THR
1	B	148	GLU
1	B	152	LYS
1	B	155	SER
1	B	178	ASP
1	B	189[A]	ARG
1	B	189[B]	ARG
1	B	204	ASP
1	B	206	ASP
1	B	207	LEU
1	B	209	GLU
1	B	213	LEU
1	B	230	THR
1	B	231	ASP
1	B	232	GLN
1	B	236	ASN
1	B	243	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	264	ASP
1	B	267	VAL
1	B	303	PHE
1	B	306	VAL
1	B	314	GLU
1	B	320	ARG
1	B	322	THR
1	B	324	LYS
1	B	338	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	HIS
1	A	35	GLN
1	A	179	HIS
1	A	236	ASN
1	A	244	GLN
1	A	272	GLN
1	B	179	HIS
1	B	232	GLN
1	B	236	ASN
1	B	313	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.



There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	327/350 (93%)	-0.09	5 (1%) 76 79	27, 44, 63, 86	0
1	B	326/350 (93%)	-0.04	7 (2%) 67 71	28, 42, 62, 79	0
All	All	653/700 (93%)	-0.07	12 (1%) 71 75	27, 43, 63, 86	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	232	GLN	6.4
1	B	266	ALA	3.8
1	B	297	ASP	3.1
1	A	263	GLU	3.0
1	B	205	PRO	2.8
1	B	290	ALA	2.6
1	A	231	ASP	2.6
1	A	233	TYR	2.4
1	A	267	VAL	2.4
1	B	231	ASP	2.3
1	B	340	PRO	2.1
1	B	307	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	ZN	B	501	1/1	0.92	0.09	-	81,81,81,81	0
2	ZN	A	501	1/1	0.88	0.04	-	88,88,88,88	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.