



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:48 PM GMT

PDB ID : 4G82  
Title : Crystal Structure of p73 DNA-Binding Domain Tetramer bound to a Full Response-Element  
Authors : Ethayathulla, A.S.; Viadiu, H.  
Deposited on : 2012-07-20  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1114 (3.14-3.06)
Clashscore	102246	1222 (3.14-3.06)
Ramachandran outliers	100387	1174 (3.14-3.06)
Sidechain outliers	100360	1174 (3.14-3.06)
RSRZ outliers	91569	1119 (3.14-3.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	210	<div> <div>2%</div> <div> <div></div> <div>57%</div> <div>36%</div> <div>• •</div> </div> </div>
1	B	210	<div> <div>4%</div> <div> <div></div> <div>57%</div> <div>32%</div> <div>5% • 5%</div> </div> </div>
2	E	10	<div> <div>10%</div> <div> <div></div> <div>80%</div> <div>10%</div> </div> </div>
2	F	10	<div> <div>50%</div> <div> <div></div> <div>50%</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tumor protein p73.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	201	Total	C	N	O	S	0	0	0
			1586	993	285	297	11			
1	B	200	Total	C	N	O	S	2	0	0
			1562	977	281	293	11			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	103	MET	-	EXPRESSION TAG	UNP O15350
A	104	GLY	-	EXPRESSION TAG	UNP O15350
A	105	HIS	-	EXPRESSION TAG	UNP O15350
A	106	HIS	-	EXPRESSION TAG	UNP O15350
A	107	HIS	-	EXPRESSION TAG	UNP O15350
A	108	HIS	-	EXPRESSION TAG	UNP O15350
A	109	HIS	-	EXPRESSION TAG	UNP O15350
A	110	HIS	-	EXPRESSION TAG	UNP O15350
A	111	HIS	-	EXPRESSION TAG	UNP O15350
A	112	HIS	-	EXPRESSION TAG	UNP O15350
A	113	GLU	-	EXPRESSION TAG	UNP O15350
A	114	PHE	-	EXPRESSION TAG	UNP O15350
B	103	MET	-	EXPRESSION TAG	UNP O15350
B	104	GLY	-	EXPRESSION TAG	UNP O15350
B	105	HIS	-	EXPRESSION TAG	UNP O15350
B	106	HIS	-	EXPRESSION TAG	UNP O15350
B	107	HIS	-	EXPRESSION TAG	UNP O15350
B	108	HIS	-	EXPRESSION TAG	UNP O15350
B	109	HIS	-	EXPRESSION TAG	UNP O15350
B	110	HIS	-	EXPRESSION TAG	UNP O15350
B	111	HIS	-	EXPRESSION TAG	UNP O15350
B	112	HIS	-	EXPRESSION TAG	UNP O15350
B	113	GLU	-	EXPRESSION TAG	UNP O15350
B	114	PHE	-	EXPRESSION TAG	UNP O15350

- Molecule 2 is a DNA chain called DNA (5'-D(P\*GP\*AP\*AP\*CP\*AP\*TP\*GP\*TP\*TP\*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	10	Total	C	N	O	P	0	0	0
			205	98	37	60	10			
2	F	10	Total	C	N	O	P	0	0	0
			205	98	37	60	10			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	7	Total	O	0	0
			7	7		
4	B	7	Total	O	0	0
			7	7		
4	E	1	Total	O	0	0
			1	1		
4	F	1	Total	O	0	0
			1	1		



0410	0411	0412	0413	0414	0415	0416	0417	0418	0419

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	175.47Å 175.47Å 34.32Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.87 – 3.10 19.85 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.3 (43.87-3.10) 99.3 (19.85-3.10)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.84 (at 3.09Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.8.1_1168)	Depositor
R, $R_{free}$	0.238 , 0.268 0.238 , 0.247	Depositor DCC
$R_{free}$ test set	248 reflections (2.21%)	DCC
Wilson B-factor (Å <sup>2</sup> )	63.8	Xtriage
Anisotropy	0.551	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 49.8	EDS
Estimated twinning fraction	0.034 for h,-h-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 11263 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	3576	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.57	0/1627	0.93	1/2210 (0.0%)
1	B	0.61	1/1601 (0.1%)	1.01	1/2176 (0.0%)
2	E	0.38	0/229	1.12	2/351 (0.6%)
2	F	0.50	0/229	1.23	2/351 (0.6%)
All	All	0.57	1/3686 (0.0%)	1.00	6/5088 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	168	PRO	N-CD	-8.03	1.36	1.47

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	414	DA	P-O3'-C3'	8.91	130.40	119.70
2	F	414	DA	O3'-P-O5'	-8.72	87.43	104.00
2	E	403	DC	P-O3'-C3'	6.86	127.94	119.70
1	A	199	LEU	CB-CG-CD1	5.83	120.91	111.00
1	B	247	THR	N-CA-C	-5.46	96.26	111.00
2	E	403	DC	O3'-P-O5'	5.03	113.56	104.00

There are no chirality outliers.



All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	169	PRO	Peptide
1	B	193	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1586	0	1551	82	0
1	B	1562	0	1527	88	0
2	E	205	0	114	12	1
2	F	205	0	114	7	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	7	0	0	0	0
4	B	7	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
All	All	3576	0	3306	175	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:PRO:HB2	1:B:170:PRO:HD3	1.38	1.06
1:B:182:LYS:HG3	1:B:272:LEU:HD11	1.31	1.05
1:B:125:HIS:NE2	1:B:169:PRO:HG2	1.72	1.05
2:E:404:DA:H2''	2:E:405:DT:O5'	1.58	1.03
1:B:117:SER:HB2	1:B:287:ARG:NH2	1.85	0.91
1:B:168:PRO:N	1:B:169:PRO:HD3	1.86	0.91
1:B:241:GLU:O	1:B:250:THR:HG21	1.74	0.86
1:B:169:PRO:HB2	1:B:170:PRO:CD	2.04	0.85
1:B:181:TYR:HE1	1:B:266:MET:HB3	1.41	0.85
1:A:198:GLU:HB3	1:A:199:LEU:HD12	1.59	0.85

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:LYS:CG	1:B:272:LEU:HD11	2.08	0.82
1:A:125:HIS:HB3	1:A:165:VAL:HG23	1.62	0.80
1:B:168:PRO:N	1:B:169:PRO:CD	2.45	0.80
2:E:404:DA:C2'	2:E:405:DT:O5'	2.31	0.78
1:B:182:LYS:HA	1:B:272:LEU:HD12	1.66	0.77
1:B:167:THR:C	1:B:169:PRO:HD3	2.05	0.77
1:B:117:SER:HB2	1:B:287:ARG:CZ	2.15	0.76
1:B:117:SER:CB	1:B:287:ARG:NH2	2.48	0.76
2:E:404:DA:H2''	2:E:405:DT:C5'	2.17	0.75
2:E:404:DA:H2	2:F:415:DT:H3	1.29	0.74
1:A:196:ASN:HD21	1:B:264:GLY:HA3	1.50	0.74
1:B:135:SER:HB2	1:B:140:ALA:HB2	1.67	0.74
1:B:181:TYR:CE1	1:B:266:MET:HB3	2.23	0.72
1:A:188:THR:HG22	1:A:188:THR:O	1.91	0.70
1:B:167:THR:C	1:B:169:PRO:CD	2.60	0.70
1:B:117:SER:CB	1:B:287:ARG:HH22	2.04	0.69
2:E:402:DA:H1'	2:E:403:DC:H5'	1.73	0.69
1:B:176:ARG:HB2	1:B:237:VAL:HG22	1.72	0.69
1:B:249:PHE:O	1:B:249:PHE:HD1	1.76	0.68
1:B:125:HIS:NE2	1:B:169:PRO:CG	2.54	0.67
1:A:196:ASN:ND2	1:B:264:GLY:HA3	2.11	0.66
1:A:125:HIS:O	1:A:127:PHE:N	2.30	0.65
1:A:276:THR:HG22	1:A:287:ARG:HB2	1.77	0.65
1:A:125:HIS:HB3	1:A:165:VAL:CG2	2.26	0.65
1:A:228:ASP:CG	1:A:231:THR:HG22	2.19	0.64
1:A:162:GLN:NE2	1:A:251:THR:OG1	2.25	0.63
1:B:300:ARG:HD3	1:B:301:ASP:OD1	1.98	0.63
1:B:198:GLU:O	1:B:204:ASN:ND2	2.31	0.63
1:B:167:THR:HB	1:B:169:PRO:HD3	1.80	0.62
1:B:129:VAL:HG21	1:B:288:ARG:HG2	1.80	0.61
1:A:267:ASN:O	1:A:268:ARG:HB2	2.01	0.61
1:A:125:HIS:ND1	1:A:167:THR:O	2.24	0.61
2:E:404:DA:C2	2:F:415:DT:N3	2.61	0.60
1:B:121:TYR:O	1:B:287:ARG:O	2.20	0.60
1:A:295:CYS:HB2	2:F:416:DG:OP2	2.01	0.59
1:B:200:GLY:O	1:B:204:ASN:ND2	2.35	0.59
1:B:162:GLN:OE1	1:B:251:THR:HG22	2.03	0.59
1:A:213:HIS:NE2	1:A:234:GLN:OE1	2.36	0.59
1:A:129:VAL:HG22	1:A:288:ARG:HD2	1.84	0.58
2:E:404:DA:H2	2:F:415:DT:N3	1.99	0.58
1:A:222:LEU:N	1:A:222:LEU:CD1	2.66	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:THR:HB	1:B:169:PRO:CD	2.34	0.58
1:A:115:ILE:O	1:A:115:ILE:HG13	2.03	0.58
1:A:132:GLN:HG3	1:A:133:GLN:N	2.18	0.57
1:A:133:GLN:O	1:A:133:GLN:HG2	2.03	0.57
1:B:218:GLU:HG3	1:B:255:ASN:HD21	1.69	0.57
1:A:231:THR:HG23	1:A:233:ARG:H	1.70	0.57
1:B:288:ARG:HG3	1:B:289:SER:H	1.70	0.57
1:B:263:VAL:HA	1:B:267:ASN:OD1	2.05	0.56
1:A:151:LEU:HD21	1:A:159:CYS:SG	2.45	0.56
1:A:161:ILE:HD12	1:A:254:TYR:HD2	1.69	0.56
1:A:302:ARG:NE	1:A:306:GLU:OE2	2.34	0.55
1:B:288:ARG:HG3	1:B:289:SER:N	2.21	0.55
1:A:135:SER:HB3	1:A:140:ALA:CB	2.36	0.55
1:B:297:CYS:HB3	1:B:300:ARG:HD2	1.88	0.55
1:B:155:ILE:HB	1:B:259:ASN:OD1	2.07	0.55
1:A:163:ILE:HG13	1:A:250:THR:HB	1.89	0.55
1:B:172:GLY:HA3	1:B:280:ARG:HG2	1.88	0.54
1:B:267:ASN:O	1:B:269:ARG:HG2	2.07	0.54
1:A:222:LEU:HD12	1:A:222:LEU:N	2.21	0.54
1:A:204:ASN:N	1:A:204:ASN:OD1	2.24	0.54
1:A:131:PHE:CE1	1:A:161:ILE:HG12	2.44	0.53
1:B:182:LYS:CA	1:B:272:LEU:HD12	2.36	0.53
1:B:147:LEU:HD21	1:B:309:TYR:CD2	2.44	0.53
1:B:201:ARG:O	1:B:205:GLU:HG2	2.09	0.53
1:A:188:THR:CG2	1:A:188:THR:O	2.56	0.52
1:A:162:GLN:HE22	1:A:251:THR:HG1	1.53	0.52
1:A:221:ASN:C	1:A:222:LEU:HD12	2.30	0.52
1:A:123:GLY:HA3	1:A:285:LEU:O	2.09	0.52
1:B:259:ASN:O	1:B:262:CYS:HB2	2.09	0.52
1:A:138:LYS:HD2	1:A:300:ARG:N	2.25	0.52
1:A:183:LYS:HB2	1:A:186:HIS:CD2	2.45	0.52
1:B:183:LYS:HG3	1:B:186:HIS:HB2	1.91	0.52
1:A:160:PRO:C	1:A:161:ILE:HG13	2.31	0.51
1:B:195:PRO:O	1:B:199:LEU:HD12	2.11	0.50
1:B:207:GLN:HG3	1:B:216:ARG:NH1	2.26	0.50
1:A:125:HIS:CE1	1:A:169:PRO:HA	2.47	0.50
1:A:267:ASN:O	1:A:267:ASN:OD1	2.30	0.50
1:B:130:THR:HG22	1:B:131:PHE:N	2.27	0.50
1:B:117:SER:OG	1:B:287:ARG:NH2	2.45	0.49
1:B:182:LYS:CB	1:B:272:LEU:CD1	2.91	0.49
1:B:243:PRO:HA	1:B:250:THR:HG23	1.93	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:193:ARG:HH21	1:B:216:ARG:HH21	1.60	0.49
1:A:196:ASN:N	1:B:196:ASN:OD1	2.41	0.49
1:A:161:ILE:HD12	1:A:254:TYR:CD2	2.47	0.49
1:B:207:GLN:HE21	1:B:209:ALA:H	1.61	0.49
1:B:167:THR:C	1:B:169:PRO:HD2	2.33	0.48
1:B:306:GLU:O	1:B:309:TYR:HB3	2.14	0.48
1:B:115:ILE:HD11	1:B:188:THR:HA	1.95	0.48
1:B:193:ARG:NH2	1:B:204:ASN:OD1	2.46	0.48
1:A:163:ILE:CG1	1:A:250:THR:HB	2.43	0.48
1:A:164:LYS:HB2	1:A:249:PHE:CD1	2.49	0.48
1:B:182:LYS:HA	1:B:272:LEU:CD1	2.39	0.47
1:A:135:SER:HB3	1:A:140:ALA:HB3	1.96	0.47
1:B:183:LYS:CG	1:B:186:HIS:HB2	2.44	0.47
1:B:193:ARG:HH11	1:B:197:HIS:HB3	1.80	0.47
1:A:263:VAL:HG23	1:A:268:ARG:NH1	2.30	0.47
1:B:132:GLN:O	1:B:133:GLN:C	2.52	0.47
1:A:244:GLN:HB2	1:A:247:THR:HG21	1.98	0.46
1:A:263:VAL:HA	1:A:267:ASN:HB3	1.97	0.46
1:A:144:TYR:O	1:A:146:PRO:HD3	2.15	0.46
2:F:410:DG:H2"	2:F:411:DA:C8	2.51	0.46
1:B:138:LYS:HE3	1:B:138:LYS:HB3	1.51	0.46
1:B:125:HIS:CE1	1:B:169:PRO:HD2	2.51	0.45
1:B:182:LYS:CB	1:B:272:LEU:HD11	2.46	0.45
1:A:300:ARG:HG2	1:A:301:ASP:N	2.31	0.45
1:A:162:GLN:NE2	1:A:251:THR:HG1	2.10	0.45
1:A:300:ARG:NH1	2:F:416:DG:N7	2.65	0.45
1:B:216:ARG:CZ	1:B:257:MET:HE3	2.46	0.45
1:A:123:GLY:C	1:A:125:HIS:N	2.69	0.45
1:B:130:THR:CG2	1:B:131:PHE:H	2.30	0.45
1:A:193:ARG:HD3	1:A:211:ALA:O	2.17	0.45
1:A:181:TYR:CD2	1:A:189:ASP:HB3	2.52	0.45
1:B:193:ARG:NH2	1:B:216:ARG:NH2	2.65	0.44
1:A:121:TYR:CE2	1:A:123:GLY:HA2	2.52	0.44
1:A:160:PRO:HB3	1:A:253:LEU:HD23	1.99	0.44
1:B:130:THR:CG2	1:B:131:PHE:N	2.81	0.44
1:A:182:LYS:HA	1:A:272:LEU:HD11	1.99	0.44
1:A:263:VAL:HA	1:A:267:ASN:CB	2.48	0.44
1:B:266:MET:HA	1:B:269:ARG:HE	1.82	0.44
2:E:406:DG:C8	2:E:407:DT:H72	2.53	0.44
1:A:245:VAL:CG2	1:A:245:VAL:O	2.66	0.44
1:A:135:SER:CB	1:A:140:ALA:HB3	2.48	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ILE:HD11	1:A:240:TYR:HE1	1.83	0.43
1:B:134:SER:HB2	1:B:143:THR:HA	2.00	0.43
1:B:178:MET:HB2	1:B:235:SER:HB3	2.00	0.43
1:B:167:THR:O	1:B:169:PRO:HD2	2.18	0.43
1:A:199:LEU:HD22	1:B:199:LEU:HD11	2.01	0.43
1:A:199:LEU:HD22	1:B:199:LEU:CD1	2.48	0.43
1:A:184:ALA:O	1:A:187:VAL:HG12	2.19	0.43
1:A:196:ASN:ND2	1:B:195:PRO:HG2	2.33	0.43
1:A:134:SER:HB3	1:A:142:TRP:CZ3	2.54	0.42
1:B:243:PRO:HG2	1:B:248:GLU:O	2.17	0.42
2:E:408:DT:H2''	2:E:409:DC:C6	2.54	0.42
1:A:164:LYS:HD2	1:A:248:GLU:HG2	2.01	0.42
1:A:245:VAL:HG23	1:A:245:VAL:O	2.19	0.42
1:A:200:GLY:O	1:A:204:ASN:ND2	2.45	0.42
1:A:160:PRO:HB3	1:A:253:LEU:CD2	2.50	0.42
1:A:181:TYR:CE2	1:A:189:ASP:HB3	2.54	0.42
1:A:122:PRO:HG3	1:A:288:ARG:HH22	1.84	0.42
1:A:163:ILE:CD1	1:A:240:TYR:HE1	2.33	0.42
1:B:115:ILE:HA	1:B:116:PRO:HD2	1.75	0.42
1:A:150:LYS:HA	1:A:291:GLU:O	2.20	0.42
1:A:181:TYR:CE1	1:A:266:MET:HB3	2.55	0.42
1:B:297:CYS:CB	1:B:300:ARG:HD2	2.49	0.41
2:F:415:DT:H2''	2:F:416:DG:C8	2.55	0.41
1:B:176:ARG:HA	1:B:236:VAL:O	2.20	0.41
1:A:132:GLN:O	1:A:134:SER:N	2.53	0.41
1:A:196:ASN:HD22	1:B:195:PRO:HD2	1.86	0.41
1:A:267:ASN:O	1:A:268:ARG:CB	2.68	0.41
1:A:131:PHE:HE1	1:A:161:ILE:HG12	1.86	0.41
2:E:404:DA:H4'	2:E:405:DT:OP1	2.20	0.41
1:B:158:THR:HB	1:B:218:GLU:OE2	2.21	0.41
1:A:228:ASP:CB	1:A:231:THR:HG22	2.51	0.41
1:B:131:PHE:CE1	1:B:161:ILE:HG12	2.56	0.41
1:A:113:GLU:OE2	1:A:117:SER:N	2.54	0.41
1:B:300:ARG:NH1	2:E:406:DG:O6	2.51	0.41
1:B:293:ARG:NH2	2:E:405:DT:OP2	2.52	0.40
1:A:195:PRO:O	1:A:199:LEU:HD13	2.21	0.40
1:A:117:SER:O	1:A:274:ILE:HD13	2.21	0.40
1:B:121:TYR:HB3	1:B:287:ARG:HG2	2.03	0.40
1:A:198:GLU:CB	1:A:199:LEU:HD12	2.40	0.40
1:B:197:HIS:O	1:B:204:ASN:ND2	2.49	0.40
1:B:274:ILE:HG13	1:B:289:SER:HB3	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:PHE:CE1	1:B:277:LEU:HB2	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:400:DG:P	2:E:409:DC:O3'[1_554]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	199/210 (95%)	195 (98%)	4 (2%)	0	100	100
1	B	198/210 (94%)	189 (96%)	8 (4%)	1 (0%)	34	72
All	All	397/420 (94%)	384 (97%)	12 (3%)	1 (0%)	46	80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	169	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/186 (96%)	169 (95%)	9 (5%)	29	66
1	B	174/186 (94%)	161 (92%)	13 (8%)	17	51
All	All	352/372 (95%)	330 (94%)	22 (6%)	22	58

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	116	PRO
1	A	138	LYS
1	A	178	MET
1	A	204	ASN
1	A	247	THR
1	A	251	THR
1	A	269	ARG
1	A	272	LEU
1	A	300	ARG
1	B	117	SER
1	B	150	LYS
1	B	167	THR
1	B	176	ARG
1	B	187	VAL
1	B	193	ARG
1	B	207	GLN
1	B	249	PHE
1	B	250	THR
1	B	262	CYS
1	B	266	MET
1	B	269	ARG
1	B	300	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	162	GLN
1	A	186	HIS
1	A	196	ASN
1	B	162	GLN
1	B	255	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	201/210 (95%)	0.00	4 (1%) 68 46	5, 41, 89, 127	0
1	B	200/210 (95%)	0.15	8 (4%) 42 20	9, 54, 103, 129	2 (1%)
2	E	10/10 (100%)	-0.18	0 100 100	32, 43, 63, 64	0
2	F	10/10 (100%)	-0.24	0 100 100	24, 43, 51, 57	0
All	All	421/440 (95%)	0.06	12 (2%) 55 31	5, 46, 96, 129	2 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	136	THR	3.9
1	A	133	GLN	3.7
1	B	136	THR	3.3
1	B	137	ALA	3.1
1	B	312	GLN	3.0
1	B	245	VAL	2.7
1	A	137	ALA	2.6
1	B	139	SER	2.6
1	B	244	GLN	2.4
1	A	126	HIS	2.2
1	B	133	GLN	2.2
1	B	311	GLU	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	B	401	1/1	0.94	0.12	-1.52	44,44,44,44	0
3	ZN	A	401	1/1	0.98	0.11	-2.96	28,28,28,28	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.