



wwPDB EM Map/Model Validation Report ⓘ

Oct 3, 2016 – 04:35 PM EDT

PDB ID : 5GAG
EMDB ID: : EMD-8003
Title : RNC in complex with SRP-SR in the closed state
Authors : Jomaa, A.; Boehringer, D.; Leibundgut, M.; Ban, N.
Deposited on : 2015-11-26
Resolution : 3.80 Å(reported)

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>

MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	1	113	18% 17% . 62%
2	2	3	67% 33%
3	A	2903	58% 34% 6% ..
4	B	120	68% 30% .
5	C	273	70% 25% . .
6	D	209	73% 24% .
7	E	201	78% 21%
8	F	179	63% 32% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	G	177	
10	H	149	
11	I	165	
12	J	142	
13	K	142	
14	L	123	
15	M	144	
16	N	136	
17	O	127	
18	P	117	
19	Q	115	
20	R	118	
21	S	103	
22	T	110	
23	U	100	
24	V	104	
25	W	94	
26	X	85	
27	Y	78	
28	Z	63	
29	a	59	
30	b	57	
31	c	55	
32	d	46	
33	e	65	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	38	<div><div></div><div>100%</div></div>
35	i	450	<div><div></div><div>26%</div><div></div><div>72%</div></div>
36	k	18	<div><div></div><div>100%</div></div>

2 Entry composition

There are 38 unique types of molecules in this entry. The entry contains 94031 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called SRP 4.5S RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	43	Total	C	N	O	P	0	0
			926	413	174	296	43		

- Molecule 2 is a RNA chain called tRNA CCAend.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	3	Total	C	N	O	P	0	0
			62	28	11	20	3		

- Molecule 3 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A	2883	Total	C	N	O	P	0	0
			61902	27613	11397	20009	2883		

- Molecule 4 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 5 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	C	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 6 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	D	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 7 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	E	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 8 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	F	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 9 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	G	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 10 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	H	149	Total	C	N	O	S	0	0
			1110	699	197	213	1		

- Molecule 11 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	I	125	Total	C	N	O	S	0	0
			946	599	169	175	3		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	85	VAL	SER	conflict	UNP P0A7J3
I	86	THR	MET	conflict	UNP P0A7J3

- Molecule 12 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	J	134	Total	C	N	O	S	0	0
			979	619	169	185	6		

- Molecule 13 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	K	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	L	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	M	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	N	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	O	125	Total	C	N	O	S	0	0
			993	613	202	173	5		

- Molecule 18 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	P	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 19 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Q	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	R	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 21 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	S	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	T	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	U	95	Total	C	N	O	S	0	0
			757	479	141	136	1		

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	V	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 25 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	W	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 26 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	X	76	Total	C	N	O	S	0	0
			580	359	117	103	1		

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Y	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Z	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	a	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 30 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 31 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	c	51	Total	C	N	O	0	0
			414	266	76	72		

- Molecule 32 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 33 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 34 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 35 is a protein called Signal recognition particle protein Ffh.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	i	126	Total	C	N	O	S	0	0
			916	575	169	161	11		

- Molecule 36 is a protein called 1A9L SS.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	18	Total	C	N	O	S	0	0
			137	94	20	22	1		


- Molecule 37 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
37	D	1	Total	Mg	0
			1	1	
37	B	12	Total	Mg	0
			12	12	
37	b	1	Total	Mg	0
			1	1	
37	C	2	Total	Mg	0
			2	2	
37	A	411	Total	Mg	0
			411	411	
37	O	1	Total	Mg	0
			1	1	
37	2	1	Total	Mg	0
			1	1	
37	Y	1	Total	Mg	0
			1	1	
37	R	1	Total	Mg	0
			1	1	

- Molecule 38 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
38	f	1	Total	Zn	0
			1	1	




• Molecule 4: 5S rRNA

Chain B: 68% 30%



• Molecule 5: 50S ribosomal protein L2

Chain C: 70% 25%




• Molecule 6: 50S ribosomal protein L3

Chain D: 73% 24%








• Molecule 7: 50S ribosomal protein L4




• Molecule 8: 50S ribosomal protein L5



• Molecule 9: 50S ribosomal protein L6




• Molecule 10: 50S ribosomal protein L9





• Molecule 11: 50S ribosomal protein L10





- Molecule 12: 50S ribosomal protein L11

Chain J: 44% 46% 6%




- Molecule 13: 50S ribosomal protein L13

Chain K: 73% 25%



- Molecule 14: 50S ribosomal protein L14

Chain L: 78% 20%




- Molecule 15: 50S ribosomal protein L15

Chain M: 77% 22%




- Molecule 16: 50S ribosomal protein L16

Chain N: 82% 18%




- Molecule 17: 50S ribosomal protein L17


Chain O: 75% 20%




- Molecule 18: 50S ribosomal protein L18




- Molecule 19: 50S ribosomal protein L19




- Molecule 20: 50S ribosomal protein L20




- Molecule 21: 50S ribosomal protein L21




- Molecule 22: 50S ribosomal protein L22




- Molecule 23: 50S ribosomal protein L23



- Molecule 24: 50S ribosomal protein L24




- Molecule 25: 50S ribosomal protein L25

Chain W:  82% 15% .




- Molecule 26: 50S ribosomal protein L27

Chain X:  68% 19% . 11%




- Molecule 27: 50S ribosomal protein L28

Chain Y:  67% 31% ..




- Molecule 28: 50S ribosomal protein L29

Chain Z:  71% 25% ..




- Molecule 29: 50S ribosomal protein L30

Chain a:  97% ..




- Molecule 30: 50S ribosomal protein L32

Chain b:  86% 12% .



- Molecule 31: 50S ribosomal protein L33

Chain c:  87% 5% 7%



- Molecule 32: 50S ribosomal protein L34

Chain d:  87% 13%



- Molecule 33: 50S ribosomal protein L35




- Molecule 34: 50S ribosomal protein L36



There are no outlier residues recorded for this chain.

- Molecule 35: Signal recognition particle protein Ffh



- Molecule 36: 1A9L SS



There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	75942	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	Not provided	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	Not provided	Depositor
Minimum defocus (nm)	Not provided	Depositor
Maximum defocus (nm)	Not provided	Depositor
Magnification	Not provided	Depositor
Image detector	Not provided	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 2$	RMSZ	$\# Z > 2$
1	1	0.87	0/1037	1.34	8/1616 (0.5%)
10	H	0.47	0/1121	0.57	0/1515
11	I	0.58	0/958	0.62	0/1292
12	J	0.65	0/993	0.69	1/1341 (0.1%)
13	K	0.42	0/1152	0.55	0/1551
14	L	0.43	0/955	0.60	0/1279
15	M	0.40	0/1062	0.59	0/1413
16	N	0.43	0/1093	0.56	0/1460
17	O	0.45	0/1006	0.61	0/1345
18	P	0.40	0/910	0.56	0/1219
19	Q	0.42	0/929	0.56	0/1242
2	2	0.43	0/68	1.05	0/103
20	R	0.51	1/960 (0.1%)	0.56	0/1278
21	S	0.42	0/829	0.61	0/1107
22	T	0.46	0/864	0.67	0/1156
23	U	0.47	0/764	0.60	0/1021
24	V	0.42	0/788	0.57	0/1051
25	W	0.38	0/766	0.53	0/1025
26	X	0.45	0/587	0.58	0/776
27	Y	0.43	0/635	0.56	0/848
28	Z	0.43	0/502	0.60	0/667
29	a	0.37	0/453	0.55	0/605
3	A	0.63	8/69329 (0.0%)	1.10	112/108152 (0.1%)
30	b	0.45	0/450	0.64	0/599
31	c	0.40	0/421	0.58	0/561
32	d	0.42	0/380	0.60	0/498
33	e	0.41	0/513	0.58	0/676
34	f	0.45	0/303	0.56	0/397
35	i	0.46	0/672	0.57	0/883
36	k	0.74	0/137	0.85	0/186
4	B	0.48	0/2872	0.97	0/4478
5	C	0.42	0/2122	0.60	0/2852

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
6	D	0.43	0/1586	0.60	0/2134
7	E	0.41	0/1571	0.59	0/2113
8	F	0.39	0/1435	0.53	0/1926
9	G	0.39	0/1343	0.58	0/1816
All	All	0.58	9/101566 (0.0%)	1.00	121/152181 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
35	i	0	1
5	C	0	1
All	All	0	2

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1490	A	N9-C4	6.41	1.41	1.37
3	A	2117	A	N9-C4	6.03	1.41	1.37
3	A	1070	A	N9-C4	5.99	1.41	1.37
3	A	2158	A	N9-C4	5.74	1.41	1.37
3	A	2114	A	N9-C4	5.67	1.41	1.37

The worst 5 of 121 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1490	A	C8-N9-C4	-10.42	101.63	105.80
3	A	2422	C	O4'-C1'-N1	8.66	115.13	108.20
3	A	2427	C	C6-N1-C2	-8.57	116.87	120.30
3	A	2160	C	C6-N1-C2	-8.50	116.90	120.30
3	A	2423	U	C6-N1-C2	-8.23	116.06	121.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	C	232	HIS	Peptide
35	i	367	UNK	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	926	0	467	10	0
2	2	62	0	34	0	0
3	A	61902	0	31133	666	0
4	B	2569	0	1301	22	0
5	C	2083	0	2154	49	0
6	D	1565	0	1616	37	0
7	E	1552	0	1619	31	0
8	F	1411	0	1444	41	0
9	G	1323	0	1371	25	0
10	H	1110	0	1148	30	0
11	I	946	0	978	31	0
12	J	979	0	1028	56	0
13	K	1129	0	1162	26	0
14	L	946	0	1023	18	0
15	M	1053	0	1129	22	0
16	N	1074	0	1157	12	0
17	O	993	0	1034	21	0
18	P	900	0	935	24	0
19	Q	917	0	962	17	0
20	R	947	0	1019	13	0
21	S	816	0	839	11	0
22	T	857	0	922	10	0
23	U	757	0	817	9	0
24	V	780	0	831	12	0
25	W	753	0	780	8	0
26	X	580	0	594	13	0
27	Y	625	0	652	16	0
28	Z	501	0	531	14	0
29	a	449	0	488	0	0
30	b	444	0	458	0	0
31	c	414	0	442	0	0
32	d	377	0	418	0	0
33	e	504	0	572	0	0
34	f	302	0	340	0	0
35	i	916	0	943	0	0
36	k	137	0	168	0	0
37	2	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
37	A	411	0	0	0	0
37	B	12	0	0	0	0
37	C	2	0	0	0	0
37	D	1	0	0	0	0
37	O	1	0	0	0	0
37	R	1	0	0	0	0
37	Y	1	0	0	0	0
37	b	1	0	0	0	0
38	f	1	0	0	0	0
All	All	94031	0	62509	1121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1121 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:J:86:ILE:HD13	12:J:138:LEU:HD21	1.51	0.93
3:A:276:U:O2	3:A:278:A:N6	2.03	0.91
3:A:2584:U:H3'	3:A:2585:U:H5''	1.52	0.89
3:A:2304:G:H22	3:A:2312:U:H3	1.18	0.88
3:A:2128:G:H1	3:A:2160:C:H42	1.19	0.88

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	C	269/273 (98%)	262 (97%)	7 (3%)	0	100	100
6	D	207/209 (99%)	202 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	E	199/201 (99%)	191 (96%)	7 (4%)	1 (0%)	34	77
8	F	175/179 (98%)	171 (98%)	4 (2%)	0	100	100
9	G	174/177 (98%)	172 (99%)	2 (1%)	0	100	100
10	H	147/149 (99%)	138 (94%)	9 (6%)	0	100	100
11	I	123/165 (74%)	113 (92%)	9 (7%)	1 (1%)	24	70
12	J	132/142 (93%)	125 (95%)	7 (5%)	0	100	100
13	K	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
14	L	121/123 (98%)	116 (96%)	5 (4%)	0	100	100
15	M	142/144 (99%)	140 (99%)	2 (1%)	0	100	100
16	N	134/136 (98%)	130 (97%)	4 (3%)	0	100	100
17	O	123/127 (97%)	119 (97%)	4 (3%)	0	100	100
18	P	115/117 (98%)	112 (97%)	3 (3%)	0	100	100
19	Q	112/115 (97%)	110 (98%)	2 (2%)	0	100	100
20	R	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
21	S	101/103 (98%)	99 (98%)	2 (2%)	0	100	100
22	T	108/110 (98%)	105 (97%)	3 (3%)	0	100	100
23	U	93/100 (93%)	89 (96%)	4 (4%)	0	100	100
24	V	100/104 (96%)	99 (99%)	1 (1%)	0	100	100
25	W	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
26	X	74/85 (87%)	73 (99%)	1 (1%)	0	100	100
27	Y	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
28	Z	60/63 (95%)	58 (97%)	2 (3%)	0	100	100
29	a	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
30	b	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
31	c	49/55 (89%)	48 (98%)	1 (2%)	0	100	100
32	d	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
33	e	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
34	f	36/38 (95%)	36 (100%)	0	0	100	100
35	i	84/450 (19%)	84 (100%)	0	0	100	100
36	k	16/18 (89%)	12 (75%)	4 (25%)	0	100	100
All	All	3532/4042 (87%)	3424 (97%)	106 (3%)	2 (0%)	59	90

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	E	6	LYS
11	I	108	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	C	216/218 (99%)	198 (92%)	18 (8%)	14	52
6	D	164/164 (100%)	155 (94%)	9 (6%)	27	68
7	E	165/165 (100%)	157 (95%)	8 (5%)	31	71
8	F	148/150 (99%)	135 (91%)	13 (9%)	12	50
9	G	137/138 (99%)	128 (93%)	9 (7%)	21	62
10	H	114/114 (100%)	104 (91%)	10 (9%)	12	50
11	I	95/123 (77%)	90 (95%)	5 (5%)	28	69
12	J	104/110 (94%)	95 (91%)	9 (9%)	13	50
13	K	116/116 (100%)	106 (91%)	10 (9%)	13	51
14	L	104/104 (100%)	95 (91%)	9 (9%)	13	50
15	M	103/103 (100%)	99 (96%)	4 (4%)	39	75
16	N	109/109 (100%)	101 (93%)	8 (7%)	17	58
17	O	102/103 (99%)	95 (93%)	7 (7%)	19	60
18	P	87/87 (100%)	83 (95%)	4 (5%)	33	72
19	Q	99/100 (99%)	95 (96%)	4 (4%)	38	75
20	R	89/90 (99%)	83 (93%)	6 (7%)	20	62
21	S	84/84 (100%)	80 (95%)	4 (5%)	31	71
22	T	93/93 (100%)	88 (95%)	5 (5%)	27	68
23	U	82/84 (98%)	77 (94%)	5 (6%)	23	65
24	V	83/85 (98%)	77 (93%)	6 (7%)	18	58
25	W	78/78 (100%)	72 (92%)	6 (8%)	16	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
26	X	57/63 (90%)	52 (91%)	5 (9%)	12	50
27	Y	67/68 (98%)	63 (94%)	4 (6%)	24	65
28	Z	54/55 (98%)	49 (91%)	5 (9%)	11	47
29	a	48/49 (98%)	47 (98%)	1 (2%)	61	86
30	b	47/48 (98%)	40 (85%)	7 (15%)	4	26
31	c	45/49 (92%)	42 (93%)	3 (7%)	20	62
32	d	38/38 (100%)	32 (84%)	6 (16%)	3	23
33	e	51/52 (98%)	47 (92%)	4 (8%)	16	55
34	f	34/34 (100%)	34 (100%)	0	100	100
35	i	71/313 (23%)	65 (92%)	6 (8%)	13	52
36	k	17/17 (100%)	17 (100%)	0	100	100
All	All	2901/3204 (90%)	2701 (93%)	200 (7%)	24	60

5 of 200 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
13	K	131	ASN
16	N	135	VAL
32	d	1	MET
14	L	24	VAL
15	M	59	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
12	J	31	GLN
17	O	11	ASN
30	b	19	HIS
12	J	111	GLN
16	N	3	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	42/113 (37%)	12 (28%)	0
2	2	2/3 (66%)	1 (50%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	A	2878/2903 (99%)	488 (16%)	17 (0%)
4	B	119/120 (99%)	16 (13%)	0
All	All	3041/3139 (96%)	517 (17%)	17 (0%)

5 of 517 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	33	C
1	1	36	U
1	1	37	U
1	1	38	U
1	1	39	A

5 of 17 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	A	1110	G
3	A	1344	U
3	A	2422	C
3	A	805	G
3	A	2430	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 432 ligands modelled in this entry, 432 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.