



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:36 PM GMT

PDB ID : 1GC0  
Title : CRYSTAL STRUCTURE OF THE PYRIDOXAL-5'-PHOSPHATE  
DEPENDENT L-METHIONINE GAMMA-LYASE FROM PSEUDOMONAS  
PUTIDA  
Authors : Motoshima, H.; Inagaki, K.; Kumasaka, T.; Furuichi, M.; Inoue, H.; Tamura,  
T.; Esaki, N.; Soda, K.; Tanaka, N.; Yamamoto, M.; Tanaka, H.  
Deposited on : 2000-07-06  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	3585 (1.70-1.70)
Ramachandran outliers	100387	3527 (1.70-1.70)
Sidechain outliers	100360	3527 (1.70-1.70)
RSRZ outliers	91569	3200 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	
1	B	398	
1	C	398	
1	D	398	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called METHIONINE GAMMA-LYASE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	355	Total	C	N	O	P	S	0	0	0
			2681	1690	474	501	1	15			
1	B	357	Total	C	N	O	P	S	0	0	0
			2695	1699	475	505	1	15			
1	C	363	Total	C	N	O	P	S	0	0	0
			2734	1721	483	513	1	16			
1	D	356	Total	C	N	O	P	S	0	0	0
			2685	1692	475	502	1	15			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	362	Total	O	0	0
			362	362		
2	B	310	Total	O	0	0
			310	310		
2	C	324	Total	O	0	0
			324	324		
2	D	262	Total	O	0	0
			262	262		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: METHIONINE GAMMA-LYASE




#### • Molecule 1: METHIONINE GAMMA-LYASE




#### • Molecule 1: METHIONINE GAMMA-LYASE





• Molecule 1: METHIONINE GAMMA-LYASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.86Å 81.03Å 81.28Å 70.56° 63.17° 63.38°	Depositor
Resolution (Å)	71.46 – 1.70 71.55 – 1.70	Depositor EDS
% Data completeness (in resolution range)	91.0 (71.46-1.70) 85.0 (71.55-1.70)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.54 (at 1.70Å)	Xtriage
Refinement program	CNS 0.9	Depositor
R, $R_{free}$	0.210 , 0.236 0.217 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	15.0	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 39.5	EDS
Estimated twinning fraction	0.478 for h,h-k,h-l 0.478 for -h,-h+l,-h+k 0.477 for -h,-l,-k	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 149546 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12053	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.63% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/2710	0.59	1/3677 (0.0%)
1	B	0.29	0/2724	0.58	1/3696 (0.0%)
1	C	0.28	0/2763	0.58	1/3748 (0.0%)
1	D	0.28	0/2714	0.59	1/3682 (0.0%)
All	All	0.29	0/10911	0.59	4/14803 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	SER	N-CA-C	-5.80	95.33	111.00
1	D	208	SER	N-CA-C	-5.65	95.74	111.00
1	C	208	SER	N-CA-C	-5.61	95.85	111.00
1	A	208	SER	N-CA-C	-5.51	96.12	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2681	0	2660	65	0
1	B	2695	0	2674	61	0
1	C	2734	0	2712	73	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2685	0	2662	73	0
2	A	362	0	0	14	0
2	B	310	0	0	15	0
2	C	324	0	0	9	0
2	D	262	0	0	15	0
All	All	12053	0	10708	269	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (269) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:121:LEU:HB3	1:C:132:LEU:HD21	1.43	1.00
1:C:111:ASN:H	1:C:137:MET:HE2	1.33	0.93
1:A:313:MET:HG3	2:A:628:HOH:O	1.72	0.90
1:D:313:MET:HG3	2:D:581:HOH:O	1.75	0.86
1:C:380:LEU:HG	2:C:679:HOH:O	1.77	0.85
1:C:108:LEU:HD23	1:C:133:ARG:HG3	1.59	0.84
1:B:261:THR:HG22	2:B:678:HOH:O	1.81	0.80
1:D:270:CYS:O	1:D:274:GLN:HG3	1.84	0.76
1:D:112:THR:HG22	1:D:161:ASN:HD22	1.51	0.76
1:A:351:PRO:HD3	2:A:743:HOH:O	1.85	0.75
1:A:380:LEU:HD13	2:B:678:HOH:O	1.85	0.74
1:A:74:MET:HG2	1:A:223:ILE:HG21	1.70	0.73
1:A:287:GLU:HG3	1:A:288:LEU:HD22	1.72	0.71
1:C:137:MET:HE3	1:C:137:MET:H	1.53	0.71
1:A:349:GLN:HG3	2:A:743:HOH:O	1.90	0.71
1:D:7:LEU:HD13	1:D:8:PRO:O	1.90	0.71
1:D:74:MET:HG2	1:D:223:ILE:HG21	1.73	0.70
1:C:329:MET:HG3	1:C:354:MET:CE	2.21	0.70
1:D:112:THR:HG21	1:D:161:ASN:HB2	1.73	0.70
1:B:74:MET:HG2	1:B:223:ILE:HG21	1.73	0.70
1:C:117:THR:O	1:C:121:LEU:HD23	1.92	0.69
1:C:21:PRO:HG2	2:D:622:HOH:O	1.91	0.69
1:D:347:LEU:HB3	2:D:600:HOH:O	1.93	0.69
1:C:121:LEU:HB3	1:C:132:LEU:CD2	2.22	0.69
1:B:212:TYR:HB3	1:B:266:MET:HE3	1.74	0.69
1:C:173:ALA:HB1	1:C:177:ARG:HH22	1.58	0.68
1:B:175:ILE:O	1:B:178:LYS:HG2	1.95	0.67
1:B:174:LYS:HG2	1:B:177:ARG:NH2	2.10	0.67

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:THR:O	1:B:121:LEU:HD23	1.95	0.66
1:A:360:THR:OG1	1:A:363:GLU:HG3	1.95	0.65
1:C:137:MET:CE	1:C:137:MET:H	2.08	0.65
1:D:108:LEU:HD23	1:D:151:THR:HG23	1.78	0.65
1:B:29:VAL:HG13	2:B:701:HOH:O	1.96	0.65
1:C:350:HIS:HB3	1:C:354:MET:CE	2.27	0.64
1:C:63:SER:HB3	1:C:68:ASN:HD21	1.60	0.64
1:A:177:ARG:HH21	1:A:177:ARG:HG3	1.62	0.64
1:A:21:PRO:HG2	2:B:561:HOH:O	1.95	0.64
1:C:111:ASN:ND2	1:C:112:THR:HG23	2.13	0.64
1:C:205:VAL:HB	2:C:551:HOH:O	1.98	0.64
1:C:111:ASN:H	1:C:137:MET:CE	2.08	0.64
1:D:109:LEU:HD13	1:D:121:LEU:HD13	1.81	0.63
1:A:29:VAL:HG22	2:B:676:HOH:O	1.98	0.63
1:D:131:LYS:NZ	1:D:131:LYS:HB3	2.14	0.62
1:D:78:GLU:OE1	1:D:207:HIS:HE1	1.82	0.62
1:B:97:LEU:HD12	1:B:120:PHE:HE2	1.64	0.62
1:B:360:THR:OG1	1:B:363:GLU:HG3	1.99	0.61
1:D:7:LEU:HD22	1:D:8:PRO:HD2	1.81	0.61
1:B:28:LEU:HD12	1:C:37:THR:HB	1.83	0.61
1:B:37:THR:HB	1:C:28:LEU:HD22	1.83	0.60
1:D:360:THR:OG1	1:D:363:GLU:HG3	2.01	0.60
1:D:339:VAL:HB	2:D:601:HOH:O	2.02	0.60
1:C:387:LEU:HD21	2:C:721:HOH:O	2.01	0.59
1:B:211:LLP:HE3	1:B:341:LEU:CD1	2.33	0.59
1:C:101:LEU:HD21	1:C:153:VAL:HG21	1.85	0.59
1:C:360:THR:OG1	1:C:363:GLU:HG3	2.02	0.59
1:C:329:MET:HG3	1:C:354:MET:HE2	1.84	0.59
1:A:279:PHE:HA	1:A:282:ARG:NH2	2.17	0.59
1:B:174:LYS:HD3	1:B:174:LYS:C	2.23	0.59
1:D:78:GLU:OE1	1:D:207:HIS:CE1	2.56	0.58
2:A:698:HOH:O	1:B:21:PRO:HG2	2.03	0.58
1:C:111:ASN:N	1:C:137:MET:HE2	2.12	0.58
1:A:166:MET:O	1:A:167:ALA:HB3	2.04	0.57
1:A:292:PRO:HG3	2:A:726:HOH:O	2.03	0.57
1:A:121:LEU:HB3	1:A:132:LEU:HD21	1.85	0.57
1:D:392:GLN:NE2	2:D:659:HOH:O	2.38	0.57
1:A:309:GLN:HG3	2:A:704:HOH:O	2.03	0.57
1:D:160:ALA:O	1:D:164:MET:HA	2.05	0.57
1:D:339:VAL:O	1:D:339:VAL:HG13	2.05	0.57
1:D:74:MET:HE1	1:D:259:ILE:HD11	1.86	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:211:LLP:HE3	1:D:341:LEU:CD1	2.34	0.56
1:A:281:ALA:HB2	1:A:289:ILE:HD11	1.87	0.56
1:A:20:ASP:OD2	1:A:22:GLN:HB2	2.05	0.56
1:C:350:HIS:HB3	1:C:354:MET:HE3	1.88	0.56
1:B:121:LEU:HB3	1:B:132:LEU:HD13	1.88	0.56
1:A:117:THR:O	1:A:121:LEU:HD23	2.06	0.56
1:A:121:LEU:HB3	1:A:132:LEU:CD2	2.35	0.56
1:B:264:LEU:HD12	2:B:678:HOH:O	2.06	0.56
1:C:159:PRO:CG	1:C:164:MET:HG3	2.36	0.56
1:C:285:GLN:NE2	1:C:285:GLN:H	2.04	0.55
1:D:97:LEU:HD12	1:D:120:PHE:HE2	1.70	0.55
1:A:276:LEU:HD23	1:A:387:LEU:HD23	1.88	0.55
1:B:74:MET:HE2	1:B:192:PRO:HG3	1.89	0.55
1:A:178:LYS:HE3	1:A:179:HIS:HE1	1.70	0.55
2:A:520:HOH:O	1:D:34:GLN:HG2	2.06	0.55
1:B:22:GLN:HG3	2:B:507:HOH:O	2.06	0.55
1:B:74:MET:CE	1:B:192:PRO:HG3	2.37	0.55
1:B:320:GLY:HA3	1:B:324:ALA:HB2	1.89	0.55
1:C:106:GLU:OE1	1:C:133:ARG:HD3	2.07	0.55
1:B:285:GLN:H	1:B:285:GLN:NE2	2.05	0.55
1:C:339:VAL:HG13	1:C:339:VAL:O	2.08	0.54
1:D:112:THR:C	1:D:113:LEU:HD22	2.26	0.54
1:A:173:ALA:O	1:A:177:ARG:HG2	2.08	0.54
1:D:74:MET:HE3	1:D:223:ILE:HG13	1.90	0.54
1:A:285:GLN:H	1:A:285:GLN:NE2	2.06	0.53
1:C:135:VAL:O	1:C:137:MET:HE3	2.09	0.53
1:A:74:MET:CE	1:A:192:PRO:HG3	2.38	0.53
1:A:90:MET:HA	1:A:93:ILE:HG22	1.90	0.53
1:B:166:MET:CE	1:B:166:MET:H	2.23	0.52
1:A:281:ALA:HB2	1:A:289:ILE:CD1	2.39	0.52
1:D:281:ALA:HB2	1:D:289:ILE:HD12	1.92	0.52
1:C:329:MET:HG3	1:C:354:MET:HE1	1.92	0.52
1:A:166:MET:HA	2:A:510:HOH:O	2.10	0.52
1:C:131:LYS:NZ	1:C:133:ARG:HD2	2.24	0.51
1:B:114:TYR:HD1	1:B:117:THR:HG23	1.76	0.51
1:D:109:LEU:CD1	1:D:121:LEU:HD13	2.40	0.51
1:A:177:ARG:HG3	1:A:177:ARG:NH2	2.25	0.51
1:D:113:LEU:HD11	2:D:505:HOH:O	2.11	0.51
1:D:74:MET:CE	1:D:213:LEU:HD13	2.41	0.51
1:C:350:HIS:HB3	1:C:354:MET:HE1	1.92	0.51
1:B:154:ILE:HD12	1:B:176:ALA:HB2	1.91	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:161:ASN:HB3	1:C:162:PRO:HA	1.92	0.51
1:C:121:LEU:CB	1:C:132:LEU:HD21	2.29	0.51
1:B:43:VAL:HG12	1:B:43:VAL:O	2.11	0.51
1:B:196:ARG:O	1:B:200:LEU:HD23	2.10	0.51
1:B:121:LEU:HD12	1:B:132:LEU:HD22	1.93	0.51
1:B:174:LYS:HD2	2:B:575:HOH:O	2.11	0.51
1:B:22:GLN:NE2	2:B:641:HOH:O	2.44	0.50
1:A:161:ASN:HA	1:A:164:MET:CE	2.41	0.50
1:B:133:ARG:HG2	2:B:461:HOH:O	2.11	0.50
1:C:20:ASP:HB3	1:C:23:ASP:OD2	2.11	0.50
1:A:74:MET:HE2	1:A:192:PRO:HG3	1.94	0.50
1:C:63:SER:CB	1:C:68:ASN:HD21	2.23	0.50
1:B:212:TYR:HB3	1:B:266:MET:CE	2.40	0.50
1:A:322:ILE:HG13	1:A:371:GLU:HB3	1.94	0.50
1:D:132:LEU:N	1:D:132:LEU:HD12	2.27	0.50
1:C:106:GLU:CD	1:C:133:ARG:HD3	2.32	0.50
1:B:97:LEU:HD12	1:B:120:PHE:CE2	2.45	0.50
1:D:212:TYR:CE2	1:D:342:GLY:HA2	2.48	0.49
1:B:177:ARG:HG3	1:B:177:ARG:HH11	1.77	0.49
1:B:204:LEU:HD23	1:B:226:GLY:HA3	1.95	0.49
1:D:163:ASN:HB2	1:D:165:HIS:NE2	2.26	0.49
1:A:141:GLN:N	1:A:141:GLN:OE1	2.45	0.49
1:C:322:ILE:HG12	1:C:326:ARG:NH1	2.27	0.49
1:D:106:GLU:OE2	1:D:133:ARG:HD3	2.13	0.49
1:B:64:ASN:ND2	1:B:66:THR:H	2.11	0.49
1:D:343:ASP:HB3	2:D:654:HOH:O	2.12	0.49
1:A:163:ASN:HB2	1:A:165:HIS:NE2	2.28	0.49
1:D:166:MET:O	1:D:167:ALA:HB3	2.12	0.49
1:B:211:LLP:HE3	1:B:341:LEU:HD13	1.94	0.49
1:D:64:ASN:ND2	1:D:66:THR:H	2.11	0.49
1:D:281:ALA:HB2	1:D:289:ILE:CD1	2.42	0.48
1:C:204:LEU:HD23	1:C:226:GLY:HA3	1.96	0.48
1:C:293:GLY:HA3	1:C:306:GLN:HB2	1.95	0.48
1:C:7:LEU:HD23	1:C:8:PRO:HD2	1.95	0.48
1:B:166:MET:HB3	2:B:513:HOH:O	2.13	0.48
1:B:212:TYR:CE2	1:B:342:GLY:HA2	2.48	0.48
1:D:320:GLY:HA3	1:D:324:ALA:HB2	1.95	0.48
1:D:108:LEU:HD23	1:D:151:THR:CG2	2.43	0.48
1:D:74:MET:HE3	1:D:213:LEU:HD13	1.95	0.48
1:C:101:LEU:HD22	1:C:101:LEU:N	2.29	0.48
1:A:279:PHE:HA	1:A:282:ARG:HH22	1.79	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:287:GLU:HG3	1:C:288:LEU:HD22	1.95	0.47
1:A:117:THR:HG21	2:A:459:HOH:O	2.12	0.47
1:D:157:GLU:OE2	1:D:189:TYR:HE1	1.96	0.47
1:C:285:GLN:HE21	1:C:285:GLN:H	1.63	0.47
1:C:78:GLU:CD	1:C:192:PRO:HB3	2.34	0.47
1:C:97:LEU:HD12	1:C:120:PHE:HE2	1.81	0.46
1:C:269:HIS:HD2	1:C:378:VAL:O	1.99	0.46
1:A:395:LYS:HE2	2:A:501:HOH:O	2.16	0.46
1:B:63:SER:CB	1:B:68:ASN:HD21	2.29	0.46
1:B:108:LEU:HD23	1:B:133:ARG:HB3	1.98	0.46
1:A:157:GLU:HG2	1:A:186:ASP:HB3	1.97	0.46
1:A:37:THR:HG22	1:A:38:PHE:N	2.30	0.46
1:B:117:THR:HG21	2:B:466:HOH:O	2.16	0.46
1:D:108:LEU:HB2	1:D:154:ILE:CD1	2.45	0.46
1:A:285:GLN:H	1:A:285:GLN:HE21	1.64	0.46
1:C:64:ASN:ND2	1:C:66:THR:H	2.14	0.46
1:A:32:VAL:HB	2:C:423:HOH:O	2.15	0.46
1:D:74:MET:CE	1:D:259:ILE:HD11	2.46	0.46
1:B:141:GLN:OE1	1:B:141:GLN:N	2.49	0.46
1:D:246:VAL:HG23	2:D:437:HOH:O	2.15	0.45
1:C:269:HIS:HE1	2:C:399:HOH:O	1.98	0.45
1:D:108:LEU:HB2	1:D:154:ILE:HD12	1.99	0.45
1:A:159:PRO:HB2	1:A:164:MET:CA	2.46	0.45
1:D:285:GLN:NE2	1:D:285:GLN:H	2.15	0.45
1:A:143:LEU:C	1:A:143:LEU:HD13	2.37	0.45
1:A:113:LEU:N	1:A:113:LEU:HD22	2.32	0.45
1:D:288:LEU:HD12	1:D:288:LEU:C	2.38	0.45
1:C:206:VAL:HG12	1:C:224:VAL:HG22	1.99	0.45
1:C:344:ALA:HA	2:C:679:HOH:O	2.17	0.45
1:B:37:THR:HG22	1:B:38:PHE:N	2.31	0.45
1:C:288:LEU:HD23	1:C:317:GLU:HB3	1.99	0.45
1:A:161:ASN:HA	1:A:164:MET:HE2	1.98	0.44
1:C:163:ASN:HB2	1:C:165:HIS:CD2	2.52	0.44
1:A:212:TYR:CE2	1:A:342:GLY:HA2	2.52	0.44
1:A:366:HIS:HB2	2:A:530:HOH:O	2.15	0.44
1:D:141:GLN:OE1	1:D:141:GLN:N	2.49	0.44
1:B:285:GLN:H	1:B:285:GLN:HE21	1.65	0.44
1:C:279:PHE:HB2	2:C:721:HOH:O	2.18	0.44
1:D:140:LEU:HD12	1:D:140:LEU:N	2.32	0.44
1:C:350:HIS:N	1:C:354:MET:HE1	2.33	0.44
1:A:93:ILE:HG23	1:A:94:THR:N	2.33	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:329:MET:CE	1:D:337:ARG:HG2	2.48	0.44
1:D:161:ASN:HA	1:D:164:MET:CE	2.48	0.44
1:B:288:LEU:HD23	1:B:288:LEU:N	2.32	0.44
1:B:93:ILE:HD13	1:B:117:THR:HG22	1.99	0.43
1:D:78:GLU:CD	1:D:192:PRO:HB3	2.38	0.43
1:D:121:LEU:O	1:D:132:LEU:HD21	2.18	0.43
1:A:288:LEU:HD23	1:A:288:LEU:N	2.33	0.43
1:C:100:LEU:C	1:C:101:LEU:HD22	2.38	0.43
1:A:121:LEU:C	1:A:132:LEU:HD21	2.37	0.43
1:D:166:MET:HA	2:D:549:HOH:O	2.18	0.43
1:D:121:LEU:C	1:D:132:LEU:HD21	2.38	0.43
1:D:131:LYS:C	1:D:132:LEU:HD12	2.39	0.43
1:D:133:ARG:NE	2:D:642:HOH:O	2.52	0.43
1:B:161:ASN:HB3	1:B:162:PRO:HA	2.00	0.43
1:D:212:TYR:CD2	1:D:342:GLY:HA2	2.53	0.43
1:C:30:PRO:HA	1:C:31:PRO:HD3	1.88	0.43
1:C:157:GLU:HG2	1:C:186:ASP:HB3	2.00	0.43
1:A:313:MET:CE	1:A:341:LEU:HD22	2.49	0.43
1:B:212:TYR:CD2	1:B:342:GLY:HA2	2.54	0.43
1:B:174:LYS:HD3	1:B:175:ILE:N	2.34	0.43
1:A:178:LYS:HG2	1:A:179:HIS:ND1	2.34	0.42
1:D:7:LEU:HD22	1:D:8:PRO:CD	2.48	0.42
1:A:159:PRO:HB2	1:A:164:MET:HA	2.01	0.42
1:B:7:LEU:HD12	1:B:8:PRO:HD2	2.00	0.42
1:B:260:LYS:NZ	2:B:701:HOH:O	2.49	0.42
1:B:276:LEU:HD11	1:B:390:VAL:HG21	2.02	0.42
1:D:112:THR:CG2	1:D:161:ASN:HD22	2.27	0.42
1:D:348:ALA:N	2:D:600:HOH:O	2.53	0.42
1:A:178:LYS:HG2	1:A:179:HIS:CE1	2.55	0.42
1:A:116:CYS:HB3	2:C:674:HOH:O	2.19	0.42
1:A:154:ILE:HD12	1:A:176:ALA:HB2	2.01	0.42
1:C:329:MET:CE	1:C:337:ARG:HG2	2.49	0.42
1:B:30:PRO:HA	1:B:31:PRO:HD3	1.89	0.42
1:A:112:THR:C	1:A:113:LEU:HD22	2.40	0.42
1:A:78:GLU:CD	1:A:192:PRO:HB3	2.39	0.42
1:C:282:ARG:NH2	1:C:282:ARG:HB2	2.35	0.42
1:D:204:LEU:HD23	1:D:226:GLY:HA3	2.02	0.42
1:D:109:LEU:HB3	2:D:505:HOH:O	2.19	0.42
1:C:64:ASN:HD21	1:C:66:THR:HB	1.84	0.42
1:B:200:LEU:HD22	1:B:200:LEU:N	2.35	0.41
1:A:392:GLN:HE21	1:A:392:GLN:HB2	1.68	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:350:HIS:H	1:C:354:MET:CE	2.33	0.41
1:B:63:SER:HB2	1:B:68:ASN:HD21	1.86	0.41
1:D:28:LEU:HD12	2:D:489:HOH:O	2.21	0.41
1:C:41:PRO:O	1:C:42:THR:C	2.58	0.41
2:B:533:HOH:O	1:D:339:VAL:HG12	2.21	0.41
1:D:133:ARG:HG2	2:D:502:HOH:O	2.21	0.41
1:C:64:ASN:ND2	1:C:66:THR:HB	2.36	0.41
1:D:67:LEU:HD12	1:D:85:ALA:HB3	2.02	0.41
1:B:78:GLU:CD	1:B:192:PRO:HB3	2.40	0.41
1:C:197:PRO:HB2	1:C:205:VAL:CG1	2.51	0.41
1:A:282:ARG:NH2	2:A:655:HOH:O	2.54	0.41
1:D:174:LYS:C	1:D:174:LYS:HD3	2.41	0.41
1:C:291:TYR:CZ	1:C:315:ALA:HB2	2.55	0.41
1:A:320:GLY:HA3	1:A:324:ALA:HB2	2.02	0.41
1:A:30:PRO:HA	1:A:31:PRO:HD3	1.88	0.41
1:A:375:ARG:HB2	2:A:743:HOH:O	2.21	0.41
1:C:329:MET:HE3	1:C:337:ARG:HG2	2.02	0.41
1:C:275:VAL:HG12	2:C:721:HOH:O	2.20	0.41
1:C:159:PRO:HD3	1:C:166:MET:SD	2.60	0.41
1:B:274:GLN:O	1:B:278:GLU:HG3	2.21	0.41
1:D:148:THR:HB	1:D:149:PRO:HD2	2.02	0.41
1:D:131:LYS:HZ3	1:D:131:LYS:HB3	1.82	0.41
1:A:159:PRO:HG2	1:A:164:MET:SD	2.61	0.41
1:D:283:GLN:HG3	1:D:394:LEU:HD23	2.02	0.41
1:C:288:LEU:HD23	1:C:288:LEU:N	2.35	0.40
1:C:294:LEU:HD12	1:C:294:LEU:C	2.41	0.40
1:A:131:LYS:HD3	2:A:569:HOH:O	2.21	0.40
1:D:132:LEU:HD13	2:D:421:HOH:O	2.20	0.40
1:A:164:MET:HG2	1:A:291:TYR:CD2	2.56	0.40
1:B:288:LEU:HD23	1:B:317:GLU:HB3	2.04	0.40
1:B:262:LEU:HD12	1:B:266:MET:CE	2.51	0.40
1:B:241:ASP:O	1:D:120:PHE:CD1	2.74	0.40
1:D:197:PRO:HB2	1:D:205:VAL:HG12	2.03	0.40
1:C:309:GLN:HA	1:C:310:PRO:HD3	1.79	0.40
1:C:307:MET:O	1:C:308:SER:HB3	2.22	0.40
1:B:164:MET:HB3	2:B:648:HOH:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	348/398 (87%)	334 (96%)	12 (3%)	2 (1%)	30	12
1	B	350/398 (88%)	339 (97%)	10 (3%)	1 (0%)	46	26
1	C	356/398 (89%)	345 (97%)	9 (2%)	2 (1%)	30	12
1	D	349/398 (88%)	335 (96%)	9 (3%)	5 (1%)	14	2
All	All	1403/1592 (88%)	1353 (96%)	40 (3%)	10 (1%)	26	9

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	162	PRO
1	D	114	TYR
1	D	162	PRO
1	A	114	TYR
1	C	294	LEU
1	C	295	ALA
1	D	115	GLY
1	D	167	ALA
1	D	340	SER
1	B	43	VAL

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	274/306 (90%)	271 (99%)	3 (1%)	80	69

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	276/306 (90%)	271 (98%)	5 (2%)	66	49
1	C	280/306 (92%)	274 (98%)	6 (2%)	61	42
1	D	274/306 (90%)	267 (97%)	7 (3%)	54	32
All	All	1104/1224 (90%)	1083 (98%)	21 (2%)	65	46

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	GLN
1	A	285	GLN
1	A	392	GLN
1	B	64	ASN
1	B	133	ARG
1	B	166	MET
1	B	285	GLN
1	B	341	LEU
1	C	7	LEU
1	C	37	THR
1	C	64	ASN
1	C	137	MET
1	C	285	GLN
1	C	394	LEU
1	D	23	ASP
1	D	64	ASN
1	D	141	GLN
1	D	285	GLN
1	D	341	LEU
1	D	392	GLN
1	D	394	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (44) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	111	ASN
1	A	179	HIS
1	A	228	GLN
1	A	237	GLN
1	A	272	ASN
1	A	274	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	285	GLN
1	A	330	ASN
1	A	366	HIS
1	A	392	GLN
1	B	22	GLN
1	B	34	GLN
1	B	64	ASN
1	B	111	ASN
1	B	228	GLN
1	B	272	ASN
1	B	285	GLN
1	B	330	ASN
1	C	64	ASN
1	C	68	ASN
1	C	228	GLN
1	C	269	HIS
1	C	272	ASN
1	C	274	GLN
1	C	285	GLN
1	C	290	HIS
1	C	306	GLN
1	C	330	ASN
1	C	391	GLN
1	D	22	GLN
1	D	64	ASN
1	D	111	ASN
1	D	161	ASN
1	D	207	HIS
1	D	228	GLN
1	D	250	HIS
1	D	272	ASN
1	D	274	GLN
1	D	285	GLN
1	D	290	HIS
1	D	309	GLN
1	D	330	ASN
1	D	392	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
1	LLP	A	211	1	23,24,25	1.52	4 (17%)	28,32,34	2.24	11 (39%)
1	LLP	B	211	1	23,24,25	1.49	4 (17%)	28,32,34	2.22	10 (35%)
1	LLP	C	211	1	23,24,25	1.50	4 (17%)	28,32,34	2.22	11 (39%)
1	LLP	D	211	1	23,24,25	1.52	4 (17%)	28,32,34	2.22	12 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	211	1	-	0/15/17/19	0/1/1/1
1	LLP	B	211	1	-	0/15/17/19	0/1/1/1
1	LLP	C	211	1	-	0/15/17/19	0/1/1/1
1	LLP	D	211	1	-	0/15/17/19	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	211	LLP	O3-C3	-2.18	1.31	1.37
1	C	211	LLP	O3-C3	-2.15	1.32	1.37
1	A	211	LLP	O3-C3	-2.12	1.32	1.37
1	D	211	LLP	O3-C3	-2.01	1.32	1.37
1	B	211	LLP	C4-C4'	2.65	1.51	1.46
1	D	211	LLP	C4-C4'	2.69	1.51	1.46
1	C	211	LLP	C4-C4'	2.71	1.51	1.46
1	A	211	LLP	C4-C4'	2.87	1.51	1.46
1	B	211	LLP	C4-C3	2.88	1.44	1.40
1	A	211	LLP	C4-C3	2.98	1.44	1.40
1	D	211	LLP	C4-C3	3.11	1.44	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	211	LLP	C4-C3	3.17	1.44	1.40
1	C	211	LLP	C3-C2	4.09	1.43	1.40
1	B	211	LLP	C3-C2	4.31	1.43	1.40
1	D	211	LLP	C3-C2	4.37	1.43	1.40
1	A	211	LLP	C3-C2	4.40	1.43	1.40

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	211	LLP	C5-C6-N1	-3.84	117.20	123.86
1	B	211	LLP	C5-C6-N1	-3.81	117.24	123.86
1	D	211	LLP	C5-C6-N1	-3.79	117.28	123.86
1	A	211	LLP	C5-C6-N1	-3.76	117.34	123.86
1	B	211	LLP	C3-C4-C4'	-3.65	115.44	120.16
1	C	211	LLP	C3-C4-C4'	-3.63	115.45	120.16
1	D	211	LLP	C3-C4-C4'	-3.60	115.50	120.16
1	A	211	LLP	C3-C4-C4'	-3.52	115.60	120.16
1	A	211	LLP	C5'-C5-C6	-3.23	113.17	119.28
1	D	211	LLP	C5'-C5-C6	-3.07	113.48	119.28
1	C	211	LLP	C5'-C5-C6	-3.02	113.57	119.28
1	B	211	LLP	C5'-C5-C6	-2.94	113.72	119.28
1	B	211	LLP	C3-C2-N1	-2.55	117.09	120.61
1	A	211	LLP	C3-C2-N1	-2.49	117.17	120.61
1	C	211	LLP	C3-C2-N1	-2.46	117.21	120.61
1	D	211	LLP	C3-C2-N1	-2.43	117.25	120.61
1	D	211	LLP	O-C-CA	-2.15	119.88	125.49
1	A	211	LLP	O-C-CA	-2.03	120.21	125.49
1	C	211	LLP	O-C-CA	-2.02	120.22	125.49
1	D	211	LLP	CD-CE-NZ	2.14	114.48	110.98
1	A	211	LLP	C3-C4-C5	2.90	120.27	118.11
1	C	211	LLP	C2'-C2-C3	2.95	124.59	121.04
1	D	211	LLP	C2'-C2-C3	3.02	124.67	121.04
1	B	211	LLP	C2'-C2-C3	3.10	124.77	121.04
1	D	211	LLP	C3-C4-C5	3.14	120.45	118.11
1	A	211	LLP	C2'-C2-C3	3.16	124.85	121.04
1	C	211	LLP	C3-C4-C5	3.17	120.48	118.11
1	B	211	LLP	C5'-C5-C4	3.22	126.88	121.47
1	C	211	LLP	C5'-C5-C4	3.28	126.98	121.47
1	B	211	LLP	C3-C4-C5	3.28	120.56	118.11
1	D	211	LLP	C5'-C5-C4	3.32	127.05	121.47
1	A	211	LLP	C5'-C5-C4	3.44	127.25	121.47
1	D	211	LLP	CE-NZ-C4'	3.62	129.43	118.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	LLP	CE-NZ-C4'	3.63	129.45	118.97
1	C	211	LLP	CE-NZ-C4'	3.68	129.59	118.97
1	B	211	LLP	CE-NZ-C4'	3.77	129.85	118.97
1	D	211	LLP	C6-N1-C2	4.06	127.57	119.28
1	A	211	LLP	C6-N1-C2	4.08	127.61	119.28
1	C	211	LLP	C6-N1-C2	4.11	127.66	119.28
1	B	211	LLP	C6-N1-C2	4.11	127.67	119.28
1	B	211	LLP	OP4-C5'-C5	4.14	115.84	108.99
1	D	211	LLP	OP4-C5'-C5	4.32	116.13	108.99
1	C	211	LLP	OP4-C5'-C5	4.33	116.14	108.99
1	A	211	LLP	OP4-C5'-C5	4.55	116.51	108.99

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	211	LLP	2	0
1	D	211	LLP	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	354/398 (88%)	0.94	47 (13%) 4 5	8, 16, 35, 42	0
1	B	356/398 (89%)	0.90	43 (12%) 6 6	8, 16, 35, 42	0
1	C	362/398 (90%)	1.05	52 (14%) 3 4	8, 17, 37, 47	0
1	D	355/398 (89%)	0.98	47 (13%) 4 5	8, 16, 35, 42	0
All	All	1427/1592 (89%)	0.97	189 (13%) 4 5	8, 16, 36, 47	0

All (189) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	114	TYR	11.4
1	D	114	TYR	10.6
1	C	114	TYR	10.0
1	A	116	CYS	8.7
1	C	307	MET	7.8
1	B	43	VAL	7.8
1	B	114	TYR	7.7
1	C	116	CYS	7.7
1	D	166	MET	7.7
1	C	310	PRO	7.7
1	C	306	GLN	7.4
1	C	308	SER	6.9
1	B	165	HIS	6.8
1	B	116	CYS	6.7
1	C	163	ASN	6.6
1	C	160	ALA	6.4
1	B	359	TYR	6.3
1	D	165	HIS	6.1
1	A	398	ALA	5.8
1	C	359	TYR	5.8
1	B	358	SER	5.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	160	ALA	5.8
1	A	359	TYR	5.7
1	C	166	MET	5.6
1	C	296	SER	5.6
1	C	111	ASN	5.5
1	C	367	TYR	5.3
1	A	160	ALA	5.2
1	C	366	HIS	5.0
1	B	398	ALA	4.9
1	C	358	SER	4.9
1	A	161	ASN	4.8
1	C	294	LEU	4.8
1	C	141	GLN	4.8
1	A	166	MET	4.7
1	C	165	HIS	4.7
1	A	167	ALA	4.7
1	A	367	TYR	4.6
1	B	367	TYR	4.6
1	A	165	HIS	4.6
1	B	120	PHE	4.6
1	A	366	HIS	4.6
1	A	358	SER	4.6
1	A	120	PHE	4.5
1	C	120	PHE	4.5
1	D	359	TYR	4.5
1	D	398	ALA	4.5
1	D	358	SER	4.4
1	B	366	HIS	4.4
1	B	160	ALA	4.4
1	B	368	GLY	4.4
1	B	121	LEU	4.4
1	D	117	THR	4.4
1	C	164	MET	4.4
1	C	42	THR	4.3
1	D	116	CYS	4.3
1	B	177	ARG	4.3
1	D	310	PRO	4.2
1	D	111	ASN	4.2
1	A	121	LEU	4.2
1	C	398	ALA	4.1
1	D	164	MET	4.1
1	D	367	TYR	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	179	HIS	4.0
1	B	20	ASP	4.0
1	A	111	ASN	3.9
1	D	366	HIS	3.9
1	B	164	MET	3.9
1	D	163	ASN	3.9
1	B	117	THR	3.8
1	A	357	SER	3.8
1	A	113	LEU	3.8
1	D	357	SER	3.8
1	D	20	ASP	3.7
1	B	166	MET	3.7
1	B	163	ASN	3.7
1	D	339	VAL	3.6
1	D	161	ASN	3.6
1	C	179	HIS	3.6
1	B	111	ASN	3.6
1	D	113	LEU	3.6
1	A	141	GLN	3.6
1	D	177	ARG	3.5
1	C	113	LEU	3.5
1	A	322	ILE	3.5
1	A	118	PHE	3.5
1	D	144	GLU	3.5
1	A	163	ASN	3.5
1	C	159	PRO	3.4
1	B	118	PHE	3.4
1	B	357	SER	3.4
1	B	167	ALA	3.4
1	A	310	PRO	3.4
1	C	293	GLY	3.3
1	D	115	GLY	3.3
1	A	117	THR	3.3
1	C	162	PRO	3.3
1	C	368	GLY	3.3
1	A	20	ASP	3.2
1	D	120	PHE	3.2
1	B	113	LEU	3.2
1	C	309	GLN	3.2
1	C	121	LEU	3.2
1	C	20	ASP	3.1
1	B	310	PRO	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	189	TYR	3.0
1	A	189	TYR	3.0
1	C	295	ALA	3.0
1	D	118	PHE	3.0
1	B	339	VAL	3.0
1	C	135	VAL	3.0
1	C	167	ALA	3.0
1	D	135	VAL	2.9
1	B	144	GLU	2.9
1	D	22	GLN	2.9
1	C	117	THR	2.9
1	C	339	VAL	2.9
1	A	119	ALA	2.8
1	B	282	ARG	2.8
1	C	282	ARG	2.8
1	D	162	PRO	2.8
1	A	133	ARG	2.8
1	B	44	GLU	2.7
1	B	180	GLY	2.7
1	A	110	GLY	2.7
1	D	132	LEU	2.7
1	A	162	PRO	2.7
1	C	144	GLU	2.7
1	A	309	GLN	2.7
1	B	22	GLN	2.7
1	D	293	GLY	2.6
1	B	119	ALA	2.6
1	C	63	SER	2.6
1	A	7	LEU	2.6
1	C	7	LEU	2.6
1	B	179	HIS	2.5
1	D	281	ALA	2.5
1	C	118	PHE	2.5
1	D	141	GLN	2.5
1	A	112	THR	2.5
1	D	189	TYR	2.5
1	D	140	LEU	2.5
1	B	162	PRO	2.5
1	A	178	LYS	2.5
1	D	167	ALA	2.4
1	A	115	GLY	2.4
1	C	337	ARG	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	194	LEU	2.3
1	A	179	HIS	2.3
1	B	135	VAL	2.3
1	C	137	MET	2.3
1	D	282	ARG	2.3
1	D	169	ILE	2.2
1	D	313	MET	2.2
1	A	368	GLY	2.2
1	A	170	ALA	2.2
1	C	357	SER	2.2
1	A	108	LEU	2.2
1	B	115	GLY	2.2
1	D	200	LEU	2.2
1	C	23	ASP	2.2
1	C	287	GLU	2.2
1	A	63	SER	2.2
1	B	112	THR	2.2
1	D	290	HIS	2.2
1	C	370	SER	2.2
1	A	180	GLY	2.2
1	D	28	LEU	2.2
1	D	112	THR	2.2
1	A	313	MET	2.2
1	B	274	GLN	2.2
1	C	139	ASP	2.1
1	D	7	LEU	2.1
1	C	161	ASN	2.1
1	A	169	ILE	2.1
1	A	135	VAL	2.1
1	A	144	GLU	2.1
1	C	291	TYR	2.1
1	B	281	ALA	2.1
1	D	121	LEU	2.1
1	B	313	MET	2.0
1	A	282	ARG	2.0
1	D	287	GLU	2.0
1	D	41	PRO	2.0
1	A	339	VAL	2.0
1	B	161	ASN	2.0
1	A	288	LEU	2.0
1	B	394	LEU	2.0
1	C	178	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	LLP	B	211	24/25	0.89	0.18	-	9,19,22,23	0
1	LLP	D	211	24/25	0.90	0.16	-	10,19,22,23	0
1	LLP	A	211	24/25	0.90	0.18	-	10,20,23,24	0
1	LLP	C	211	24/25	0.91	0.13	-	9,20,22,23	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.