



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 02:16 AM GMT

PDB ID : 2GF2
Title : Crystal structure of human hydroxyisobutyrate dehydrogenase
Authors : Papagrigoriou, E.; Salah, E.; Turnbull, A.P.; Smee, C.; Burgess, N.; Gileadi, O.; von Delft, F.; Gorrec, F.; Arrowsmith, C.H.; Weigelt, J.; Sundstrom, M.; Edwards, A.M.; Oppermann, U.; Structural Genomics Consortium (SGC)
Deposited on : 2006-03-21
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4019 (2.40-2.36)
Clashscore	102246	4595 (2.40-2.36)
Ramachandran outliers	100387	4520 (2.40-2.36)
Sidechain outliers	100360	4522 (2.40-2.36)
RSRZ outliers	91569	4034 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	 86% 13% •
1	B	296	 85% 13% ••
1	C	296	 86% 12% •
1	D	296	 86% 12% ••

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 8774 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-hydroxyisobutyrate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	1	0
			2152	1353	359	418	22			
1	B	293	Total	C	N	O	S	0	0	0
			2116	1339	351	404	22			
1	C	291	Total	C	N	O	S	0	0	0
			2093	1325	349	397	22			
1	D	294	Total	C	N	O	S	0	1	0
			2130	1347	354	406	23			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	40	MET	-	INITIATING METHIONINE	UNP P31937
B	40	MET	-	INITIATING METHIONINE	UNP P31937
C	40	MET	-	INITIATING METHIONINE	UNP P31937
D	40	MET	-	INITIATING METHIONINE	UNP P31937


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	77	Total	O	0	1
			78	78		
2	B	73	Total	O	0	5
			79	79		
2	C	62	Total	O	0	2
			64	64		
2	D	61	Total	O	0	1
			62	62		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 3-hydroxyisobutyrate dehydrogenase




• Molecule 1: 3-hydroxyisobutyrate dehydrogenase




• Molecule 1: 3-hydroxyisobutyrate dehydrogenase



• Molecule 1: 3-hydroxyisobutyrate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.05Å 122.75Å 200.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.56 – 2.38 48.56 – 2.38	Depositor EDS
% Data completeness (in resolution range)	99.4 (48.56-2.38) 99.4 (48.56-2.38)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.37Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.205 , 0.247 0.227 , 0.260	Depositor DCC
R_{free} test set	2624 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.251	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 50298 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8774	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2187	0.60	0/2954
1	B	0.46	1/2150 (0.0%)	0.58	0/2904
1	C	0.41	0/2127	0.56	0/2871
1	D	0.45	1/2167 (0.0%)	0.57	1/2926 (0.0%)
All	All	0.45	2/8631 (0.0%)	0.58	1/11655 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	119	ILE	C-N	-5.17	1.22	1.34
1	D	267	VAL	C-N	-5.10	1.24	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	305	LEU	CA-CB-CG	5.19	127.24	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2152	0	2135	36	0
1	B	2116	0	2116	33	0
1	C	2093	0	2097	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2130	0	2135	29	0
2	A	78	0	0	4	0
2	B	79	0	0	1	0
2	C	64	0	0	1	0
2	D	62	0	0	1	0
All	All	8774	0	8483	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:MET:HE2	2:A:382:HOH:O	1.58	0.99
1:D:331:ARG:HG3	1:D:331:ARG:HH21	1.37	0.89
1:B:309:ILE:HG22	1:B:313:MET:HE2	1.58	0.84
1:C:153:VAL:HG21	1:C:181:GLU:HG3	1.60	0.82
1:A:174:MET:HE3	1:A:209:LYS:HB2	1.67	0.77
1:D:147:VAL:HG21	1:D:154:PHE:HB2	1.64	0.77
1:B:246:MET:CE	1:C:197:VAL:HG21	2.16	0.76
1:D:331:ARG:HH21	1:D:331:ARG:CG	1.99	0.75
1:B:309:ILE:HG22	1:B:313:MET:CE	2.19	0.72
1:A:174:MET:CE	1:A:209:LYS:HB2	2.20	0.72
1:B:216:LEU:HD13	1:B:282:MET:HE1	1.76	0.67
1:A:301:LEU:HD23	1:C:308:GLN:HB3	1.75	0.67
1:B:163:VAL:O	1:B:167:ARG:HG3	1.94	0.67
1:B:246:MET:HE1	1:C:197:VAL:HG21	1.77	0.66
1:B:309:ILE:CG2	1:B:313:MET:HE2	2.27	0.65
1:A:98:ARG:HG2	1:A:98:ARG:HH21	1.62	0.65
1:A:179:GLU:HB3	1:A:198:TYR:CZ	2.35	0.62
1:D:47:LEU:HD11	1:D:67:ILE:CG2	2.29	0.62
1:A:47:LEU:HD11	1:A:67:ILE:CG2	2.31	0.60
1:B:246:MET:HE3	1:C:197:VAL:HG21	1.82	0.60
1:B:47:LEU:HD11	1:B:67:ILE:CG2	2.32	0.60
1:D:312:MET:O	1:D:316:LYS:HG2	2.01	0.60
1:B:136:ASP:HB3	1:B:139:VAL:HG23	1.83	0.59
1:C:47:LEU:HD11	1:C:67:ILE:CG2	2.31	0.59
1:C:147:VAL:HG21	1:C:154:PHE:HB2	1.85	0.58
1:A:174:MET:CE	2:A:382:HOH:O	2.33	0.58
1:B:310:TYR:HA	1:B:313:MET:HE3	1.87	0.57
1:A:136:ASP:HB3	1:A:139:VAL:HG23	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:VAL:HG11	1:A:181:GLU:HG3	1.86	0.56
1:B:105:THR:HG22	1:B:106:SER:N	2.20	0.56
1:A:301:LEU:HD23	1:C:308:GLN:CB	2.35	0.55
1:B:199:CYS:HA	1:C:239:LEU:CD2	2.36	0.55
1:A:199:CYS:HA	1:D:239:LEU:HD21	1.88	0.55
1:D:47:LEU:HD11	1:D:67:ILE:HG23	1.89	0.54
1:A:98:ARG:CG	1:A:98:ARG:HH21	2.19	0.54
1:B:199:CYS:HA	1:C:239:LEU:HD21	1.89	0.54
1:D:311:ARG:HD2	2:D:340:HOH:O	2.07	0.54
1:B:47:LEU:HD11	1:B:67:ILE:HG23	1.90	0.54
1:A:47:LEU:HD11	1:A:67:ILE:HG23	1.90	0.53
1:C:134:THR:OG1	1:C:209:LYS:NZ	2.40	0.53
1:C:329:PHE:O	1:D:316:LYS:NZ	2.39	0.53
1:A:77:GLU:HB2	2:A:353:HOH:O	2.08	0.53
1:C:47:LEU:HD11	1:C:67:ILE:HG23	1.91	0.52
1:A:246:MET:CE	1:D:197:VAL:HG21	2.39	0.52
1:C:179:GLU:HB3	1:C:198:TYR:CZ	2.44	0.52
1:D:120:LEU:HD11	1:D:147:VAL:HG12	1.93	0.51
1:A:301:LEU:HD12	1:D:309:ILE:HD11	1.93	0.51
1:A:245:ASN:HB3	1:A:250[A]:ARG:HH11	1.76	0.51
1:D:153:VAL:HG21	1:D:181:GLU:HG3	1.93	0.50
1:D:93:ALA:HA	1:D:99:ILE:HD11	1.92	0.50
1:D:331:ARG:NH2	1:D:331:ARG:CG	2.65	0.50
1:B:199:CYS:SG	1:C:243:ILE:HD11	2.52	0.49
1:A:105:THR:HG22	1:A:106:SER:N	2.28	0.49
1:B:273:TYR:HB2	1:B:321:LYS:HE3	1.94	0.49
1:D:147:VAL:CG2	1:D:154:PHE:HB2	2.41	0.49
1:C:93:ALA:HA	1:C:99:ILE:HD11	1.94	0.49
1:A:93:ALA:HA	1:A:99:ILE:HD11	1.94	0.49
1:B:248:SER:OG	1:C:216:LEU:HD22	2.12	0.49
1:A:258:ASN:HD22	1:A:260:VAL:H	1.60	0.48
1:D:163:VAL:HG12	1:D:167:ARG:HH11	1.79	0.48
1:A:55:ALA:O	1:A:59:MET:HG3	2.14	0.48
1:D:238:LYS:HE2	1:D:263:VAL:O	2.13	0.47
1:A:301:LEU:CD2	1:C:308:GLN:CB	2.92	0.47
1:B:93:ALA:HA	1:B:99:ILE:HD11	1.95	0.47
1:A:230:GLY:HA3	1:A:240:LEU:HD22	1.95	0.47
1:D:53:PRO:HB3	1:D:167:ARG:HG3	1.97	0.47
1:C:258:ASN:HD22	1:C:260:VAL:H	1.61	0.47
1:B:321:LYS:HE2	2:B:366:HOH:O	2.14	0.47
1:B:120:LEU:HD21	1:B:147:VAL:HG22	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:LEU:HD23	1:A:67:ILE:HD11	1.97	0.46
1:C:311:ARG:HD2	2:C:345:HOH:O	2.16	0.46
1:A:246:MET:HE1	1:D:197:VAL:HG21	1.98	0.46
1:B:53:PRO:HB3	1:B:167:ARG:HG2	1.97	0.46
1:A:311:ARG:HD2	2:A:405:HOH:O	2.16	0.45
1:C:103:LEU:HD13	1:C:109:ALA:HA	1.98	0.45
1:A:98:ARG:CG	1:A:98:ARG:NH2	2.78	0.45
1:B:103:LEU:HD13	1:B:109:ALA:HA	1.99	0.45
1:B:280:THR:OG1	1:B:319:SER:HB2	2.16	0.45
1:B:66:ILE:HD12	1:B:96:ALA:HB2	1.99	0.45
1:C:155:MET:HE2	1:C:177:GLY:HA3	1.99	0.45
1:D:55:ALA:O	1:D:59:MET:HG3	2.18	0.44
1:B:304:SER:HB3	1:D:304:SER:HB3	1.99	0.44
1:A:271:ASN:O	1:A:274:GLN:HG2	2.17	0.44
1:C:65:LEU:HD23	1:C:67:ILE:HD11	2.00	0.44
1:B:239:LEU:O	1:B:239:LEU:HG	2.09	0.44
1:C:304:SER:O	1:C:308:GLN:HG2	2.16	0.44
1:D:228:ASN:O	1:D:232:ARG:HG3	2.17	0.44
1:A:304:SER:HB3	1:C:304:SER:HB3	1.99	0.44
1:A:227:MET:HE1	1:A:241:ALA:HA	2.00	0.44
1:C:155:MET:CE	1:C:177:GLY:HA3	2.48	0.44
1:C:55:ALA:O	1:C:59:MET:HG3	2.18	0.44
1:D:238:LYS:CE	1:D:263:VAL:O	2.66	0.44
1:D:105:THR:HG22	1:D:106:SER:N	2.33	0.43
1:A:301:LEU:CD2	1:C:308:GLN:HB2	2.48	0.43
1:D:65:LEU:HD23	1:D:67:ILE:HD11	1.99	0.43
1:A:301:LEU:CD2	1:C:308:GLN:HB3	2.45	0.43
1:B:55:ALA:O	1:B:59:MET:HG3	2.19	0.43
1:B:301:LEU:HD22	1:D:305:LEU:CD1	2.49	0.42
1:D:179:GLU:HB3	1:D:198:TYR:CZ	2.55	0.42
1:D:66:ILE:HD12	1:D:96:ALA:HB2	2.01	0.42
1:B:105:THR:CG2	1:B:106:SER:N	2.83	0.41
1:A:66:ILE:HD12	1:A:96:ALA:HB2	2.02	0.41
1:B:230:GLY:HA3	1:B:240:LEU:HD22	2.03	0.41
1:A:308:GLN:HB2	1:C:301:LEU:HD23	2.02	0.41
1:C:143:LEU:O	1:C:147:VAL:HG13	2.20	0.41
1:B:56:LYS:HA	1:B:59:MET:HE2	2.03	0.41
1:C:45:ILE:HB	1:C:101:THR:HG22	2.03	0.40
1:A:321:LYS:HE2	1:A:328:GLN:OE1	2.20	0.40
1:B:71:PHE:HA	1:B:72:PRO:HD2	1.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/296 (100%)	288 (98%)	7 (2%)	0	100	100
1	B	291/296 (98%)	284 (98%)	7 (2%)	0	100	100
1	C	289/296 (98%)	283 (98%)	6 (2%)	0	100	100
1	D	293/296 (99%)	288 (98%)	5 (2%)	0	100	100
All	All	1168/1184 (99%)	1143 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	225/232 (97%)	218 (97%)	7 (3%)	47	67
1	B	219/232 (94%)	216 (99%)	3 (1%)	74	88
1	C	216/232 (93%)	213 (99%)	3 (1%)	74	88
1	D	222/232 (96%)	216 (97%)	6 (3%)	52	71
All	All	882/928 (95%)	863 (98%)	19 (2%)	63	78

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ARG
1	A	148	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	209	LYS
1	A	238	LYS
1	A	250[A]	ARG
1	A	250[B]	ARG
1	A	331	ARG
1	B	216	LEU
1	B	239	LEU
1	B	271	ASN
1	C	120	LEU
1	C	128	LEU
1	C	150	MET
1	D	49	ASN
1	D	150	MET
1	D	186	GLN
1	D	238	LYS
1	D	305	LEU
1	D	331	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	296/296 (100%)	0.32	1 (0%) 94 95	20, 33, 49, 56	0
1	B	293/296 (98%)	0.30	7 (2%) 62 65	21, 33, 50, 57	0
1	C	291/296 (98%)	1.49	93 (31%) 1 0	21, 38, 54, 56	0
1	D	294/296 (99%)	1.38	86 (29%) 1 1	21, 38, 55, 57	0
All	All	1174/1184 (99%)	0.87	187 (15%) 3 3	20, 34, 54, 57	0

All (187) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	78	PHE	10.6
1	D	75	CYS	9.5
1	C	75	CYS	9.3
1	D	71	PHE	8.4
1	D	40	MET	8.1
1	C	44	PHE	7.8
1	C	74	ALA	7.7
1	D	70	VAL	7.5
1	D	78	PHE	7.5
1	D	120	LEU	6.9
1	D	66	ILE	6.8
1	D	82	GLY	6.7
1	D	81	ALA	6.4
1	D	65	LEU	6.2
1	D	62	GLY	6.1
1	C	69	ASP	6.1
1	C	58	LEU	6.1
1	C	86	VAL	5.9
1	D	72	PRO	5.9
1	C	88	SER	5.8
1	D	84	GLN	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	79	GLN	5.7
1	D	188	LEU	5.7
1	C	68	TYR	5.6
1	C	92	VAL	5.6
1	C	65	LEU	5.5
1	D	121	LYS	5.5
1	C	66	ILE	5.5
1	D	59	MET	5.5
1	C	82	GLY	5.5
1	D	41	PRO	5.5
1	D	124	LYS	5.5
1	C	41	PRO	5.4
1	C	123	VAL	5.4
1	C	116	ALA	5.4
1	D	73	ASP	5.3
1	D	63	TYR	5.3
1	D	67	ILE	5.2
1	D	47	LEU	5.1
1	D	86	VAL	5.1
1	D	95	LYS	5.0
1	D	74	ALA	5.0
1	C	166	ALA	4.9
1	C	47	LEU	4.8
1	C	118	GLY	4.8
1	C	95	LYS	4.7
1	D	92	VAL	4.6
1	D	55	ALA	4.6
1	C	56	LYS	4.6
1	C	85	VAL	4.5
1	D	123	VAL	4.5
1	D	68	TYR	4.5
1	C	84	GLN	4.5
1	C	71	PHE	4.4
1	C	122	LYS	4.4
1	C	80	ASP	4.4
1	C	165	ALA	4.4
1	D	107	ILE	4.3
1	C	90	ALA	4.3
1	C	87	SER	4.3
1	C	124	LYS	4.2
1	C	117	ASN	4.2
1	D	64	PRO	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	96	ALA	4.1
1	D	87	SER	4.1
1	C	162	GLY	4.1
1	D	94	GLU	4.1
1	C	120	LEU	4.1
1	B	116	ALA	4.1
1	D	118	GLY	4.0
1	C	67	ILE	4.0
1	D	99	ILE	4.0
1	D	85	VAL	4.0
1	C	45	ILE	4.0
1	D	168	SER	4.0
1	C	54	MET	3.9
1	C	121	LYS	3.9
1	C	152	ALA	3.9
1	D	80	ASP	3.8
1	C	60	LYS	3.8
1	D	122	LYS	3.8
1	C	89	PRO	3.8
1	C	70	VAL	3.7
1	C	73	ASP	3.7
1	C	115	GLY	3.7
1	C	96	ALA	3.7
1	C	188	LEU	3.6
1	C	194	SER	3.6
1	C	119	ILE	3.6
1	C	64	PRO	3.6
1	D	89	PRO	3.6
1	C	57	ASN	3.6
1	D	42	VAL	3.6
1	C	72	PRO	3.6
1	C	94	GLU	3.6
1	D	184	ALA	3.6
1	D	163	VAL	3.5
1	D	187	GLU	3.5
1	C	79	GLN	3.4
1	D	160	SER	3.4
1	C	183	ALA	3.4
1	C	97	ASP	3.3
1	D	61	HIS	3.3
1	C	113	TYR	3.3
1	D	58	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	77	GLU	3.3
1	C	93	ALA	3.3
1	B	71	PHE	3.2
1	C	61	HIS	3.2
1	C	125	LYS	3.2
1	D	44	PHE	3.1
1	D	110	ILE	3.1
1	C	167	ARG	3.1
1	D	91	ASP	3.1
1	C	170	ASN	3.1
1	C	99	ILE	3.1
1	C	43	GLY	3.1
1	C	191	CYS	3.0
1	C	81	ALA	3.0
1	D	152	ALA	3.0
1	C	111	GLU	3.0
1	D	111	GLU	2.9
1	D	57	ASN	2.9
1	D	69	ASP	2.9
1	D	52	ASN	2.9
1	C	91	ASP	2.9
1	C	126	GLY	2.9
1	D	167	ARG	2.8
1	D	116	ALA	2.8
1	C	190	GLY	2.8
1	D	43	GLY	2.8
1	C	52	ASN	2.8
1	B	163	VAL	2.8
1	C	160	SER	2.8
1	C	42	VAL	2.7
1	C	100	ILE	2.7
1	D	171	LEU	2.7
1	C	55	ALA	2.7
1	D	127	SER	2.7
1	B	151	GLY	2.7
1	B	152	ALA	2.6
1	C	109	ALA	2.6
1	C	164	GLY	2.6
1	D	56	LYS	2.6
1	D	93	ALA	2.6
1	C	76	LYS	2.6
1	D	76	LYS	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	45	ILE	2.6
1	B	126	GLY	2.6
1	C	63	TYR	2.6
1	D	191	CYS	2.6
1	C	168	SER	2.5
1	D	46	GLY	2.5
1	A	110	ILE	2.5
1	D	162	GLY	2.5
1	D	151	GLY	2.5
1	C	59	MET	2.4
1	D	119	ILE	2.4
1	D	165	ALA	2.4
1	C	103	LEU	2.3
1	D	109	ALA	2.3
1	C	151	GLY	2.3
1	C	114	SER	2.3
1	D	146	GLU	2.3
1	D	114	SER	2.3
1	D	169	GLY	2.2
1	C	106	SER	2.2
1	C	112	ALA	2.2
1	D	180	ASP	2.2
1	C	49	ASN	2.2
1	D	161	GLY	2.2
1	C	193	GLY	2.2
1	C	128	LEU	2.2
1	C	83	GLU	2.2
1	D	48	GLY	2.2
1	D	77	GLU	2.2
1	D	183	ALA	2.2
1	D	98	ARG	2.1
1	B	110	ILE	2.1
1	D	90	ALA	2.1
1	D	193	GLY	2.1
1	C	108	ASN	2.1
1	D	54	MET	2.1
1	D	60	LYS	2.1
1	C	169	GLY	2.0
1	C	104	PRO	2.0
1	C	163	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.