



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:54 PM GMT

PDB ID : 4GJP
Title : Crystal structure of the TAL effector dHax3 bound to dsDNA containing repetitive methyl-CpG
Authors : Yan, N.; Deng, D.; Yan, C.Y.; Yin, P.; Pan, X.J.; Shi, Y.G.
Deposited on : 2012-08-10
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2910 (1.96-1.92)
Clashscore	102246	3095 (1.96-1.92)
Ramachandran outliers	100387	3062 (1.96-1.92)
Sidechain outliers	100360	3062 (1.96-1.92)
RSRZ outliers	91569	2915 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	499	<div> <div>4%</div> <div>83% 13% •</div> </div>
1	B	499	<div> <div>2%</div> <div>82% 14% ••</div> </div>
2	G	17	<div> <div>71% 18% 12%</div> </div>
2	I	17	<div> <div>71% 29%</div> </div>
3	H	17	<div> <div>12%</div> <div>59% 29% 6% 6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	17	 <div>59%41%</div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9216 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hax3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	497	Total	C	N	O	S	0	0	0
			3596	2246	671	667	12			
1	B	489	Total	C	N	O	S	0	0	0
			3537	2209	659	657	12			

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	230	MET	-	EXPRESSION TAG	UNP Q3ZD72
A	300	HIS	ASN	ENGINEERED MUTATION	UNP Q3ZD72
A	301	ASP	ILE	ENGINEERED MUTATION	UNP Q3ZD72
A	368	HIS	ASN	ENGINEERED MUTATION	UNP Q3ZD72
A	369	ASP	ILE	ENGINEERED MUTATION	UNP Q3ZD72
A	402	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
A	403	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
A	436	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
A	437	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
A	470	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
A	471	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
A	505	ASN	SER	ENGINEERED MUTATION	UNP Q3ZD72
A	539	GLY	SER	ENGINEERED MUTATION	UNP Q3ZD72
A	573	ASN	SER	ENGINEERED MUTATION	UNP Q3ZD72
A	606	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
A	607	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
A	640	HIS	ASN	ENGINEERED MUTATION	UNP Q3ZD72
A	641	ASP	ILE	ENGINEERED MUTATION	UNP Q3ZD72
A	721	LEU	-	EXPRESSION TAG	UNP Q3ZD72
A	722	GLU	-	EXPRESSION TAG	UNP Q3ZD72
A	723	HIS	-	EXPRESSION TAG	UNP Q3ZD72
A	724	HIS	-	EXPRESSION TAG	UNP Q3ZD72
A	725	HIS	-	EXPRESSION TAG	UNP Q3ZD72
A	726	HIS	-	EXPRESSION TAG	UNP Q3ZD72
A	727	HIS	-	EXPRESSION TAG	UNP Q3ZD72

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	728	HIS	-	EXPRESSION TAG	UNP Q3ZD72
B	230	MET	-	EXPRESSION TAG	UNP Q3ZD72
B	300	HIS	ASN	ENGINEERED MUTATION	UNP Q3ZD72
B	301	ASP	ILE	ENGINEERED MUTATION	UNP Q3ZD72
B	368	HIS	ASN	ENGINEERED MUTATION	UNP Q3ZD72
B	369	ASP	ILE	ENGINEERED MUTATION	UNP Q3ZD72
B	402	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
B	403	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
B	436	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
B	437	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
B	470	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
B	471	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
B	505	ASN	SER	ENGINEERED MUTATION	UNP Q3ZD72
B	539	GLY	SER	ENGINEERED MUTATION	UNP Q3ZD72
B	573	ASN	SER	ENGINEERED MUTATION	UNP Q3ZD72
B	606	ASN	HIS	ENGINEERED MUTATION	UNP Q3ZD72
B	607	GLY	ASP	ENGINEERED MUTATION	UNP Q3ZD72
B	640	HIS	ASN	ENGINEERED MUTATION	UNP Q3ZD72
B	641	ASP	ILE	ENGINEERED MUTATION	UNP Q3ZD72
B	721	LEU	-	EXPRESSION TAG	UNP Q3ZD72
B	722	GLU	-	EXPRESSION TAG	UNP Q3ZD72
B	723	HIS	-	EXPRESSION TAG	UNP Q3ZD72
B	724	HIS	-	EXPRESSION TAG	UNP Q3ZD72
B	725	HIS	-	EXPRESSION TAG	UNP Q3ZD72
B	726	HIS	-	EXPRESSION TAG	UNP Q3ZD72
B	727	HIS	-	EXPRESSION TAG	UNP Q3ZD72
B	728	HIS	-	EXPRESSION TAG	UNP Q3ZD72

- Molecule 2 is a DNA chain called DNA (5'-D(*TP*GP*TP*CP*CP*CP*TP*TP*(5CM)P*GP*(5CM)P*GP*TP*CP*TP*CP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	17	Total	C	N	O	P	0	0	0
			337	164	50	107	16			
2	G	15	Total	C	N	O	P	0	0	0
			299	146	45	94	14			

- Molecule 3 is a DNA chain called DNA (5'-D(*AP*GP*AP*GP*AP*CP*GP*CP*GP*AP*AP*GP*GP*GP*AP*CP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	J	17	Total	C	N	O	P	0	0	0
			355	167	79	93	16			
3	H	16	Total	C	N	O	P	0	0	0
			337	157	74	90	16			

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	J	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	279	Total	O	0	0
			279	279		
5	I	63	Total	O	0	0
			63	63		
5	J	39	Total	O	0	0
			39	39		
5	B	290	Total	O	0	0
			290	290		
5	G	53	Total	O	0	0
			53	53		
5	H	29	Total	O	0	0
			29	29		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hax3



• Molecule 1: Hax3



• Molecule 2: DNA (5'-D(*TP*GP*TP*CP*CP*CP*TP*TP*(5CM)P*GP*(5CM)P*GP*TP*C P*TP*CP*T)-3')



• Molecule 2: DNA (5'-D(*TP*GP*TP*CP*CP*CP*TP*TP*(5CM)P*GP*(5CM)P*GP*TP*C P*TP*CP*T)-3')

Chain G:  71% 18% 12%




- Molecule 3: DNA (5'-D(*AP*GP*AP*GP*AP*CP*GP*CP*GP*AP*AP*GP*GP*GP*AP*CP*A)-3')

Chain J:  59% 41%



- Molecule 3: DNA (5'-D(*AP*GP*AP*GP*AP*CP*GP*CP*GP*AP*AP*GP*GP*GP*AP*CP*A)-3')

Chain H:  12% 59% 29% 6% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.20Å 87.11Å 88.15Å 90.00° 102.85° 90.00°	Depositor
Resolution (Å)	39.44 – 1.94 39.44 – 1.94	Depositor EDS
% Data completeness (in resolution range)	99.0 (39.44-1.94) 99.0 (39.44-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.87 (at 1.94Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.201 , 0.225 0.202 , 0.224	Depositor DCC
R_{free} test set	4412 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	33.7	Xtriage
Anisotropy	0.119	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 87975 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9216	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 5CM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/3649	0.58	0/4985
1	B	0.42	0/3586	0.55	0/4896
2	G	0.74	0/285	1.37	1/433 (0.2%)
2	I	0.69	0/327	1.40	4/497 (0.8%)
3	H	0.73	0/381	1.30	4/587 (0.7%)
3	J	0.67	0/402	1.46	7/620 (1.1%)
All	All	0.49	0/8630	0.78	16/12018 (0.1%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	-8	DG	O4'-C1'-N9	7.46	113.22	108.00
2	I	12	DT	O4'-C1'-N1	-7.15	102.99	108.00
2	G	12	DT	O4'-C1'-N1	-7.12	103.02	108.00
3	J	-4	DA	O4'-C1'-N9	7.03	112.92	108.00
3	H	-4	DA	P-O5'-C5'	-6.65	110.26	120.90
2	I	14	DT	N3-C4-O4	6.37	123.72	119.90
3	J	-3	DG	O4'-C1'-N9	5.83	112.08	108.00
2	I	4	DT	C6-C5-C7	-5.81	119.41	122.90
3	J	-8	DG	C1'-O4'-C4'	-5.79	104.31	110.10
3	H	-8	DG	O4'-C1'-N9	5.60	111.92	108.00
3	H	-2	DG	O4'-C1'-N9	5.54	111.88	108.00
3	J	-10	DA	C6-N1-C2	5.52	121.91	118.60
2	I	10	DT	O4'-C1'-N1	-5.47	104.17	108.00
3	J	-2	DG	O4'-C1'-N9	5.26	111.68	108.00
3	H	-8	DG	O4'-C1'-C2'	-5.12	101.80	105.90
3	J	-8	DG	O4'-C1'-C2'	-5.02	101.89	105.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3596	0	3729	81	0
1	B	3537	0	3678	66	0
2	G	299	0	177	1	0
2	I	337	0	197	1	0
3	H	337	0	177	8	0
3	J	355	0	189	1	0
4	B	1	0	0	0	0
4	J	1	0	0	0	0
5	A	279	0	0	16	0
5	B	290	0	0	17	0
5	G	53	0	0	1	0
5	H	29	0	0	7	0
5	I	63	0	0	0	0
5	J	39	0	0	1	0
All	All	9216	0	8147	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ALA:HB1	1:A:286:PRO:CD	1.66	1.25
1:A:717:ALA:O	1:A:721:LEU:HD23	1.39	1.19
1:A:285:ALA:HB1	1:A:286:PRO:HD2	1.22	1.18
3:H:1:DC:H2'	5:H:127:HOH:O	1.41	1.17
1:A:285:ALA:CB	1:A:286:PRO:HD2	1.83	1.06
3:H:1:DC:C2'	5:H:127:HOH:O	1.99	1.05
1:B:720:LYS:O	1:B:721:LEU:HD23	1.59	1.03
1:B:249:ARG:O	1:B:254:GLN:HG3	1.63	0.99
1:A:279:ARG:O	1:A:283:THR:HG22	1.62	0.99
1:B:516:ARG:NH1	5:B:1097:HOH:O	1.83	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:1:DC:C3'	5:H:127:HOH:O	2.11	0.97
1:B:233:SER:OG	5:B:1106:HOH:O	1.81	0.97
1:A:285:ALA:CB	1:A:286:PRO:CD	2.30	0.96
3:H:1:DC:O5'	5:H:127:HOH:O	1.85	0.94
1:A:722:GLU:HB2	1:B:709:LEU:CD1	1.99	0.91
1:A:285:ALA:HB1	1:A:286:PRO:HD3	1.55	0.87
1:A:722:GLU:CB	1:B:709:LEU:HD11	2.05	0.87
1:A:266:ARG:O	5:A:985:HOH:O	1.95	0.85
1:B:516:ARG:HD3	5:B:1097:HOH:O	1.76	0.84
1:A:315:PRO:O	1:A:319:GLN:HG2	1.78	0.83
1:B:666:GLN:OE1	5:B:955:HOH:O	1.98	0.82
1:A:554:VAL:HG22	5:A:1079:HOH:O	1.78	0.81
1:A:722:GLU:HB2	1:B:709:LEU:HD11	1.63	0.78
1:B:382:LEU:O	1:B:382:LEU:HD13	1.84	0.77
1:A:722:GLU:HB2	1:B:709:LEU:HD12	1.65	0.77
3:H:-8:DG:OP2	5:H:111:HOH:O	2.03	0.77
3:H:1:DC:H3'	5:H:127:HOH:O	1.78	0.76
1:B:254:GLN:N	5:B:1063:HOH:O	1.87	0.76
1:B:389:HIS:O	5:B:1115:HOH:O	2.03	0.74
1:B:422:ALA:O	1:B:423:HIS:HB2	1.88	0.73
1:A:694:ALA:HB1	1:A:722:GLU:HG2	1.69	0.73
1:B:239:GLU:OE1	5:B:1054:HOH:O	2.07	0.73
1:A:722:GLU:HB3	1:B:709:LEU:HD11	1.72	0.71
1:A:694:ALA:CB	1:A:722:GLU:HG2	2.21	0.70
1:B:489:GLN:HB3	5:B:1154:HOH:O	1.92	0.68
1:B:256:ASP:OD1	1:B:259:GLN:OE1	2.12	0.67
1:A:451:PRO:O	1:A:455:GLN:HG2	1.95	0.67
1:A:678:ARG:NH2	5:A:909:HOH:O	1.95	0.66
1:B:382:LEU:HD13	1:B:382:LEU:C	2.16	0.65
1:B:256:ASP:OD1	1:B:256:ASP:N	2.30	0.64
1:B:564:GLN:HG3	5:B:990:HOH:O	1.98	0.64
1:A:722:GLU:CB	1:B:709:LEU:CD1	2.71	0.63
1:A:554:VAL:HG13	5:A:1079:HOH:O	1.98	0.63
1:B:266:ARG:HG2	1:B:300:HIS:HA	1.81	0.62
1:B:326:GLN:HG3	5:B:1105:HOH:O	1.98	0.62
1:A:469:SER:O	1:A:470:ASN:ND2	2.32	0.62
1:A:279:ARG:O	1:A:283:THR:CG2	2.45	0.60
1:B:306:ALA:O	1:B:310:VAL:HG13	2.02	0.60
1:A:450:LEU:HD13	1:A:464:VAL:HG11	1.83	0.59
1:A:620:LEU:HD13	1:A:634:VAL:HG11	1.84	0.59
1:A:678:ARG:NE	5:A:909:HOH:O	2.35	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:470:ASN:HB2	5:A:1004:HOH:O	2.03	0.57
1:B:382:LEU:CD1	1:B:382:LEU:C	2.74	0.56
1:A:520:VAL:O	1:A:523:GLN:HB2	2.04	0.56
1:B:366:ALA:HB2	1:B:375:LEU:HD11	1.87	0.55
1:B:620:LEU:HD13	1:B:634:VAL:HG11	1.88	0.54
1:A:389:HIS:HB3	1:A:416:LEU:HD23	1.88	0.54
1:B:262:LYS:HE3	3:H:-5:DA:OP1	2.07	0.54
1:A:718:VAL:HG13	1:B:709:LEU:HD21	1.89	0.54
1:A:523:GLN:O	1:A:524:ALA:C	2.47	0.52
1:B:345:GLN:OE1	5:B:981:HOH:O	2.18	0.52
1:B:654:LEU:HD13	1:B:668:VAL:HG11	1.92	0.52
1:B:382:LEU:HB3	1:B:383:PRO:HD3	1.92	0.52
1:A:692:ASP:OD1	1:A:693:PRO:HD2	2.09	0.52
1:A:285:ALA:HB3	1:A:286:PRO:HD2	1.81	0.52
1:B:422:ALA:O	1:B:423:HIS:CB	2.57	0.51
1:B:425:LEU:HD11	1:B:446:VAL:HG11	1.93	0.51
1:A:672:ALA:HB2	1:A:681:LEU:HD11	1.93	0.50
1:A:469:SER:C	1:A:470:ASN:HD22	2.14	0.50
1:A:553:PRO:HG2	5:A:1079:HOH:O	2.11	0.50
1:A:620:LEU:HB3	1:A:621:PRO:HD3	1.94	0.50
1:B:415:LEU:HD22	1:B:418:VAL:HG11	1.94	0.49
1:A:516:ARG:NE	5:A:1019:HOH:O	2.08	0.49
1:B:719:LYS:C	1:B:721:LEU:H	2.15	0.49
1:A:523:GLN:O	1:A:526:GLY:N	2.30	0.49
1:A:525:HIS:O	1:A:526:GLY:O	2.30	0.49
2:G:-2:DT:H2"	2:G:-1:DG:C8	2.48	0.49
1:A:383:PRO:HG2	5:A:892:HOH:O	2.13	0.49
1:A:522:CYS:O	1:A:523:GLN:O	2.30	0.49
1:A:540:GLY:HA3	5:A:807:HOH:O	2.12	0.48
1:A:484:LEU:CD2	1:A:488:CYS:SG	3.01	0.48
1:A:451:PRO:O	1:A:455:GLN:CG	2.61	0.48
1:B:616:VAL:O	1:B:620:LEU:HB2	2.13	0.48
1:B:253:LEU:HA	5:B:1063:HOH:O	2.12	0.48
3:H:2:DA:OP2	5:H:114:HOH:O	2.20	0.48
1:B:415:LEU:HA	1:B:418:VAL:HG12	1.96	0.47
1:A:462:GLN:HG2	5:A:883:HOH:O	2.15	0.47
1:A:469:SER:C	1:A:470:ASN:ND2	2.68	0.47
1:A:484:LEU:HD23	1:A:484:LEU:O	2.15	0.47
1:B:347:LEU:HB3	1:B:351:LEU:HD22	1.97	0.47
1:B:540:GLY:HA3	5:G:108:HOH:O	2.14	0.47
1:B:611:GLN:HB3	1:B:644:LYS:HD2	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:414:ARG:NH1	5:A:926:HOH:O	2.43	0.46
1:A:357:LEU:HD21	1:A:382:LEU:HD11	1.96	0.46
1:B:253:LEU:HD11	1:B:291:PRO:HA	1.97	0.46
1:A:726:HIS:CE1	1:B:709:LEU:O	2.68	0.46
1:B:266:ARG:CG	1:B:300:HIS:HA	2.45	0.46
1:A:666:GLN:H	1:A:666:GLN:CD	2.19	0.46
1:A:717:ALA:O	1:A:721:LEU:CD2	2.34	0.46
1:A:678:ARG:CZ	5:A:909:HOH:O	2.47	0.45
1:B:416:LEU:N	1:B:417:PRO:CD	2.80	0.45
1:A:484:LEU:HD23	1:A:488:CYS:SG	2.58	0.44
1:B:331:ILE:HD13	1:B:344:VAL:HG21	1.99	0.44
1:B:440:LYS:NZ	1:B:444:GLU:OE2	2.41	0.44
1:B:266:ARG:HD3	5:B:979:HOH:O	2.15	0.44
1:A:450:LEU:HB3	1:A:451:PRO:HD3	2.00	0.44
1:A:524:ALA:O	1:A:526:GLY:N	2.51	0.44
1:A:416:LEU:HD13	1:A:430:VAL:HG11	1.99	0.44
1:A:391:LEU:HD21	1:A:416:LEU:HD21	1.99	0.44
3:J:-14:DA:H1'	3:J:-13:DG:C8	2.53	0.44
1:A:280:ASN:HA	1:A:283:THR:CG2	2.48	0.44
1:A:261:LEU:HD11	1:A:265:LYS:HE3	2.00	0.44
1:A:582:VAL:O	1:A:586:LEU:HB2	2.19	0.43
1:A:336:GLY:N	5:A:1077:HOH:O	2.49	0.43
1:A:269:VAL:HG13	1:A:270:THR:N	2.34	0.43
1:B:348:LEU:HD23	1:B:362:VAL:HG11	2.01	0.43
1:B:255:LEU:N	1:B:255:LEU:HD23	2.32	0.43
1:B:416:LEU:HB2	1:B:417:PRO:HD3	2.00	0.43
1:A:365:ILE:HD13	1:A:378:VAL:HG21	2.00	0.43
1:A:373:GLN:HB3	1:A:406:LYS:HD2	2.01	0.43
1:B:244:VAL:HG13	1:B:276:HIS:HB2	2.00	0.42
1:A:694:ALA:CA	1:A:722:GLU:HG2	2.49	0.42
1:B:721:LEU:CD2	5:B:1051:HOH:O	2.66	0.42
1:B:620:LEU:N	1:B:621:PRO:HD2	2.35	0.42
1:B:621:PRO:O	1:B:625:GLN:HB3	2.19	0.42
1:A:484:LEU:C	1:A:484:LEU:CD2	2.88	0.42
1:A:666:GLN:HG3	5:A:912:HOH:O	2.19	0.42
1:A:308:GLU:O	1:A:311:GLN:HG3	2.19	0.42
1:B:470:ASN:HB2	5:B:917:HOH:O	2.18	0.42
1:A:569:ILE:HD11	1:A:601:VAL:HG22	2.01	0.41
1:B:721:LEU:HD23	5:B:1051:HOH:O	2.19	0.41
1:B:416:LEU:CB	1:B:417:PRO:HD3	2.50	0.41
1:A:666:GLN:NE2	5:A:912:HOH:O	2.04	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:524:ALA:C	1:A:526:GLY:N	2.74	0.41
1:A:569:ILE:HD13	1:A:582:VAL:HG21	2.02	0.41
1:A:539:GLY:HA3	2:I:8:5CM:H5A3	2.02	0.41
1:B:253:LEU:HD22	1:B:279:ARG:HB3	2.02	0.41
1:A:604:ALA:HB2	1:A:613:LEU:HD11	2.02	0.41
1:B:274:ALA:HB2	1:B:304:LYS:HG3	2.03	0.41
1:A:254:GLN:HB2	1:A:254:GLN:HE21	1.64	0.41
1:B:604:ALA:HB2	1:B:613:LEU:HD11	2.03	0.41
1:B:625:GLN:HG2	1:B:626:ALA:N	2.35	0.41
1:A:265:LYS:HG2	5:J:226:HOH:O	2.20	0.41
1:B:233:SER:CB	5:B:1106:HOH:O	2.59	0.41
1:A:552:LEU:N	1:A:553:PRO:HD2	2.36	0.41
1:A:283:THR:HG23	1:A:284:GLY:H	1.85	0.40
1:A:319:GLN:HG2	1:A:319:GLN:H	1.75	0.40
1:B:684:ILE:O	1:B:688:LEU:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	495/499 (99%)	480 (97%)	9 (2%)	6 (1%)	16	5
1	B	485/499 (97%)	467 (96%)	17 (4%)	1 (0%)	52	42
All	All	980/998 (98%)	947 (97%)	26 (3%)	7 (1%)	26	13

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	285	ALA
1	A	523	GLN
1	A	526	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	286	PRO
1	A	525	HIS
1	A	524	ALA
1	B	720	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/383 (99%)	353 (93%)	25 (7%)	21	7
1	B	373/383 (97%)	349 (94%)	24 (6%)	22	8
All	All	751/766 (98%)	702 (94%)	49 (6%)	21	7

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	231	GLN
1	A	241	LEU
1	A	254	GLN
1	A	283	THR
1	A	287	LEU
1	A	307	LEU
1	A	319	GLN
1	A	382	LEU
1	A	453	LEU
1	A	462	GLN
1	A	484	LEU
1	A	496	GLN
1	A	517	LEU
1	A	523	GLN
1	A	527	LEU
1	A	552	LEU
1	A	586	LEU
1	A	619	LEU
1	A	620	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	623	LEU
1	A	678	ARG
1	A	695	LEU
1	A	706	LEU
1	A	715	LEU
1	A	722	GLU
1	B	238	LEU
1	B	256	ASP
1	B	257	THR
1	B	261	LEU
1	B	279	ARG
1	B	313	LEU
1	B	323	LEU
1	B	347	LEU
1	B	351	LEU
1	B	382	LEU
1	B	520	VAL
1	B	554	VAL
1	B	557	GLN
1	B	561	LEU
1	B	564	GLN
1	B	585	LEU
1	B	625	GLN
1	B	684	ILE
1	B	687	GLN
1	B	688	LEU
1	B	690	ARG
1	B	715	LEU
1	B	720	LYS
1	B	723	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	321	HIS
1	A	368	HIS
1	A	436	ASN
1	A	470	ASN
1	A	491	HIS
1	A	496	GLN
1	A	726	HIS
1	B	457	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	505	ASN
1	B	674	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	5CM	G	6	3,2	13,21,22	1.37	1 (7%)	17,30,33	0.96	0
2	5CM	G	8	3,2	13,21,22	1.38	1 (7%)	17,30,33	1.06	1 (5%)
2	5CM	I	6	3,2	13,21,22	1.36	1 (7%)	17,30,33	1.03	1 (5%)
2	5CM	I	8	3,2	13,21,22	1.31	1 (7%)	17,30,33	1.00	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5CM	G	6	3,2	-	0/3/21/22	0/2/2/2
2	5CM	G	8	3,2	-	0/3/21/22	0/2/2/2
2	5CM	I	6	3,2	-	0/3/21/22	0/2/2/2
2	5CM	I	8	3,2	-	0/3/21/22	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	8	5CM	C5-C4	4.43	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	6	5CM	C5-C4	4.59	1.48	1.41
2	G	6	5CM	C5-C4	4.62	1.48	1.41
2	G	8	5CM	C5-C4	4.72	1.48	1.41

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	8	5CM	O4'-C1'-N1	2.04	111.26	107.72
2	I	8	5CM	N4-C4-N3	2.20	120.13	116.95
2	I	6	5CM	N4-C4-N3	2.53	120.61	116.95
2	G	8	5CM	N4-C4-N3	2.62	120.75	116.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	8	5CM	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	497/499 (99%)	0.09	19 (3%) 44 54	22, 35, 62, 91	0
1	B	489/499 (97%)	0.05	9 (1%) 71 78	23, 36, 65, 119	0
2	G	13/17 (76%)	-0.50	0 100 100	26, 30, 41, 58	0
2	I	15/17 (88%)	-0.32	0 100 100	24, 28, 67, 102	0
3	H	16/17 (94%)	0.02	2 (12%) 5 8	36, 45, 95, 103	0
3	J	17/17 (100%)	0.01	0 100 100	31, 41, 75, 92	0
All	All	1047/1066 (98%)	0.05	30 (2%) 55 63	22, 36, 65, 119	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	524	ALA	8.3
1	A	525	HIS	5.6
1	B	558	ALA	4.2
1	A	230	MET	4.1
1	B	697	ALA	4.0
1	B	723	HIS	3.9
1	B	231	GLN	3.3
1	A	721	LEU	3.3
1	A	690	ARG	3.2
1	A	540	GLY	3.2
1	B	254	GLN	3.0
1	A	285	ALA	3.0
1	A	723	HIS	2.9
1	A	694	ALA	2.8
1	A	232	TRP	2.7
1	B	257	THR	2.6
1	A	456	ALA	2.6
1	A	283	THR	2.6
1	A	695	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	690	ARG	2.5
1	A	278	TRP	2.5
3	H	-13	DG	2.4
1	A	330	ALA	2.4
1	A	725	HIS	2.4
3	H	2	DA	2.3
1	A	557	GLN	2.2
1	B	721	LEU	2.2
1	A	526	GLY	2.2
1	A	250	GLY	2.1
1	B	486	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	5CM	I	6	20/21	0.99	0.14	-	25,25,25,26	0
2	5CM	G	8	20/21	0.98	0.10	-	28,28,29,29	0
2	5CM	I	8	20/21	0.98	0.11	-	26,26,27,27	0
2	5CM	G	6	20/21	0.98	0.10	-	25,26,26,26	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	MG	J	101	1/1	0.99	0.11	0.44	43,43,43,43	0
4	MG	B	801	1/1	0.61	0.14	-	75,75,75,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.