



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:56 PM GMT

PDB ID : 4GPT  
Title : Crystal structure of KPT251 in complex with CRM1-Ran-RanBP1  
Authors : Sun, Q.; Chook, Y.M.  
Deposited on : 2012-08-21  
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	4405 (2.24-2.20)
Clashscore	102246	5146 (2.24-2.20)
Ramachandran outliers	100387	5065 (2.24-2.20)
Sidechain outliers	100360	5066 (2.24-2.20)
RSRZ outliers	91569	4414 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	<div> <div>4%</div> <div>91%</div> <div>6%</div> </div>
2	B	140	<div> <div>%</div> <div>81%</div> <div>5%</div> <div>12%</div> </div>
3	C	1060	<div> <div>%</div> <div>86%</div> <div>9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	EDO	A	303	-	-	-	X
6	EDO	C	1104	-	-	-	X

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 12518 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	208	Total	C	N	O	S	0	4	0
			1700	1097	291	305	7			

- Molecule 2 is a protein called Ran-specific GTPase-activating protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	123	Total	C	N	O	S	0	1	0
			1016	642	178	192	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	79	ALA	MET	CONFLICT	UNP P41920
B	98	LYS	ALA	CONFLICT	UNP P41920


- Molecule 3 is a protein called Exportin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	1017	Total	C	N	O	S	0	35	0
			8425	5426	1372	1584	43			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	EXPRESSION TAG	UNP P30822
C	0	ALA	-	EXPRESSION TAG	UNP P30822
C	539	CYS	THR	ENGINEERED MUTATION	UNP P30822
C	1022	CYS	TYR	ENGINEERED MUTATION	UNP P30822

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>13</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			32	10	6	13	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Cl	0	0
			1	1		
7	C	4	Total	Cl	0	0
			4	4		

- Molecule 8 is 2-(2-{3-[3,5-BIS(TRIFLUOROMETHYL)PHENYL]-1H-1,2,4-TRIAZOL-1-YL}ETHYL)-1,3,4-OXADIAZOLE (three-letter code: 51K) (formula: C<sub>14</sub>H<sub>9</sub>F<sub>6</sub>N<sub>5</sub>O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	C	1	Total	C	F	N	O	0	0
			26	14	6	5	1		

- Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	C	1	Total	C	O	0	0
			6	3	3		
9	C	1	Total	C	O	0	0
			6	3	3		
9	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	215	Total	O	0	0
			215	215		
10	B	66	Total	O	0	0
			66	66		
10	C	1006	Total	O	0	0
			1006	1006		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: GTP-binding nuclear protein Ran



- Molecule 2: Ran-specific GTPase-activating protein 1



- Molecule 3: Exportin-1





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	105.94Å 105.94Å 305.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.22 47.35 – 2.22	Depositor EDS
% Data completeness (in resolution range)	99.3 (50.00-2.22) 99.3 (47.35-2.22)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.27 (at 2.22Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.165 , 0.210 0.172 , 0.215	Depositor DCC
$R_{free}$ test set	4322 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	44.7	Xtriage
Anisotropy	0.250	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 53.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 86419 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	12518	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, CL, EDO, GNP, 51K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	0/1744	0.63	0/2361
2	B	0.49	0/1033	0.60	0/1378
3	C	0.58	4/8658 (0.0%)	0.60	0/11732
All	All	0.57	4/11435 (0.0%)	0.60	0/15471

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	376	GLU	C-N	22.25	1.76	1.34
3	C	510	TRP	CD2-CE2	5.14	1.47	1.41
3	C	134	TRP	CD2-CE2	5.05	1.47	1.41
3	C	130	TRP	CD2-CE2	5.03	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1700	0	1709	9	0
2	B	1016	0	1013	6	0
3	C	8425	0	8547	74	0
4	A	32	0	13	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	1	0	0	0	0
6	A	4	0	6	0	0
6	C	4	0	6	0	0
7	A	1	0	0	0	0
7	C	4	0	0	0	0
8	C	26	0	7	0	0
9	C	18	0	24	0	0
10	A	215	0	0	2	0
10	B	66	0	0	1	0
10	C	1006	0	0	15	0
All	All	12518	0	11325	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:376:GLU:C	3:C:414:PRO:N	1.76	1.35
3:C:429:LEU:HD22	10:C:2181:HOH:O	1.48	1.11
3:C:523:THR:HB	10:C:2122:HOH:O	1.66	0.95
3:C:967[B]:TYR:CZ	3:C:1019[B]:THR:HG21	2.03	0.93
3:C:967[B]:TYR:CE1	3:C:1019[B]:THR:HG21	2.05	0.90
3:C:520:SER:HG	3:C:523:THR:HG1	1.18	0.79
3:C:967[B]:TYR:CE1	3:C:1019[B]:THR:CG2	2.70	0.73
3:C:690:LEU:HD23	3:C:738:MET:CE	2.20	0.71
3:C:690:LEU:HD23	3:C:738:MET:HE3	1.74	0.69
3:C:1024:ASP:HB2	10:C:2180:HOH:O	1.94	0.66
3:C:793:ASN:HB3	10:C:1766:HOH:O	1.95	0.65
3:C:682:GLN:HG2	3:C:689:LEU:HD22	1.79	0.64
3:C:967[B]:TYR:CZ	3:C:1019[B]:THR:CG2	2.79	0.63
3:C:376:GLU:C	3:C:414:PRO:CA	2.64	0.63
3:C:690:LEU:HB3	3:C:738:MET:HE1	1.82	0.61
3:C:250:ALA:HB3	10:C:1775:HOH:O	2.00	0.61
3:C:660[A]:GLU:N	3:C:660[A]:GLU:OE1	2.31	0.60
3:C:111[A]:GLN:HA	3:C:111[A]:GLN:OE1	2.02	0.60
3:C:981:VAL:HG13	3:C:982:PRO:HD2	1.85	0.58
3:C:658[B]:VAL:HG22	3:C:661:ARG:HH22	1.68	0.58
3:C:444:VAL:HG11	10:C:2004:HOH:O	2.06	0.56
3:C:523:THR:HG22	3:C:526:ARG:NH1	2.21	0.56
3:C:119:ASP:OD2	3:C:154:ASN:ND2	2.37	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:90:ARG:NH2	2:B:129:ASP:OD2	2.41	0.53
3:C:244:THR:HG22	3:C:285:GLN:OE1	2.09	0.53
3:C:356:ARG:NH1	10:C:1400:HOH:O	2.42	0.53
3:C:828:GLN:HG2	10:C:2186:HOH:O	2.09	0.52
3:C:496:ASP:OD1	3:C:497:GLY:N	2.43	0.52
3:C:690:LEU:HD23	3:C:738:MET:HE1	1.92	0.51
3:C:523:THR:HG21	10:C:2202:HOH:O	2.09	0.51
2:B:82:ASP:OD2	2:B:118:LYS:NZ	2.42	0.51
2:B:78:THR:HG22	10:B:364:HOH:O	2.10	0.51
1:A:95:ARG:O	1:A:99[B]:LYS:HE2	2.11	0.50
3:C:496:ASP:OD1	3:C:498:SER:N	2.37	0.50
3:C:523:THR:HG22	3:C:526:ARG:HH12	1.78	0.49
3:C:245:SER:HB2	3:C:247[A]:ASP:OD2	2.12	0.49
2:B:188:LYS:NZ	2:B:192:GLU:OE1	2.43	0.49
3:C:376:GLU:CA	3:C:414:PRO:N	2.70	0.48
1:A:9:VAL:N	10:A:604:HOH:O	2.47	0.48
3:C:653:SER:O	3:C:656:ARG:NH1	2.43	0.48
3:C:890:CYS:O	3:C:893[B]:PHE:HB2	2.13	0.48
3:C:492:ALA:HA	3:C:495:ILE:HD12	1.95	0.48
3:C:43:ASP:OD2	3:C:73:LYS:NZ	2.48	0.47
3:C:699:ILE:HG21	3:C:731:LEU:HD21	1.96	0.47
3:C:789[B]:GLU:HB2	3:C:790:PRO:HD3	1.97	0.47
3:C:674:MET:O	3:C:678:THR:HG23	2.15	0.47
3:C:238:LEU:O	3:C:252:THR:HG21	2.15	0.47
3:C:141:LEU:HD23	3:C:141:LEU:C	2.35	0.47
1:A:99[B]:LYS:NZ	10:A:476:HOH:O	2.47	0.47
3:C:679:ILE:HD13	3:C:699:ILE:HG13	1.96	0.47
3:C:619:GLU:OE2	3:C:623[A]:GLN:NE2	2.43	0.46
1:A:180:PRO:HA	2:B:78:THR:O	2.15	0.46
3:C:981:VAL:HG11	3:C:985:THR:HG21	1.96	0.46
3:C:101[A]:MET:HG2	3:C:107:VAL:HG11	1.98	0.46
3:C:470[B]:GLU:HG3	10:C:1750:HOH:O	2.16	0.45
3:C:6:ASP:OD2	3:C:9:ASN:ND2	2.49	0.45
3:C:74:LEU:HD11	3:C:82:LEU:HD21	1.98	0.45
3:C:142:ILE:CD1	3:C:192[B]:GLN:HB3	2.47	0.44
3:C:505:ILE:HA	3:C:505:ILE:HD12	1.87	0.44
3:C:458[A]:GLU:HA	3:C:458[A]:GLU:OE2	2.17	0.44
3:C:240:THR:O	3:C:244:THR:HG23	2.17	0.44
3:C:835:GLN:HG3	10:C:1705:HOH:O	2.18	0.44
3:C:679:ILE:HD13	3:C:699:ILE:CG1	2.48	0.44
3:C:735[A]:VAL:HG13	3:C:759:LEU:HB3	2.00	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:623[B]:GLN:NE2	10:C:1642:HOH:O	2.50	0.43
3:C:688:THR:HG23	3:C:689:LEU:N	2.34	0.43
3:C:686:ASN:N	3:C:686:ASN:OD1	2.52	0.42
1:A:81:ILE:HD11	3:C:65:PHE:CG	2.54	0.42
3:C:608:TYR:CE2	3:C:612:ILE:HD13	2.53	0.42
1:A:179:MET:HE3	2:B:133:LYS:HG2	2.02	0.42
3:C:485:GLU:HG3	10:C:1605:HOH:O	2.19	0.42
3:C:525:LYS:O	3:C:529:VAL:HG23	2.20	0.42
3:C:906:GLN:HB2	3:C:954:LYS:HZ1	1.84	0.42
3:C:789[A]:GLU:HB3	3:C:790:PRO:HD3	2.02	0.41
3:C:500:TRP:CZ3	3:C:538:LEU:HD12	2.55	0.41
3:C:967[B]:TYR:CD1	3:C:1019[B]:THR:CG2	3.02	0.41
3:C:11:LEU:HD13	10:C:2115:HOH:O	2.20	0.41
1:A:77:ASP:HA	1:A:80:TYR:CE2	2.56	0.41
3:C:264:ILE:CG2	3:C:271:ILE:HG21	2.51	0.41
3:C:495:ILE:HD11	3:C:534:ASP:HB3	2.02	0.41
1:A:99[B]:LYS:HA	1:A:99[B]:LYS:HD3	1.90	0.41
3:C:902:VAL:HG13	3:C:954:LYS:HZ2	1.86	0.41
1:A:159:LYS:HB2	1:A:160:PRO:HD3	2.03	0.40
3:C:928:HIS:HE1	10:C:1739:HOH:O	2.03	0.40
3:C:945:ASP:O	3:C:946:SER:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/216 (97%)	206 (98%)	4 (2%)	0	100	100
2	B	122/140 (87%)	116 (95%)	6 (5%)	0	100	100
3	C	1050/1060 (99%)	1033 (98%)	16 (2%)	1 (0%)	56	64
All	All	1382/1416 (98%)	1355 (98%)	26 (2%)	1 (0%)	56	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	687	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	184/185 (100%)	182 (99%)	2 (1%)	80	89
2	B	106/121 (88%)	103 (97%)	3 (3%)	51	63
3	C	963/964 (100%)	947 (98%)	16 (2%)	68	80
All	All	1253/1270 (99%)	1232 (98%)	21 (2%)	70	80

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	186	GLU
1	A	202	GLU
2	B	78	THR
2	B	82	ASP
2	B	101	LYS
3	C	35	GLN
3	C	247[A]	ASP
3	C	247[B]	ASP
3	C	284	GLN
3	C	291	MET
3	C	453	ARG
3	C	523	THR
3	C	607	LYS
3	C	682	GLN
3	C	785[A]	LYS
3	C	785[B]	LYS
3	C	883	LYS
3	C	940	PHE
3	C	977	GLN
3	C	978	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	983	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	ASN
1	A	196	GLN
1	A	205	GLN
3	C	9	ASN
3	C	203	GLN
3	C	434	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GNP	A	301	5	28,34,34	1.62	5 (17%)	33,54,54	1.86	7 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	EDO	A	303	-	3,3,3	0.58	0	2,2,2	0.09	0
8	51K	C	1101	3	25,28,28	0.89	2 (8%)	30,42,42	1.83	8 (26%)
9	GOL	C	1102	-	5,5,5	0.35	0	5,5,5	0.36	0
9	GOL	C	1103	-	5,5,5	0.38	0	5,5,5	0.39	0
6	EDO	C	1104	-	3,3,3	0.50	0	2,2,2	0.52	0
9	GOL	C	1108	-	5,5,5	0.37	0	5,5,5	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GNP	A	301	5	-	0/12/38/38	0/3/3/3
6	EDO	A	303	-	-	0/1/1/1	0/0/0/0
8	51K	C	1101	3	-	0/20/21/21	0/2/3/3
9	GOL	C	1102	-	-	0/4/4/4	0/0/0/0
9	GOL	C	1103	-	-	0/4/4/4	0/0/0/0
6	EDO	C	1104	-	-	0/1/1/1	0/0/0/0
9	GOL	C	1108	-	-	0/4/4/4	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	1101	51K	C2-N3	2.09	1.36	1.32
4	A	301	GNP	PG-O1G	2.40	1.48	1.46
8	C	1101	51K	C6-C5	2.53	1.50	1.49
4	A	301	GNP	C6-C5	3.05	1.47	1.41
4	A	301	GNP	PB-N3B	3.20	1.71	1.63
4	A	301	GNP	C5-C4	3.64	1.48	1.40
4	A	301	GNP	PG-N3B	4.02	1.74	1.63

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	1101	51K	N9-C10-N11	-5.95	110.11	114.88
4	A	301	GNP	C5-C6-N1	-4.23	117.80	123.59
4	A	301	GNP	O1G-PG-N3B	-4.20	105.46	111.90
4	A	301	GNP	C6-C5-C4	-3.56	116.64	120.90
4	A	301	GNP	PA-O3A-PB	-3.02	122.55	132.67
8	C	1101	51K	C16-C17-C23	-2.52	116.24	119.59
8	C	1101	51K	F25-C23-C17	-2.51	107.59	112.95

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	301	GNP	N3-C2-N1	-2.24	124.04	127.44
8	C	1101	51K	F24-C23-C17	-2.19	108.28	112.95
8	C	1101	51K	F22-C19-C15	-2.17	108.31	112.95
4	A	301	GNP	C4-C5-N7	-2.08	107.56	109.48
8	C	1101	51K	F22-C19-F20	2.03	113.05	105.71
8	C	1101	51K	F24-C23-F26	2.30	114.02	105.71
8	C	1101	51K	C18-C17-C23	2.45	122.85	119.59
4	A	301	GNP	C6-N1-C2	4.76	122.55	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	208/216 (96%)	-0.19	9 (4%) 39 38	36, 51, 101, 123	0
2	B	123/140 (87%)	-0.34	2 (1%) 74 73	50, 64, 88, 103	0
3	C	1017/1060 (95%)	-0.40	11 (1%) 82 82	36, 52, 81, 128	0
All	All	1348/1416 (95%)	-0.36	22 (1%) 74 73	36, 53, 84, 128	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	79	ALA	6.1
3	C	689	LEU	5.0
1	A	195	ALA	4.0
3	C	690	LEU	3.9
3	C	205	SER	3.7
3	C	-1	GLY	3.6
1	A	182	LEU	3.4
1	A	193	LEU	3.3
1	A	179	MET	3.3
3	C	543	ARG	3.1
1	A	188	VAL	2.9
1	A	192	ALA	2.8
3	C	978	GLU	2.6
1	A	9	VAL	2.3
1	A	191	PRO	2.3
2	B	162	ALA	2.3
3	C	544	GLY	2.1
1	A	189	MET	2.1
3	C	449	GLY	2.1
3	C	979	ALA	2.1
3	C	540	VAL	2.0
3	C	55	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	EDO	A	303	4/4	0.90	0.22	8.69	67,72,73,75	0
6	EDO	C	1104	4/4	0.66	0.25	2.96	81,83,84,92	0
8	51K	C	1101	26/26	0.95	0.18	1.68	56,63,84,90	0
7	CL	C	1106	1/1	0.97	0.14	0.89	72,72,72,72	0
7	CL	C	1105	1/1	0.98	0.13	0.66	81,81,81,81	0
7	CL	C	1107	1/1	0.89	0.10	0.33	89,89,89,89	0
4	GNP	A	301	32/32	0.99	0.10	-0.58	42,45,47,48	0
5	MG	A	302	1/1	0.96	0.08	-1.08	45,45,45,45	0
9	GOL	C	1102	6/6	0.92	0.12	-	73,74,76,80	0
9	GOL	C	1103	6/6	0.63	0.18	-	80,86,90,95	0
7	CL	C	1109	1/1	0.69	0.07	-	95,95,95,95	0
9	GOL	C	1108	6/6	0.81	0.15	-	69,77,82,86	0
7	CL	A	304	1/1	0.95	0.10	-	65,65,65,65	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.