



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 07:41 PM GMT

PDB ID : 1GQT
Title : ACTIVATION OF RIBOKINASE BY MONOVALENT CATIONS
Authors : Andersson, C.E.; Mowbray, S.L.
Deposited on : 2001-12-05
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1406 (2.36-2.32)
Clashscore	102246	1509 (2.36-2.32)
Ramachandran outliers	100387	1490 (2.36-2.32)
Sidechain outliers	100360	1491 (2.36-2.32)
RSRZ outliers	91569	1412 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	<div> <div>2%</div> <div>83%</div> <div>14%</div> <div>..</div> </div>
1	B	309	<div> <div>4%</div> <div>74%</div> <div>22%</div> <div>..</div> </div>
1	C	309	<div> <div>2%</div> <div>80%</div> <div>18%</div> <div>..</div> </div>
1	D	309	<div> <div>3%</div> <div>75%</div> <div>22%</div> <div>..</div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9355 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RIBOKINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	305	Total	C	N	O	S	4	0	0
			2237	1395	399	440	3			
1	B	307	Total	C	N	O	S	8	0	0
			2254	1404	403	444	3			
1	C	306	Total	C	N	O	S	55	0	0
			2248	1401	403	441	3			
1	D	305	Total	C	N	O	S	38	0	0
			2237	1395	399	440	3			

- Molecule 2 is CESIUM ION (three-letter code: CS) (formula: Cs).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cs	0	0
			1	1		
2	A	1	Total	Cs	0	0
			1	1		
2	D	1	Total	Cs	0	0
			1	1		
2	C	1	Total	Cs	0	0
			1	1		

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	4	0
			31	11	5	12	3		
3	B	1	Total	C	N	O	P	4	0
			31	11	5	12	3		
3	C	1	Total	C	N	O	P	4	0
			31	11	5	12	3		

- Molecule 4 is SUGAR (RIBOSE) (three-letter code: RIB) (formula: C₅H₁₀O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	5	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			10	5	5		
4	C	1	Total	C	O	0	0
			10	5	5		
4	D	1	Total	C	O	0	0
			10	5	5		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	69	Total	O	0	0
			69	69		
5	B	65	Total	O	0	0
			65	65		
5	C	54	Total	O	0	0
			54	54		
5	D	54	Total	O	0	0
			54	54		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RIBOKINASE




• Molecule 1: RIBOKINASE




• Molecule 1: RIBOKINASE



• Molecule 1: RIBOKINASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.45Å 62.77Å 339.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	17.00 – 2.34 16.94 – 2.34	Depositor EDS
% Data completeness (in resolution range)	98.2 (17.00-2.34) 98.1 (16.94-2.34)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.96 (at 2.35Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.193 , 0.257 0.195 , 0.257	Depositor DCC
R_{free} test set	2480 reflections (5.20%)	DCC
Wilson B-factor (Å ²)	28.7	Xtriage
Anisotropy	0.474	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 50203 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9355	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CS, ACP, RIB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/2269	0.88	6/3089 (0.2%)
1	B	0.53	0/2286	0.88	5/3112 (0.2%)
1	C	0.55	1/2280 (0.0%)	0.91	7/3103 (0.2%)
1	D	0.49	0/2269	0.84	4/3089 (0.1%)
All	All	0.52	1/9104 (0.0%)	0.88	22/12393 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	193	LYS	CB-CG	7.00	1.71	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	255	ASP	CB-CG-OD2	6.87	124.48	118.30
1	A	255	ASP	CB-CG-OD2	6.41	124.07	118.30
1	A	249	ASP	CB-CG-OD2	6.34	124.01	118.30
1	B	66	ASP	CB-CG-OD2	6.32	123.99	118.30
1	D	306	ASP	CB-CG-OD2	6.23	123.91	118.30
1	C	66	ASP	CB-CG-OD2	6.12	123.80	118.30
1	B	175	ASP	CB-CG-OD2	5.79	123.51	118.30
1	B	182	ASP	CB-CG-OD2	5.78	123.50	118.30
1	C	80	ASP	CB-CG-OD2	5.76	123.48	118.30
1	B	249	ASP	CB-CG-OD2	5.74	123.46	118.30
1	C	182	ASP	CB-CG-OD2	5.65	123.39	118.30
1	A	182	ASP	CB-CG-OD2	5.65	123.39	118.30
1	C	202	ASP	CB-CG-OD2	5.53	123.28	118.30
1	D	67	ASP	CB-CG-OD2	5.52	123.27	118.30
1	D	202	ASP	CB-CG-OD2	5.49	123.24	118.30
1	C	302	ASP	CB-CG-OD2	5.49	123.24	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	16	ASP	CB-CG-OD2	5.40	123.16	118.30
1	C	204	ASP	CB-CG-OD2	5.30	123.07	118.30
1	D	182	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	67	ASP	CB-CG-OD2	5.10	122.89	118.30
1	B	80	ASP	CB-CG-OD2	5.05	122.84	118.30
1	A	306	ASP	CB-CG-OD2	5.00	122.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2237	0	2246	32	0
1	B	2254	0	2260	62	0
1	C	2248	0	2259	38	0
1	D	2237	0	2246	59	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	31	0	12	0	0
3	B	31	0	12	1	0
3	C	31	0	14	1	0
4	A	10	0	10	0	0
4	B	10	0	10	0	0
4	C	10	0	10	0	0
4	D	10	0	10	0	0
5	A	69	0	0	5	0
5	B	65	0	0	5	0
5	C	54	0	0	1	0
5	D	54	0	0	6	0
All	All	9355	0	9089	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:69:ILE:HD12	1:B:69:ILE:O	1.50	1.11
1:A:4:ALA:HA	5:A:2001:HOH:O	1.56	1.06
1:B:172:GLU:HG3	1:B:193:LYS:HE3	1.39	1.03
1:D:26:THR:HG23	1:D:27:PRO:HD2	1.45	0.98
1:C:226:SER:HA	1:C:244:ARG:NH1	1.82	0.95
1:A:251:ILE:HD11	1:A:290:GLY:C	1.94	0.88
1:B:69:ILE:C	1:B:69:ILE:HD12	1.95	0.85
1:A:37:GLN:OE1	5:A:2010:HOH:O	1.94	0.84
1:C:226:SER:HA	1:C:244:ARG:CZ	2.07	0.84
1:B:182:ASP:OD1	5:B:2048:HOH:O	1.95	0.84
1:A:25:PRO:HB2	1:B:109:VAL:HG13	1.63	0.81
1:C:267:GLU:OE2	5:C:2045:HOH:O	2.02	0.78
1:B:172:GLU:HG3	1:B:193:LYS:CE	2.15	0.77
1:D:93:GLU:OE1	1:D:116:ALA:HA	1.85	0.77
1:B:171:ARG:HA	1:B:193:LYS:HE2	1.68	0.76
1:B:292:GLN:N	1:B:293:PRO:CD	2.50	0.74
1:B:283:ALA:O	1:B:286:VAL:HG22	1.87	0.74
1:D:26:THR:HG23	1:D:27:PRO:CD	2.18	0.73
1:C:21:LEU:HD13	1:C:23:SER:O	1.91	0.71
1:A:271:LEU:HB3	1:A:272:PRO:HD3	1.72	0.70
1:A:4:ALA:CA	5:A:2001:HOH:O	2.25	0.70
1:D:299:GLU:HG3	5:D:2054:HOH:O	1.91	0.70
1:D:10:LEU:HD23	1:D:10:LEU:C	2.13	0.69
1:B:107:GLU:HG3	5:B:2027:HOH:O	1.92	0.69
1:C:109:VAL:HG23	1:D:25:PRO:HB2	1.73	0.68
1:C:101:PHE:HB2	1:C:109:VAL:HG13	1.76	0.67
1:D:222:ILE:C	1:D:229:VAL:HG23	2.15	0.66
1:B:292:GLN:N	1:B:293:PRO:HD3	2.10	0.65
1:D:184:ILE:HG23	1:D:186:PRO:HD2	1.78	0.65
1:A:4:ALA:N	5:A:2001:HOH:O	2.32	0.63
1:D:288:ARG:HB2	1:D:294:SER:HB2	1.80	0.63
1:C:251:ILE:O	1:C:252:ALA:HB3	1.99	0.62
1:C:142:LEU:CD1	1:C:167:PRO:HA	2.29	0.62
1:D:26:THR:O	1:D:29:GLU:HB3	2.00	0.62
1:C:213:HIS:HD2	1:C:217:ILE:O	1.83	0.61
1:A:21:LEU:HD22	1:A:31:VAL:HG21	1.83	0.61
1:C:243:PHE:O	3:C:1311:ACP:H2	2.01	0.61
1:A:109:VAL:HB	1:B:25:PRO:HB2	1.82	0.60
1:C:43:LYS:HG3	1:C:143:GLU:CD	2.22	0.59
1:D:249:ASP:OD2	1:D:289:LYS:HD2	2.02	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:222:ILE:O	1:D:229:VAL:HG23	2.02	0.58
1:B:304:PHE:C	1:B:304:PHE:CD1	2.77	0.57
1:B:29:GLU:OE2	5:B:2007:HOH:O	2.18	0.57
1:D:26:THR:HB	1:D:29:GLU:OE1	2.05	0.57
1:A:251:ILE:HD11	1:A:290:GLY:CA	2.34	0.56
1:D:234:ASN:HA	5:D:2043:HOH:O	2.04	0.56
1:B:69:ILE:C	1:B:69:ILE:CD1	2.70	0.56
1:D:271:LEU:N	1:D:272:PRO:HD2	2.21	0.55
1:C:271:LEU:HB3	1:C:272:PRO:HD3	1.88	0.55
1:A:147:GLU:H	1:A:147:GLU:CD	2.09	0.55
1:A:251:ILE:O	1:A:251:ILE:HG12	2.05	0.55
1:D:292:GLN:N	1:D:293:PRO:CD	2.69	0.55
1:B:126:GLU:OE2	1:B:129:ARG:NE	2.34	0.55
1:B:213:HIS:HD2	1:B:217:ILE:O	1.90	0.54
1:D:40:PHE:CE1	1:D:73:VAL:HB	2.43	0.54
1:B:282:ALA:O	1:B:286:VAL:HG13	2.08	0.54
1:A:25:PRO:HG2	1:B:109:VAL:CG1	2.38	0.54
1:D:27:PRO:C	1:D:29:GLU:H	2.11	0.54
1:C:142:LEU:HD12	1:C:167:PRO:C	2.28	0.53
1:B:172:GLU:CG	1:B:193:LYS:HE3	2.25	0.53
1:D:28:GLY:C	5:D:2006:HOH:O	2.47	0.53
1:D:19:LEU:HD11	1:D:33:GLY:HA3	1.91	0.53
1:B:85:THR:HB	1:B:86:PRO:HD3	1.90	0.53
1:C:24:PHE:CE1	1:C:109:VAL:HG12	2.44	0.53
1:B:21:LEU:C	1:B:21:LEU:HD12	2.29	0.53
1:D:28:GLY:CA	5:D:2006:HOH:O	2.56	0.52
1:A:267:GLU:O	1:A:268:GLU:HB2	2.09	0.52
1:A:21:LEU:HD22	1:A:31:VAL:CG2	2.38	0.52
1:D:50:ALA:HA	1:D:295:VAL:HG11	1.90	0.52
1:A:25:PRO:CB	1:B:109:VAL:HG13	2.38	0.52
1:D:218:ARG:O	1:D:233:VAL:HA	2.10	0.52
1:B:202:ASP:HB2	1:B:230:TRP:CZ3	2.44	0.52
1:D:185:THR:N	1:D:186:PRO:HD2	2.24	0.51
1:C:292:GLN:N	1:C:293:PRO:CD	2.72	0.51
1:C:53:ARG:HG2	1:C:297:TRP:CZ3	2.46	0.51
1:C:121:SER:HB2	1:C:122:PRO:HD2	1.92	0.51
1:B:239:ARG:HG3	1:B:240:VAL:N	2.26	0.51
1:B:150:MET:SD	1:B:154:LYS:HE3	2.50	0.51
1:B:85:THR:N	1:B:86:PRO:CD	2.73	0.51
1:D:50:ALA:HA	1:D:295:VAL:CG1	2.41	0.51
1:B:271:LEU:HB3	1:B:272:PRO:HD3	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:7:LEU:O	1:D:58:ILE:HA	2.10	0.51
1:B:172:GLU:N	1:B:193:LYS:HE3	2.26	0.51
1:A:26:THR:HB	1:A:27:PRO:CD	2.41	0.51
1:B:68:SER:OG	5:B:2017:HOH:O	2.18	0.50
1:B:248:VAL:CG2	1:B:249:ASP:N	2.74	0.50
1:B:10:LEU:C	1:B:10:LEU:HD23	2.32	0.50
1:B:6:SER:OG	1:B:135:ALA:HA	2.11	0.50
1:C:85:THR:HB	1:C:86:PRO:HD3	1.93	0.50
1:A:292:GLN:N	1:A:293:PRO:CD	2.75	0.50
1:C:142:LEU:HD11	1:C:167:PRO:HA	1.92	0.50
1:A:10:LEU:C	1:A:10:LEU:HD23	2.33	0.49
1:D:199:VAL:HA	1:D:204:ASP:HB3	1.94	0.49
1:B:26:THR:HG22	1:B:29:GLU:HB2	1.93	0.49
1:B:268:GLU:HG3	1:D:218:ARG:NH1	2.27	0.49
1:D:26:THR:H	1:D:29:GLU:HG2	1.78	0.49
1:B:288:ARG:HB2	1:B:294:SER:HB2	1.95	0.48
1:C:109:VAL:HG23	1:D:25:PRO:CB	2.43	0.48
1:B:50:ALA:HA	1:B:295:VAL:HG11	1.95	0.48
1:B:2:GLN:HG2	1:B:2:GLN:O	2.13	0.48
1:D:271:LEU:N	1:D:272:PRO:CD	2.77	0.48
1:D:270:PRO:C	1:D:272:PRO:HD2	2.33	0.48
1:A:93:GLU:HG2	1:A:116:ALA:HA	1.95	0.48
1:B:298:ARG:HA	1:B:301:ILE:HD12	1.96	0.48
1:D:20:ASN:ND2	5:D:2004:HOH:O	2.47	0.47
1:A:121:SER:HB2	1:A:122:PRO:HD2	1.95	0.47
1:D:205:ALA:O	1:D:208:ALA:N	2.47	0.47
1:B:198:ARG:CZ	1:B:200:GLU:OE1	2.62	0.47
1:D:185:THR:N	1:D:186:PRO:CD	2.77	0.47
1:B:249:ASP:C	1:B:249:ASP:OD1	2.53	0.47
1:D:142:LEU:CD1	1:D:167:PRO:HA	2.45	0.47
1:B:248:VAL:HG22	1:B:249:ASP:N	2.30	0.47
1:D:85:THR:HB	1:D:86:PRO:HD3	1.97	0.47
1:B:202:ASP:HB2	1:B:230:TRP:CE3	2.51	0.46
1:A:25:PRO:HD3	1:A:31:VAL:HG21	1.96	0.46
1:D:141:GLN:HB2	5:D:2030:HOH:O	2.14	0.46
1:D:154:LYS:O	1:D:158:GLN:HG3	2.14	0.46
1:C:27:PRO:HA	1:D:109:VAL:HG12	1.97	0.46
1:B:249:ASP:OD1	1:B:251:ILE:HG12	2.16	0.46
1:A:150:MET:CG	1:A:154:LYS:NZ	2.79	0.46
3:B:1310:ACP:O5'	3:B:1310:ACP:H8	2.16	0.46
1:B:43:LYS:O	1:B:47:GLN:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:251:ILE:HG13	1:D:251:ILE:H	1.60	0.45
1:A:143:GLU:CG	1:A:169:PRO:HD3	2.46	0.45
1:B:7:LEU:HD13	1:B:262:ILE:HG21	1.97	0.45
1:C:309:ARG:C	1:C:309:ARG:HD2	2.37	0.45
1:B:176:GLU:HB2	5:B:2047:HOH:O	2.16	0.45
1:C:271:LEU:O	1:C:275:ILE:HG13	2.16	0.45
1:B:108:ASN:C	1:B:108:ASN:ND2	2.71	0.45
1:D:10:LEU:CD2	1:D:10:LEU:C	2.85	0.44
1:D:184:ILE:HG12	1:D:186:PRO:HD3	1.99	0.44
1:A:249:ASP:HB3	1:A:288:ARG:O	2.17	0.44
1:A:262:ILE:HG23	1:A:262:ILE:HD12	1.82	0.44
1:D:267:GLU:O	1:D:268:GLU:HB2	2.18	0.44
1:B:213:HIS:CD2	1:B:217:ILE:O	2.71	0.44
1:C:25:PRO:HB2	1:D:109:VAL:HB	1.99	0.44
1:A:156:ALA:HB1	1:A:161:THR:HB	2.00	0.44
1:B:212:LEU:HD23	1:B:212:LEU:HA	1.87	0.44
1:D:26:THR:CG2	1:D:27:PRO:CD	2.92	0.43
1:C:124:LEU:HD23	1:C:124:LEU:HA	1.77	0.43
1:D:13:ILE:HG12	1:D:45:ALA:HB2	2.00	0.43
1:C:251:ILE:O	1:C:252:ALA:CB	2.64	0.43
1:C:213:HIS:CD2	1:C:217:ILE:O	2.68	0.43
1:D:245:VAL:HG13	1:D:245:VAL:O	2.18	0.43
1:C:50:ALA:HA	1:C:295:VAL:HG11	1.99	0.43
1:B:5:GLY:HA3	1:B:136:SER:OG	2.18	0.43
1:C:263:THR:O	1:C:267:GLU:HG3	2.18	0.43
1:C:168:ALA:HA	1:C:169:PRO:C	2.38	0.43
1:A:143:GLU:HG2	1:A:169:PRO:HD3	2.00	0.43
1:D:34:ASN:O	1:D:35:HIS:HB2	2.19	0.43
1:B:26:THR:O	1:B:29:GLU:HB3	2.18	0.43
1:C:21:LEU:O	1:C:103:ASN:HA	2.19	0.42
1:C:53:ARG:HG2	1:C:297:TRP:CH2	2.53	0.42
1:B:108:ASN:C	1:B:108:ASN:HD22	2.22	0.42
1:B:159:ASN:O	1:B:160:LYS:HB2	2.20	0.42
1:B:70:GLY:O	1:B:74:ARG:HG3	2.19	0.42
1:B:271:LEU:N	1:B:272:PRO:CD	2.82	0.42
1:C:231:ALA:O	1:C:237:GLY:HA2	2.20	0.42
1:B:40:PHE:HE1	1:B:69:ILE:CD1	2.32	0.42
1:D:45:ALA:O	1:D:49:VAL:HG23	2.20	0.42
1:D:184:ILE:C	1:D:186:PRO:HD2	2.40	0.42
1:A:265:LEU:HA	1:A:265:LEU:HD23	1.81	0.42
1:D:49:VAL:HG21	1:D:292:GLN:HG2	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:16:ASP:O	1:D:38:VAL:HA	2.19	0.42
1:B:266:LEU:HD23	1:B:266:LEU:HA	1.74	0.41
1:C:150:MET:CE	1:C:177:LEU:HB2	2.51	0.41
1:B:141:GLN:HA	1:B:166:ASN:O	2.19	0.41
1:C:150:MET:HE2	1:C:177:LEU:HB2	2.02	0.41
1:A:101:PHE:O	1:A:108:ASN:HA	2.20	0.41
1:C:267:GLU:O	1:C:268:GLU:HB2	2.19	0.41
1:D:95:THR:HG22	1:D:96:GLY:N	2.36	0.41
1:D:165:LEU:O	1:D:184:ILE:HA	2.21	0.41
1:D:187:ASN:HA	1:D:223:THR:OG1	2.21	0.41
1:C:213:HIS:HE1	1:C:232:SER:OG	2.03	0.41
1:D:10:LEU:HD23	1:D:11:GLY:N	2.36	0.40
1:B:291:ALA:C	1:B:293:PRO:CD	2.89	0.40
1:D:142:LEU:HD12	1:D:167:PRO:C	2.41	0.40
1:A:150:MET:HG3	1:A:154:LYS:NZ	2.36	0.40
1:B:121:SER:HB2	1:B:122:PRO:HD2	2.03	0.40
1:B:71:GLU:OE1	1:B:74:ARG:NH1	2.55	0.40
1:D:69:ILE:HA	1:D:69:ILE:HD12	1.86	0.40
1:C:141:GLN:CD	1:C:141:GLN:N	2.75	0.40
1:A:129:ARG:NH1	5:A:2028:HOH:O	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/309 (98%)	296 (98%)	7 (2%)	0	100	100
1	B	305/309 (99%)	295 (97%)	10 (3%)	0	100	100
1	C	304/309 (98%)	293 (96%)	10 (3%)	1 (0%)	46	54
1	D	303/309 (98%)	292 (96%)	9 (3%)	2 (1%)	26	28
All	All	1215/1236 (98%)	1176 (97%)	36 (3%)	3 (0%)	52	61

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	5	GLY
1	D	245	VAL
1	C	249	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/233 (98%)	216 (94%)	13 (6%)	25	30
1	B	231/233 (99%)	216 (94%)	15 (6%)	21	24
1	C	230/233 (99%)	220 (96%)	10 (4%)	35	45
1	D	229/233 (98%)	221 (96%)	8 (4%)	43	55
All	All	919/932 (99%)	873 (95%)	46 (5%)	30	37

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	LEU
1	A	58	ILE
1	A	71	GLU
1	A	105	GLU
1	A	108	ASN
1	A	136	SER
1	A	147	GLU
1	A	221	LEU
1	A	244	ARG
1	A	251	ILE
1	A	279	HIS
1	A	306	ASP
1	A	308	GLN
1	B	2	GLN
1	B	26	THR
1	B	58	ILE
1	B	68	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	69	ILE
1	B	105	GLU
1	B	108	ASN
1	B	130	GLU
1	B	226	SER
1	B	236	GLU
1	B	239	ARG
1	B	248	VAL
1	B	289	LYS
1	B	299	GLU
1	B	304	PHE
1	C	21	LEU
1	C	23	SER
1	C	26	THR
1	C	32	THR
1	C	58	ILE
1	C	63	CYS
1	C	109	VAL
1	C	112	ILE
1	C	248	VAL
1	C	309	ARG
1	D	21	LEU
1	D	26	THR
1	D	58	ILE
1	D	108	ASN
1	D	183	ILE
1	D	214	GLU
1	D	233	VAL
1	D	272	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	GLN
1	A	108	ASN
1	A	134	ASN
1	A	308	GLN
1	B	3	ASN
1	B	108	ASN
1	B	213	HIS
1	B	238	GLN
1	C	37	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	75	GLN
1	C	213	HIS
1	C	258	ASN
1	D	279	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ACP	A	1310	-	25,33,33	1.25	3 (12%)	31,52,52	3.30	6 (19%)
4	RIB	A	1311	-	10,10,10	1.11	1 (10%)	12,14,14	3.35	1 (8%)
3	ACP	B	1310	-	25,33,33	1.24	3 (12%)	31,52,52	2.82	6 (19%)
4	RIB	B	1311	-	10,10,10	0.96	0	12,14,14	2.15	3 (25%)
3	ACP	C	1311	-	25,33,33	1.18	3 (12%)	31,52,52	2.60	6 (19%)
4	RIB	C	1312	-	10,10,10	0.74	0	12,14,14	2.56	1 (8%)
4	RIB	D	1310	-	10,10,10	0.75	0	12,14,14	1.24	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACP	A	1310	-	-	0/15/38/38	0/3/3/3
4	RIB	A	1311	-	-	0/2/18/18	0/1/1/1
3	ACP	B	1310	-	-	0/15/38/38	0/3/3/3
4	RIB	B	1311	-	-	0/2/18/18	0/1/1/1
3	ACP	C	1311	-	-	0/15/38/38	0/3/3/3
4	RIB	C	1312	-	-	0/2/18/18	0/1/1/1
4	RIB	D	1310	-	-	0/2/18/18	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1311	RIB	O4'-C1'	-2.35	1.40	1.42
3	A	1310	ACP	C2-N1	2.10	1.37	1.33
3	C	1311	ACP	C2-N1	2.21	1.38	1.33
3	B	1310	ACP	C2-N1	2.53	1.38	1.33
3	C	1311	ACP	PB-O3A	3.15	1.62	1.58
3	B	1310	ACP	PB-O3A	3.16	1.62	1.58
3	C	1311	ACP	C2-N3	3.24	1.37	1.32
3	A	1310	ACP	C2-N3	3.27	1.38	1.32
3	B	1310	ACP	C2-N3	3.46	1.38	1.32
3	A	1310	ACP	PB-O3A	3.69	1.62	1.58

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1310	ACP	N3-C2-N1	-12.16	119.58	128.89
4	A	1311	RIB	O1'-C1'-O4'	-11.20	96.52	111.22
3	C	1311	ACP	N3-C2-N1	-11.14	120.37	128.89
3	B	1310	ACP	N3-C2-N1	-11.13	120.37	128.89
4	C	1312	RIB	O1'-C1'-O4'	-8.47	100.10	111.22
3	A	1310	ACP	O2G-PG-C3B	-7.03	89.35	106.40
4	B	1311	RIB	O1'-C1'-O4'	-5.90	103.48	111.22
3	B	1310	ACP	O1G-PG-C3B	-5.83	97.84	111.13
3	B	1310	ACP	C2'-C1'-N9	-4.99	106.67	114.29
3	C	1311	ACP	PA-O3A-PB	-4.41	120.33	132.73
3	B	1310	ACP	PA-O3A-PB	-4.40	120.38	132.73
3	C	1311	ACP	C1'-N9-C4	-3.91	121.04	126.94
4	D	1310	RIB	O1'-C1'-O4'	-3.55	106.56	111.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1311	ACP	C4-C5-N7	-3.15	106.58	109.48
3	A	1310	ACP	C2'-C1'-N9	-3.04	109.65	114.29
3	A	1310	ACP	PA-O3A-PB	-2.74	125.04	132.73
3	A	1310	ACP	O3G-PG-O1G	-2.32	106.47	112.40
3	C	1311	ACP	O1G-PG-C3B	2.02	115.75	111.13
4	B	1311	RIB	C1'-C2'-C3'	2.51	105.78	102.45
4	B	1311	RIB	O4'-C4'-C3'	2.69	110.57	105.15
3	B	1310	ACP	O2G-PG-C3B	2.83	113.25	106.40
3	C	1311	ACP	O4'-C1'-N9	3.46	115.34	108.10
3	B	1310	ACP	O3G-PG-C3B	3.70	115.38	106.40
3	A	1310	ACP	O3G-PG-C3B	9.93	130.49	106.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1310	ACP	1	0
3	C	1311	ACP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/309 (98%)	0.03	5 (1%) 74 83	15, 27, 44, 64	1 (0%)
1	B	307/309 (99%)	0.10	12 (3%) 43 55	14, 26, 49, 73	2 (0%)
1	C	306/309 (99%)	-0.06	7 (2%) 64 75	16, 28, 44, 54	12 (3%)
1	D	305/309 (98%)	0.17	10 (3%) 50 61	17, 33, 52, 73	8 (2%)
All	All	1223/1236 (98%)	0.06	34 (2%) 56 67	14, 28, 50, 73	23 (1%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	4	ALA	3.9
1	D	246	GLN	3.9
1	B	202	ASP	3.8
1	D	226	SER	3.7
1	B	247	ALA	3.6
1	D	225	GLY	3.5
1	B	307	ARG	3.2
1	B	308	GLN	3.1
1	D	299	GLU	3.0
1	B	248	VAL	2.9
1	C	28	GLY	2.8
1	B	306	ASP	2.7
1	C	222	ILE	2.7
1	A	246	GLN	2.6
1	D	307	ARG	2.5
1	D	105	GLU	2.4
1	A	28	GLY	2.4
1	B	244	ARG	2.4
1	A	68	SER	2.3
1	D	22	GLN	2.3
1	A	244	ARG	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	29	GLU	2.3
1	A	307	ARG	2.3
1	B	91	LYS	2.2
1	C	4	ALA	2.2
1	C	226	SER	2.2
1	B	2	GLN	2.2
1	C	236	GLU	2.2
1	D	306	ASP	2.2
1	B	107	GLU	2.1
1	B	246	GLN	2.1
1	B	278	ALA	2.1
1	C	192	GLU	2.0
1	C	27	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	ACP	C	1311	31/31	0.89	0.19	1.81	33,45,79,81	8
3	ACP	B	1310	31/31	0.86	0.19	0.62	47,55,84,85	8
3	ACP	A	1310	31/31	0.90	0.15	0.43	35,42,66,72	8
4	RIB	A	1311	10/10	0.95	0.11	-0.62	20,27,31,34	0
4	RIB	C	1312	10/10	0.96	0.10	-1.11	11,24,26,27	0
4	RIB	B	1311	10/10	0.95	0.10	-1.26	20,25,31,35	0
4	RIB	D	1310	10/10	0.96	0.09	-1.73	27,33,41,48	0
2	CS	C	1310	1/1	1.00	0.07	-2.60	30,30,30,30	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	CS	A	1309	1/1	1.00	0.07	-3.01	27,27,27,27	1
2	CS	B	1309	1/1	1.00	0.04	-3.11	36,36,36,36	1
2	CS	D	1309	1/1	1.00	0.04	-3.53	35,35,35,35	1

6.5 Other polymers

There are no such residues in this entry.